

GIT QUICK REFERENCE CARD

© 2011 Gabriel Burca - Permissions on back. v1.0 Sep 2011

Main commands

add Add file contents to the index

-A *[:/]* *adds all file changes including deletions to the staging area [for the whole tree]*

-f *Allow adding otherwise ignored files*

am Apply a series of patches from a mailbox

archive Create an archive of files from a named tree

bisect Find by binary search the change that introduced a bug

branch List, create, or delete branches

-a *lists all branches including the remote branches*

-d *delete ...branch*

-m *rename branch: ...old_name new_name*

-v *lists more information about the branches*

bundle Move objects and refs by archive

checkout Checkout a branch or paths to the working tree

-b *create a branch and switch to it at the same time*

cherry-pick . Apply the change introduced by an existing commit

citool Graphical alternative to commit

clean Remove untracked files from the working tree

clone Clone a repository into a new directory

commit Record changes to the repository

-a *adding changes of files known by the Git repository to the commit*

-m *Set comment for commitment - correcting it with adding --amend*

describe Show the most recent tag that is reachable from a commit

diff Show changes between commits, commit and working tree, etc.

fetch Download objects and refs from another repository

format-patch Prepare patches for e-mail submission

gc Cleanup unnecessary files and optimize the local repository

grep Print lines matching a pattern

gui A portable graphical interface to Git

init Create an empty git repository or reinitialize an existing one

log Show commit logs

merge Join two or more development histories together

mv Move or rename a file, a directory, or a symlink

notes Add/inspect commit notes

pull Fetch from and merge with another repository or a local branch

push Update remote refs along with associated objects

rebase Forward-port local commits to the updated upstream head

reset Reset current HEAD to the specified state (Remove a file from staging area)

revert Revert an existing commit

rm Remove files from the working tree and from the index

-r *remove recursive - for removing additionally from repo, add --cached **

shortlog Summarize git log output

show Show various types of objects

stash Stash the changes in a dirty working directory away

status Show the working tree status

submodule ... Initialize, update or inspect submodules

tag Create, list, delete or verify a tag object signed with GPG

gitk The git repository browser

Manipulators

config Get and set repository or global options

fast-export . Git data exporter

fast-import . Backend for fast Git data importers

filter-branch
 Rewrite branches

mergetool ... Run merge conflict resolution tools to resolve merge conflicts

pack-refs ... Pack heads and tags for efficient repository access

prune Prune all unreachable objects from the object database

reflog Manage reflog information

relink Hardlink common objects in local repositories

remote Manage set of tracked repositories

-v *show details about the remotes*

repack Pack unpacked objects in a repository

replace Create, list, delete refs to replace objects

Interrogators

annotate Annotate file lines with commit information

blame Show what revision and author last modified each line of a file

cherry Find commits not merged upstream

count-objects
 Count unpacked number of objects and their disk consumption

difftool Show changes using common diff tools

fsck Verifies the connectivity and validity of the objects in the database

get-tar-commit-id
 Extract commit ID from an archive created using archive

help Display help information about git

instaweb Instantly browse your working repository in gitweb

merge-tree .. Show three-way merge without touching index

rerere Reuse recorded resolution of conflicted merges

rev-parse ... Pick out and massage parameters

show-branch .. Show branches and their commits

verify-tag .. Check the GPG signature of tags

whatchanged .. Show logs with difference each commit introduces

Interacting with Others

archimport .. Import an Arch repository into git

cvsexportcommit
Export a single commit to a CVS checkout

cvsimport ... Salvage your data out of another SCM people love to hate

cvsserver ... A CVS server emulator for git

imap-send ... Send a collection of patches from stdin to an IMAP folder

quiltimport .. Applies a quilt patchset onto the current branch

request-pull Generates a summary of pending changes

send-email .. Send a collection of patches as emails

svn Bidirectional operation between a Subversion repository and git

Manipulators (plumbing)

apply Apply a patch to files and/or to the index

checkout-index
Copy files from the index to the working tree

commit-tree .. Create a new commit object

hash-object .. Compute object ID and optionally creates a blob from a file

index-pack .. Build pack index file for an existing packed archive

merge-file .. Run a three-way file merge

merge-index .. Run a merge for files needing merging

mktag Creates a tag object

mktree Build a tree-object from ls-tree formatted text

pack-objects Create a packed archive of objects

prune-packed Remove extra objects that are already in pack files

read-tree ... Reads tree information into the index

symbolic-ref Read and modify symbolic refs

unpack-objects
Unpack objects from a packed archive

update-index Register file contents in the working tree to the index

update-ref .. Update the object name stored in a ref safely

write-tree .. Create a tree object from the current index

Interrogators (plumbing)

cat-file Provide content or type and size information for repository objects

diff-files .. Compares files in the working tree and the index

diff-index .. Compares content and mode of blobs between the index and repository

diff-tree ... Compares the content and mode of blobs found via two tree objects

for-each-ref Output information on each ref

ls-files Show information about files in the index and the working tree

ls-remote ... List references in a remote repository

ls-tree List the contents of a tree object

merge-base .. Find as good common ancestors as possible for a merge

name-rev Find symbolic names for given revs

pack-redundant
Find redundant pack files

rev-list Lists commit objects in reverse chronological order

show-index .. Show packed archive index

show-ref List references in a local repository

unpack-file .. Creates a temporary file with a blobs contents

var Show a git logical variable

verify-pack .. Validate packed git archive files

Syncing repositories

daemon A really simple server for git repositories

fetch-pack .. Receive missing objects from another repository

http-backend Server side implementation of Git over HTTP

send-pack ... Push objects over git protocol to another repository

update-server-info
Update auxiliary info file to help dumb servers

Helper commands

http-fetch .. Download from a remote git repository via HTTP

http-push ... Push objects over HTTP/DAV to another repository

parse-remote Routines to help parsing remote repository access parameters

receive-pack Receive what is pushed into the repository

shell Restricted login shell for only SSH access

upload-archive
Send archive back to archive

upload-pack .. Send objects packed back to fetch-pack

Internal helper commands

check-attr .. Display git attributes information

check-ref-format
Ensures that a reference name is well formed

fmt-merge-msg
Produce a merge commit message

`mailinfo.....` Extracts patch and authorship from a
single e-mail message
`mailsplit...` Simple UNIX mbox splitter program
`merge-one-file`
The standard helper program to use
with `merge-index`
`patch-id.....` Compute unique ID for a patch
`sh-setup.....` Common git shell script setup code
`stripspace..` Filter out empty lines