Chronic Disease Risk Analysis Dashboard


Heart disease, diabetes and stroke across 600 patients • Synthetic sample data • Educational use only

1. Clinical Risk Analysis


Summary indicators, disease prevalence, patient risk distribution and the highest-risk patient records.

600	6.3%	26.6	116	192	99
Patients	High risk	Average BMI	Avg systolic BP	Avg cholesterol	Avg glucose


Patients by risk level



Disease prevalence (%)



BMI vs glucose, colored by risk



Highest-risk patients

See highest-risk patient table below.

Highest-risk patients (top 8 by risk score, then age)

Patient	Age	Blood pressure	Cholesterol	Glucose	Risk score / level
P1273	79	127/89	272	138	6 / High
P1126	69	121/69	234	133	6 / High
P1212	48	147/92	197	135	6 / High
P1349	70	148/90	182	114	5 / High
P1365	70	142/81	190	98	5 / High
P1233	66	121/65	240	122	5 / High
P1148	63	137/84	243	110	5 / High
P1369	60	147/94	288	98	5 / High

Risk score is a dataset-defined indicator, not a clinical diagnosis. Sample dataset for learning; not for clinical use.


2. Lifestyle Analysis

Explores smoking, exercise, alcohol-use categories, glucose by age group and disease rates associated with listed symptoms.


Heart disease rate (%) by smoking × exercise

Exercise level	Never	Former	Current
Low	24.5% (n=139)	21.3% (n=47)	36.5% (n=63)
Medium	15.0% (n=140)	7.7% (n=39)	18.9% (n=53)
High	16.1% (n=62)	3.7% (n=27)	23.3% (n=30)


Disease rate (%) by alcohol use




Average glucose by age group (mg/dL)



Heart disease rate with/without listed symptoms



Symptom prevalence reference




Alcohol-use categories with missing values are shown as “Missing”. “Any listed symptom” means at least one of chest pain, fatigue or dizziness is marked Yes.


3. Population Analysis

Compares disease rates across age and BMI groups, distribution of exercise levels and symptom prevalence.


Disease rate (%) by age group




Disease rate (%) by BMI category



Exercise levels



Symptom prevalence (%)



Interpretation note: all records are synthetic sample data. Relationships shown are descriptive and should not be interpreted as medical advice or causal evidence.