

```
CREATE TABLE Clan (  
    clan_id SERIAL PRIMARY KEY,  
    ime VARCHAR(50),  
    prezime VARCHAR(50),  
    email VARCHAR(100),  
    telefon VARCHAR(20)  
);
```

```
CREATE TABLE Trener (  
    trener_id SERIAL PRIMARY KEY,  
    ime VARCHAR(50),  
    prezime VARCHAR(50),  
    specijalizacija VARCHAR(100)  
);
```

```
CREATE TABLE Trening (  
    trening_id SERIAL PRIMARY KEY,  
    naziv VARCHAR(100),  
    tip VARCHAR(20),  
    kapacitet INT  
);
```

```
CREATE TABLE Dvorana (  
    dvorana_id SERIAL PRIMARY KEY,  
    naziv VARCHAR(50),  
    kapacitet INT
```

);

CREATE TABLE Termin (

termin_id SERIAL PRIMARY KEY,

datum DATE,

vrijeme TIME,

trajanje INT,

trening_id INT REFERENCES Trening(trening_id),

dvorana_id INT REFERENCES Dvorana(dvorana_id)

);

CREATE TABLE Rezervacija (

rezervacija_id SERIAL PRIMARY KEY,

clan_id INT REFERENCES Clan(clan_id),

termin_id INT REFERENCES Termin(termin_id),

status VARCHAR(20)

);

CREATE TABLE Paket (

paket_id SERIAL PRIMARY KEY,

naziv VARCHAR(100),

broj_treninga INT,

cijena DECIMAL

);

CREATE TABLE Clanarina (

```
    clanarina_id SERIAL PRIMARY KEY,  
    clan_id INT REFERENCES Clan(clan_id),  
    paket_id INT REFERENCES Paket(paket_id),  
    datum_pocetka DATE,  
    datum_zavrsetka DATE,  
    status VARCHAR(20)  
);
```

```
CREATE TABLE Uplata (  
    uplata_id SERIAL PRIMARY KEY,  
    clanarina_id INT REFERENCES Clanarina(clanarina_id),  
    iznos DECIMAL,  
    datum DATE  
);
```

```
CREATE TABLE Raspored (  
    raspored_id SERIAL PRIMARY KEY,  
    trener_id INT REFERENCES Trener(trener_id),  
    termin_id INT REFERENCES Termin(termin_id)  
);
```