Airand — User Acceptance Testing (UAT) Pack

Oct 14, 2026 · @Francis · Phase 8b — Testing · v1.0 draft

Summary

This pack is how the business would confirm the Airand platform does what the BRD and SRS say before the pilot goes live. It contains **49 tests**: 31 scenarios covering all 30 Must user stories (assignment gets two), 12 exception and boundary tests built from the six exception flows, and 6 checklist items for requirements that have no screen.

Pass criteria for go-live: every Must scenario passes; no open Critical or High defects; Medium defects have an agreed fix date; the operational checklist is signed by the founder.

How to read a test. Each test names the user story and functional requirements it proves, the starting state, the steps a tester follows, and the result that counts as a pass. Testers record Pass / Fail and a defect ID in the last two columns.

All names, numbers and phones are **[Simulated]** test data. In a real project the tests would run on a staging copy of the system with the fictional PayHold payment provider (SRS OI-03).

Test plan

Item	Detail
Scope	Release R1: vendor app (PWA), cyclist app (Android), admin console, receiver status page, core services, PayHold adapter, messaging gateway
Out of scope	Performance and load testing (NFR-01–04, done by the developer), penetration testing, real payment providers, the Tableau dashboard

Item	Detail
Approach	Business-led scenario testing: a tester plays each role on real devices and follows the steps exactly. One full end-to-end run per day, plus the individual scenarios
Environment	Staging system with a copy of Zone 1 configuration; PayHold in sandbox mode; WhatsApp test number plus SMS fallback; one low-cost Android phone (2 GB RAM, Android 10) for the cyclist app
Duration	5 working days, plus 2 days to retest fixes
Defect tool	Jira project AIR-UAT (template in section 10)

Roles

Role	Who	Responsibility
UAT lead	Business Analyst	Writes and runs the plan, triages defects, reports daily
Business sponsor	Founder (Okoro Assumpta)	Approves exit; signs the operational checklist
System admin tester	Chinedu	Runs admin console scenarios
Vendor testers	2 pilot vendors (Mama Chi's Kitchen, Kopy Corner)	Run vendor app scenarios on their own phones
Cyclist testers	2 trained cyclists	Run cyclist app scenarios outdoors in the zone
Developer	Platform developer	Fixes defects, deploys builds to staging

Entry criteria: all Must stories built and passed by the developer's own testing; staging loaded with the test data in section 3; PayHold sandbox and WhatsApp test number working; testers briefed.

Exit criteria: 100% of Must scenarios passed; no open Critical or High defects; all exception tests run; operational checklist signed.

Defect severity

Severity	Meaning	Example
Critical	Money or data is wrong, or a delivery cannot be completed	Fee not refunded after cancel before assignment
High	A Must story cannot be done, with no workaround	Cyclist cannot enter the code offline
Medium	A story works with a workaround or wrong wording	Wrong cancellation fee shown before confirm, correct fee charged
Low	Cosmetic	Label truncated on a small phone

Test data [Simulated]

Zone 1 settings (configured before testing): rate ₦900 · cancellation fee 20% (₦180) · open 12:00–23:30 · acknowledge timeout 60 s · queue alert 3 min · handover grace 5 min · pickup alert 10 min · delivery alert 30 min · payment expiry 10 min · package limits 8 kg, ₦50,000.

Data item	Value	Used in
Vendor A	Mama Chi's Kitchen, wallet ₦10,000, trial ended	Most vendor tests
Vendor B	Kopy Corner, wallet ₦500 (below one fee), trial ended	Transfer-per-request, insufficient balance
Vendor C	Test Vendor C, onboarded today (trial active)	Trial pricing
In-zone address	14 Okigwe Close, Housing Area H (1.8 km)	Happy path
Out-of-zone address	Concorde Boulevard, Owerri (4.6 km)	Zone rejection
Receiver 1	0803 000 4417, WhatsApp active	Happy path
Receiver 2	0803 000 9001, no WhatsApp (SMS only)	SMS fallback

Data item	Value	Used in
Receiver 3	0803 000 9002, phone switched off	Unreachable
Cyclist 1	Kelechi D., on shift, at hub	Assignment, fulfilment
Cyclist 2	Ngozi E., on shift, 900 m away	Nearest-cyclist test
Cyclist 3	Amaka C., on shift, location 6 minutes old	Stale location
Admin	Chinedu (system admin)	Console tests

Scenarios — requesting and paying

ID	Story · FR	Starting state	Steps	Pass when	Result	Defect
UAT-01	US-01 · FR-01, 05–07, 30	Vendor A logged in; zone open; Cyclist 1 available	1. Tap Request. 2. Enter in-zone address and Receiver 1. 3. Choose Food, tick the limits box. 4. Tap Request cyclist	Request created; wallet shows ₦900 held (₦9,100 available); screen shows "Finding your cyclist" within 5 s		
UAT-02	US-02 · FR-05	Vendor A; one request made at 13:00, one at 21:00	Open the request form both times and read the fee before confirming	Fee shown before the confirm button is active; ₦900 at both times		
UAT-03	US-03 · FR-03	Vendor A	Enter the out-of-zone address	"Outside our delivery zone" appears with the zone map; confirm stays disabled; no money held		
UAT-04	US-05 · FR-11, 34; IR-01	Vendor B (₦500)	1. Open Wallet → Top up. 2. Pay ₦10,000 to the account shown using the PayHold sandbox	Unique account and reference shown; balance becomes ₦10,500 within 60 s of confirmation; ledger shows a top-up row		
UAT-05	US-06 · FR-06, 08	Vendor B reset to ₦500	1. Make a request. 2. Pay the transfer reference within 10 min	A transfer reference is offered because the wallet is short; request becomes active when PayHold confirms		

ID	Story · FR	Starting state	Steps	Pass when	Result	Defect
UAT-06	US-07 · FR-10, 36	Vendor A with three requests: one waiting, one assigned, one picked up	Try to cancel each	Waiting: ₦900 back in wallet. Assigned: warning "₦180 cancellation fee, ₦720 refunded" shown before confirm, then ₦720 back within 60 s. Picked up: no cancel option, message to call Airand		
UAT-07	US-38 · FR-52, 53	Vendor A	1. Leave category empty, then pick Documents without ticking limits. 2. Tick limits, request. 3. At pickup, cyclist taps Refuse · over limits	Confirm disabled until category and box are set; cyclist sees "Documents"; after refusal the request is Cancelled with reason, vendor refunded ₦720, admin alerted		

Scenarios — assignment and the admin console

ID	Story · FR	Starting state	Steps	Pass when	Result	Defect
UAT-08	US-09 · FR-14	Cyclist 1 at hub (300 m from vendor), Cyclist 2 at 900 m, both available	Vendor A makes a request	Cyclist 1 is offered the job within 5 s; Cyclist 2 is not		
UAT-09	US-09 · FR-14 (tie-break)	Two cyclists the same distance away; Cyclist 2 idle longer	Vendor A makes a request	The cyclist idle longest gets the offer		
UAT-10	US-10 · FR-15	Cyclist 1 nearest, Cyclist 2 next	Cyclist 1 ignores the offer for 60 s	After 60 s the offer goes to Cyclist 2; admin console shows an "offer not accepted" alert naming Cyclist 1		

ID	Story · FR	Starting state	Steps	Pass when	Result	Defect
UAT-11	US-11 · FR-16	All on-shift cyclists busy	Vendor A makes a request; then one cyclist finishes a job	Vendor sees "All cyclists busy, about N min"; admin alerted after 3 min; when a cyclist frees up, the oldest waiting request is assigned first		
UAT-12	US-12 · FR-17	An assigned delivery	Chinedu chooses Reassign, picks Cyclist 2, types a reason	First cyclist released; Cyclist 2 offered the job; delivery history shows the override with Chinedu's name and reason		
UAT-13	US-27 · FR-46	Six open deliveries in different states	Open the admin console	Each delivery appears in its state lane with time in state; every on-shift cyclist shows state and location age; page updates without reload		
UAT-14	US-28 · FR-28, 47	Delivery assigned 10 min ago, not picked up	Watch the console; click Call cyclist	Alert appears with Call cyclist, Call vendor and Reassign; after acting, the alert shows who resolved it and when		
UAT-15	US-37 · FR-51	Console open	Switch to Map, log out, log back in	Map shows zone boundary, cyclists, vendors with open requests and drop-offs, with alerts highlighted; Map view is remembered after login		
UAT-16	US-30 · FR-25, 27	One delivery closed "without code"	Open the review queue; choose Confirm delivered	Delivery shows cyclist, reason and phone check; after confirming it closes and can no longer be edited		

Scenarios — the cyclist and the receiver

Run these outdoors in the zone on the low-cost Android phone, so signal and screen size are realistic.

ID	Story · FR	Starting state	Steps	Pass when	Result	Defect
UAT-17	US-22 · FR-41	Cyclist 1 logged in, off shift	Tap Start shift; later, with no job, tap End shift	Status becomes Available and the console shows a fresh location every minute; after ending, status is Off shift and location stops		
UAT-18	US-14 · FR-42	Cyclist 1 available, phone in pocket	Vendor A makes a request	Phone sounds and vibrates; full-screen offer shows vendor name, distance and a 60 s countdown; Accept is one large button		
UAT-19	US-15 · FR-43; IR-03	Cyclist 1 has accepted	Tap Navigate; after pickup, tap Navigate again	The phone's maps app opens with the vendor; after pickup it opens with the drop-off		
UAT-20	US-16 · FR-22	Cyclist 1 at the vendor	Slide to confirm pickup	Delivery shows Picked up with the time; vendor app updates; receiver page shows an ETA		
UAT-21	US-17 · FR-23	Cyclist 1 arrives; vendor holds the food for 7 min	Do nothing in the cyclist app	Arrival recorded automatically (tap or within 50 m for 30 s); at 5 min a vendor-delay flag is written; the cyclist's metrics stop at arrival; the vendor's handover time is 7 min		
UAT-22	US-18 · FR-24	At the door with Receiver 1	Enter the correct code	Delivery becomes Delivered; ₦900 moves from held to settled; Cyclist 1 returns to Available		

ID	Story · FR	Starting state	Steps	Pass when	Result	Defect
UAT-23	US-19 · FR-25	Receiver present but has deleted the message	Choose "No code?", confirm the receiver's phone, pick a reason	Delivery marked Delivered without code and sent to the admin review queue; cyclist released		
UAT-24	US-20 · FR-26	Drop-off for Receiver 3 (phone off)	Wait 10 min, call twice, tap "Can't reach them"	Admin alerted to call the vendor's number; after admin confirms, delivery is Failed with reason; vendor told to expect the food back; fee settled		
UAT-25	US-21 · FR-44; NFR-05	Phone in aeroplane mode after pickup	Enter the code offline; switch aeroplane mode off after 3 min	Screen confirms the action offline; on reconnection it syncs with the original time; console shows a sync-delay flag		
UAT-26	US-24 · FR-21; IR-02	Two requests: Receiver 1 and Receiver 2	Cyclist accepts each	Receiver 1 gets a WhatsApp with vendor name, 4-digit code and link within 10 s; Receiver 2 gets an SMS within 40 s		
UAT-27	US-25 · FR-38, 40	Receiver 1 has the link	Open it on a phone browser, before and after pickup, and again 25 h after delivery	No login; shows status words, cyclist first name, ETA after pickup, vendor phone; progress shows only Picked up and At your door; updates by itself; link no longer shows data after 24 h		

Scenarios — records, statements and settings

ID	Story · FR	Starting state	Steps	Pass when	Result	Defect
UAT-28	US-32 · FR-32	Vendor A with three open deliveries	Open the vendor app's Active screen and wait through a pickup	Each shows state, cyclist first name and time elapsed; the picked-up one changes without refreshing		
UAT-29	US-33 · FR-33	Vendor A after a day of tests	Open History, filter to today	Every delivery appears with times, fee, outcome and reason, including the failed and cancelled ones from earlier tests		
UAT-30	US-34 · FR-35; RUL-22	A test week completed; Monday 06:00 job run on staging	Open Wallet → statement; tap Share on WhatsApp	Statement shows deliveries, fees, the ₦180 cancellation fee, opening and closing balance, and vendor-delay count; totals match the ledger exactly; PDF shares to WhatsApp		
UAT-31	US-35 · FR-50	Chinedu logged in to the console	Change the rate from ₦900 to ₦1,000; make a new request; check an open one; change back	New request is priced ₦1,000; the open request keeps ₦900; the change log shows Chinedu, time, old and new value		

Exception and boundary tests

These try to break the rules on purpose. Each of the six exception flows from the Future-State Design (EX-01 to EX-06) has at least one test; the boundary tests check the exact edge of each timer and limit.

ID	Exception · rule	Steps	Pass when	Result	Defect
UAT-32	EX-01 Payment never confirmed · RUL-02	Vendor B makes a request and does not pay the transfer	At 10 min the request becomes Expired; vendor told; no cyclist ever offered the job; nothing held		
UAT-33	EX-01 boundary	Pay the transfer at 9 min 50 s	Request becomes active and is assigned normally		
UAT-34	EX-02 Outside zone · RUL-07	Drop the map pin just outside the boundary line, then just inside	Outside: rejected before payment. Inside: accepted		
UAT-35	EX-02 Zone closed · RUL-08	Make a request at 23:31, then at 12:00 next day	23:31: rejected with "zone closed" and next opening time. 12:00: accepted		
UAT-36	EX-03 No cyclist free · RUL-14	All cyclists busy; vendor cancels while waiting	Full ₦900 refunded; no cancellation fee because no cyclist was assigned		
UAT-37	EX-04 Cyclist cannot continue · RUL-13, 15	After pickup, cyclist reports a breakdown; Chinedu reassigns	Incident logged; new cyclist assigned; delivery history shows both cyclists; fee charged once		
UAT-38	EX-04 Stale location · FR-18	Cyclist 3 (location 6 min old) is the nearest	Cyclist 3 is skipped; next nearest offered; console flags Cyclist 3		
UAT-39	EX-05 Vendor delay boundary · RUL-17	Handover at 4 min 55 s, then a second test at 5 min 05 s	First: no flag. Second: vendor-delay flag; never counted against the cyclist		
UAT-40	EX-06 Receiver unreachable · RUL-19	Cyclist taps "Can't reach them" after only 4 min	The admin alert shows the wait so far (4 min) and the number of calls, so Chinedu can ask the cyclist to keep trying; the delivery is not marked Failed until Chinedu confirms		
UAT-41	Wrong code · FR-24	Enter a wrong code three times	After each: "wrong code (n of 3)". After the third: entry locked and admin alerted		

ID	Exception · rule	Steps	Pass when	Result	Defect
UAT-42	Cancellation boundary · RUL-04	Vendor cancels in the same second the cyclist accepts	Exactly one outcome: either full refund (cancel first) or ₦180 fee (accept first), never both, never neither; ledger balances		
UAT-43	Money never lost · RUL-02, 05	At the end of the test day, compare wallet ledgers with payment records	For every delivery: held = settled + refunded. Sum of wallet movements equals sum of payment records		

Operational checklist

Some requirements are met by procedures, not screens. These are checked by looking at evidence, and the founder signs each one.

ID	Requirement	Check	Evidence	Signed
OPS-01	BR-21 · CLRD licence	A NIPOST CLRD Regional licence (South-East) is held and in date	Licence certificate number and expiry date	
OPS-02	BR-21 · CAC registration	Airand is registered with CAC with courier/logistics in its objects	CAC certificate	
OPS-03	BR-21 · Complaints procedure	A written complaints procedure exists, vendors receive it at onboarding, and the system admin knows how to log a complaint	Procedure document; onboarding pack	
OPS-04	BR-20 · Trained, equipped cyclists	Every pilot cyclist has a training record, insulated bag, uniform, lights and a working phone with the app	Training log; kit sign-out sheet	

ID	Requirement	Check	Evidence	Signed
OPS-05	BR-22 · NFR-08, 12 · Records	An admin can export 12 months of delivery, payment and exception records as CSV, with receiver phones masked	Sample export file	
OPS-06	RUL-09 · BR-02 · Roster and hub	First week's roster is published with at least 60% of cyclist-hours after 18:00; the hub is lit and has secure bike storage	Roster; hub photo	

Defect log and sign-off

Defect log template (one row per defect, kept in Jira project AIR-UAT)

Field	What to write	Example
Defect ID	AIR-UAT-nn	AIR-UAT-07
Test ID	The failing test	UAT-06
Summary	One line, what went wrong	Cancel after assignment refunds ₦900 instead of ₦720
Steps to reproduce	Numbered, from the test's starting state	1. Request. 2. Cyclist accepts. 3. Vendor cancels
Expected / actual	From the test's "Pass when" / what happened	Expected ₦720 refunded, ₦180 kept / ₦900 refunded
Severity	Critical · High · Medium · Low (section 2)	Critical
Evidence	Screenshot, time, delivery reference	AR-1088, 14:22
Status	New → In fix → Ready to retest → Closed / Rejected	New

Field	What to write	Example
Owner and fix date	Developer and agreed date	Developer, 16 Oct

Daily report: tests run, passed, failed, blocked; open defects by severity; anything that threatens the exit date.

Sign-off

Role	Name	Decision	Date
Business sponsor	Okoro Assumpta	Go / No-go	
System admin	Chinedu	Accepted / Not accepted	
UAT lead	Business Analyst	Exit criteria met: yes / no	

Traceability

This completes the last column of the Requirements Traceability Matrix in the SRS: every business requirement now traces to the tests that prove it.

BR	Requirement	Proved by
BR-01	Zones with boundary and hours	UAT-03, 31, 34, 35
BR-02	Stationed pool, peak roster	UAT-17, OPS-06
BR-03	Pool sized to demand	UAT-31, OPS-06; ongoing through the dashboard (utilisation, queue rate)
BR-04	Retainer pay	Should story US-23; test in the post-pilot release
BR-05	Vendor requests a delivery	UAT-01, 07
BR-06	Fixed rate shown first	UAT-02, 31
BR-07	Payment before activation	UAT-04, 05, 32, 33
BR-08	Decline outside zone	UAT-03, 34

BR	Requirement	Proved by
BR-09	Automatic assignment	UAT-08, 09, 10, 11, 38
BR-10	Admin sees all, can override	UAT-12, 13, 14, 15
BR-11	Pickup and delivery recorded	UAT-19, 20, 22, 25
BR-12	Receiver code	UAT-22, 26, 41
BR-13	Exception procedure	UAT-21, 23, 24, 37, 39, 40
BR-14	Receiver status page	UAT-27
BR-15	Vendor active and history	UAT-28, 29
BR-16	Weekly statement	UAT-30
BR-17	Management reporting	Should story; covered by the Tableau dashboard QA in Phase 8
BR-18	One-day onboarding	Should story; procedure walkthrough before pilot
BR-19	Free trial	Should story US-08; Vendor C test data ready for an extra test
BR-20	Trained, equipped cyclists	OPS-04
BR-21	Licence and complaints	OPS-01, 02, 03
BR-22	12-month records	UAT-16, 43, OPS-05
BR-23	Package limits	UAT-07
Rules	Refunds and money (RUL-02, 04, 05)	UAT-06, 36, 42, 43

Coverage: 19 of 23 business requirements are proved by Must tests or the checklist. The other four (BR-04, 17, 18, 19) rest on Should stories and are scheduled for the first post-pilot release; that is a deliberate scope decision, not a gap.