

DecL Cheat Sheet for Compound Distributions

The DecL specification of an Aggregate compound distribution object has eight clauses:

agg <NAME> <EXPOSURE> <LIMIT*> <SEVERITY> <OCC_RE*> <FREQUENCY> <AGG_RE*> <NOTE*>

Key: <INPUT> denotes user input(s); clauses marked with an asterisk are optional; lower_case is a DecL keyword; CLAUSE_TYPE is a valid clause; options: a|b|c.

1. Name Clause

agg NAME
Name of the compound
Access from knowledge as agg.NAME
Names must match regex
`r' [a-zA-Z] [\._: a-zA-Z0-9\-\]'.`

2. Exposure Clause

<EXP_LOSS> loss
<PREMIUM> premium at <LR> lr
<EXPOSURE> exposure at <RATE> rate
<CLAIMS> claims
dfreq <OUTCOMES> <PROBABILITIES*>
Outcomes entered [1 2 3 4] or [2:10:2] and probabilities [.5 .25 1/8 1/9] or omitted for equally likely.

3. Limit Clause (optional)

<LIMIT> xs <ATTACHMENT>
Occurrence limits applied to ground-up severity, unlimited reinstatements, losses conditional on attaching layer by default.

4. Severity Clause

sev <DIST_NAME> <MEAN> cv <CV>
sev <DIST_NAME> <SHAPE1> <SHAPE2>
dsev <OUTCOMES> <PROBABILITIES>

<SCALE> * SEV + <LOC>.

SEV splice [<LB> <UB>] conditional in layer
SEV ! unconditional, when ATTACHMENT > 0

5. Occurrence Reinsurance Clause

occurrence ceded to LAYERS
occurrence net of LAYERS
LAYER=SHARE so LAYER xs ATTACH |
PARTICIPATION po LAYER xs ATTACH
LAYERS=LAYER1 and LAYER2 and ...

Amount share of (so); participation (placed) $0 \leq po \leq 1$ part of (po)

LAYERS=tower[250 500 1000]

Specify layer breaks, expands to 250 xs 0, 250 xs 250, and 500 xs 500; ground-up layer automatically added.

6. Frequency Clause

poisson, bernoulli, fixed, geometric,
logarithmic, binomial XX, negbin var_mult,
pascal XX XX, neyman XX
mixed <MIXING DIST> <SHAPE1> <SHAPE2>
MIXING DIST=gamma|delaporte|ig|sichel|beta
FREQ zt
FREQ zm p0

zero truncated, zero modified with $\Pr(N = 0) = p0$

7. Aggregate Reinsurance Clause

aggregate ceded to LAYERS
aggregate net of LAYERS
aggregate (net of|ceded to) tower [<BREAKS>]

8. Note

note{prems op A curve, effective 1/1/2024;}
note{bs=100; log2=17; normalize=False}

Add hints for updating

9. Vectorization

Exposure clause
[1 2 3] claims
[100 200 300] loss
[100 200 300] premium at [.8 .7 .65] lr
Layers clause
[250 250 500] xs [0 250 500] zip layers
Severity clause
[1 3] * expon 1 wts [.6 .4]
[1 3] * [gamma lognorm] [4 1.25] wts [.6 .4]
Vectors are broadcast; layers, exposure etc. are zipped.

10. Mathematical Expressions

Only division, exponentiation, and exponential allowed
123, 12.34e2, -12.4e-5, -12.0, 12.4%
1/2, 3**4, exp(2)
Warning: there is no unary minus, minus binds to the number: $-4^2 = (-4)^2 = 16$.
Scale factor for lognormal μ, σ entered as
`exp(mu)/exp(sigma**2/2).`

Notes:

