

Ex 2:

EP

Class	Condition	Type
EP ₁	$T < 10$	INVALIDE
EP ₂	$10 < T < 6$	VALIDE
EP ₃	$0 < T < 100$	VALIDE
EP ₄	$100 < T < 150$	VALIDE
EP ₅	$T > 150$	INVALIDE

② BVA $(-11, -10, -9), (-1, 0, +1)$
 $(99, 100, 101), (149, 150, 151)$

VALUE	RESULT
-11	ERROR
-10	DÉCONGEL
-9	DÉCONGEL
-1	DÉCONGEL
0	DÉCONGEL
1	CUISSON NORMALE
99	CUISSON NORMALE
100	CUISSON NORMALE
101	GRILL
149	GRILL
150	GRILL
151	ERROR

Ex 3

①

$OPEN = PS \vee (!PS \wedge !WS \wedge !ST)$
 $= PS \vee (!WS \wedge !ST)$
 $BLOCKED = !PS \wedge WS \wedge SB$
 $CLOSED = !PS \wedge (WS \wedge !SB) \vee (!WS \wedge ST)$


② DT

	R ₁	R ₂	R ₃	R ₄	R ₅
PS	T	F	F	F	F
WS	-	F	F	T	T
SB	-	-	-	T	F
ST	-	F	T	-	-
ACTIONS					
OPEN	X	X			
BLOCKED				X	
CLOSED			X		X

3) ALL-DECISIONS

(PS, WS, ST, SB)

$(1, 0, 0, 0)$
 $(0, 1, 0, 1)$ } WS has to be 1 to test SB
 $(0, 1, 0, 0)$
 $(0, 0, 1, 0)$ } WS has to be 0 to test ST
 $(0, 0, 0, 0)$



MC/DC:

$!PS \wedge WS \wedge SB \wedge ST \rightarrow BLOCKED$
 $!PS \wedge WS \wedge !SB \wedge ST \rightarrow CLOSED$

Tests:

$(0, 1, 1, 1)$
 $(0, 1, 1, 0)$
 PS WS ST SB

MUTANT

TEST $(0, 1, 1, 1)$

ORIGINAL GIVES "BLOCKED"
 MUTANT PRODUCES "OPEN".

Outcome differs $\Rightarrow$ Mutant killed.