

# Summer Meetings on Joint Inference and Control

- ▶ Agenda:
  - [12:00pm, 12:10pm]: grab lunch ←
  - [12:10pm,  $t_0$ ] : presentation
  - [ $t_0$ , 2pm]: discussion/brainstorming
- ▶ Today: Andrea Censi (MIT)  
*“Joint Inference and Control:  
 Opportunities and Challenges  
 from the Robotics perspective”*
- ▶ Next week:
  - Josh Hernandez (grad, UCLA)
- ▶ Next meetings, up to a permutation:
  - Alex Gorodetsky (grad, MIT)
  - Pratik Chaudari (grad, MIT)
  - Vasiliy Karasev (grad, UCLA)
  - Ali Agha (postdoc, MIT)
  - Dmitry Yershov (postdoc, MIT)
  - Chris Amato (postdoc, MIT)
  - you? we can add a couple of slots
- ▶ Website:  
[sites.google.com/site/jointinferencecontrol](http://sites.google.com/site/jointinferencecontrol)
- ▶ Join the mailing list! (if it works)  
[joint-inference-and-control-join@mit.edu](mailto:joint-inference-and-control-join@mit.edu)
- ▶ Who's here:
  - people from Frazzoli's group  
*thanks Emilio for the food!*
  - people from Soatto's (UCLA) group
  - people from Youssef's (AA) group
  - people from Leslie's (CSAIL) group
  - other from LIDS/CSAIL?
- ▶ Who's spatiotemporally displaced:  
 Emilio, Stefano, other UCLA people,  
 random people from BU, Berkeley,  
 UPenn.
- ▶ Presentations will be recorded  
 (if it works)

# Agenda

- ✓ Grab lunch
- ✓ Logistics
- ▶ Presentation: “**Joint Inference and Control: Opportunities and challenges from the robotics perspective**”
  - Robotics in 5 minutes
  - “Joint inference and control” seen as competition for limited available resources
  - Some formalizations of the joint problem.
  - Challenges: death by generality, death by abstraction.
- ▶ Discussion
  - *The best way to have a good idea is to have lots of ideas.*

# The big picture for robotics and autonomous systems past

civilian



“autonomous”  
ground vehicles

military

Lockheed D-21 (1966)



# The big picture for robotics and autonomous systems

past



present (deployed)

civilian



Mint  
floor  
cleaner



“autonomous”  
ground vehicles



Kiva's robotic warehouse

military

Lockheed D-21 (1966)



AAI RQ-7  
(recon)



GA MQ-9  
(strike)

# The big picture for robotics and autonomous systems

past



present (deployed)

better  
sensors

more  
computation  
power



Mint  
floor  
cleaner



JPL  
Mars  
rovers



“autonomous”  
ground vehicles



Kiva’s robotic warehouse

Lockheed D-21 (1966)



AAI RQ-7  
(recon)



GA MQ-9  
(strike)

civilian

military

# The big picture for robotics and autonomous systems

past



present (deployed)

better  
sensors

more  
computation  
power



Mint  
floor  
cleaner



“autonomous”  
ground vehicles



Kiva's robotic warehouse

Lockheed D-21 (1966)



AAI RQ-7  
(recon)



GA MQ-9  
(strike)

civilian

military

# The big picture for robotics and autonomous systems

past



better  
sensors  
more  
computation  
power

present (deployed)



Mint  
floor  
cleaner



JPL  
Mars  
rovers

future (?)



PR2



Baxter

multipurpose assistants



autonomous driving



“autonomous”  
ground vehicles



Kiva's robotic warehouse

Lockheed D-21 (1966)



AAI RQ-7  
(recon)



GA MQ-9  
(strike)



BAE Systems “Mantis”  
(autonomous combat)

civilian

military

# The big picture for robotics and autonomous systems

past



better sensors  
more computation power

present (deployed)



Mint floor cleaner



JPL Mars rovers

future (?)



PR2



Baxter

multipurpose assistants



autonomous driving



"autonomous" ground vehicles



Kiva's robotic warehouse

Lockheed D-21 (1966)



"reduce design effort"

"make things robust"



**amazon**  
*Prime Air*

autonomous delivery



AAI RQ-7  
(recon)



GA MQ-9  
(strike)



BAE Systems "Mantis"  
(autonomous combat)

civilian

military

# Jobs that will disappear in $N$ years

*for  $N$  varying according to one's optimism level*



# What is a robot?

# What is a robot?

- ▶ A robot is an interconnection of **sensors** and **actuators** interacting with the physical world.

# What is a robot?

- ▶ A robot is an interconnection of **sensors** and **actuators** interacting with the physical world.

A



B



C



D



E



# What is a robot?

- ▶ A robot is an interconnection of **sensors** and **actuators** interacting with the physical world.

A



B



C



D




E




*observations*


*commands*




# Agent vs Robot




# Agent vs Robot




# Agent vs Robot




# Simple example of control architecture for navigation




# Simple example of control architecture for navigation




# Simple example of control architecture for navigation



# Simple example of control architecture for navigation




# Simple example of control architecture for navigation




*observations*

*commands*




# Simple example of control architecture for navigation




*observations*

*commands*





# Simple example of control architecture for navigation




*observations*


*commands*






# “inference”








# “inference”




# “inference”



## “control”



## “control”



Otte, RRTX for Dubin's vehicle in a dynamic environment

# A demo of a complete system

# A demo of a complete system

## Googling the physical world 0.1

3D mapping, localization and object retrieval using low cost robotic platforms;  
A robotic search engine for the real world.

Thomas Whelan\*, Michael Kaess', Ross Finman',  
Maurice Fallon', Hordur Johannsson',  
John J. Leonard', John McDonald\*

\* Computer Science Department, NUI Maynooth

' Computer Science and Artificial Intelligence Laboratory, MIT

# Perception is solved!

# Perception is solved!



Wolfram Burgard

May 20

enjoys playing with google Project Tango — at Technische Fakultät.



Like · Comment · Share

Gian Diego Tipaldi, Fabio Bonsignorio, Luciano Spinello and 41 others like this.

# Perception is solved!



Wolfram Burgard



May 20

enjoys playing with google Project Tango — at Technische Fakultät.



Like · Comment · Share

Gian Diego Tipaldi, Fabio Bonsignorio, Luciano Spinello and 41 others like this.



# Perception is solved!



Wolfram Burgard

May 20

enjoys playing with google Project Tango — at Technische Fakultät.



Like · Comment · Share

Gian Diego Tipaldi, Fabio Bonsignorio, Luciano Spinello and 41 others like this.

*is it really?*



L T


- ▶ Robotics researchers should not compete with people studying “passive” perception.

- ▶ Robotics researchers should not compete with people studying “passive” perception.



Zhou, Koltun. *Color Map Optimization for 3D Reconstruction with Consumer Depth Cameras*, SIGGRAPH 2014.

- ▶ Robotics researchers should not compete with people studying “passive” perception.



Zhou, Koltun. *Color Map Optimization for 3D Reconstruction with Consumer Depth Cameras*, SIGGRAPH 2014.

# perception **in** robotics

perception **in** robotics



perception **for** robotics

# What is Robotics?

# What is Robotics?

1. The business of adapting cool techniques in other fields to obtain a cute demo with a robot.

## What is Robotics?

1. The business of adapting cool techniques in other fields to obtain a cute demo with a robot.
2. The scientific quest of understanding and replicating embodied intelligence.


# What's embodied intelligence about?

## What's embodied intelligence about?

- ▶ It's (also) about doing well in the world using limited resources.


# What's embodied intelligence about?

- ▶ It's (also) about doing well in the world using limited resources.



# What's embodied intelligence about?


- ▶ It's (also) about doing well in the world using limited resources.




*complexity*




*complexity*




*complexity*




*complexity*




*complexity*



*complexity*



*complexity*



# Doing well with limited resources

## Doing well with limited resources

- ▶ Here's a task  $T$ ;  $X$  watts of power; and  $Z$  bytes of memory.  
Design an agent that gives a reasonable answer in  $Y$  seconds  
with minimum obtained performance  $P$ .

# Some control theory pride

# Some control theory pride

*a textbook example of a formal design problem*

**11.15** (Stabilization of an inverted pendulum with visual feedback) Consider stabilization of an inverted pendulum based on visual feedback using a video camera with a 50-Hz frame rate. Let the effective pendulum length be  $l$ . Assume that we want the loop transfer function to have a slope of  $n_{gc} = -1/2$  at the crossover frequency. Use the gain crossover frequency inequality to determine the minimum length of the pendulum that can be stabilized if we desire a phase margin of  $45^\circ$ .

# Some control theory pride

*a textbook example of a formal design problem*


**11.15** (Stabilization of an inverted pendulum with visual feedback) Consider stabilization of an inverted pendulum based on visual feedback using a video camera with a 50-Hz frame rate. Let the effective pendulum length be  $l$ . Assume that we want the loop transfer function to have a slope of  $n_{gc} = -1/2$  at the crossover frequency. Use the gain crossover frequency inequality to determine the minimum length of the pendulum that can be stabilized if we desire a phase margin of  $45^\circ$ .

# Some control theory pride


*a textbook example of a formal design problem*

**11.15** (Stabilization of an inverted pendulum with visual feedback) Consider stabilization of an inverted pendulum based on visual feedback using a video camera with a 50-Hz frame rate. Let the effective pendulum length be  $l$ . Assume that we want the loop transfer function to have a slope of  $n_{gc} = -1/2$  at the crossover frequency. Use the gain crossover frequency inequality to determine the minimum length of the pendulum that can be stabilized if we desire a phase margin of  $45^\circ$ .

*a textbook example of a trade-off between design objectives*



(a) Bode integral formula



(b) Control design process

**Figure 11.14:** Interpretation of the *waterbed effect*. The function  $\log|S(i\omega)|$  is plotted versus  $\omega$  in linear scales in (a). According to Bode's integral formula (11.19), the area of  $\log|S(i\omega)|$  above zero must be equal to the area below zero. Gunter Stein's interpretation of design as a trade-off of sensitivities at different frequencies is shown in (b) (from [Ste03]).

## Doing well with limited resources

- ▶ Here's a task  $T$ ;  $X$  watts of power; and  $Z$  bytes of memory.  
Design an agent that gives a reasonable answer in  $Y$  seconds  
with minimum obtained performance  $P$ .

# Doing well with limited resources

- ▶ Here's a task  $T$ ;  $X$  watts of power; and  $Z$  bytes of memory.  
Design an agent that gives a reasonable answer in  $Y$  seconds  
with minimum obtained performance  $P$ .



$$X = 500 \text{ W}$$

$$Y = 100 \text{ milliseconds}$$

# Doing well with limited resources

- ▶ Here's a task  $T$ ;  $X$  watts of power; and  $Z$  bytes of memory. Design an agent that gives a reasonable answer in  $Y$  seconds with minimum obtained performance  $P$ .



$$X = 1 \mu W$$

$$Y = 1 \text{ millisecond}$$




$$X = 500 W$$

$$Y = 100 \text{ milliseconds}$$

# Joint inference and control: opportunities and challenges


# Joint inference and control: **opportunities** and challenges




solving the joint problem  
is more resource-efficient



- ▶ The world / plant is a causal black box from  $u$  to  $y$ .




- ▶ The world / plant is a causal black box from  $u$  to  $y$ .




- ▶ We need to design an agent/controller as a causal black box from  $y$  to  $u$ .




- ▶ Markov assumption:  
 $S$  are the states




- ▶ Markov assumption:  
 $S$  are the states




- ▶ Markov assumption:  
 $S$  are the states




- ▶ A **(deterministic) agent** is a tuple  $\langle \Gamma, f, g \rangle$




- ▶ A **(deterministic) agent** is a tuple  $\langle \Gamma, f, g \rangle$  where  $\Gamma$  is any set representing the agent memory;




- ▶ A **(deterministic) agent** is a tuple  $\langle \Gamma, f, g \rangle$   
 where  $\Gamma$  is any set representing the agent memory;  
 $f : \Gamma \times \mathcal{Y} \rightarrow \Gamma$  defines the memory dynamics;



- ▶ A **(deterministic) agent** is a tuple  $\langle \Gamma, f, g \rangle$   
 where  $\Gamma$  is any set representing the agent memory;  
 $f : \Gamma \times \mathcal{Y} \rightarrow \Gamma$  defines the memory dynamics;  
 $g : \Gamma \times \mathcal{Y} \rightarrow \mathcal{U}$  is the memory-to-command map.




► The “canonical” probabilistic agent:



► The “canonical” probabilistic agent:


$\Gamma$  = beliefs (probability distributions on world's state)



► The “canonical” probabilistic agent:

$\Gamma$  = beliefs (probability distributions on world's state)

$\gamma_k$  = belief about world's state




► The “canonical” probabilistic agent:

$\Gamma$  = beliefs (probability distributions on world's state)

$\gamma_k$  = belief about world's state

$f$  = Bayesian filter




► The “canonical” probabilistic agent:

$\Gamma$  = beliefs (probability distributions on world's state)

$\gamma_k$  = belief about world's state

$f$  = Bayesian filter

$g$  = solver of a POMDP



**realistic**


► The “~~canonical~~” probabilistic agent:

$\Gamma$  = beliefs (probability distributions on world's state)

$\gamma_k$  = belief about world's state

$f$  = Bayesian filter

$g$  = solver of a POMDP



*realistic*

► The “~~canonical~~” probabilistic agent:


$\Gamma$  = beliefs (probability distributions on world's state)

$\gamma_k$  = belief about world's state

$f$  = Bayesian filter

*approximated*

$g$  = solver of a POMDP



*realistic*

► The “~~canonical~~” probabilistic agent:

$\Gamma$  = beliefs (probability distributions on world's state)


$\gamma_k$  = belief about world's state

$f$  = Bayesian filter

*approximated*

$g$  = solver of a POMDP

*approximated*



*realistic*

► The “~~canonical~~” probabilistic agent:

$\Gamma$  = beliefs (probability distributions on world's state)


$\gamma_k$  = belief about world's state

$f$  = Bayesian filter

*approximated*

$g$  = solver of a ~~POMDP~~ stochastic optimal control problem

*approximated*



*realistic*

► The “~~canonical~~” probabilistic agent:

$\Gamma$  = beliefs (probability distributions on world's state)

$\gamma_k$  = belief about world's state


$f$  = Bayesian filter

*approximated*

$g$  = solver of a ~~POMDP~~ stochastic optimal control problem

*approximated*


*based on certainty-equivalence*



► The “canonical” probabilistic agent:

$\Gamma$  = beliefs (probability distributions on world's state)


$\gamma_k$  = belief about world's state



► The “canonical” probabilistic agent:


$\Gamma$  = beliefs (probability distributions on world's state)

$\gamma_k$  = belief about world's state




**what's beyond this?**

# Joint inference and control: opportunities and challenges



solving the joint problem  
is more resource-efficient

# Joint inference and control: opportunities and challenges




solving the joint problem  
is more resource-efficient



There are many formalizations  
(only partially compatible)

# Joint inference and control: opportunities and challenges



solving the joint problem  
is more resource-efficient



There are many formalizations  
(only partially compatible)

1. ...
2. ...
3. ...
4. ...
5. ...

# Doing well with limited resources

## Doing well with limited resources


1. Find an **optimal agent**  
that uses the **fewest resources**.

## Doing well with limited resources


1. Find an **optimal agent**  
that uses the **fewest resources**.
2. Find a **suboptimal agent**  
with **given resources bounds**.

# Offline design      vs      online execution


# Offline design vs online execution




# Offline design vs online execution



# Offline design vs online execution




# 1. Minimality of sensing / control



# 1. Minimality of sensing / control


- What can you do with minimal sensing / control?



# 1. Minimality of sensing / control

- What can you do with minimal sensing / control?

O'Kane, LaValle. *On comparing the power of robots*. IJRR 2008  
*Localization with limited sensing*. TRO 2007




# 1. Minimality of sensing / control

- ▶ What can you do with minimal sensing / control?

O'Kane, LaValle. *On comparing the power of robots*. IJRR 2008  
*Localization with limited sensing*. TRO 2007

- ▶ Sensing data is very redundant for place recognition




# 1. Minimality of sensing / control


- ▶ What can you do with minimal sensing / control?

O'Kane, LaValle. *On comparing the power of robots*. IJRR 2008  
*Localization with limited sensing*. TRO 2007

- ▶ Sensing data is very redundant for place recognition




Milford. *Vision-based place recognition: how low can you go?* IJRR 2013




## 2. Penalizing the cost of computation

Ortega, Braun. *Thermodynamics as a theory of decision-making with information-processing costs*, 2013  
Braun, Ortega, Theodorou, Schaal. *Path Integral Control and Bounded Rationality*, 2011



## 2. Penalizing the cost of computation


Ortega, Braun. *Thermodynamics as a theory of decision-making with information-processing costs*, 2013  
 Braun, Ortega, Theodorou, Schaal. *Path Integral Control and Bounded Rationality*, 2011



*updating information state takes work  
 (physical work)*



*variational problem*




### 3. Penalizing the control information

### 3. Penalizing the control information




### 3. Penalizing the control information



### 3. Penalizing the control information


Rubin, Shamir, Tishby. *Trading value and information in MDPs*. 2010



### 3. Penalizing the control information

= deviation from random policy =

Rubin, Shamir, Tishby. *Trading value and information in MDPs*. 2010




### 3. Penalizing the control information

$= \text{deviation from random policy} = \mathbb{E} \left\{ \log \frac{\pi_s(u)}{\hat{\rho}(u)} \right\}$

policy

a blind random policy



Rubin, Shamir, Tishby. *Trading value and information in MDPs*. 2010




### 3. Penalizing the control information

$$= \text{deviation from random policy} = \mathbb{E} \left\{ \log \frac{\pi_s(u)}{\hat{\rho}(u)} \right\}$$

policy  
a blind random policy



Rubin, Shamir, Tishby. *Trading value and information in MDPs*. 2010



## 4. Minimizing the agent-world bandwidth

## 4. Minimizing the agent-world bandwidth




## 4. Minimizing the agent-world bandwidth




## 4. Minimizing the agent-world bandwidth




## 4. Minimizing the agent-world bandwidth



## 4. Minimizing the agent-world bandwidth




## 4. Minimizing the agent-world bandwidth



## 4. Minimizing the agent-world bandwidth


Tishby, Polani. *Information Theory of Decisions and Actions*. 2011



## 4. Minimizing the agent-world bandwidth

Tishby, Polani. *Information Theory of Decisions and Actions*. 2011


“information to go” =



## 4. Minimizing the agent-world bandwidth

Tishby, Polani. *Information Theory of Decisions and Actions*. 2011

$$\text{"information to go"} = D_{\text{KL}}(p_{\pi} \parallel \hat{p})$$




## 4. Minimizing the agent-world bandwidth

Tishby, Polani. *Information Theory of Decisions and Actions*. 2011

$$\text{"information to go"} = D_{\text{KL}}(p_{\pi} \parallel \hat{p})$$

$\searrow$  distribution of states, actions under random policy




## 4. Minimizing the agent-world bandwidth

Tishby, Polani. *Information Theory of Decisions and Actions*. 2011

$$\text{"information to go"} = D_{\text{KL}}(p_{\pi} \parallel \hat{p})$$

\backslash
*distribution of states, actions under random policy*  
*distribution of states, actions under policy*




## 4. Minimizing the agent-world bandwidth

Tishby, Polani. *Information Theory of Decisions and Actions*. 2011

$$\text{"information to go"} = D_{\text{KL}}(p_\pi \parallel \hat{p})$$

\backslash
\backslash
*distribution of states, actions under random policy*  
*distribution of states, actions under policy*



## 4. Minimizing the agent-world bandwidth

Tishby, Polani. *Information Theory of Decisions and Actions*. 2011

$$\text{"information to go"} = D_{\text{KL}}(p_{\pi} \parallel \hat{p})$$




*distribution of states, actions under random policy*  
*distribution of states, actions under policy*

## 4. Minimizing the agent-world bandwidth

Tishby, Polani. *Information Theory of Decisions and Actions*. 2011

$$\text{"information to go"} = D_{\text{KL}}(p_{\pi} \parallel \hat{p})$$

\backslash
distribution of states, actions under random policy  
distribution of states, actions under policy








## 4. Minimizing the agent-world bandwidth

Tishby, Polani. *Information Theory of Decisions and Actions*. 2011

$$\text{"information to go"} = D_{\text{KL}}(p_{\pi} \parallel \hat{p})$$


\
*distribution of states, actions under random policy*  
*distribution of states, actions under policy*



## 5. Minimality of representation (size of agent state)

- ▶ Most of the computation cost is in updating the representation.
- ▶ Penalize size of representation:

$$\min |\Gamma|$$




## 5. Minimality of representation (size of agent state)

1. Find an **optimal agent** that uses the **fewest resources**.
2. Find a **suboptimal agent** with **given resources bounds**.

## 5. Minimality of representation (size of agent state)

1. Find an **optimal agent** that uses the **fewest resources**.
2. Find a **suboptimal agent** with given **resources bounds**.

Roy, Gordon, Thrun. *Finding Approximate POMDP Solutions Through Belief Compression*. JAIR 2005



(a) A common belief



(b) An unlikely belief


## 5. Minimality of representation (size of agent state)

1. Find an **optimal agent** that uses the **fewest resources**.
2. Find a **suboptimal agent** with **given resources bounds**.


# 5. Minimality of representation

Tovar, Guilamo, LaValle *Gap Navigation Trees: Minimal Representation for Visibility-based Tasks*. WAFR 2004

- ▶ A range-finder can be abstracted as a “gap sensor”





- ▶ Map can be represented as graphs (“gap navigation trees”) encoding the topology and visibility constraints



# 5. Minimality of representation

Tovar, Guilamo, LaValle *Gap Navigation Trees: Minimal Representation for Visibility-based Tasks*. WAFR 2004

- ▶ A range-finder can be abstracted as a “gap sensor”




**Q: Can we automatically synthesize  
the minimal representation?**


# 5. Minimality of representation

Tovar, Guilamo, LaValle *Gap Navigation Trees: Minimal Representation for Visibility-based Tasks*. WAFR 2004

- ▶ A range-finder can be abstracted as a “gap sensor”



- ▶ Map can be represented as graphs (“gap navigation trees”) encoding the topology and visibility constraints




**Q: Can we automatically synthesize the minimal representation?**

**Josh will tell us the answer next week!**


## 5. Minimality of representation

- ▶ “What is the simplest neural process that realizes the observed behavior?”



## 5. Minimality of representation

- ▶ “What is the simplest neural process that realizes the observed behavior?”



# Joint inference and control: opportunities and challenges

# Joint inference and control: opportunities and challenges

- ▶ Death by generality
- ▶ Death by specificity
- ▶ Death by abstraction


# Death by Generality

# Death by Generality

*or: the formalization fetish*


# Death by Generality

or: *the formalization fetish*



# Death by Generality


*or: the formalization fetish*



*pure science question: What does the theory predict?*

# Death by Generality

*or: the formalization fetish*




*pure science question:* *What does the theory predict?*

*pure math question:* *How beautiful is it?*

# Death by Generality

*or: the formalization fetish*



*pure science question:* *What does the theory predict?*

*pure math question:* *How beautiful is it?*

*engineering research question:* *What can we do with it?*

# Death by Specificity


# Death by Specificity

*or: the Red Queen's race*



# Death by Specificity

*or: the Red Queen's race*



Cloth Grasp Point Detection  
based on Multiple-View Geometric Cues  
with Application to Robotic Towel Folding

Jeremy Maitin-Shepard  
Marco Cusumano-Towner  
Jinna Lei  
Pieter Abbeel


Department of Electrical Engineering and Computer Science  
University of California, Berkeley

International Conference on Robotics and Automation, 2010



# Death by Abstraction






# Death by Abstraction



# Death by Abstraction




# Death by Abstraction




# Joint inference and control:

# Joint inference and control: opportunities



solving the joint problem  
is more resource-efficient

# Joint inference and control: opportunities




solving the joint problem  
is more resource-efficient



There are many formalizations  
(only partially compatible)

# Joint inference and control: opportunities




solving the joint problem  
is more resource-efficient



There are many formalizations  
(only partially compatible)

1. Minimality of sensing / control
2. Penalizing computation
3. Penalizing control information
4. Penalizing agent-world bandwidth
5. Minimality of representation

# Joint inference and control: opportunities and challenges



solving the joint problem  
is more resource-efficient



There are many formalizations  
(only partially compatible)


1. Minimality of sensing / control
2. Penalizing computation
3. Penalizing control information
4. Penalizing agent-world bandwidth
5. Minimality of representation

# Joint inference and control: opportunities and challenges

solving the joint problem  
is more resource-efficient

There are many formalizations  
(only partially compatible)

1. Minimality of sensing / control
2. Penalizing computation
3. Penalizing control information
4. Penalizing agent-world bandwidth
5. Minimality of representation



## Death by generality

Q: What is robotics?

Q: What's special about  
embodied intelligence?

## Death by specificity

Q: Does it generalize?

## Death by abstraction

Q: What can we integrate  
within realistic architectures?

# Some Questions for the Discussion

- ▶ Is your idea of “Joint Inference and Control” not captured by any of the formalizations presented today?
- ▶ What formalization fits better the needs of field X?
- ▶ What formalization is easier to solve?
- ▶ How to avoid death by generality / specificity?
- ▶ How to avoid death by abstraction?
- ▶ Questions suggested by remote speakers?