




# THE PROMPT CHAIN PROTOCOL

Sequential execution for complex multi-step tasks.

# SINGLE PROMPT



Limited scope.  
Single context window.

# PROMPT CHAIN



Multiple executions.  
Builds on previous outputs.

## USE CASES:


- Documentation generation
- Multi-phase analysis
- Code transformation pipelines

**A technique where each step builds on the outputs of the previous one.**

# THE TWO FILE ARCHITECTURE


|                         |                                                                                      |                                  |                                                                         |                                    |
|-------------------------|--------------------------------------------------------------------------------------|----------------------------------|-------------------------------------------------------------------------|------------------------------------|
| <b>MAGIC<br/>PROMPT</b> |   | <b>Role:</b><br>The Orchestrator | <b>Function:</b><br>Sets parameters,<br>defines order,<br>maps outputs. | <b>Example:</b><br>magic-prompt.md |
| <b>SUB-<br/>PROMPT</b>  |  | <b>Role:</b><br>The Worker       | <b>Function:</b><br>Executes a single<br>step task.                     | <b>Example:</b><br>1-analyze.md    |

# ANATOMY OF A MAGIC PROMPT



<https://endorphinai.dev/>


# SUB-PROMPT ESSENTIALS



**ROLE:** You are a senior developer...



**INPUT REFS:** Previous step outputs (Required after step 1)



**TASK STEPS:** Specific instructions on what to do



**QUALITY GUARDRAILS:** Do not skip...



**OUTPUT FILE:** Destination for write operation



**CHAIN COMMAND:** Link to the next step

<https://endorphinai.dev/>

# VARIABLE SYNTAX

**{snake\_case}**

Use curly braces for all variable declarations.

## CONTEXT

Defined in: Magic Prompt

Consumed in: Sub-Prompts

## COMMON VARIABLES

{output\_folder}

{final\_output\_file}

{domain}

# THE LINKING LOGIC



Step N

read ./N-next.md and  
proceed accordingly




Step N+1

defined as:  
./{output\_folder}/N-previous.md

proceed with {output\_folder}  
as the output-folder

<https://endorphinai.dev/>  
Neutral Slate Gray JetBrains Mono

# OUTPUT ARCHITECTURE



**MIRROR NAMING:**  
Sub-prompt filename  
should mirror the  
Output filename.

## RELIABILITY GUARDRAILS




“Include these in sub-prompts to ensure thorough execution.”



- Do not skip sections.
- Ensure all variables are resolved.

# EXAMPLE WORKFLOW: DOCS GENERATION



<https://endorphinai.dev/>

# PRE-FLIGHT CHECKLIST


## CHECKLIST

### MAGIC PROMPT

- ☐ Parameters defined top
- ☐ Preview phase included
- ☐ Execution order numbered
- ☐ Stop condition defined

### SUB-PROMPT

- ☐ Role assigned
- ☐ Previous outputs referenced
- ☐ Chain command linked
- ☐ Guardrails active



Made with ❤ at [endorphinai.dev](https://endorphinai.dev)

# Master the architecture of prompt chaining.

<https://endorphinai.dev/>