

2022-2023 Veritabanı Yönetimi dersi SQL Uygulama Örnekleri

create table Personel

```
(
    tcno INTEGER,
    ad VARCHAR(15),
    soyad VARCHAR(15),
    isegiris DATETIME
)
```

drop table Personel

alter table ogrenciler add column adres varchar (40)

alter table ogrenciler drop column cinsiyet

Insert into ogrenciler

Values (101, 'Huseyin', 'Yıldırım', 'Erkek', '1989-01-12', 50)

Update ogrenciler

Set ograd = 'Murat'

Where ogrsoyad= 'Yıldırım'

Delete from ogrenciler

Where ogrsoyad= 'Yıldırım'

Select * from ogrenciler

Select ogrno, ograd from ogrenciler

Select ogrno as Ogrenci_no, ograd as Ogrenci_ad from ogrenciler

Select * from ogrenciler where bolumkod=50

Select * from ogrenciler where ograd="aykut" and ogrsoyad="saka"

Select * from ogrenciler where cinsiyet="erkek"

Select * from ogrenciler where cinsiyet="erkek" and bolumkod=50

Select * from ogrenciler where ograd="Mahmut" or ogrsoyad="Kaya"

Select * from ogrenciler where dogumtarihi>'1975/01/01'

Select * from ogrenciler where bolumkod=10 or bolumkod=40 or bolumkod=50

yerine

Select * from ogrenciler where bolumkod in(10,40,50) yazılabilir.

Select * from ogrenciler where bolumkod >=10 and bolumkod <=60

yerine

Select * from ogrenciler where bolumkod between 10 and 60 yazılabilir.

Select * from ogrenciler where bolumkod not between 10 and 60

Select * from ogrenciler order by ograd

Select * from ogrenciler where bolumkod>50 order by ograd

Select * from ogrenciler order by ograd, ogrsoyad desc

Select * from ogrenciler where ograd like 'a%'

Select * from ogrenciler where ograd like '%a'

Select * from ogrenciler where ograd like '%ar%'

Select * from ogrenciler where ograd not like '%a%'

Adında a ve e harfleri **geçmeyen** kaç öğrenci vardır?

```
SELECT count(*) FROM ogrenciler  
where ograd not like '%a%e%'
```

sql sorgusu ile aşağıdaki sql sorgusu arasındaki fark nedir?

```
select count(*) from ogrenciler  
where ograd not like '%a%' and  
ograd not like '%e%'
```

```
Select * from ogrenciler where ograd like 'ar__'  
Select distinct ograd from ogrenciler  
Select distinct ograd from ogrenciler order by ograd  
Select ogrno, derskodu, final*0.6+vize*0.4 from notlar  
Select ogrno, derskodu, (final*0.6+vize*0.4 ) as ortalama from notlar  
Select ogrno, derskodu, (final*0.6+vize*0.4 ) as ortalama from notlar order by ortalama  
Select ogrno, derskodu, (final*0.6+vize*0.4 ) as ortalama from notlar where derskodu=40  
Select sum(final) from notlar;  
Select sum(final) from notlar where ogrno>50  
Select avg(vize) from notlar;  
Select avg(vize) from notlar where ogrno>50  
Select avg(vize) from notlar where derskodu=40  
Select min(vize) from notlar  
Select min(vize) from notlar where ogrno>50  
Select min(vize) from notlar where derskodu=40 and ogrno<50  
Select max(sütun_adi) from tablo_adi  
Select max(vize) from notlar  
Select max(vize) from notlar where ogrno>50  
Select max(vize) from notlar where derskodu=40  
Select max(vize*0.4+final*0.6)- min(vize*0.4+final*0.6) from notlar  
Select count(sütun_adi) from tablo_adi  
Select count(*) from ogrenciler  
Select count(*) from ogrenciler where ogrno>50  
Select count(*) from ogrenciler where cinsiyet="erkek"  
Select count(ogrno) from notlar where vize>80 and final>50  
Select count(distinct ograd) from ogrenciler  
Select ogrno, day(dogumtarihi) from ogrenciler  
Select ogrno, month(dogumtarihi) from ogrenciler  
Select ogrno, year(dogumtarihi) from ogrenciler  
Select ogrno, monthname(dogumtarihi) from ogrenciler  
Select count(*) from ogrenciler where monthname(dogumtarihi)="May"  
Select ogrno, year(dogumtarihi) from ogrenciler where year(dogumtarihi)<1988  
Select ograd, left(ograd,2) from ogrenciler  
Select ograd, right(ograd,2) from ogrenciler  
Select ograd,mid(ograd,2,4) from ogrenciler  
Select replace(ograd, 'a', 'b') from ogrenciler  
Select concat(ograd, ' ', ogrsoyad) from ogrenciler  
Select concat(ogrno , ' nolu öğrenci ', vize, ' almıştır.') from notlar  
Select concat(ogrno , ' nolu öğrenci ', vize , ' almıştır.') as vize_notu from notlar  
Select ograd, length(ograd) from ogrenciler  
Select avg(vize) from notlar where vize<=50
```

En yaşlı öğrenci ile en genç öğrenci arasında kaç yaş fark vardır?
Select max(year(dogumtarihi))-min(year(dogumtarihi)) from ogrenciler

Soru: Adının uzunluğu 5 karakter olan kişilerin adları nedir?
Select ograd from ogrenciler where length(ograd)=5

Vizesi 30 dan düşük olan vize notlarını 5 artır.
update notlar set vize=vize+5 where vize<30

Group by ve Having

Select cinsiyet, count(*) from ogrenciler group by cinsiyet
Select derskodu, avg(vize) from notlar group by derskodu
Select bolumkod, count(*) from ogrenciler group by bolumkod
Select bolumkod, cinsiyet, count(*) from ogrenciler group by bolumkod, cinsiyet
Select year(dogumtarihi),count(*) from ogrenciler group by year(dogumtarihi)
Select derskodu, avg(vize) from notlar group by derskodu
Select derskodu, avg(vize) from notlar group by derskodu having avg(vize)>70
Select bolumkod, count(*) from ogrenciler group by bolumkod having count(*)>3
Select bolumkod, count(*) from ogrenciler group by bolumkod order by count desc

Erkek öğrenci sayısı 2’den büyük olan bölümkodları hangileridir?

1. yöntem:

Select bolumkod, count(*) from ogrenciler where cinsiyet="erkek"
group by bolumkod having count(*)>2

2. yöntem:

Select bolumkod, count(*) from ogrenciler
group by bolumkod,cinsiyet
having count(*)>2 and cinsiyet="erkek“

Doğum tarihi 01.01.1980 den sonra olan erkek öğrencilerin doğum yılı bazında öğrenci sayıları nedir? (**şartları tek tek yap**)

Select year(dogumtarihi),count(*) from ogrenciler
where dogumtarihi>'1980.01.01' and cinsiyet="erkek"
group by year(dogumtarihi)