


Feature			Scenario P F S				Step			
Name	Duration	T	P	F	S	T	P	F	S	
Welcome Page	0.512 s	1	0	1	0	3	0	0	3	


Tag		Scer	nario			Fea	ure	
Name	T	P	F	S	T	P	F	S
@WelcomePage	1	0	1	0	1	0	1	0
@Click	1	0	1	0	1	0	1	0

FEATURES SUMMARY -- 4



#	Feature Name	T	P	F	S	Duration
1	Welcome Page	1	0	1	0	0.512 s

SCENARIOS SUMMARY -- 5 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Welcome Page	Click Explore Button	3	0	0	3	0.509 s

DETAILED SECTION -- 6 --

Welcome Page

FAILED	DURATION - 0.512 s	Scenarios		Steps	
		Total - 1		Total - 3	
/ 2:44:15.584 PM // 2	2:44:16.096 PM /	Pass - 0	1	Pass - 0	3
		Fail - 1	•	Fail - 0	
		Skip - 0		Skip - 3	

Click Explore Button



Step / Hook Details	Status	Duration
BEFORE - util.Hooks.before()	FAILED	0.490 s
org.openqa.selenium.WebDriverException: Connection refused (Connection refused) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'visions-MacBook-Pro.local', ip: 'fe80:0:0:0:10e1:fd67:c1cf:dabc%en0', os.name: 'Mac OS X', os. arch: 'x86_64', os.version: '12.3.1', java.version: '1.8.0_332' Driver info: driver.version: AppiumDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$6(AppiumCommandExecutor.java:262) at java.util.Optional.orElseGet(Optional.java:267) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:41) at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:213) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:363) at org.openqa.selenium.remote.RemoteWebDriver. <init>(RemoteWebDriver.java:37)</init>	FAILED	0.490 s
at io.appium.java_client.AppiumDriver. <init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:99)</init></init>		
at util.DriverFactory.initialize_Driver(DriverFactory.java:32)		
ŧ	before - util. Hooks.before() org.openqa.selenium.WebDriverException: Connection refused (Connection refused) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'visions-MacBook-Pro.local', ip: 'fe80:0:0:0:10e1:fd67:c1cf:dabc%en0', os.name: 'Mac OS X', os. arch: 'x86_64', os.version: '12.3.1', java.version: '1.8.0_332' Driver info: driver.version: AppiumDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$6(AppiumCommandExecutor.java:262) at java.util.Optional.orElseGet(Optional.java:267) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:41) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:213) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:363) at org.openqa.selenium.remote.RemoteWebDriver. Appium.java_client.AppiumDriver.startSession(AppiumDriver.java:37) at io.appium.java_client.DefaultGenericMobileDriver. Appium.java_client.AppiumDriver. Appium.java_client.AppiumDriver. Appium.java.Selenium.java. Appium.java.Selenium.priver. App	BEFORE - util.Hooks.before() org.openqa.selenium.WebDriverException: Connection refused (Connection refused) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'visions-MacBook-Pro.local', ip: 'fe80:0:0:0:10e1:fd67:c1cf:dabc%en0', os.name: 'Mac OS X', os. arch: 'x86_64', os.version: '12.3.1', java.version: '1.8.0_332' Driver info: driver.version: AppiumDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$6(AppiumCommandExecutor.java:262) at java.util.Optional.orElseGet(Optional.java:267) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:261) at org.openqa.selenium.remote.RemoteWebDriver.execute(DefaultGenericMobileDriver.java:41) at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:213) at io.appium.java_client.AppiumDriver.startSession(RemoteWebDriver.java:131) at org.openqa.selenium.remote.RemoteWebDriver.sinit>(RemoteWebDriver.java:37) at io.appium.java_client.DefaultGenericMobileDriver. at io.appium.java_client.AppiumDriver. init>(DefaultGenericMobileDriver.java:37) at io.appium.java_client.AppiumDriver.sinit>(AppiumDriver.java:39) at io.appium.java_client.AppiumDriver.sinit>(AppiumDriver.java:39) at util.DriverFactory.initalize_Driver(DriverFactory.java:32)

#	Step / Hook Details	Status	Duration
	Caused by: java.net.ConnectException: Connection refused (Connection refused)		
	at java.net.PlainSocketImpl.socketConnect(Native Method)		
	at java.net.AbstractPlainSocketImpl.doConnect(AbstractPlainSocketImpl.java:350)		
	at java.net.AbstractPlainSocketImpl.connectToAddress(AbstractPlainSocketImpl.java:204)		
	at java.net.AbstractPlainSocketImpl.connect(AbstractPlainSocketImpl.java:188)		
	at java.net.SocksSocketImpl.connect(SocksSocketImpl.java:392)		
	at java.net.Socket.connect(Socket.java:607)		
	at okhttp3.internal.platform.Platform.connectSocket(Platform.java:129)		
	at okhttp3.internal.connection.RealConnection.connectSocket(RealConnection.java:245)		
	at okhttp3.internal.connection.RealConnection.connect(RealConnection.java:165)		
	at okhttp3.internal.connection.StreamAllocation.findConnection(StreamAllocation.java:257)		
	at okhttp3.internal.connection.StreamAllocation.findHealthyConnection(StreamAllocation.java:135)		
	at okhttp3.internal.connection.StreamAllocation.newStream(StreamAllocation.java:114)		
	at okhttp3.internal.connection.ConnectInterceptor.intercept(ConnectInterceptor.java:42)		
	at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:147)		
	at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:121)		
	at okhttp3.internal.cache.CacheInterceptor.intercept(CacheInterceptor.java:93)		
	at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:147)		
	at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:121)		
	at okhttp3.internal.http.BridgeInterceptor.intercept(BridgeInterceptor.java:93)		
	at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:147)		
	at okhttp3.internal.http.RetryAndFollowUpInterceptor.intercept(RetryAndFollowUpInterceptor.java:126)		
	at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:147)		
	at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:121)		
	at okhttp3.RealCall.getResponseWithInterceptorChain(RealCall.java:200)		
	at okhttp3.RealCall.execute(RealCall.java:77)		
	at org.openqa.selenium.remote.internal.OkHttpClient.execute(OkHttpClient.java:103)		
	at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$1(AppiumCommandExecutor.java:162)		
	at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:105)		
	at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.lang.reflect.Method.invoke(Method.java:498)		
	at io.appium.java_client.remote.AppiumCommandExecutor\$1.createSession(AppiumCommandExecutor.java:193)		
	at io.appium.java_client.remote.AppiumCommandExecutor.createSession(AppiumCommandExecutor.java:225)		
	at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:250)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)		
	at io.appium.java_client.DefaultGenericMobileDriver.execute(DefaultGenericMobileDriver.java:41)		
	at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1)		
	at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:213)		
	at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:363)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver. <init>(RemoteWebDriver.java:131)</init>		
	at io.appium.java_client.DefaultGenericMobileDriver. <init>(DefaultGenericMobileDriver.java:37)</init>		
	at io.appium.java_client.AppiumDriver. <init>(AppiumDriver.java:89)</init>		
	at io.appium.java_client.AppiumDriver. <init>(AppiumDriver.java:99)</init>		
	at util.DriverFactory.initialize_Driver(DriverFactory.java:32)		
	at util.Hooks.before(Hooks.java:18)		
	at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.lang.reflect.Method.invoke(Method.java:498)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64)		
	at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)		
	at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:57)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:78)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.lang.reflect.Method.invoke(Method.java:498)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:135)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:673)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:220)		
	at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)		
	at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:945)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:193)		
	at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146)		
	at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.util.ArrayList.forEach(ArrayList.java:1259)		
	at org.testng.TestRunner.privateRun(TestRunner.java:808)		

DETAILED SECTION -- 9 --

#	Step / Hook Details	Status	Duration
	at org.testng.SuiteRunner.run(TestRunner.java:603) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:423) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:383) at org.testng.SuiteRunner.run(SuiteRunner.java:386) at org.testng.SuiteRunner.run(SuiteRunner.java:326) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1249) at org.testng.TestNG.runSuitesLocally(TestNG.java:1169) at org.testng.TestNG.runSuites(TestNG.java:1092) at org.testng.TestNG.run(TestNG.java:1060) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:109)		
1	Given Enes is opened Faladdin App	SKIPPED	0.001 s
2	When click Explore button	SKIPPED	0.001 s
3	Then should see Home Page	SKIPPED	0.000 s
	AFTER - util.Hooks.after() java.lang.NullPointerException at util.Hooks.after(Hooks.java:31)	FAILED	0.000 s