

SubutAI – AI-Powered Incident Analysis and Decision System

1. Introduction

SubutAI is an advanced artificial intelligence solution developed to redefine technical incident management within the WiseTech Global ecosystem. Unlike traditional support systems, SubutAI does not merely generate responses; it operates as an intelligent incident management engine that orchestrates data analysis, decision-making, and solution generation end-to-end.

The primary objectives of SubutAI are to deliver faster resolutions, enable more accurate decision-making, standardize support processes, and increase trust in artificial intelligence.

```
7  ## 1) Purpose
8
9  Use this instruction set to investigate CargoWise incidents with the
   existing 10-section analysis format, while producing stronger
   client-facing responses in Section 8.
10
11  Goals:
12  - Keep current investigation depth and speed (FAST/Detailed).
13  - Improve customer response accuracy and safety.
14  - Reduce unnecessary evidence requests.
15  - Reduce hallucinated UI guidance and invalid field instructions.
16
17  ## 2) Response Modes
18
19  - Default Mode: FAST
20  - Detailed Mode Trigger: Only when explicitly requested (detayli, deep,
   full analysis, comprehensive)
21  - FAST Output Scope: Sections 1-8
22  - Detailed Output Scope: Sections 1-10
23  - Language Enforcement: Always respond in English, even if the user
   writes in another language.
24  - Do not switch output language unless the user explicitly asks for
   non-English output.
```

2. Name Origin – SubutAI

The name SubutAI is derived from Subutay, one of the most successful military strategists in history. Subutay was renowned for analyzing complex environments, integrating multiple sources of intelligence, and making rapid yet highly accurate decisions under uncertainty. He is widely regarded as one of the few commanders in history to have maintained an undefeated record in battle.

SubutAI brings these same principles into the digital domain by analyzing complex incident data, integrating multiple data sources such as eDocs, historical incidents, and system-level information, and determining the most accurate resolution path while minimizing risk.

For this reason, SubutAI should not be viewed as a simple chatbot, but rather as a digital strategy engine.

3. Problem Definition

Modern support operations face several critical challenges, including repeated analysis of similar incidents, incorrect guidance caused by incomplete data, unnecessary customer data requests, inconsistent resolution quality, extended resolution times, and a lack of trust in AI-generated outcomes.

These challenges significantly reduce operational efficiency and negatively impact customer experience.


4. The SubutAI Approach

SubutAI fundamentally re-engineers the incident resolution lifecycle by introducing a structured, evidence-driven, and context-aware analysis model.

1. Incident Overview & Investigation	
Field	Details
Incident No	CSC
Issue Description	"Self-Managed OAuth Identity" checkbox not visible under EDI Client Details → Inbound tab; customer asking how to enable it
Customer / Context	Jaçns Private Limited). Inbound eAdaptor Next setup query
Product / Module	ENT / EAN (eAdaptor Next)
Current Status	CSV — CR5 (Training Question). Triage completed by Indera Ramjiawan; no investigation task started yet
Missing Evidence	Hosting model: WiseCloud vs Self-Hosted — this is the single key variable controlling feature visibility

4.1 Structured Incident Analysis Framework

Each incident is analyzed across a standardized 10-step framework including Incident Overview, Similar Incidents, Resolution Ownership, Problem Analysis, Resolution Steps, Confidence & Recommendations, Solution Pattern Analysis, Customer Response, Timeline & Risk, and Validation Metrics. This ensures consistency, repeatability, and comparability across all incidents.




4.2 Evidence-Driven Decision Engine

SubutAI operates strictly on validated evidence. It analyzes all available data sources including messages, eDocs, and screenshots, identifies missing information, and requests only the minimum necessary additional data.

This approach reduces unnecessary communication while significantly improving accuracy.

Naive AI vs SubutAI

Evidence-Driven Decision Model Comparison



4.3 Intelligent Data Processing (eDocs + Screenshots)

SubutAI intelligently processes incident data by prioritizing relevant sources. Text-based files such as emails and logs are analyzed first, while heavier files such as images or compressed data are only processed when required.

This ensures optimal performance while maintaining analytical depth.

 **4. Problem Analysis**

Root cause: The "Self-Managed OAuth Identity" checkbox is a self-hosted-exclusive feature, hidden by design for WiseCloud customers. Per product documentation (*How-to Setup EDI Client Details v1.9*): "If you are Self-Hosted, you can see a 'Self-Managed OAuth Identity' checkbox." No equivalent toggle exists for WiseCloud; WiseCloud inbound OAuth uses the WiseTech-managed Entra ID provisioning path (CSR upload → generate certificate).

Hosting model is the single determinant. It cannot be confirmed from incident metadata or system data available. This resolves the case given one answer:

- WiseCloud → option intentionally absent; use standard Entra ID inbound OAuth path
- Self-Hosted + still not visible → security rights gap or eAdaptorNext module not enabled in the environment
- Self-Hosted + visible → customer can tick the checkbox and supply their own Authorization Server URL and Client ID; only Entra ID is supported as IdP

4.4 Historical Intelligence & Pattern Recognition

SubutAI leverages historical incidents to identify patterns, match similar cases, and accelerate resolution for recurring issues and arranges them chronologically. If the incident is classified as a “Defect”, the corresponding work item reference is displayed.

2. Similar Incidents History	
CS02	(Jul 2025) — eAdaptor Next inbound OAuth setup; customer expected a Client Secret for inbound — resolved by directing to EDI Client certificate-based auth guide
CS02	(Oct 2025) — SOAP/eAdaptor Next migration query; agent explicitly confirmed Self-Managed OAuth Identity is only visible for self-hosted customers, with Entra ID as the only supported IdP
CS02	(Nov 2025) — OAuth Authority settings not visible in registry (self-hosted CWN); resolved by explaining those settings are legacy; self-hosted customers must enable eAdaptorNext to unlock EDI Client Details module for OAuth setup

4.5 Context-Aware Reasoning

SubutAI distinguishes between different operational entities such as Shipment, Consol, and Declaration, ensuring that solutions are always generated within the correct context.

4.6 Resolution Intelligence (Triage Filtering)

SubutAI excludes triage tasks from resolution analysis and identifies the actual contributors responsible for resolving incidents. This enables rapid identification of the right expertise when needed.

3. Resolution Team & Personnel Summary		
Top Teams (max 3):		
Team / Department	Incidents Resolved	Common Approach
eAdaptor Support (EDS)	3	Directed customers to How-to Setup EDI Client Details eLearning; confirmed hosting-dependent feature availability
eAdaptor Product Management (EDP)	1	Assisted with eAdaptorNext enablement for self-hosted customers
Top Personnel (max 3):		
Name	Department	Incidents Resolved
Amberly Munoz	EDS	1
Mpho Chiloane	EDS	1
Audric Pappalardo	EDS / EDP	1

4.7 Anti-Hallucination Framework

SubutAI prevents hallucination by avoiding unverified assumptions, requiring evidence-based validation, and requesting clarification when uncertainty exists. This ensures enterprise-grade reliability.

4.8 Customer-Ready Response Engine

SubutAI generates professional, clear, and actionable responses that are immediately usable and aligned with corporate communication standards.

✓ 5. Resolution Steps

A. Confirm hosting model from the customer (single targeted question in Section 8).

B. If WiseCloud: close as training — explain the option is not available by design; guide to the standard Entra ID certificate-based inbound OAuth path via EDI Client Details.

C. If Self-Hosted and option is absent: request a screenshot of the Inbound tab on their EDI Client Details record; verify the user has the *EDI Client Details* security right assigned; confirm eAdaptorNext is activated in their environment.

D. If Self-Hosted and option is present: guide the customer to tick "Self-Managed OAuth Identity" which will reveal fields for Authority URL and Client ID (their own Authorization Server). Remind that only Entra ID is supported as identity provider.

Thank you for your eRequest regarding the Self-Managed OAuth Identity option.

The "Self-Managed OAuth Identity" checkbox in the EDI Client Details Inbound section is only available for self-hosted CargoWise customers. As your environment is WiseCloud-hosted, this option is intentionally not displayed — this is expected product behaviour, not a configuration issue.

The good news is that your inbound OAuth is already fully set up. Looking at your "Flow Forwarding" EDI Client record, the following values are already populated:

- OAuth Authority URL — your WiseTech-managed Entra ID token endpoint
- OAuth Client ID — your unique application identifier
- Scope — auto-populated for authentication

These are the credentials your integration or middleware should use to obtain a bearer token and authenticate inbound requests to eAdaptor Next. You do not need the Self-Managed Identity option to proceed.

For guidance on using these credentials in Postman or configuring your middleware, please refer to Section 2.3 and 2.5 of the eAdaptor Next Developer's Guide: <https://wisetechacademy.com/search?quickstart=a1bb2e18-1e7d-45d8-9969-e4182d1dfd9e>

Please let us know if you have any further questions.

Thank You,
Enes

4.9 Confidence-Based Decision System

Each resolution includes a confidence score calculated based on data completeness, similarity to historical incidents, and clarity of root cause, enhancing transparency and trust.


💡 6. Confidence & Recommendations

Confidence: 72% — Root cause is well understood and supported by documentation and multiple historical resolutions. Only the hosting model remains unconfirmed. A single client reply is expected to resolve this incident. No product defect signals present.

Recommendation: Respond with the targeted hosting model question (Section 8) and pre-load both outcome paths. Likely Training resolution once hosting model is confirmed.


4.10 High Performance Execution

SubutAI is optimized for performance, delivering results in approximately 30–50 seconds in FAST mode and 2–4 minutes in Detailed mode. It also shows the current percentage of the process to avoid curiosity.



4.11 Integrated Learning System


SubutAI continuously improves by recommending relevant learning materials, educating users, and reducing recurring issues over time.



4.12 Real-Time Incident Correlation & Early Signal Detection

SubutAI continuously analyzes newly created incidents within recent time windows, with particular emphasis on the last 24 hours and the most recent 1–2 hour period. By correlating incidents across multiple organizations and detecting high-similarity patterns, the system can identify emerging issues at an early stage.

This capability enables SubutAI to distinguish between user-specific problems and system-wide anomalies in near real time. As a result, potential platform-level issues can be recognized before they escalate, allowing for faster escalation, proactive response, and significantly improved incident resolution efficiency.



5. Alignment with WiseTech AI Strategy

SubutAI aligns with WiseTech's AI vision by improving operational efficiency, augmenting decision-making, enabling scalability, and ensuring reliability.



6. Delivered Value

SubutAI reduces MTTR, accelerates incident resolution, minimizes repetitive work, improves customer satisfaction, and reduces error rates.

7. Why SubutAI is an Innovation

SubutAI is not a simple chatbot or an LLM wrapper. It is a combination of structured reasoning, evidence-driven intelligence, pattern recognition, and safety-first architecture, delivering a controllable, auditable, and reliable AI system.

7. Solution Pattern Analysis

Sample: 8 EAN incidents (indicative — sample < 10):

- 65% — Material/Documentation: Majority resolved by directing to eLearning — *How-to Setup EDI Client Details, eAdaptor Next Developer's Guide* — Example: CS02034681, CS02115350
- 25% — Process/System Actions: eAdaptorNext module enablement for self-hosted environments, EDI Client creation steps — Example: CS02146797
- 10% — Other: Varied queries with no pattern match

Recent Similar Incident Check (24h / 1-2h):

CS02287683 (today, outbound communication guide, EAN) — similarity ~40% to this incident; excludes from pattern signal.
No incidents with ≥70% similarity in the last 24 hours.

Signal: User-Specific — Single organisation, isolated query, no cross-organisation cluster indicating a system-wide issue.


8. Conclusion

SubutAI transforms technical support operations by enabling strategic analysis, data-driven decision-making, risk minimization, and improved customer experience. It represents the foundation of next-generation AI-powered support systems.

9. How to Use?

SubutAI is a drag-and-drop based prompt framework designed for seamless integration into development environments. The subutaivXX.md file can be easily added to Visual Studio Code by dragging it into the Explorer panel.

Step 1: Drag and drop the relevant subutaivXX.md and subutaiaassist.md file into the Explorer panel in Vscode (Or you can simply copy the file under the C:\Users\.....\.vscode folder)



Step 2: Open the file from the Explorer panel and either pin it or drag it into the Chat interface (subutaivxx.md file). Once loaded, you can initiate an analysis by entering a simple prompt such as:

“Investigate CSXXXXXX” SubutAI will automatically process the request and return the structured incident analysis.



If you are using multiple agents or prefer not to pin or drag the subutaivXX.md file to the Chat interface, you can explicitly reference it within your prompt. For example:

“Investigate CSXXXXXX with the help of the subutaivXX.md file.”

This ensures that SubutAI logic is applied from “Explorer” panel even without direct attachment.