

AppSarahetTeddy-714750309 Documentation

Generated at:
24/07/2026 12:40:39



App Sarah et Teddy

Application personnelle
Application personnelle de Sarah et Teddy

Data Summary	22 Tables
	626 Columns
	74 Slices
UX Summary	114 Views
	176 Format Rules
Behavior Summary	173 Actions
	0 Workflow Rules

Short Name	App Sarah et Teddy
Short Description	Application personnelle
Description	Application personnelle de Sarah et Teddy
Version	1.000550
Default app folder	/appsheet/data/AppSarahetTeddy-714750309
Category	Personal Solution
Function	Other
Industry	Other
Runnable?	Yes
Deployable?	No
Personal use only?	No

Data

Tables

Table name _Per User Settings

Table name	_Per User Settings
Visible?	NEVER
Shared?	No
Data locale	en-US
Schema	_Per User Settings_Schema
Are updates allowed?	UPDATES_ONLY
Source Path	_Per User Settings
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Listes déroulantes

Table name	Listes déroulantes
Visible?	ALWAYS
Shared?	Yes
Data locale	fr-FR
Schema	Listes déroulantes_Schema
Are updates allowed?	ALL_CHANGES
Source Path	/appsheets/data/AppSarahetTeddy-714750309/Listes déroulantes.gsheet
Worksheet Name/Qualifier	Listes déroulantes
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No

Partitioned across many
worksheets? No

Table name Accès

Table name	Accès
Visible?	ALWAYS
Shared?	Yes
Data locale	fr-FR
Schema	Accès_Schema
Are updates allowed?	ALL_CHANGES
Source Path	/appsheet/data/AppSarahetTeddy-714750309/Listes déroulantes.gsheet
Worksheet Name/Qualifier	Accès
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Accès Personnel

Table name	Accès Personnel
Visible?	ALWAYS
Shared?	Yes
Data locale	fr-FR
Schema	Accès Personnel_Schema
Are updates allowed?	ALL_CHANGES
Source Path	/appsheet/data/AppSarahetTeddy-714750309/Listes déroulantes.gsheet
Worksheet Name/Qualifier	Accès Personnel
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber

Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Activites

Table name	Activites
Visible?	ALWAYS
Shared?	Yes
Data locale	fr-FR
Schema	Activites_Schema
Are updates allowed?	ALL_CHANGES
Source Path	App Sarah et Teddy
Worksheet Name/Qualifier	Activites
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Administratif

Table name	Administratif
Visible?	ALWAYS
Shared?	Yes
Data locale	fr-FR
Schema	Administratif_Schema
Are updates allowed?	ALL_CHANGES
Source Path	App Sarah et Teddy
Worksheet Name/Qualifier	Administratif
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber

Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name FilmsSeries

Table name	FilmsSeries
Visible?	ALWAYS
Shared?	Yes
Data locale	fr-FR
Schema	FilmsSeries_Schema
Are updates allowed?	ALL_CHANGES
Source Path	App Sarah et Teddy
Worksheet Name/Qualifier	FilmsSeries
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Astuces

Table name	Astuces
Visible?	ALWAYS
Shared?	Yes
Data locale	fr-FR
Schema	Astuces_Schema
Are updates allowed?	ALL_CHANGES
Source Path	App Sarah et Teddy
Worksheet Name/Qualifier	Astuces
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber

Partitioned across many
files/sources? No

Partitioned across many
worksheets? No

Table name CartesCadeaux

Table name	CartesCadeaux
Visible?	ALWAYS
Shared?	Yes
Data locale	fr-FR
Schema	CartesCadeaux_Schema
Are updates allowed?	ALL_CHANGES
Source Path	App Sarah et Teddy
Worksheet Name/Qualifier	CartesCadeaux
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Notifications

Table name	Notifications
Visible?	ALWAYS
Shared?	Yes
Data locale	fr-FR
Schema	Notifications_Schema
Are updates allowed?	ALL_CHANGES
Source Path	App Sarah et Teddy
Worksheet Name/Qualifier	Notifications
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber

Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Cadeaux

Table name	Cadeaux
Visible?	ALWAYS
Shared?	Yes
Data locale	fr-FR
Schema	Cadeaux_Schema
Are updates allowed?	ALL_CHANGES
Source Path	App Sarah et Teddy
Worksheet Name/Qualifier	Cadeaux
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Liste de courses

Table name	Liste de courses
Visible?	ALWAYS
Shared?	Yes
Data locale	fr-FR
Schema	Liste de courses_Schema
Are updates allowed?	ALL_CHANGES
Source Path	App Sarah et Teddy
Worksheet Name/Qualifier	Liste de courses
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber

Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name DataBeer

Table name	DataBeer
Visible?	ALWAYS
Shared?	Yes
Data locale	fr-FR
Schema	DataBeer_Schema
Are updates allowed?	ALL_CHANGES
Source Path	App Sarah et Teddy
Worksheet Name/Qualifier	DataBeer
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name TDBBeer

Table name	TDBBeer
Visible?	ALWAYS
Shared?	Yes
Data locale	fr-FR
Schema	TDBBeer_Schema
Are updates allowed?	ALL_CHANGES
Source Path	App Sarah et Teddy
Worksheet Name/Qualifier	TDBBeer
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber

Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Recettes

Table name	Recettes
Visible?	ALWAYS
Shared?	Yes
Data locale	fr-FR
Schema	Recettes_Schema
Are updates allowed?	ALL_CHANGES
Source Path	App Sarah et Teddy
Worksheet Name/Qualifier	Recettes
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Jeux

Table name	Jeux
Visible?	ALWAYS
Shared?	Yes
Data locale	fr-FR
Schema	Jeux_Schema
Are updates allowed?	ALL_CHANGES
Source Path	App Sarah et Teddy
Worksheet Name/Qualifier	Jeux
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber

Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Bilan jeux

Table name	Bilan jeux
Visible?	ALWAYS
Shared?	Yes
Data locale	fr-FR
Schema	Bilan jeux_Schema
Are updates allowed?	READ_ONLY
Source Path	App Sarah et Teddy
Worksheet Name/Qualifier	Bilan jeux
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name MenusRecette

Table name	MenusRecette
Visible?	ALWAYS
Shared?	Yes
Data locale	fr-FR
Schema	MenusRecette_Schema
Are updates allowed?	ALL_CHANGES
Source Path	App Sarah et Teddy
Worksheet Name/Qualifier	MenusRecette
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber

Partitioned across many
files/sources? No

Partitioned across many
worksheets? No

Table name DataBeerSecond

Table name	DataBeerSecond
Visible?	ALWAYS
Shared?	Yes
Data locale	fr-FR
Schema	DataBeerSecond_Schema
Are updates allowed?	ALL_CHANGES
Source Path	App Sarah et Teddy
Worksheet Name/Qualifier	DataBeerSecond
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Commande

Table name	Commande
Visible?	ALWAYS
Shared?	Yes
Data locale	fr-FR
Schema	Commande_Schema
Are updates allowed?	ALL_CHANGES
Source Path	App Sarah et Teddy
Worksheet Name/Qualifier	Commande
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber

Partitioned across many
files/sources? No

Partitioned across many
worksheets? No

Table name DetailsCommande

Table name	DetailsCommande
Visible?	ALWAYS
Shared?	Yes
Data locale	fr-FR
Schema	DetailsCommande_Schema
Are updates allowed?	ALL_CHANGES
Source Path	App Sarah et Teddy
Worksheet Name/Qualifier	DetailsCommande
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name DatabaseBeer

Table name	DatabaseBeer
Visible?	ALWAYS
Shared?	Yes
Data locale	fr-FR
Schema	DatabaseBeer_Schema
Are updates allowed?	ALL_CHANGES
Source Path	App Sarah et Teddy
Worksheet Name/Qualifier	DatabaseBeer
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber

Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Columns

Schema Name _Per User Settings_Schema

Schema Name	_Per User Settings_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No

Sensitive data No

Column 2: _EMAIL

Column name	_EMAIL
Visible?	ALWAYS
Type	Email
Type Qualifier	{"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	USEREMAIL()
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 3: _NAME

Column name	_NAME
Visible?	ALWAYS
Type	Name
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	USERNAME()

Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 4: LOCATION

Column name	_LOCATION
Visible?	ALWAYS
Type	LatLng
Type Qualifier	{"RealTime":false,"PublishIfRowKey":null,"KMLFileUrl":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US

Searchable	No
Scannable	No
Sensitive data	No

Column 5: Options Heading

Column name	Options Heading
Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Text","Content":"\nThese options control the content and behavior of the app\\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 6: Option 1

Column name	Option 1
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null}

	nvalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 7: Option 2

Column name	Option 2
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 8: Country Option

Column name	Country Option
Visible?	ALWAYS
Type	Enum {"EnumValues": ["Australia","Brazil","Canada"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier": {"MaxLength":null,"MinLength":null,"LongTextFormatting": "Plain
Type Qualifier	Text\","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null},"EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No

Sensitive data No

Column 9: Language Option

Column name	Language Option
Visible?	ALWAYS
Type	Enum <pre>{"EnumValues": ["English","French","Tamil"],"AllowOtherValues":false,"AutoComple teOtherValues":true,"BaseType":"Text","BaseTypeQualifier": {"MaxLength":null,"MinLength":null,"LongTextFormatting":\ "Plain</pre>
Type Qualifier	<pre>Text\","IsMulticolumnKey":false,"Valid_If":null,"Error_Messa ge_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable _If":null,"Reset_If":null,"Suggested_Values":null},"EnumInpu tMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Sho w_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Sugg ested_Values":null}</pre>
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 10: Option 5

Column name	Option 5
Visible?	ALWAYS

Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 11: Option 6

Column name	Option 6
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 12: Option 7

Column name	Option 7
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 13: Option 8

Column name	Option 8
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 14: Option 9

Column name	Option 9
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 15: _THISUSER

Column name	_THISUSER
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
Initial value	onlyvalue
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Schema Name Listes déroulantes_Schema

Schema Name	Listes déroulantes_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	Yes
Part of Key?	Yes
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 2:

Column name	#
Visible?	ALWAYS

Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 3: Liste 1

Column name	Liste 1
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 4: Liste 2

Column name	Liste 2
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 5: Liste 3

Column name	Liste 3
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 6: Liste 4

Column name	Liste 4
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 7: Liste 5

Column name	Liste 5
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 8: Liste 6

Column name	Liste 6
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 9: Liste 7

Column name	Liste 7
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 10: Liste 8

Column name	Liste 8
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No

Sensitive data No

Column 11: Liste 9

Column name	Liste 9
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 12: Liste 10

Column name	Liste 10
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 13: Liste 11

Column name	Liste 11
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR

Searchable	No
Scannable	No
Sensitive data	No

Column 14: Liste 12

Column name	Liste 12
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 15: Liste 13

Column name	Liste 13
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

nvalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 16: Liste 14

Column name	Liste 14
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 17: Liste 15

Column name	Liste 15
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 18: Liste 16

Column name	Liste 16
Visible?	ALWAYS

Type	Decimal
Type Qualifier	{ "MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":1,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 19: Liste 17

Column name	Liste 17
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 20: Liste 18

Column name	Liste 18
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 21: Liste 19

Column name	Liste 19
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 22: Liste 20

Column name	Liste 20
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 23: Liste 21

Column name	Liste 21
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 24: Liste 22

Column name	Liste 22
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 25: Liste 23

Column name	Liste 23
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 26: Liste 24

Column name	Liste 24
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No

Scannable	No
Sensitive data	No

Column 27: Liste 25

Column name	Liste 25
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 28: Liste 26

Column name	Liste 26
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 29: Liste 27

Column name	Liste 27
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No

LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 30: Liste 28

Column name	Liste 28
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 31: Liste 29

Column name	Liste 29
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

nvalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 32: Liste 30

Column name	Liste 30
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 33: Liste 31

Column name	Liste 31
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 34: Liste 32

Column name	Liste 32
Visible?	ALWAYS

Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 35: Liste 33

Column name	Liste 33
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 36: Liste 34

Column name	Liste 34
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 37: Liste 35

Column name	Liste 35
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 38: Liste 36

Column name	Liste 36
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 39: Liste 37

Column name	Liste 37
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 40: Liste 38

Column name	Liste 38
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 41: Liste 39

Column name	Liste 39
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 42: Liste 40

Column name	Liste 40
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No

Sensitive data No

Column 43: Liste 41

Column name	Liste 41
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 44: Liste 42

Column name	Liste 42
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 45: Liste 43

Column name	Liste 43
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR

Searchable	No
Scannable	No
Sensitive data	No

Column 46: Liste 44

Column name	Liste 44
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 47: Liste 45

Column name	Liste 45
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

```
nvalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
```

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 48: Liste 46

Column name	Liste 46
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 49: Liste 47

Column name	Liste 47
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 50: Liste 48

Column name	Liste 48
Visible?	ALWAYS

Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 51: Liste 49

Column name	Liste 49
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 52: Liste 50

Column name	Liste 50
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 53: Liste 51

Column name	Liste 51
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 54: Liste 52

Column name	Liste 52
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 55: Liste 53

Column name	Liste 53
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 56: Liste 54

Column name	Liste 54
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 57: Liste 55

Column name	Liste 55
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 58: Liste 56

Column name	Liste 56
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No

Sensitive data No

Column 59: Liste 57

Column name	Liste 57
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 60: Liste 58

Column name	Liste 58
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 61: Liste 59

Column name	Liste 59
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR

Searchable	No
Scannable	No
Sensitive data	No

Column 62: Liste 60

Column name	Liste 60
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 63: Liste 61

Column name	Liste 61
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

```
nvalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
```

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 64: Liste 62

Column name	Liste 62
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 65: Liste 63

Column name	Liste 63
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 66: Liste 64

Column name	Liste 64
Visible?	ALWAYS

Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 67: Liste 65

Column name	Liste 65
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 68: Liste 66

Column name	Liste 66
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 69: Liste 67

Column name	Liste 67
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 70: Liste 68

Column name	Liste 68
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 71: Liste 69

Column name	Liste 69
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 72: Liste 70

Column name	Liste 70
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 73: Liste 71

Column name	Liste 71
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 74: Liste 72

Column name	Liste 72
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No

Sensitive data No

Column 75: Liste 73

Column name	Liste 73
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 76: Liste 74

Column name	Liste 74
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 77: Liste 75

Column name	Liste 75
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR

Searchable	No
Scannable	No
Sensitive data	No

Column 78: Liste 76

Column name	Liste 76
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 79: Liste 77

Column name	Liste 77
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

nvalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 80: Liste 78

Column name	Liste 78
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 81: Liste 79

Column name	Liste 79
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 82: Liste 80

Column name	Liste 80
Visible?	ALWAYS

Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 83: Liste 81

Column name	Liste 81
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 84: Liste 82

Column name	Liste 82
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 85: Liste 83

Column name	Liste 83
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 86: Liste 84

Column name	Liste 84
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 87: Liste 85

Column name	Liste 85
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 88: Liste 86

Column name	Liste 86
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 89: Liste 87

Column name	Liste 87
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 90: Liste 88

Column name	Liste 88
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No

Sensitive data No

Column 91: Liste 89

Column name	Liste 89
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 92: Liste 90

Column name	Liste 90
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 93: Liste 91

Column name	Liste 91
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR

Searchable	No
Scannable	No
Sensitive data	No

Column 94: Liste 92

Column name	Liste 92
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 95: Liste 93

Column name	Liste 93
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

```
nvalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
```

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 96: Liste 94

Column name	Liste 94
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 97: Liste 95

Column name	Liste 95
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 98: Liste 96

Column name	Liste 96
Visible?	ALWAYS

Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 99: Liste 97

Column name	Liste 97
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 100: Liste 98

Column name	Liste 98
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 101: Liste 99

Column name	Liste 99
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 102: Liste 100

Column name	Liste 100
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Schema Name Accès_Schema

Schema Name	Accès_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	Yes
Part of Key?	Yes
Fixed definition?	Yes

Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 2:

Column name	#
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Spreadsheet formula	IF(RC[1]<>"",MAX(R1C1:R[-1]C1)+1,"")
Formula version	1
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 3: Accès

Column name	Accès
Visible?	ALWAYS
Display name	= " "
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	Yes
Formula version	1
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: Mail

Column name	Mail
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 5: Image

Column name	Image
Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 6: ID Ligne

Column name	ID Ligne
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	1
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 7: Sous Accès 1

Column name	Sous Accès 1
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No

Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 8: Sous Accès 2

Column name	Sous Accès 2
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No

Scannable	No
Sensitive data	No

Column 9: Sous Accès 3

Column name	Sous Accès 3
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 10: Sous Accès 4

Column name	Sous Accès 4
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 11: Sous Accès 5

Column name	Sous Accès 5
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No

LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 12: Sous Accès 6

Column name	Sous Accès 6
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 13: Sous Accès 7

Column name	Sous Accès 7
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

```
nvalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
```

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 14: Sous Accès 8

Column name	Sous Accès 8
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 15: Sous Accès 9

Column name	Sous Accès 9
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 16: Sous Accès 10

Column name	Sous Accès 10
Visible?	ALWAYS

Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 17: Sous Accès 11

Column name	Sous Accès 11
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 18: Sous Accès 12

Column name	Sous Accès 12
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 19: Sous Accès 13

Column name	Sous Accès 13
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 20: Sous Accès 14

Column name	Sous Accès 14
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 21: Sous Accès 15

Column name	Sous Accès 15
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 22: Sous Accès 16

Column name	Sous Accès 16
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 23: Sous Accès 17

Column name	Sous Accès 17
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 24: Sous Accès 18

Column name	Sous Accès 18
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No

Sensitive data No

Column 25: Sous Accès 19

Column name	Sous Accès 19
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 26: Sous Accès 20

Column name	Sous Accès 20
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 27: Sous Accès 21

Column name	Sous Accès 21
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR

Searchable	No
Scannable	No
Sensitive data	No

Column 28: Sous Accès 22

Column name	Sous Accès 22
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 29: Sous Accès 23

Column name	Sous Accès 23
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

```
nvalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
```

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 30: Sous Accès 24

Column name	Sous Accès 24
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 31: Sous Accès 25

Column name	Sous Accès 25
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 32: Sous Accès 26

Column name	Sous Accès 26
Visible?	ALWAYS

Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 33: Sous Accès 27

Column name	Sous Accès 27
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 34: Sous Accès 28

Column name	Sous Accès 28
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 35: Sous Accès 29

Column name	Sous Accès 29
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 36: Sous Accès 30

Column name	Sous Accès 30
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Schema Name Accès Personnel_Schema

Schema Name	Accès Personnel_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	Yes
Part of Key?	Yes
Fixed definition?	Yes

Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 2: #

Column name	#
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Spreadsheet formula	IF(RC[1]<>"",MAX(R1C1:R[-1]C1)+1,"")
Formula version	1
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 3: NOM Prénom

Column name	NOM Prénom
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	Yes
Spreadsheet formula	IF(AND(RC[1]<>"",RC[2]<>""),UPPER(RC[1])&"&PROPER(RC[2]),"")
Formula version	1
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: Nom

Column name	Nom
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 5: Prénom

Column name	Prénom
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No

Sensitive data No

Column 6: Adresse mail

Column name	Adresse mail
Visible?	ALWAYS
Type	Email
Type Qualifier	{"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 7: Téléphone

Column name	Téléphone
Visible?	ALWAYS
Type	Phone
Type Qualifier	{"Callable":true,"Textable":true,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 8: Nom Accès 1

Column name	Nom Accès 1
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	1
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No

Sensitive data No

Column 9: Nom Accès 2

Column name	Nom Accès 2
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Spreadsheet formula	=ArrayFormula(IF(RC3<>"",TRANSPOSE('Listes déroulantes'!R2C1:R51C1),""))
Formula version	1
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 10: Nom Accès 3

Column name	Nom Accès 3
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

Read-Only	Yes
Hidden	Yes
Label	No
Spreadsheet formula	=ArrayFormula(IF(RC3<>"",TRANSPOSE('Listes déroulantes'!R2C1:R51C1),""))
Formula version	1
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 11: Nom Accès 4

Column name	Nom Accès 4
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Spreadsheet formula	=ArrayFormula(IF(RC3<>"",TRANSPOSE('Listes déroulantes'!R2C1:R51C1),""))
Formula version	1
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 12: Nom Accès 5

Column name	Nom Accès 5
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Spreadsheet formula	=ArrayFormula(IF(RC3<>"",TRANSPOSE('Listes déroulantes'!R2C1:R51C1),""))
Formula version	1
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 13: Nom Accès 6

Column name	Nom Accès 6
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Spreadsheet formula	=ArrayFormula(IF(RC3<>"",TRANSPOSE('Listes déroulantes'!R2C1:R51C1),""))
Formula version	1
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 14: Nom Accès 7

Column name	Nom Accès 7
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No

Spreadsheet formula	=ArrayFormula(IF(RC3<>"",TRANSPOSE('Listes déroulantes'!R2C1:R51C1),""))
Formula version	1
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 15: Nom Accès 8

Column name	Nom Accès 8
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Spreadsheet formula	=ArrayFormula(IF(RC3<>"",TRANSPOSE('Listes déroulantes'!R2C1:R51C1),""))
Formula version	1
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes

Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 16: Nom Accès 9

Column name	Nom Accès 9
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Spreadsheet formula	=ArrayFormula(IF(RC3<>"",TRANSPOSE('Listes déroulantes'!R2C1:R51C1),""))
Formula version	1
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 17: Nom Accès 10

Column name	Nom Accès 10
Visible?	ALWAYS

Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Spreadsheet formula	=ArrayFormula(IF(RC3<>"",TRANSPOSE('Listes déroulantes!R2C1:R51C1),""))
Formula version	1
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 18: Nom Accès 11

Column name	Nom Accès 11
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Spreadsheet formula	=ArrayFormula(IF(RC3<>"",TRANSPOSE('Listes déroulantes!R2C1:R51C1),""))
Formula version	1

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 19: Nom Accès 12

Column name	Nom Accès 12
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Spreadsheet formula	=ArrayFormula(IF(RC3<>"",TRANSPOSE('Listes déroulantes'!R2C1:R51C1),""))
Formula version	1
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No

Scannable	No
Sensitive data	No

Column 20: Nom Accès 13

Column name	Nom Accès 13
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Spreadsheet formula	=ArrayFormula(IF(RC3<>"",TRANSPOSE('Listes déroulantes!R2C1:R51C1),""))
Formula version	1
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 21: Nom Accès 14

Column name	Nom Accès 14
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

	nvalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Spreadsheet formula	=ArrayFormula(IF(RC3<>"",TRANSPOSE('Listes déroulantes'!R2C1:R51C1),""))
Formula version	1
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 22: Nom Accès 15

Column name	Nom Accès 15
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Spreadsheet formula	=ArrayFormula(IF(RC3<>"",TRANSPOSE('Listes déroulantes'!R2C1:R51C1),""))
Formula version	1
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 23: Nom Accès 16

Column name	Nom Accès 16
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Spreadsheet formula	=ArrayFormula(IF(RC3<>"",TRANSPOSE('Listes déroulantes'!R2C1:R51C1),""))
Formula version	1
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 24: Nom Accès 17

Column name	Nom Accès 17
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Spreadsheet formula	=ArrayFormula(IF(RC3<>"",TRANSPOSE('Listes déroulantes'!R2C1:R51C1),""))
Formula version	1
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 25: Nom Accès 18

Column name	Nom Accès 18
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes

Hidden	Yes
Label	No
Spreadsheet formula	=ArrayFormula(IF(RC3<>"",TRANSPOSE('Listes déroulantes'!R2C1:R51C1),""))
Formula version	1
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 26: Nom Accès 19

Column name	Nom Accès 19
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Spreadsheet formula	=ArrayFormula(IF(RC3<>"",TRANSPOSE('Listes déroulantes'!R2C1:R51C1),""))
Formula version	1
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 27: Nom Accès 20

Column name	Nom Accès 20
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Spreadsheet formula	=ArrayFormula(IF(RC3<>"",TRANSPOSE('Listes déroulantes'!R2C1:R51C1),""))
Formula version	1
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 28: Nom Accès 21

Column name	Nom Accès 21
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Spreadsheet formula	=ArrayFormula(IF(RC3<>"",TRANSPOSE('Listes déroulantes'!R2C1:R51C1),""))
Formula version	1
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 29: Nom Accès 22

Column name	Nom Accès 22
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No

Spreadsheet formula	=ArrayFormula(IF(RC3<>"",TRANSPOSE('Listes déroulantes'!R2C1:R51C1),""))
Formula version	1
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 30: Nom Accès 23

Column name	Nom Accès 23
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Spreadsheet formula	=ArrayFormula(IF(RC3<>"",TRANSPOSE('Listes déroulantes'!R2C1:R51C1),""))
Formula version	1
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes

Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 31: Nom Accès 24

Column name	Nom Accès 24
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Spreadsheet formula	=ArrayFormula(IF(RC3<>"",TRANSPOSE('Listes déroulantes'!R2C1:R51C1),""))
Formula version	1
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 32: Nom Accès 25

Column name	Nom Accès 25
Visible?	ALWAYS

Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Spreadsheet formula	=ArrayFormula(IF(RC3<>"",TRANSPOSE('Listes déroulantes!R2C1:R51C1),""))
Formula version	1
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 33: Nom Accès 26

Column name	Nom Accès 26
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Spreadsheet formula	=ArrayFormula(IF(RC3<>"",TRANSPOSE('Listes déroulantes!R2C1:R51C1),""))
Formula version	1

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 34: Nom Accès 27

Column name	Nom Accès 27
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Spreadsheet formula	=ArrayFormula(IF(RC3<>"",TRANSPOSE('Listes déroulantes'!R2C1:R51C1),""))
Formula version	1
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No

Scannable	No
Sensitive data	No

Column 35: Nom Accès 28

Column name	Nom Accès 28
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Spreadsheet formula	=ArrayFormula(IF(RC3<>"",TRANSPOSE('Listes déroulantes'!R2C1:R51C1),""))
Formula version	1
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 36: Nom Accès 29

Column name	Nom Accès 29
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

	nvalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Spreadsheet formula	=ArrayFormula(IF(RC3<>"",TRANSPOSE('Listes déroulantes'!R2C1:R51C1),""))
Formula version	1
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 37: Nom Accès 30

Column name	Nom Accès 30
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Spreadsheet formula	=ArrayFormula(IF(RC3<>"",TRANSPOSE('Listes déroulantes'!R2C1:R51C1),""))
Formula version	1
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 38: Nom Accès 31

Column name	Nom Accès 31
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Spreadsheet formula	=ArrayFormula(IF(RC3<>"",TRANSPOSE('Listes déroulantes'!R2C1:R51C1),""))
Formula version	1
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 39: Nom Accès 32

Column name	Nom Accès 32
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Spreadsheet formula	=ArrayFormula(IF(RC3<>"",TRANSPOSE('Listes déroulantes'!R2C1:R51C1),""))
Formula version	1
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 40: Nom Accès 33

Column name	Nom Accès 33
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes

Hidden	Yes
Label	No
Spreadsheet formula	=ArrayFormula(IF(RC3<>"",TRANSPOSE('Listes déroulantes'!R2C1:R51C1),""))
Formula version	1
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 41: Nom Accès 34

Column name	Nom Accès 34
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Spreadsheet formula	=ArrayFormula(IF(RC3<>"",TRANSPOSE('Listes déroulantes'!R2C1:R51C1),""))
Formula version	1
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 42: Nom Accès 35

Column name	Nom Accès 35
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Spreadsheet formula	=ArrayFormula(IF(RC3<>"",TRANSPOSE('Listes déroulantes'!R2C1:R51C1),""))
Formula version	1
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 43: Nom Accès 36

Column name	Nom Accès 36
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Spreadsheet formula	=ArrayFormula(IF(RC3<>"",TRANSPOSE('Listes déroulantes'!R2C1:R51C1),""))
Formula version	1
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 44: Nom Accès 37

Column name	Nom Accès 37
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No

Spreadsheet formula	=ArrayFormula(IF(RC3<>"",TRANSPOSE('Listes déroulantes'!R2C1:R51C1),""))
Formula version	1
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 45: Nom Accès 38

Column name	Nom Accès 38
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Spreadsheet formula	=ArrayFormula(IF(RC3<>"",TRANSPOSE('Listes déroulantes'!R2C1:R51C1),""))
Formula version	1
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes

Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 46: Nom Accès 39

Column name	Nom Accès 39
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Spreadsheet formula	=ArrayFormula(IF(RC3<>"",TRANSPOSE('Listes déroulantes'!R2C1:R51C1),""))
Formula version	1
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 47: Nom Accès 40

Column name	Nom Accès 40
Visible?	ALWAYS

Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Spreadsheet formula	=ArrayFormula(IF(RC3<>"",TRANSPOSE('Listes déroulantes!R2C1:R51C1),""))
Formula version	1
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 48: Nom Accès 41

Column name	Nom Accès 41
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Spreadsheet formula	=ArrayFormula(IF(RC3<>"",TRANSPOSE('Listes déroulantes!R2C1:R51C1),""))
Formula version	1

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 49: Nom Accès 42

Column name	Nom Accès 42
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Spreadsheet formula	=ArrayFormula(IF(RC3<>"",TRANSPOSE('Listes déroulantes'!R2C1:R51C1),""))
Formula version	1
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No

Scannable	No
Sensitive data	No

Column 50: Nom Accès 43

Column name	Nom Accès 43
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Spreadsheet formula	=ArrayFormula(IF(RC3<>"",TRANSPOSE('Listes déroulantes'!R2C1:R51C1),""))
Formula version	1
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 51: Nom Accès 44

Column name	Nom Accès 44
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

	nvalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Spreadsheet formula	=ArrayFormula(IF(RC3<>"",TRANSPOSE('Listes déroulantes'!R2C1:R51C1),""))
Formula version	1
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 52: Nom Accès 45

Column name	Nom Accès 45
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Spreadsheet formula	=ArrayFormula(IF(RC3<>"",TRANSPOSE('Listes déroulantes'!R2C1:R51C1),""))
Formula version	1
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 53: Nom Accès 46

Column name	Nom Accès 46
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Spreadsheet formula	=ArrayFormula(IF(RC3<>"",TRANSPOSE('Listes déroulantes'!R2C1:R51C1),""))
Formula version	1
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 54: Nom Accès 47

Column name	Nom Accès 47
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Spreadsheet formula	=ArrayFormula(IF(RC3<>"",TRANSPOSE('Listes déroulantes'!R2C1:R51C1),""))
Formula version	1
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 55: Nom Accès 48

Column name	Nom Accès 48
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes

Hidden	Yes
Label	No
Spreadsheet formula	=ArrayFormula(IF(RC3<>"",TRANSPOSE('Listes déroulantes'!R2C1:R51C1),""))
Formula version	1
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 56: Nom Accès 49

Column name	Nom Accès 49
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Spreadsheet formula	=ArrayFormula(IF(RC3<>"",TRANSPOSE('Listes déroulantes'!R2C1:R51C1),""))
Formula version	1
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 57: Nom Accès 50

Column name	Nom Accès 50
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Spreadsheet formula	=ArrayFormula(IF(RC3<>"",TRANSPOSE('Listes déroulantes'!R2C1:R51C1),""))
Formula version	1
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 58: Validation Accès 1

Column name	Validation Accès 1
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 59: Validation Accès 2

Column name	Validation Accès 2
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 60: Validation Accès 3

Column name	Validation Accès 3
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 61: Validation Accès 4

Column name	Validation Accès 4
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 62: Validation Accès 5

Column name	Validation Accès 5
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 63: Validation Accès 6

Column name	Validation Accès 6
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No

Sensitive data No

Column 64: Validation Accès 7

Column name	Validation Accès 7
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 65: Validation Accès 8

Column name	Validation Accès 8
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No

Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 66: Validation Accès 9

Column name	Validation Accès 9
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR

Searchable	No
Scannable	No
Sensitive data	No

Column 67: Validation Accès 10

Column name	Validation Accès 10
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 68: Validation Accès 11

Column name	Validation Accès 11
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

```
nvalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
```

Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 69: Validation Accès 12

Column name	Validation Accès 12
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 70: Validation Accès 13

Column name	Validation Accès 13
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 71: Validation Accès 14

Column name	Validation Accès 14
Visible?	ALWAYS

Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 72: Validation Accès 15

Column name	Validation Accès 15
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 73: Validation Accès 16

Column name	Validation Accès 16
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 74: Validation Accès 17

Column name	Validation Accès 17
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 75: Validation Accès 18

Column name	Validation Accès 18
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 76: Validation Accès 19

Column name	Validation Accès 19
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 77: Validation Accès 20

Column name	Validation Accès 20
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 78: Validation Accès 21

Column name	Validation Accès 21
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 79: Validation Accès 22

Column name	Validation Accès 22
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No

Sensitive data No

Column 80: Validation Accès 23

Column name	Validation Accès 23
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 81: Validation Accès 24

Column name	Validation Accès 24
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No

Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 82: Validation Accès 25

Column name	Validation Accès 25
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR

Searchable	No
Scannable	No
Sensitive data	No

Column 83: Validation Accès 26

Column name	Validation Accès 26
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 84: Validation Accès 27

Column name	Validation Accès 27
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

```
nvalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
```

Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 85: Validation Accès 28

Column name	Validation Accès 28
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 86: Validation Accès 29

Column name	Validation Accès 29
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 87: Validation Accès 30

Column name	Validation Accès 30
Visible?	ALWAYS

Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 88: Validation Accès 31

Column name	Validation Accès 31
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 89: Validation Accès 32

Column name	Validation Accès 32
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 90: Validation Accès 33

Column name	Validation Accès 33
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 91: Validation Accès 34

Column name	Validation Accès 34
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 92: Validation Accès 35

Column name	Validation Accès 35
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 93: Validation Accès 36

Column name	Validation Accès 36
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 94: Validation Accès 37

Column name	Validation Accès 37
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 95: Validation Accès 38

Column name	Validation Accès 38
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No

Sensitive data No

Column 96: Validation Accès 39

Column name	Validation Accès 39
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 97: Validation Accès 40

Column name	Validation Accès 40
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No

Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 98: Validation Accès 41

Column name	Validation Accès 41
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR

Searchable	No
Scannable	No
Sensitive data	No

Column 99: Validation Accès 42

Column name	Validation Accès 42
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 100: Validation Accès 43

Column name	Validation Accès 43
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

	nvalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 101: Validation Accès 44

Column name	Validation Accès 44
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 102: Validation Accès 45

Column name	Validation Accès 45
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 103: Validation Accès 46

Column name	Validation Accès 46
Visible?	ALWAYS

Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 104: Validation Accès 47

Column name	Validation Accès 47
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 105: Validation Accès 48

Column name	Validation Accès 48
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 106: Validation Accès 49

Column name	Validation Accès 49
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 107: Validation Accès 50

Column name	Validation Accès 50
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 108: Accès App 1

Column name	Accès App 1
Visible?	ALWAYS
Display name	=[Nom Accès 1]
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If": "=ISNOTBLANK([Nom Accès 1])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF([Validation Accès 1] = "Oui" ; "Validé" ; "Non validé")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	fr-FR
Searchable	No

Scannable	No
Sensitive data	No

Column 109: Accès App 2

Column name	Accès App 2
Visible?	ALWAYS
Display name	=[Nom Accès 2]
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Nom Accès 2])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF([Validation Accès 2] = "Oui" ; "Validé" ; "Non validé")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 110: Accès App 3

Column name	Accès App 3
Visible?	ALWAYS
Display name	=[Nom Accès 3]
Type	Text

Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Nom Accès 3])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF([Validation Accès 3] = "Oui" ; "Validé" ; "Non validé")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 111: Accès App 4

Column name	Accès App 4
Visible?	ALWAYS
Display name	= [Nom Accès 4]
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Nom Accès 4])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF([Validation Accès 4] = "Oui" ; "Validé" ; "Non validé")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 112: Accès App 5

Column name	Accès App 5
Visible?	ALWAYS
Display name	=[Nom Accès 5]
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If": "=ISNOTBLANK([Nom Accès 5])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF([Validation Accès 5] = "Oui" ; "Validé" ; "Non validé")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	fr-FR

Searchable	No
Scannable	No
Sensitive data	No

Column 113: Accès App 6

Column name	Accès App 6
Visible?	ALWAYS
Display name	=[Nom Accès 6]
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Nom Accès 6])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF([Validation Accès 6] = "Oui" ; "Validé" ; "Non validé")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 114: Accès App 7

Column name	Accès App 7
Visible?	ALWAYS
Display name	=[Nom Accès 7]

Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Nom Accès 7])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF([Validation Accès 7] = "Oui" ; "Validé" ; "Non validé")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 115: Accès App 8

Column name	Accès App 8
Visible?	ALWAYS
Display name	=[Nom Accès 8]
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Nom Accès 8])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF([Validation Accès 8] = "Oui" ; "Validé" ; "Non validé")
Read-Only	Yes
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 116: Accès App 9

Column name	Accès App 9
Visible?	ALWAYS
Display name	=[Nom Accès 9]
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Nom Accès 9])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF([Validation Accès 9] = "Oui" ; "Validé" ; "Non validé")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes

LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 117: Accès App 10

Column name	Accès App 10
Visible?	ALWAYS
Display name	=[Nom Accès 10]
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Nom Accès 10])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF([Validation Accès 10] = "Oui" ; "Validé" ; "Non validé")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 118: Accès App 11

Column name	Accès App 11
Visible?	ALWAYS

Display name	=[Nom Accès 11]
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If": "=ISNOTBLANK([Nom Accès 11])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF([Validation Accès 11] = "Oui" ; "Validé" ; "Non validé")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 119: Accès App 12

Column name	Accès App 12
Visible?	ALWAYS
Display name	=[Nom Accès 12]
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If": "=ISNOTBLANK([Nom Accès 12])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF([Validation Accès 12] = "Oui" ; "Validé" ; "Non validé")
Read-Only	Yes
Hidden	No

Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 120: Accès App 13

Column name	Accès App 13
Visible?	ALWAYS
Display name	=[Nom Accès 13]
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If": "=ISNOTBLANK([Nom Accès 13])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF([Validation Accès 13] = "Oui" ; "Validé" ; "Non validé")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes

Virtual?	Yes
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 121: Accès App 14

Column name	Accès App 14
Visible?	ALWAYS
Display name	=[Nom Accès 14]
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Nom Accès 14])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF([Validation Accès 14] = "Oui" ; "Validé" ; "Non validé")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 122: Accès App 15

Column name	Accès App 15
-------------	--------------

Visible?	ALWAYS
Display name	=[Nom Accès 15]
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Nom Accès 15])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF([Validation Accès 15] = "Oui" ; "Validé" ; "Non validé")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 123: Accès App 16

Column name	Accès App 16
Visible?	ALWAYS
Display name	=[Nom Accès 16]
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Nom Accès 16])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF([Validation Accès 16] = "Oui" ; "Validé" ; "Non validé")
Read-Only	Yes

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 124: Accès App 17

Column name	Accès App 17
Visible?	ALWAYS
Display name	=[Nom Accès 17]
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Nom Accès 17])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF([Validation Accès 17] = "Oui" ; "Validé" ; "Non validé")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 125: Accès App 18

Column name	Accès App 18
Visible?	ALWAYS
Display name	=[Nom Accès 18]
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If": "=ISNOTBLANK([Nom Accès 18])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF([Validation Accès 18] = "Oui" ; "Validé" ; "Non validé")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 126: Accès App 19

Column name	Accès App 19
Visible?	ALWAYS
Display name	=[Nom Accès 19]
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If": "=ISNOTBLANK([Nom Accès 19])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF([Validation Accès 19] = "Oui" ; "Validé" ; "Non validé")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 127: Accès App 20

Column name	Accès App 20
Visible?	ALWAYS
Display name	=[Nom Accès 20]
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If": "=ISNOTBLANK([Nom Accès 20])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

App formula	=IF([Validation Accès 20] = "Oui" ; "Validé" ; "Non validé")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 128: Accès App 21

Column name	Accès App 21
Visible?	ALWAYS
Display name	=[Nom Accès 21]
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Nom Accès 21])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF([Validation Accès 21] = "Oui" ; "Validé" ; "Non validé")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 129: Accès App 22

Column name	Accès App 22
Visible?	ALWAYS
Display name	=[Nom Accès 22]
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If": "=ISNOTBLANK([Nom Accès 22])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF([Validation Accès 22] = "Oui" ; "Validé" ; "Non validé")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 130: Accès App 23

Column name	Accès App 23
Visible?	ALWAYS
Display name	=[Nom Accès 23]
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Nom Accès 23])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF([Validation Accès 23] = "Oui" ; "Validé" ; "Non validé")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 131: Accès App 24

Column name	Accès App 24
Visible?	ALWAYS
Display name	=[Nom Accès 24]
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Nom Accès

	24])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF([Validation Accès 24] = "Oui" ; "Validé" ; "Non validé")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 132: Accès App 25

Column name	Accès App 25
Visible?	ALWAYS
Display name	=[Nom Accès 25]
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If": "=ISNOTBLANK([Nom Accès 25])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF([Validation Accès 25] = "Oui" ; "Validé" ; "Non validé")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 133: Accès App 26

Column name	Accès App 26
Visible?	ALWAYS
Display name	=[Nom Accès 26]
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Nom Accès 26])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF([Validation Accès 26] = "Oui" ; "Validé" ; "Non validé")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	fr-FR
Searchable	No
Scannable	No

Sensitive data No

Column 134: Accès App 27

Column name	Accès App 27
Visible?	ALWAYS
Display name	=[Nom Accès 27]
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Nom Accès 27])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF([Validation Accès 27] = "Oui" ; "Validé" ; "Non validé")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 135: Accès App 28

Column name	Accès App 28
Visible?	ALWAYS
Display name	=[Nom Accès 28]
Type	Text

Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Nom Accès 28])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF([Validation Accès 28] = "Oui" ; "Validé" ; "Non validé")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 136: Accès App 29

Column name	Accès App 29
Visible?	ALWAYS
Display name	=[Nom Accès 29]
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Nom Accès 29])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF([Validation Accès 29] = "Oui" ; "Validé" ; "Non validé")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 137: Accès App 30

Column name	Accès App 30
Visible?	ALWAYS
Display name	=[Nom Accès 30]
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If": "=ISNOTBLANK([Nom Accès 30])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF([Validation Accès 30] = "Oui" ; "Validé" ; "Non validé")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	fr-FR

Searchable	No
Scannable	No
Sensitive data	No

Column 138: Accès App 31

Column name	Accès App 31
Visible?	ALWAYS
Display name	=[Nom Accès 31]
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Nom Accès 31])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF([Validation Accès 31] = "Oui" ; "Validé" ; "Non validé")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 139: Accès App 32

Column name	Accès App 32
Visible?	ALWAYS
Display name	=[Nom Accès 32]

Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Nom Accès 32])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF([Validation Accès 32] = "Oui" ; "Validé" ; "Non validé")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 140: Accès App 33

Column name	Accès App 33
Visible?	ALWAYS
Display name	=[Nom Accès 33]
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Nom Accès 33])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF([Validation Accès 33] = "Oui" ; "Validé" ; "Non validé")
Read-Only	Yes
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 141: Accès App 34

Column name	Accès App 34
Visible?	ALWAYS
Display name	=[Nom Accès 34]
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Nom Accès 34])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF([Validation Accès 34] = "Oui" ; "Validé" ; "Non validé")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes

LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 142: Accès App 35

Column name	Accès App 35
Visible?	ALWAYS
Display name	=[Nom Accès 35]
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Nom Accès 35])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF([Validation Accès 35] = "Oui" ; "Validé" ; "Non validé")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 143: Accès App 36

Column name	Accès App 36
Visible?	ALWAYS

Display name	=[Nom Accès 36]
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If": "=ISNOTBLANK([Nom Accès 36])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF([Validation Accès 36] = "Oui" ; "Validé" ; "Non validé")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 144: Accès App 37

Column name	Accès App 37
Visible?	ALWAYS
Display name	=[Nom Accès 37]
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If": "=ISNOTBLANK([Nom Accès 37])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF([Validation Accès 37] = "Oui" ; "Validé" ; "Non validé")
Read-Only	Yes
Hidden	No

Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 145: Accès App 38

Column name	Accès App 38
Visible?	ALWAYS
Display name	=[Nom Accès 38]
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Nom Accès 38])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF([Validation Accès 38] = "Oui" ; "Validé" ; "Non validé")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes

Virtual?	Yes
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 146: Accès App 39

Column name	Accès App 39
Visible?	ALWAYS
Display name	=[Nom Accès 39]
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Nom Accès 39])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF([Validation Accès 39] = "Oui" ; "Validé" ; "Non validé")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 147: Accès App 40

Column name	Accès App 40
-------------	--------------

Visible?	ALWAYS
Display name	=[Nom Accès 40]
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Nom Accès 40])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF([Validation Accès 40] = "Oui" ; "Validé" ; "Non validé")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 148: Accès App 41

Column name	Accès App 41
Visible?	ALWAYS
Display name	=[Nom Accès 41]
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Nom Accès 41])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF([Validation Accès 41] = "Oui" ; "Validé" ; "Non validé")
Read-Only	Yes

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 149: Accès App 42

Column name	Accès App 42
Visible?	ALWAYS
Display name	=[Nom Accès 42]
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If": "=ISNOTBLANK([Nom Accès 42])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF([Validation Accès 42] = "Oui" ; "Validé" ; "Non validé")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 150: Accès App 43

Column name	Accès App 43
Visible?	ALWAYS
Display name	=[Nom Accès 43]
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If": "=ISNOTBLANK([Nom Accès 43])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF([Validation Accès 43] = "Oui" ; "Validé" ; "Non validé")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 151: Accès App 44

Column name	Accès App 44
Visible?	ALWAYS
Display name	=[Nom Accès 44]
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If": "=ISNOTBLANK([Nom Accès 44])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF([Validation Accès 44] = "Oui" ; "Validé" ; "Non validé")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 152: Accès App 45

Column name	Accès App 45
Visible?	ALWAYS
Display name	=[Nom Accès 45]
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If": "=ISNOTBLANK([Nom Accès 45])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

App formula	=IF([Validation Accès 45] = "Oui" ; "Validé" ; "Non validé")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 153: Accès App 46

Column name	Accès App 46
Visible?	ALWAYS
Display name	=[Nom Accès 46]
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Nom Accès 46])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF([Validation Accès 46] = "Oui" ; "Validé" ; "Non validé")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 154: Accès App 47

Column name	Accès App 47
Visible?	ALWAYS
Display name	=[Nom Accès 47]
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Nom Accès 47])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF([Validation Accès 47] = "Oui" ; "Validé" ; "Non validé")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 155: Accès App 48

Column name	Accès App 48
Visible?	ALWAYS
Display name	=[Nom Accès 48]
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Nom Accès 48])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF([Validation Accès 48] = "Oui" ; "Validé" ; "Non validé")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 156: Accès App 49

Column name	Accès App 49
Visible?	ALWAYS
Display name	=[Nom Accès 49]
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Nom Accès

	49])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF([Validation Accès 49] = "Oui" ; "Validé" ; "Non validé")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 157: Accès App 50

Column name	Accès App 50
Visible?	ALWAYS
Display name	=[Nom Accès 50]
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If": "=ISNOTBLANK([Nom Accès 50])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF([Validation Accès 50] = "Oui" ; "Validé" ; "Non validé")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Schema Name Activites_Schema

Schema Name	Activites_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	Yes
Part of Key?	Yes
Fixed definition?	Yes

Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 2: #

Column name	#
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Spreadsheet formula	IF(RC[3]<>"",MAX(R1C1:R[-1]C1)+1,"")
Formula version	1
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 3: Photo

Column name	Photo
-------------	-------

Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 4: Type

Column name	Type
Visible?	ALWAYS
Type	Enum
Type Qualifier	<pre> {"EnumValues": [],"AllowOtherValues":true,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier": {"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null},"EnumInputMode":"Buttons","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":"=UNIQUE(Slide Liste 4[Liste 4])"} </pre>
Read-Only	No

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: Activité

Column name	Activité
Visible?	ALWAYS
Description	= "Titre"
Type	LongText
Type Qualifier	{ "MaxLength": null, "MinLength": null, "LongTextFormatting": "Plain Text", "IsMulticolumnKey": false, "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No

LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 6: Infos complémentaires

Column name	Infos complémentaires
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 7: Lieu

Column name	Lieu
Visible?	ALWAYS
Type	LatLong
Type Qualifier	{"RealTime":false,"PublishIfRowKey":null,"KMLFileUrl":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	Yes
Scannable	No
Sensitive data	No

Column 9: Déjà fait

Column name	Déjà fait
Visible?	ALWAYS
Type	Enum {"EnumValues": ["Oui"],"AllowOtherValues":true,"AutoCompleteOtherValues":true," BaseType":"Text","BaseTypeQualifier": {"MaxLength":null,"MinLength":null,"LongTextFormatting": "Plain
Type Qualifier	Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Messa ge_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable _If":null,"Reset_If":null,"Suggested_Values":null},"EnumInpu tMode":"Buttons","Valid_If":null,"Error_Message_If_Invalid":null,"S how_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Su ggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes

Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 10: Conseil venu de

Column name	Conseil venu de
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 11: Note

Column name	Note
Visible?	ALWAYS
Type	Enum

	<pre>{ "EnumValues": [], "AllowOtherValues":true, "AutoCompleteOtherValues":true, "BaseType":"Text", "BaseTypeQualifier": { "MaxLength":null, "MinLength":null, "LongTextFormatting": "Plain Text", "IsMulticolumnKey":false, "Valid_If":null, "Error_Message_If_Invalid":null, "Show_If":null, "Required_If":null, "Editable_If":null, "Reset_If":null, "Suggested_Values":null }, "EnumInputMode":"Buttons", "Valid_If":null, "Error_Message_If_Invalid":null, "Show_If":null, "Required_If":null, "Editable_If":null, "Reset_If":null, "Suggested_Values":"=UNIQUE(Slide Liste 2[Liste 2])" }</pre>
Type Qualifier	
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	Yes
Scannable	No
Sensitive data	No

Column 12: Priorité

Column name	Priorité
Visible?	ALWAYS
Type	Enum
Type Qualifier	<pre>{ "EnumValues": [], "AllowOtherValues":true, "AutoCompleteOtherValues":true, "BaseType":"Text", "BaseTypeQualifier": { "MaxLength":null, "MinLength":null, "LongTextFormatting": "Plain Text", "IsMulticolumnKey":false, "Valid_If":null, "Error_Message_If_Invalid":null, "Show_If":null, "Required_If":null, "Editable</pre>

_If":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Buttons","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values": "=UNIQUE(Slide Liste 3[Liste 3])"} }

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	Yes
Scannable	No
Sensitive data	No

Column 13: Lieux des choses déjà faites

Column name	Lieux des choses déjà faites
Visible?	ALWAYS
Type	LatLng
Type Qualifier	{"RealTime":false,"PublishIfRowKey":null,"KMLFileUrl":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null} }
Read-Only	Yes
Hidden	No
Label	No
Spreadsheet formula	IF(RC[-4]<>"" ,RC[-6], "")
Formula version	1
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 14: Lien

Column name	Lien
Visible?	ALWAYS
Type	Url
Type Qualifier	{"LaunchExternal":false,"IsHyperLink":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 15: Gamme de prix

Column name	Gamme de prix
Visible?	ALWAYS

Type	Enum
	<pre>{"EnumValues": [],"AllowOtherValues":true,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier": {"MaxLength":null,"MinLength":null,"LongTextFormatting": "Plain Text","IsMulticolumnKey":false,"ValidIf":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null},"EnumInputMode":"Buttons","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":"=UNIQUE(Slide Liste 9[Liste 9])"}</pre>
Type Qualifier	
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	Yes
Scannable	No
Sensitive data	No

Column 16: A voir ou Fait

Column name	A voir ou Fait
Visible?	ALWAYS
Display name	= " "
Type	Text
	<pre>{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"ValidIf":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}</pre>
Type Qualifier	

App formula	=IF(ISNOTBLANK([Déjà fait]) ; "Fait" ; "A faire / A voir")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Schema Name Administratif_Schema

Schema Name	Administratif_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No

Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	Yes
Part of Key?	Yes
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 2: #

Column name	#
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Spreadsheet formula	IF(RC[3]<>"",MAX(R1C1:R[-1]C1)+1,"")
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No

Scannable	No
Sensitive data	No

Column 3: Date

Column name	Date
Visible?	ALWAYS
Type	DateTime
Type Qualifier	{"MinValue":null,"MaxValue":null,"UseLongDateFormat":true,"IgnoreSeconds":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=NOW()
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: Catégorie

Column name	Catégorie
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues": [],"AllowOtherValues":true,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":

```
{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\\  
\"Plain  
Text\",\\\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Messa  
ge_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable  
_If\":null,\"Reset_If\":null,\"Suggested_Values\":null},\"EnumInpu  
tMode\":\"Buttons\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"S  
how_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Su  
ggested_Values\":\"=UNIQUE(Slide Liste 6[Liste 6])\"}
```

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 5: Type

Column name	Type
Visible?	ALWAYS
Type	Enum
Type Qualifier	{\"EnumValues\": [],\"AllowOtherValues\":true,\"AutoCompleteOtherValues\":true,\"Bas eType\":\"Text\",\"BaseTypeQualifier\": {\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\\ \"Plain Text\",\\\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Messa ge_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable _If\":null,\"Reset_If\":null,\"Suggested_Values\":null},\"EnumInpu tMode\":\"Buttons\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"S

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column name	Document
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 7: Style de document

Column name	Style de document
Visible?	ALWAYS
Type	Enum {"EnumValues": [], "AllowOtherValues":true, "AutoCompleteOtherValues":true, "BaseType": "Text", "BaseTypeQualifier": " {"MaxLength":null, "MinLength":null, "LongTextFormatting": " "Plain
Type Qualifier	Text\, \ "IsMulticolumnKey\ ":false, \ "Valid_If\ ":null, \ "Error_Message_If_Invalid\ ":null, \ "Show_If\ ":null, \ "Required_If\ ":null, \ "Editable_If\ ":null, \ "Reset_If\ ":null, \ "Suggested_Values\ ":null}, "EnumInputMode": "Buttons", "Valid_If":null, "Error_Message_If_Invalid":null, "Show_If":null, "Required_If":null, "Editable_If":null, "Reset_If":null, "Suggested_Values": "=UNIQUE(Slide Liste 5[Liste 5])"
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No

Sensitive data No

Column 8: Infos complémentaires

Column name	Infos complémentaires
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 9: Document traité ?

Column name	Document traité ?
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues":["Oui"],"AllowOtherValues":true,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Messa

	ge_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Buttons","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 10: Fichier PDF

Column name	Fichier PDF
Visible?	ALWAYS
Type	File
Type Qualifier	{"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	Yes
Scannable	No
Sensitive data	No

Column 11: Fichier Photo 1

Column name	Fichier Photo 1
Visible?	ALWAYS
Display name	= "Photo"
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 12: Fichier Photo 2

Column name	Fichier Photo 2
-------------	-----------------

Visible?	ALWAYS
Display name	= "Photo"
Type	Image
Type Qualifier	{ "AllowDrawing": false, "FolderLocation": null, "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": "=ISNOTBLANK([Fichier Photo 1])", "Reset_If": null, "Suggested_Values": null }
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 13: Fichier Photo 3

Column name	Fichier Photo 3
Visible?	ALWAYS
Display name	= "Photo"
Type	Image
Type Qualifier	{ "AllowDrawing": false, "FolderLocation": null, "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": "=ISNOTBLANK([Fichier Photo 2])", "Reset_If": null, "Suggested_Values": null }
Read-Only	No
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 14: Fichier Photo 4

Column name	Fichier Photo 4
Visible?	ALWAYS
Display name	="Photo"
Type	Image
Type Qualifier	{ "AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If": "ISNOTBLANK([Fichier Photo 3])","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No

Sensitive data No

Column 15: Fichier Photo 5

Column name	Fichier Photo 5
Visible?	ALWAYS
Display name	= "Photo"
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If": "=ISNOTBLANK([Fichier Photo 4])","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 16: Classe

Column name	Classe
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues": [], "AllowOtherValues":true, "AutoCompleteOtherValues":true, "BaseType": "Text", "BaseTypeQualifier": " {\\"MaxLength\\":null, \\"MinLength\\":null, \\"LongTextFormatting\\": "Plain

	Text\","IsMulticolumnKey\:false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode\":\"Dropdown\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":\"=UNIQUE(Slide Liste 10[Liste 10])\"}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	Yes
Scannable	No
Sensitive data	No

Column 17: Document traité

Column name	Document traité
Visible?	ALWAYS
Display name	= " "
Type	Text
Type Qualifier	{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}
App formula	=IF(ISNOTBLANK([Document traité ?]) ; \"Document traité\" ; \"Document non traité\")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	fr-FR
Searchable	Yes
Scannable	No
Sensitive data	No

Schema Name FilmsSeries_Schema

Schema Name	FilmsSeries_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	Yes
Part of Key?	Yes

Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 2:

Column name	#
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Spreadsheet formula	IF(RC[2]<>"",MAX(R1C1:R[-1]C1)+1,"")
Formula version	1
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 3: Type

Column name	Type
Visible?	ALWAYS
Type	Enum {"EnumValues": [],"AllowOtherValues":true,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier": {"MaxLength":null,"MinLength":null,"LongTextFormatting": "Plain
Type Qualifier	Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null},"EnumInputMode":"Buttons","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values": "=UNIQUE(Slide Liste 11[Liste 11])"
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: Nom

Column name	Nom
Visible?	ALWAYS
Display name	= "Titre"
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting": "Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_I

	<code>nvalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}</code>
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: Plateforme

Column name	Plateforme
Visible?	ALWAYS
Type	Enum <code>{"EnumValues": [],"AllowOtherValues":true,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier": {"MaxLength":null,"MinLength":null,"LongTextFormatting": "Plain</code>
Type Qualifier	<code>Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null},"EnumInputMode":"Buttons","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":"=UNIQUE(Slide Liste 12[Liste 12])"}</code>
Read-Only	No
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: Prix (si location ou achat)

Column name	Prix (si location ou achat)
Visible?	ALWAYS
Type	Price
Type Qualifier	{ "CurrencySymbol": "€", "MaxValue": null, "MinValue": null, "StepValue": null, "DecimalDigits": 2, "NumericDigits": null, "ShowThousandsSeparator": true, "NumberDisplayMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	Yes
Scannable	No

Sensitive data No

Column 7: Catégorie

Column name	Catégorie
Visible?	ALWAYS
Type	Enum
Type Qualifier	<pre>{ "EnumValues": [], "AllowOtherValues":true, "AutoCompleteOtherValues":true, "BaseType":"Text", "BaseTypeQualifier":"", {"MaxLength":null,"MinLength":null,"LongTextFormatting": "Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Messa ge_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable _If":null,"Reset_If":null,"Suggested_Values":null}, "EnumInputMode":"Dropdown", "Valid_If":null,"Error_Message_If_Invalid":null, "Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"S uggested_Values": "=UNIQUE(Slide Liste 13[Liste 13])"} }</pre>
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: Vu ou non vu

Column name	Vu ou non vu
Visible?	ALWAYS

Type	Enum
Type Qualifier	<pre>{"EnumValues": ["Oui"],"AllowOtherValues":true,"AutoCompleteOtherValues":true," BaseType":"Text","BaseTypeQualifier": {"MaxLength":null,"MinLength":null,"LongTextFormatting":\ "Plain Text","IsMulticolumnKey":false,"ValidIf":null,"Error_Messa ge_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable _If":null,"Reset_If":null,"Suggested_Values":null},"EnumInpu tMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Sho w_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Sugg ested_Values":null}</pre>
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 9: Note

Column name	Note
Visible?	ALWAYS
Type	Enum
Type Qualifier	<pre>{"EnumValues": [],"AllowOtherValues":true,"AutoCompleteOtherValues":true,"Bas eType":"Text","BaseTypeQualifier": {"MaxLength":null,"MinLength":null,"LongTextFormatting":\ "Plain Text","IsMulticolumnKey":false,"ValidIf":null,"Error_Messa</pre>

ge_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null},\"EnumInputMode\":\"Buttons\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":\"=UNIQUE(Slide Liste 2[Liste 2])\"}

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	Yes
Scannable	No
Sensitive data	No

Column 10: Infos complémentaires

Column name	Infos complémentaires
Visible?	ALWAYS
Type	LongText
Type Qualifier	{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 11: Date de sortie

Column name	Date de sortie
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	TODAY()
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	Yes
Scannable	No
Sensitive data	No

Column 12: Saison / Partie

Column name	Saison / Partie
Visible?	ALWAYS
Type	Enum {"EnumValues": [],"AllowOtherValues":true,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier": {"MaxLength":null,"MinLength":null,"LongTextFormatting": "Plain
Type Qualifier	Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null},"EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	Yes
Scannable	No
Sensitive data	No

Column 13: Noter si vu ou non vu

Column name	Noter si vu ou non vu
Visible?	ALWAYS
Display name	= " "
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_I

	nvalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF(ISNOTBLANK([Vu ou non vu]) ; "Déjà regardé" ; "A regarder")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	fr-FR
Searchable	Yes
Scannable	No
Sensitive data	No

Schema Name Astuces_Schema

Schema Name	Astuces_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes

Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	Yes
Part of Key?	Yes
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 2:

Column name	#
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Spreadsheet formula	IF(RC[2]<>"",MAX(R1C1:R[-1]C1)+1,"")
Formula version	1
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes

Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 3: Type

Column name	Type
Visible?	ALWAYS
Type	Enum {"EnumValues": [],"AllowOtherValues":true,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier": {"MaxLength":null,"MinLength":null,"LongTextFormatting": "Plain
Type Qualifier	Text\","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null},"EnumInputMode":"Dropdown","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: Astuces

Column name	Astuces
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: Infos complémentaires

Column name	Infos complémentaires
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	Yes
Scannable	No
Sensitive data	No

Schema Name CartesCadeaux_Schema

Schema Name	CartesCadeaux_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	Yes

Part of Key?	Yes
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 2:

Column name	#
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Spreadsheet formula	IF(RC[1]<>"",MAX(R1C1:R[-1]C1)+1,"")
Formula version	1
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 3: Magasin

Column name	Magasin
Visible?	ALWAYS
Type	Enum {"EnumValues": [],"AllowOtherValues":true,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier": {"MaxLength":null,"MinLength":null,"LongTextFormatting": "Plain Type Qualifier Text","IsMulticolumnKey":false,"ValidIf":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null},"EnumInputMode":"Dropdown","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: Prix

Column name	Prix
Visible?	ALWAYS
Type	Price

Type Qualifier	<code>{"CurrencySymbol":"€","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}</code>
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: Date de fin de validité

Column name	Date de fin de validité
Visible?	ALWAYS
Type	Date
Type Qualifier	<code>{"UseLongDateFormat":true,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}</code>
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 6: Temps restant (en jours)

Column name	Temps restant (en jours)
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Spreadsheet formula	IF(RC[-3]<>"",IF(RC[-1]<>"",RC[-1]-TODAY())&" jour(s) restant(s)",""),")
Formula version	1
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 7: Carte à ne plus afficher

Column name	Carte à ne plus afficher
Visible?	ALWAYS
Type	Enum {"EnumValues": ["Oui"],"AllowOtherValues":false,"AutoCompleteOtherValues":true ,"BaseType":"Text","BaseTypeQualifier": {"MaxLength":null,"MinLength":null,"LongTextFormatting": "Plain
Type Qualifier	Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Messa ge_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable _If":null,"Reset_If":null,"Suggested_Values":null},"EnumInpu tMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Sho w_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Sugg ested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 8: Carte valide ?

Column name	Carte valide ?
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues": [],"AllowOtherValues":true,"AutoCompleteOtherValues":true,"Bas eType":"Text","BaseTypeQualifier":

```
{"MaxLength":null,"MinLength":null,"LongTextFormatting":\
"Plain
Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Messa
ge_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable
_If":null,"Reset_If":null,"Suggested_Values":null},"EnumInpu
tMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Sho
w_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Sugg
ested_Values":null}
```

Read-Only	Yes
Hidden	No
Label	No
Formula version	1
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	Yes
Scannable	No
Sensitive data	No

Column 9: Label

Column name	Label
Visible?	ALWAYS
Display name	= " "
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	Yes
Spreadsheet formula	IF(RC[-6]<>"" ,RC[-6]&" "&TEXT(RC[-5],"0.00")&"€",")

Formula version	1
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 10: Objectif de la carte

Column name	Objectif de la carte
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No

Sensitive data No

Column 11: Mettre la Carte invalide

Column name	Mettre la Carte invalide
Visible?	ALWAYS
Display name	= " "
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	= "Carte invalide"
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	fr-FR
Searchable	Yes
Scannable	No
Sensitive data	No

Schema Name Notifications_Schema

Schema Name	Notifications_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	Yes
Part of Key?	Yes
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 2:

Column name	#
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes

Label	No
Spreadsheet formula	IF(RC[1]<>"",MAX(R1C1:R[-1]C1)+1,"")
Formula version	1
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 3: Titre

Column name	Titre
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR

Searchable	No
Scannable	No
Sensitive data	No

Column 4: Détails

Column name	Détails
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 5: Image

Column name	Image
Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 6: Affichage

Column name	Affichage
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Spreadsheet formula	IF(RC[-3]<>"",IF(COUNTIF(CartesCadeaux!R2C7:R[998]C7,"Cartes qui arrivent à échéance !")>0,TRUE,FALSE),"")
Formula version	1
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Schema Name Cadeaux_Schema

Schema Name	Cadeaux_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	Yes
Part of Key?	Yes
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR

Searchable	No
Scannable	No
Sensitive data	No

Column 2:

Column name	#
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 3: Idées de cadeaux

Column name	Idées de cadeaux
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

```
nvalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
```

Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: Pour qui ?

Column name	Pour qui ?
Visible?	ALWAYS
Type	Enum {"EnumValues": [],"AllowOtherValues":true,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier": {"MaxLength":null,"MinLength":null,"LongTextFormatting": "Plain
Type Qualifier	Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null},"EnumInputMode":"Dropdown","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: Pour quelle occasion ?

Column name	Pour quelle occasion ?
Visible?	ALWAYS
Type	Enum {"EnumValues": [],"AllowOtherValues":true,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier": {"\MaxLength\":null,"\MinLength\":null,"\LongTextFormatting\":" "Plain
Type Qualifier	Text\","IsMulticolumnKey\":false,"\Valid_If\":null,"\Error_Message_If_Invalid\":null,"\Show_If\":null,"\Required_If\":null,"\Editable_If\":null,"\Reset_If\":null,"\Suggested_Values\":null},"EnumInputMode":"Dropdown","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: Qui peut voir ça

Column name	Qui peut voir ça
Visible?	ALWAYS
Type	Enum <pre>{"EnumValues": [],"AllowOtherValues":true,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier": {"MaxLength":null,"MinLength":null,"LongTextFormatting": "Plain</pre>
Type Qualifier	<pre>Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null},"EnumInputMode":"Dropdown","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":"=UNIQUE(Slide Liste 14[Liste 14])"}</pre>
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No

Sensitive data No

Column 7: Mails

Column name	Mails
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 8: Acheté

Column name	Acheté
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues":["Oui"],"AllowOtherValues":true,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":"","MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Messa

ge_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null},\"EnumInputMode\":\"Buttons\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 9: Image

Column name	Image
Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Schema Name Liste de courses_Schema

Schema Name	Liste de courses_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No

LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 2: #

Column name	#
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
Initial value	=UNIQUEID()
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 3: Articles

Column name	Articles
Visible?	ALWAYS
Type	Enum

	<pre>{ "EnumValues": [], "AllowOtherValues":true, "AutoCompleteOtherValues":false, "BaseType":"Text", "BaseTypeQualifier": { "MaxLength":null, "MinLength":null, "LongTextFormatting": "Plain Text", "IsMulticolumnKey":false, "Valid_If":null, "Error_Message_If_Invalid":null, "Show_If":null, "Required_If":null, "Editable_If":null, "Reset_If":null, "Suggested_Values":null }, "EnumInputMode":"Dropdown", "Valid_If":null, "Error_Message_If_Invalid":null, "Show_If":null, "Required_If":null, "Editable_If":null, "Reset_If":null, "Suggested_Values":"=UNIQUE(Slide Liste 15[Liste 15])" }</pre>
Type Qualifier	
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: Quantité

Column name	Quantité
Visible?	ALWAYS
Type	Number
Type Qualifier	<pre>{ "MaxValue":null, "MinValue":null, "StepValue":null, "NumericDigits":null, "ShowThousandsSeparator":true, "NumberDisplayMode":"Auto", "Valid_If":null, "Error_Message_If_Invalid":null, "Show_If":null, "Required_If":null, "Editable_If":"=ISNOTBLANK([Modifier infos])", "Reset_If":null, "Suggested_Values":null }</pre>
Read-Only	No

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 5: Image

Column name	Image
Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":"=ISNOTBLANK([Modifier infos])","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR

Searchable	No
Scannable	No
Sensitive data	No

Column 6: Date création

Column name	Date création
Visible?	ALWAYS
Type	DateTime
Type Qualifier	{"MinValue":null,"MaxValue":null,"UseLongDateFormat":false,"IgnoreSeconds":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
Initial value	=NOW()
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 7: Acheté ?

Column name	Acheté ?
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues":["Oui"],"AllowOtherValues":false,"AutoCompleteOtherValues":true}

```
, "BaseType": "Text", "BaseTypeQualifier": "{ \"MaxLength\": null, \"MinLength\": null, \"LongTextFormatting\": \"PlainText\", \"IsMulticolumnKey\": false, \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": null, \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null }\", \"EnumInputMode\": \"Auto\", \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": null, \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null }
```

Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 8: Image auto

Column name	Image auto
Visible?	ALWAYS
Type	Image
Type Qualifier	{ \"AllowDrawing\": false, \"FolderLocation\": null, \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": null, \"Required_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null }
Read-Only	Yes
Hidden	No
Label	No
Spreadsheet formula	IF(RC[-5]<>\"\",IFERROR(INDEX(R2C4:R[998]C4,MATCH(RC[-5],R2C2:R[998

	]C2,0)),""),""))
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 9: Infos complémentaires

Column name	Infos complémentaires
Visible?	ALWAYS
Type	LongText
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":"=ISNOT BLANK([Modifier infos])","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No

Scannable	No
Sensitive data	No

Column 10: Modifier infos

Column name	Modifier infos
Visible?	ALWAYS
Type	Enum {"EnumValues": ["Oui"],"AllowOtherValues":false,"AutoCompleteOtherValues":true ,"BaseType":"Text","BaseTypeQualifier": {"MaxLength":null,"MinLength":null,"LongTextFormatting":\n"Plain
Type Qualifier	Text\\","IsMulticolumnKey":false,"Valid_If":null,"Error_Messa ge_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable _If":null,"Reset_If":null,"Suggested_Values":null},"EnumInpu tMode":"Buttons","Valid_If":null,"Error_Message_If_Invalid":null,"S how_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Su ggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 11: Texte détails

Column name	Texte détails
-------------	---------------

Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Spreadsheet formula	IF(RC[-8]<>"",IF(AND(RC[-7]<>"",RC[-2]<>""),"Nb : "&RC[-7]&" )&RC[-2],IF(AND(RC[-7]<>"",RC[-2]=""),"Nb : "&RC[-7],IF(AND(RC[-7]="",RC[-2]<>""),RC[-2],""))),""))
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 12: Dans le frigo

Column name	Dans le frigo
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues":["Oui"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text"},"IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null},"EnumInput"


```
tMode":"Buttons","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
```

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 13: Etat

Column name	Etat
Visible?	ALWAYS
Display name	= " "
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF(ISNOTBLANK([Acheté ?]) ; "Acheté" ; "En attente")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 14: Regroupement

Column name	Regroupement
Visible?	ALWAYS
Display name	= " "
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF(ISBLANK([Acheté ?]) ; "En attente" ; "Récemment utilisé")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Schema Name DataBeer_Schema

Schema Name	DataBeer_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 2:

Column name	#
Visible?	ALWAYS
Type	Number

Type Qualifier	<pre>{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}</pre>
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	1
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 3: Date

Column name	Date
Visible?	ALWAYS
Display name	= "📅"
Type	Date
Type Qualifier	<pre>{"UseLongDateFormat":true,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}</pre>
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	TODAY()
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: Service

Column name	Service
Visible?	ALWAYS
Type	Enum {"EnumValues": [],"AllowOtherValues":true,"AutoCompleteOtherValues":false,"BaseType":"Text","BaseTypeQualifier": {"MaxLength":null,"MinLength":null,"LongTextFormatting": "Plain
Type Qualifier	Text\","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null},"EnumInputMode":"Buttons","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values": "=UNIQUE(Slide Liste 19[Liste 19])"} "
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No

LocaleName	fr-FR
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: Type de bière

Column name	Type de bière
Visible?	ALWAYS
Type	Enum {"EnumValues": [],"AllowOtherValues":true,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier": {"MaxLength":null,"MinLength":null,"LongTextFormatting": "Plain
Type Qualifier	Text\","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null},"EnumInputMode":"Buttons","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":"=UNIQUE(Slide Liste 20[Liste 20])"
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 6: Typologie

Column name	Typologie
Visible?	ALWAYS
Type	Enum
Type Qualifier	<pre>{ "EnumValues": [], "AllowOtherValues":true,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier": {"MaxLength":null,"MinLength":null,"LongTextFormatting": "Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}, "EnumInputMode":"Buttons","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":"=UNIQUE(Slide Liste 21[Liste 21])"} }</pre>
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 7: Nom

Column name	Nom
Visible?	ALWAYS
Type	LongText
Type Qualifier	<pre>{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null} }</pre>

	nvalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: Degrés

Column name	Degrés
Visible?	ALWAYS
Type	Decimal
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 9: Note

Column name	Note
Visible?	ALWAYS
Type	Decimal
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Formula version	1
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	Yes
Scannable	No
Sensitive data	No

Column 10: Note Sarah

Column name	Note Sarah
-------------	------------

Visible?	ALWAYS
Type	Enum
Type Qualifier	<pre>{"EnumValues": [],"AllowOtherValues":true,"AutoCompleteOtherValues":true,"Base eType":"Decimal","BaseTypeQualifier": {"MaxValue\":"null","\MinValue\":"null","\StepValue\":"null","\Decimal Digits\":"2","\NumericDigits\":"null","\ShowThousandsSeparator\":"t rue","\NumberDisplayMode\":"\Auto\","\Valid_If\":"null","\Error_Me ssage_If_Invalid\":"null","\Show_If\":"null","\Required_If\":"null","\Edit able_If\":"null","\Reset_If\":"null","\Suggested_Values\":"null"},"EnumI nputMode":"Buttons","Valid_If":null,"Error_Message_If_Invalid":n ull,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null ,"Suggested_Values":"=UNIQUE(Slide Liste 16[Liste 16])"}</pre>
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	Yes
Scannable	No
Sensitive data	No

Column 11: Note Teddy

Column name	Note Teddy
Visible?	ALWAYS
Type	Enum
Type Qualifier	<pre>{"EnumValues": [],"AllowOtherValues":true,"AutoCompleteOtherValues":true,"Base eType":"Decimal","BaseTypeQualifier": {"MaxValue\":"null","\MinValue\":"null","\StepValue\":"null","\Decimal</pre>

Digits\":2,\\"NumericDigits\":null,\\"ShowThousandsSeparator\":true,\\"NumberDisplayMode\":"Auto\\",\\"Valid_If\":null,\\"Error_Message_If_Invalid\":null,\\"Show_If\":null,\\"Required_If\":null,\\"Editable_If\":null,\\"Reset_If\":null,\\"Suggested_Values\":null},"EnumInputMode":"Buttons","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":"=UNIQUE(Slide Liste 16[Liste 16])"}

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	Yes
Scannable	No
Sensitive data	No

Column 12: Analyse

Column name	Analyse
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 13: Coordonnées GPS

Column name	Coordonnées GPS
Visible?	ALWAYS
Type	LatLng
Type Qualifier	{"RealTime":false,"PublishIfRowKey":null,"KMLFileUrl":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 14: Pays (ou Région)

Column name	Pays (ou Région)
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 15: Bar / Ville

Column name	Bar / Ville
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 16: Contexte (terrasse, intérieur, ...)

Column name	Contexte (terrasse, intérieur, ...)
Visible?	ALWAYS
Type	Enum {"EnumValues": [], "AllowOtherValues": true, "AutoCompleteOtherValues": false, "BaseType": "Text", "BaseTypeQualifier": " {"MaxLength": null, "MinLength": null, "LongTextFormatting": " "Plain
Type Qualifier	Text\, \ "IsMulticolumnKey": false, \ "Valid_If": null, \ "Error_Message_If_Invalid": null, \ "Show_If": null, \ "Required_If": null, \ "Editable_If": null, \ "Reset_If": null, \ "Suggested_Values": null}, "EnumInputMode": "Buttons", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": "=UNIQUE(Slide Liste 22[Liste 22])"
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes

Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 17: Evenement

Column name	Evenement
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 18: Météo

Column name	Météo
Visible?	ALWAYS
Type	Enum

	<pre>{ "EnumValues": [], "AllowOtherValues":true, "AutoCompleteOtherValues":true, "BaseType":"Text", "BaseTypeQualifier": { "MaxLength":null, "MinLength":null, "LongTextFormatting": "Plain Text", "IsMulticolumnKey":false, "Valid_If":null, "Error_Message_If_Invalid":null, "Show_If":null, "Required_If":null, "Editable_If":null, "Reset_If":null, "Suggested_Values":null }, "EnumInputMode":"Buttons", "Valid_If":null, "Error_Message_If_Invalid":null, "Show_If":null, "Required_If":null, "Editable_If":null, "Reset_If":null, "Suggested_Values":"=UNIQUE(Slide Liste 18[Liste 18])" }</pre>
Type Qualifier	
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	Yes
Scannable	No
Sensitive data	No

Column 19: Froid, très chaud ou bien

Column name	Froid, très chaud ou bien
Visible?	ALWAYS
Type	Enum
Type Qualifier	<pre>{ "EnumValues": [], "AllowOtherValues":true, "AutoCompleteOtherValues":false, "BaseType":"Text", "BaseTypeQualifier": { "MaxLength":null, "MinLength":null, "LongTextFormatting": "Plain Text", "IsMulticolumnKey":false, "Valid_If":null, "Error_Message_If_Invalid":null, "Show_If":null, "Required_If":null, "Editable</pre>

_If":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Buttons","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values": "=UNIQUE(Slide Liste 17[Liste 17])"}

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	Yes
Scannable	No
Sensitive data	No

Column 20: Température

Column name	Température
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 21: Photo du moment

Column name	Photo du moment
Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 22: Photo de la bière

Column name	Photo de la bière
-------------	-------------------

Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 23: IBU/DI (proche de 1 = Amer)

Column name	IBU/DI (proche de 1 = Amer)
Visible?	ALWAYS
Type	Decimal
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 24: Année

Column name	Année
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Formula version	1
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 25: Saison

Column name	Saison
Visible?	ALWAYS
Type	Enum {"EnumValues": [],"AllowOtherValues":true,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier": {"MaxLength":null,"MinLength":null,"LongTextFormatting": "Plain
Type Qualifier	Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null},"EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	Yes
Scannable	No
Sensitive data	No

Column 26: Classement général et note

Column name	Classement général et note
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_I

```
nvalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
```

Read-Only	Yes
Hidden	No
Label	No
Formula version	1
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 27: Nb de fois

Column name	Nb de fois
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Formula version	1
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 28: Jour split

Column name	Jour split
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	1
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 29: Mois split

Column name	Mois split
-------------	------------

Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 30: Année split

Column name	Année split
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 31: Classement

Column name	Classement
Visible?	ALWAYS
Type	Decimal
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Formula version	1
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 32: Classement Sarah

Column name	Classement Sarah
Visible?	ALWAYS
Type	Decimal
Type Qualifier	{ "MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 33: Classement Teddy

Column name	Classement Teddy
Visible?	ALWAYS
Type	Decimal
Type Qualifier	{ "MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 34: Sarah ♦ Teddy

Column name	Sarah ♦ Teddy
Visible?	ALWAYS
Type	Decimal
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No

LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 35: Infos

Column name	Infos
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Formula version	1
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 36: Photos

Column name	Photos
Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editabl

	e_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Formula version	1
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 37: Split typologie 1

Column name	Split typologie 1
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	1
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes

Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 38: Split typologie 2

Column name	Split typologie 2
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 39: Split typologie 3

Column name	Split typologie 3
Visible?	ALWAYS
Type	Text

Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 40: Split typologie 4

Column name	Split typologie 4
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 41: IDDataBeer

Column name	IDDataBeer
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=UNIQUEID()
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	Yes
Scannable	No
Sensitive data	No

Column 42: Note (nouveau)

Column name	Note (nouv)
Visible?	ALWAYS
Type	Decimal
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF(AND(ISNOTBLANK([Note Sarah]);ISNOTBLANK([Note Teddy]));([Note Sarah]+[Note Teddy])/2; IF(ISNOTBLANK([Note Sarah]) ; [Note Sarah]; IF(ISNOTBLANK([Note Teddy]) ; [Note Teddy];0)))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Schema Name TDBBeer_Schema

Schema Name	TDBBeer_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
-------------	------------

Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 2: Bilan

Column name	Bilan
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0

Reset on edit?	No
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 3: Nombre de bières totales :

Column name	Nombre de bières totales :
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Spreadsheet formula	COUNTIFS(DataBeer!R2C2:R[998]C2,">"&0,DataBeer!R2C26:R[998]C26,1)
Formula version	1
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR

Searchable	No
Scannable	No
Sensitive data	No

Column 4: Nombre de bières blondes :

Column name	Nombre de bières blondes :
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Spreadsheet formula	COUNTIFS(DataBeer!R2C4:R[998]C4,"Blonde",DataBeer!R2C26:R[998]C26,1)
Formula version	1
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 5: Nombre de bières blanches :

Column name	Nombre de bières blanches :
Visible?	ALWAYS
Type	Number

Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Spreadsheet formula	COUNTIFS(DataBeer!R2C4:R[998]C4,"Blanche",DataBeer!R2C26:R[998]C26,1)
Formula version	1
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 6: Nombre de bières brunes :

Column name	Nombre de bières brunes :
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Spreadsheet formula	COUNTIFS(DataBeer!R2C4:R[998]C4,"Brune",DataBeer!R2C26:R[998]C26,1)

Formula version	1
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 7: Nombre de bières IPA :

Column name	Nombre de bières IPA :
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Spreadsheet formula	COUNTIFS(DataBeer!R2C5:R[998]C5,"IPA",DataBeer!R2C26:R[998]C26,1)
Formula version	1
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No

LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 8: Nombre de bières de soif :

Column name	Nombre de bières de soif :
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Spreadsheet formula	COUNTIFS(DataBeer!R2C5:R[998]C5,"Bière de soif",DataBeer!R2C26:R[998]C26,1)
Formula version	1
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 9: Note maximale :

Column name	Note maximale :
Visible?	ALWAYS

Type	Decimal
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Spreadsheet formula	MAXIFS(DataBeer!R2C8:R[998]C8,DataBeer!R2C26:R[998]C26,1)
Formula version	1
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 10: Note minimale :

Column name	Note minimale :
Visible?	ALWAYS
Type	Decimal
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Spreadsheet formula	MINIFS(DataBeer!R2C8:R[998]C8,DataBeer!R2C26:R[998]C26,1)

Formula version	1
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 11: Moyenne des notes :

Column name	Moyenne des notes :
Visible?	ALWAYS
Type	Decimal
Type Qualifier	{ "MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Spreadsheet formula	IFERROR(ROUND(AVERAGEIFS(DataBeer!R2C8:R[998]C8,DataBeer!R2C26:R[998]C26,1),1), "")
Formula version	1
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No

LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Schema Name Recettes_Schema

Schema Name	Recettes_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 2: ID

Column name	ID
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
Initial value	UNIQUEID()
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 3: Nom

Column name	Nom
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues": [],"AllowOtherValues":true,"AutoCompleteOtherValues":true,"BaseType":"LongText","BaseTypeQualifier": {"\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\": \"Plain Text\", \"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Messa ge_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable

_If\":null,\"Reset_If\":null,\"Suggested_Values\":null},\"EnumInputMode\":\"Dropdown\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":\"=UNIQUE(Slide Recette[Nom])\"}

Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: Image du plat

Column name	Image du plat
Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 5: Photo de la recette 1

Column name	Photo de la recette 1
Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 6: Photo de la recette 2

Column name	Photo de la recette 2
Visible?	ALWAYS
Type	Image

Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 7: Note recette

Column name	Note recette
Visible?	ALWAYS
Type	Enum {"EnumValues": [],"AllowOtherValues":true,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier": {"MaxLength":null,"MinLength":null,"LongTextFormatting": "Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null},"EnumInputMode":"Buttons","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":"=UNIQUE(Slide Liste 2[Liste 2])"}
Type Qualifier	Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null},"EnumInputMode":"Buttons","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":"=UNIQUE(Slide Liste 2[Liste 2])"}
Read-Only	No
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: Sélection aléatoire d'une recette

Column name	Sélection aléatoire d'une recette
Visible?	ALWAYS
Type	Enum {"EnumValues": [], "AllowOtherValues": true, "AutoCompleteOtherValues": true, "BaseType": "LongText", "BaseTypeQualifier": " {"MaxLength": null, "MinLength": null, "LongTextFormatting": " "Plain
Type Qualifier	Text", "IsMulticolumnKey": false, "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null}, "EnumInputMode": "Dropdown", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null}
App formula	=INDEX(SELECT(Recettes[Nom];[Recette complète dans le frigo] = "Recette complète") ; RANDBETWEEN(1;COUNT(SELECT(Recettes[Nom];[Recette complète dans le frigo] = "Recette complète"))))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	fr-FR
Searchable	Yes
Scannable	No
Sensitive data	No

Column 9: Ingrédients

Column name	Ingrédients
Visible?	ALWAYS
Description	MenusRecette entries that reference this entry in the ID Menus column
Type	List
Type Qualifier	<pre>{ "ElementType": "Ref", "ElementTypeQualifier": " { \"ReferencedTableName\": \"MenusRecette\", \"ReferencedRoot TableName\": \"MenusRecette\", \"ReferencedType\": \"Text\", \"R eferencedTypeQualifier\": \" { \\\"MaxLength\\\" : null, \\\"MinLength\\\" : null, \\\"LongTextFor matting\\\" : \\\"Plain Text\\\" , \\\"IsMulticolumnKey\\\" : false, \\\"Valid_If\\\" : null, \\\"Er ror_Message_If_Invalid\\\" : null, \\\"Show_If\\\" : null, \\\"Required _If\\\" : null, \\\"Editable_If\\\" : null, \\\"Reset_If\\\" : null, \\\"Sugges ted_Values\\\" : null }\", \"ReferencedKeyColumn\": \"ID\", \"IsAPart Of\": false, \"RelationshipName\": null, \"InputMode\": \"Auto\", \"Va lid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": null, \"R equired_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested _Values\": null }\", \"ItemSeparator\": \" \", \"Valid_If\": null, \"Error_Message_If_Invalid\": null, \"Show_If\": null, \"Req uired_If\": null, \"Editable_If\": null, \"Reset_If\": null, \"Suggested_Values\": null }</pre>
App formula	REF_ROWS("MenusRecette", "ID Menus")
Read-Only	Yes
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	fr-FR
Searchable	No
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 10: Recette complète dans le frigo

Column name	Recette complète dans le frigo
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF(LOOKUP([_THISROW].[Nom], "MenusRecette", "Nom", "Recette complète dans le frigo") = "Recette complète" ; "Recette complète" ; IF(LOOKUP([_THISROW].[Nom], "MenusRecette", "Nom", "Recette complète dans le frigo") = "Recette presque complète" ; "Recette presque complète"; "Recette incomplète"))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	fr-FR
Searchable	Yes
Scannable	No
Sensitive data	No

Column 11: Regroupement

Column name	Regroupement
Visible?	ALWAYS
Type	Enum {"EnumValues": [], "AllowOtherValues":true, "AutoCompleteOtherValues":true, "BaseType": "Text", "BaseTypeQualifier": " {"MaxLength\":null, \"MinLength\":null, \"LongTextFormatting\": \"Plain Type Qualifier Text\", \"IsMulticolumnKey\":false, \"Valid_If\":null, \"Error_Message_If_Invalid\":null, \"Show_If\":null, \"Required_If\":null, \"Editable_If\":null, \"Reset_If\":null, \"Suggested_Values\":null}, \"EnumInputMode\": \"Auto\", \"Valid_If\":null, \"Error_Message_If_Invalid\":null, \"Show_If\":null, \"Required_If\":null, \"Editable_If\":null, \"Reset_If\":null, \"Suggested_Values\":null}
App formula	=IF(ISNOTBLANK([Note recette]) ; [Note recette] ; "Non noté")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	fr-FR
Searchable	No

Scannable	No
Sensitive data	No

Schema Name Jeux_Schema

Schema Name	Jeux_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 2: ID

Column name	ID
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	UNIQUEID()
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 3: Date

Column name	Date
Visible?	ALWAYS
Type	DateTime
Type Qualifier	{"MinValue":null,"MaxValue":null,"UseLongDateFormat":false,"IgnoreSeconds":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
Initial value	=NOW()
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 4: Jeux

Column name	Jeux
Visible?	ALWAYS
Type	Enum {"EnumValues": [],"AllowOtherValues":true,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier": {"MaxLength":null,"MinLength":null,"LongTextFormatting": "Plain
Type Qualifier	Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null},"EnumInputMode":"Dropdown","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":"=UNIQUE(Slide Liste 23[Liste 23])"} }
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: Point joueur 1

Column name	Point joueur 1
Visible?	ALWAYS
Display name	="Points"
Type	Number
Type Qualifier	{ "MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":="[Nombre de joueurs] >= 1","Reset_If":null,"Suggested_Values":null }
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 6: Point joueur 2

Column name	Point joueur 2
Visible?	ALWAYS
Display name	="Points"
Type	Number
Type Qualifier	{ "MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":="[Nombre de joueurs] >= 2","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 7: Point joueur 3

Column name	Point joueur 3
Visible?	ALWAYS
Display name	="Points"
Type	Number
Type Qualifier	{ "MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":="[Nombre de joueurs] >= 3","Reset_If":null,"Suggested_Values":null}
Read-Only	No

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 8: Point joueur 4

Column name	Point joueur 4
Visible?	ALWAYS
Display name	="Points"
Type	Number
Type Qualifier	{ "MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":="[Nombre de joueurs] >= 4","Reset_If":null,"Suggested_Values":null }
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes

Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 9: Point joueur 5

Column name	Point joueur 5
Visible?	ALWAYS
Display name	= "Points"
Type	Number
Type Qualifier	{ "MaxValue": null, "MinValue": null, "StepValue": null, "NumericDigits": null, "ShowThousandsSeparator": true, "NumberDisplayMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": "[Nombre de joueurs] >= 5", "Reset_If": null, "Suggested_Values": null }
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 10: Point joueur 6

Column name	Point joueur 6
Visible?	ALWAYS

Display name	= "Points"
Type	Number
Type Qualifier	{ "MaxValue": null, "MinValue": null, "StepValue": null, "NumericDigits": null, "ShowThousandsSeparator": true, "NumberDisplayMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": "[Nombre de joueurs] >= 6", "Reset_If": null, "Suggested_Values": null }
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 11: Point joueur 7

Column name	Point joueur 7
Visible?	ALWAYS
Display name	= "Points"
Type	Number
Type Qualifier	{ "MaxValue": null, "MinValue": null, "StepValue": null, "NumericDigits": null, "ShowThousandsSeparator": true, "NumberDisplayMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": "[Nombre de joueurs] >= 7", "Reset_If": null, "Suggested_Values": null }
Read-Only	No
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 12: Point joueur 8

Column name	Point joueur 8
Visible?	ALWAYS
Display name	="Points"
Type	Number
Type Qualifier	{ "MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":="[Nombre de joueurs] >= 8","Reset_If":null,"Suggested_Values":null }
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No

Scannable	No
Sensitive data	No

Column 13: Point joueur 9

Column name	Point joueur 9
Visible?	ALWAYS
Display name	="Points"
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":="[Nombre de joueurs] >= 9","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 14: Point joueur 10

Column name	Point joueur 10
Visible?	ALWAYS
Display name	="Points"
Type	Number

Type Qualifier	{ "MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":"=[Nombre de joueurs] >= 10","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 15: Point joueur 11

Column name	Point joueur 11
Visible?	ALWAYS
Display name	= "Points"
Type	Number
Type Qualifier	{ "MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":"=[Nombre de joueurs] >= 11","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 16: Point joueur 12

Column name	Point joueur 12
Visible?	ALWAYS
Display name	="Points"
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":"=[Nombre de joueurs] >= 12","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 17: Point joueur 13

Column name	Point joueur 13
Visible?	ALWAYS
Display name	="Points"
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":="[Nombre de joueurs] >= 13","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 18: Point joueur 14

Column name	Point joueur 14
Visible?	ALWAYS
Display name	="Points"
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"R

```
equired_If":null,"Editable_If": "[Nombre de joueurs] >=
14","Reset_If":null,"Suggested_Values":null}
```

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 19: Point joueur 15

Column name	Point joueur 15
Visible?	ALWAYS
Display name	= "Points"
Type	Number
Type Qualifier	{ "MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode": "Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If": "[Nombre de joueurs] >= 15","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 20: Joueur 1

Column name	Joueur 1
Visible?	ALWAYS
Type	Text
Type Qualifier	<pre>{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":"=[Nombre de joueurs] >= 1","Reset_If":null,"Suggested_Values":null}</pre>
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 21: Joueur 2

Column name	Joueur 2
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If": "[Nombre de joueurs] >= 2","Reset_If":null,"Suggested_Values":null }
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 22: Joueur 3

Column name	Joueur 3
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If": "[Nombre de joueurs] >= 3","Reset_If":null,"Suggested_Values":null }
Read-Only	No
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 23: Joueur 4

Column name	Joueur 4
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":"=[Nombre de joueurs] >= 4","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No

Scannable	No
Sensitive data	No

Column 24: Joueur 5

Column name	Joueur 5
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":"=[Nombre de joueurs] >= 5","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 25: Joueur 6

Column name	Joueur 6
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":"="}

	[Nombre de joueurs] >= 6","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 26: Joueur 7

Column name	Joueur 7
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":"=[Nombre de joueurs] >= 7","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 27: Joueur 8

Column name	Joueur 8
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":"=[Nombre de joueurs] >= 8","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 28: Joueur 9

Column name	Joueur 9
-------------	----------

Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":"=[Nombre de joueurs] >= 9","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 29: Joueur 10

Column name	Joueur 10
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":"=[Nombre de joueurs] >= 10","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 30: Joueur 11

Column name	Joueur 11
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":"=[Nombre de joueurs] >= 11","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 31: Joueur 12

Column name	Joueur 12
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":"=[Nombre de joueurs] >= 12","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 32: Joueur 13

Column name	Joueur 13
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":"=[Nombre de joueurs] >= 13","Reset_If":null,"Suggested_Values":null}
Read-Only	No

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 33: Joueur 14

Column name	Joueur 14
Visible?	ALWAYS
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":"=[Nombre de joueurs] >= 14","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No

LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 34: Joueur 15

Column name	Joueur 15
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":"=[Nombre de joueurs] >= 15","Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 35: Calculer cette partie

Column name	Calculer cette partie
Visible?	ALWAYS
Type	Enum

	<pre>{ "EnumValues": ["Oui"], "AllowOtherValues": false, "AutoCompleteOtherValues": true, "BaseType": "Text", "BaseTypeQualifier": { "MaxLength": null, "MinLength": null, "LongTextFormatting": { "Plain Text": { "IsMulticolumnKey": false, "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null } } }, "EnumInputMode": "Buttons", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }</pre>
Type Qualifier	
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 36: Nombre de joueurs

Column name	Nombre de joueurs
Visible?	ALWAYS
Type	Number
Type Qualifier	<pre>{ "MaxValue": null, "MinValue": null, "StepValue": null, "NumericDigits": null, "ShowThousandsSeparator": true, "NumberDisplayMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }</pre>
Read-Only	No

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 37: Partie

Column name	Partie
Visible?	ALWAYS
Type	Enum {"EnumValues": ["Partie"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier": {"MaxLength":null,"MinLength":null,"LongTextFormatting": "Plain
Type Qualifier	Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null},"EnumInputMode":"Buttons","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	="Partie"
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 38: Tour

Column name	Tour
Visible?	ALWAYS
Type	Enum {"EnumValues": ["Tour"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier": {"\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\": "Plain
Type Qualifier	Text\\,\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Buttons","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	="Tour"
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes

Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 39: Label

Column name	Label
Visible?	ALWAYS
Display name	= " "
Type	LongText
Type Qualifier	{ "MaxLength": null, "MinLength": null, "LongTextFormatting": "Plain Text", "IsMulticolumnKey": false, "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }
App formula	= "Tour n°" & [N° Tour] & " - " & [Jeux] & " du " & TEXT([Date], "dd/mm/yyyy hh:mm")
Read-Only	Yes
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 40: ID Partie

Column name	ID Partie
-------------	-----------

Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	= "Partie "&[N° Partie]&" "&[Jeux]&" "&TEXT([Date];"dd mm yy")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	fr-FR
Searchable	Yes
Scannable	No
Sensitive data	No

Column 41: N° Tour

Column name	N° Tour
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=COUNT(SELECT(Jeux[ID Tour]; AND([ID Tour] = [_THISROW].[ID Tour] ; [_RowNumber] <= [_THISROW].[_RowNumber]; [ID Partie] = [_THISROW].[ID Partie])))
Read-Only	Yes
Hidden	No

Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 42: N° Partie

Column name	N° Partie
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=COUNT(SELECT(Jeux[Partie]; AND([_RowNumber] <= [_THISROW].[_RowNumber] ; [Partie] = [_THISROW].[Partie])))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes

Virtual?	Yes
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 43: ID Tour

Column name	ID Tour
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=[Jeux]&" "&TEXT([Date];"dd mm yy")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 44: Nom Joueur 1

Column name	Nom Joueur 1
Visible?	ALWAYS
Display name	= " "

Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=[Joueur 1]
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 45: Nom Joueur 2

Column name	Nom Joueur 2
Visible?	ALWAYS
Display name	= " "
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=[Joueur 2]
Read-Only	Yes
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 46: Nom Joueur 3

Column name	Nom Joueur 3
Visible?	ALWAYS
Display name	= " "
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	= [Joueur 3]
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	fr-FR
Searchable	No

Scannable	No
Sensitive data	No

Column 47: Nom Joueur 4

Column name	Nom Joueur 4
Visible?	ALWAYS
Display name	= " "
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	= [Joueur 4]
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 48: Nom Joueur 5

Column name	Nom Joueur 5
Visible?	ALWAYS
Display name	= " "
Type	Text

Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=[Joueur 5]
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 49: Nom Joueur 6

Column name	Nom Joueur 6
Visible?	ALWAYS
Display name	= " "
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=[Joueur 6]
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 50: Nom Joueur 7

Column name	Nom Joueur 7
Visible?	ALWAYS
Display name	= " "
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	= [Joueur 7]
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	fr-FR
Searchable	No
Scannable	No

Sensitive data No

Column 51: Nom Joueur 8

Column name	Nom Joueur 8
Visible?	ALWAYS
Display name	= " "
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	= [Joueur 8]
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 52: Nom Joueur 9

Column name	Nom Joueur 9
Visible?	ALWAYS
Display name	= " "
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

	<code>nvalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}</code>
App formula	<code>=[Joueur 9]</code>
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 53: Nom Joueur 10

Column name	Nom Joueur 10
Visible?	ALWAYS
Display name	= " "
Type	Text
Type Qualifier	<code>{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}</code>
App formula	<code>=[Joueur 10]</code>
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 54: Nom Joueur 11

Column name	Nom Joueur 11
Visible?	ALWAYS
Display name	= " "
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	= [Joueur 11]
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 55: Nom Joueur 12

Column name	Nom Joueur 12
Visible?	ALWAYS
Display name	= " "
Type	Text
Type Qualifier	{ "MaxLength": null, "MinLength": null, "LongTextFormatting": "Plain Text", "IsMulticolumnKey": false, "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }
App formula	= [Joueur 12]
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 56: Nom Joueur 13

Column name	Nom Joueur 13
Visible?	ALWAYS
Display name	= " "
Type	Text
Type Qualifier	{ "MaxLength": null, "MinLength": null, "LongTextFormatting": "Plain Text", "IsMulticolumnKey": false, "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }

App formula	=[Joueur 13]
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 57: Nom Joueur 14

Column name	Nom Joueur 14
Visible?	ALWAYS
Display name	= " "
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=[Joueur 14]
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 58: Nom Joueur 15

Column name	Nom Joueur 15
Visible?	ALWAYS
Display name	= " "
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	= [Joueur 15]
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 59: Date de la partie

Column name	Date de la partie
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":true,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=DATE([Date])
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Schema Name Bilan jeux_Schema

Schema Name	Bilan jeux_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number

Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 2: Filtre

Column name	Filtre
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	Yes

Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: Joueur 1

Column name	Joueur 1
Visible?	ALWAYS
Display name	= " "
Type	Number
Type Qualifier	{ "MaxValue": null, "MinValue": null, "StepValue": null, "NumericDigits": null, "ShowThousandsSeparator": true, "NumberDisplayMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": "=ISN OTBLANK([Nom Joueur 1])", "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 4: Joueur 2

Column name	Joueur 2
Visible?	ALWAYS
Display name	= " "
Type	Number
Type Qualifier	{ "MaxValue": null, "MinValue": null, "StepValue": null, "NumericDigits": null, "ShowThousandsSeparator": true, "NumberDisplayMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": "=ISN OTBLANK([Nom Joueur 2])", "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 5: Joueur 3

Column name	Joueur 3
Visible?	ALWAYS
Display name	= " "
Type	Number
Type Qualifier	{ "MaxValue": null, "MinValue": null, "StepValue": null, "NumericDigits": null, "ShowThousandsSeparator": true, "NumberDisplayMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": "=ISN

	OTBLANK([Nom Joueur 3]),"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 6: Joueur 4

Column name	Joueur 4
Visible?	ALWAYS
Display name	= " "
Type	Number
Type Qualifier	{ "MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISN OTBLANK([Nom Joueur 4]),"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 7: Joueur 5

Column name	Joueur 5
Visible?	ALWAYS
Display name	= " "
Type	Number
Type Qualifier	{ "MaxValue": null, "MinValue": null, "StepValue": null, "NumericDigits": null, "ShowThousandsSeparator": true, "NumberDisplayMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": "=ISN OTBLANK([Nom Joueur 5])", "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No

Sensitive data No

Column 8: Joueur 6

Column name	Joueur 6
Visible?	ALWAYS
Display name	= " "
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISN OTBLANK([Nom Joueur 6])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 9: Joueur 7

Column name	Joueur 7
Visible?	ALWAYS
Display name	= " "
Type	Number

Type Qualifier	<code>{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISN OTBLANK([Nom Joueur 7])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}</code>
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 10: Joueur 8

Column name	Joueur 8
Visible?	ALWAYS
Display name	= " "
Type	Number
Type Qualifier	<code>{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISN OTBLANK([Nom Joueur 8])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}</code>
Read-Only	Yes
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 11: Joueur 9

Column name	Joueur 9
Visible?	ALWAYS
Display name	= " "
Type	Number
Type Qualifier	{ "MaxValue": null, "MinValue": null, "StepValue": null, "NumericDigits": null, "ShowThousandsSeparator": true, "NumberDisplayMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": "=ISN OTBLANK([Nom Joueur 9])", "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR

Searchable	No
Scannable	No
Sensitive data	No

Column 12: Joueur 10

Column name	Joueur 10
Visible?	ALWAYS
Display name	= " "
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISNOTBLANK([Nom Joueur 10])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 13: Joueur 11

Column name	Joueur 11
Visible?	ALWAYS
Display name	= " "

Type	Number
Type Qualifier	{ "MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISN OTBLANK([Nom Joueur 11])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 14: Joueur 12

Column name	Joueur 12
Visible?	ALWAYS
Display name	= " "
Type	Number
Type Qualifier	{ "MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=ISN OTBLANK([Nom Joueur 12])","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 15: Joueur 13

Column name	Joueur 13
Visible?	ALWAYS
Display name	= " "
Type	Number
Type Qualifier	{ "MaxValue": null, "MinValue": null, "StepValue": null, "NumericDigits": null, "ShowThousandsSeparator": true, "NumberDisplayMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": "=ISN OTBLANK([Nom Joueur 13])", "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No

LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 16: Joueur 14

Column name	Joueur 14
Visible?	ALWAYS
Display name	= " "
Type	Number
Type Qualifier	{ "MaxValue": null, "MinValue": null, "StepValue": null, "NumericDigits": null, "ShowThousandsSeparator": true, "NumberDisplayMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": "=ISNOTBLANK([Nom Joueur 14])", "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 17: Joueur 15

Column name	Joueur 15
Visible?	ALWAYS

Display name	= " "
Type	Number
Type Qualifier	{ "MaxValue": null, "MinValue": null, "StepValue": null, "NumericDigits": null, "ShowThousandsSeparator": true, "NumberDisplayMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": "=ISN OTBLANK([Nom Joueur 15])", "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 18: Nom Joueur 1

Column name	Nom Joueur 1
Visible?	ALWAYS
Display name	= " "
Type	Text
Type Qualifier	{ "MaxLength": null, "MinLength": null, "LongTextFormatting": "Plain Text", "IsMulticolumnKey": false, "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }
Read-Only	Yes
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 19: Nom Joueur 2

Column name	Nom Joueur 2
Visible?	ALWAYS
Display name	= " "
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No

Sensitive data No

Column 20: Nom Joueur 3

Column name	Nom Joueur 3
Visible?	ALWAYS
Display name	= " "
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 21: Nom Joueur 4

Column name	Nom Joueur 4
Visible?	ALWAYS
Display name	= " "
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

```
nvalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
```

Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 22: Nom Joueur 5

Column name	Nom Joueur 5
Visible?	ALWAYS
Display name	= " "
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 23: Nom Joueur 6

Column name	Nom Joueur 6
Visible?	ALWAYS
Display name	= " "
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 24: Nom Joueur 7

Column name	Nom Joueur 7
-------------	--------------

Visible?	ALWAYS
Display name	= " "
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 25: Nom Joueur 8

Column name	Nom Joueur 8
Visible?	ALWAYS
Display name	= " "
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 26: Nom Joueur 9

Column name	Nom Joueur 9
Visible?	ALWAYS
Display name	= " "
Type	Text
Type Qualifier	{ "MaxLength": null, "MinLength": null, "LongTextFormatting": "Plain Text", "IsMulticolumnKey": false, "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No

Sensitive data No

Column 27: Nom Joueur 10

Column name	Nom Joueur 10
Visible?	ALWAYS
Display name	= " "
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 28: Nom Joueur 11

Column name	Nom Joueur 11
Visible?	ALWAYS
Display name	= " "
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

```
nvalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
```

Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 29: Nom Joueur 12

Column name	Nom Joueur 12
Visible?	ALWAYS
Display name	= " "
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 30: Nom Joueur 13

Column name	Nom Joueur 13
Visible?	ALWAYS
Display name	= " "
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 31: Nom Joueur 14

Column name	Nom Joueur 14
-------------	---------------

Visible?	ALWAYS
Display name	= " "
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 32: Nom Joueur 15

Column name	Nom Joueur 15
Visible?	ALWAYS
Display name	= " "
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 33: ID Partie

Column name	ID Partie
Visible?	ALWAYS
Display name	= " "
Type	Text
Type Qualifier	{ "MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF([Filtre] <> "Total";LOOKUP([Filtre], "Jeux", "ID", "ID Partie"); "Total")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	fr-FR

Searchable	No
Scannable	No
Sensitive data	No

Column 34: Label

Column name	Label
Visible?	ALWAYS
Display name	= " "
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF([Filtre]<>"Total" ; LOOKUP([Filtre], "Jeux", "ID", "Label") ; "Total")
Read-Only	Yes
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Schema Name MenusRecette_Schema

Schema Name	MenusRecette_Schema
Visible?	ALWAYS

Column 1: RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 2: ID

Column name	ID
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	UNIQUEID()
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 3: ID Menus

Column name	ID Menus
Visible?	ALWAYS
Type	Ref
Type Qualifier	<pre>{ "ReferencedTableName": "Recettes", "ReferencedRootTableName": "Recettes", "ReferencedType": "Text", "ReferencedTypeQualifier": "" } { "MaxLength": null, "MinLength": null, "LongTextFormatting": "Plain Text", "IsMulticolumnKey": false, "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }, { "ReferencedKeyColumn": "ID", "IsAPartOf": false, "RelationshipName": null, "InputMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }</pre>
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 4: Nom

Column name	Nom
Visible?	ALWAYS
Type	Enum {"EnumValues": [], "AllowOtherValues":true, "AutoCompleteOtherValues":true, "BaseType": "LongText", "BaseTypeQualifier": " {"MaxLength":null, "MinLength":null, "LongTextFormatting": " "Plain
Type Qualifier	Text\, "IsMulticolumnKey":false, "Valid_If":null, "Error_Message_If_Invalid":null, "Show_If":null, "Required_If":null, "Editable_If":null, "Reset_If":null, "Suggested_Values":null}, "EnumInputMode": "Dropdown", "Valid_If":null, "Error_Message_If_Invalid":null, "Show_If":null, "Required_If":null, "Editable_If":null, "Reset_If":null, "Suggested_Values":null}
App formula	=LOOKUP([ID Menus], "Recettes", "ID", "Nom")
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: Ingrédients

Column name	Ingrédients
Visible?	ALWAYS
Type	Enum <code>{"EnumValues": [],"AllowOtherValues":true,"AutoCompleteOtherValues":false,"BaseType":"Text","BaseTypeQualifier": {"MaxLength":null,"MinLength":null,"LongTextFormatting": "Plain</code>
Type Qualifier	<code>Text\","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null},"EnumInputMode":"Dropdown","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":"=UNIQUE(Slide Liste 15[Liste 15])"}</code>
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	Yes
Scannable	No

Sensitive data No

Column 6: Vérif si dans le frigo

Column name	Vérif si dans le frigo
Visible?	ALWAYS
Display name	= "Dans le frigo ou pas"
Type	Enum {"EnumValues": [], "AllowOtherValues": true, "AutoCompleteOtherValues": true, "BaseType": "Text", "BaseTypeQualifier": " {"MaxLength": null, "MinLength": null, "LongTextFormatting": " Plain
Type Qualifier	Text\, \ "IsMulticolumnKey\ ": false, \ "Valid_If\ ": null, \ "Error_Message_If_Invalid\ ": null, \ "Show_If\ ": null, \ "Required_If\ ": null, \ "Editable_If\ ": null, \ "Reset_If\ ": null, \ "Suggested_Values\ ": null}, "EnumInputMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null}
App formula	=IF(LOOKUP([Ingrédients], "Liste de courses", "Articles", "Dans le frigo") = "Oui" ; "Dans le frigo" ; "A acheter")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 7: Recette complète dans le frigo

Column name	Recette complète dans le frigo
Visible?	ALWAYS
Type	Enum {"EnumValues": [],"AllowOtherValues":true,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier": {"MaxLength":null,"MinLength":null,"LongTextFormatting": "Plain
Type Qualifier	Text","IsMulticolumnKey":false,"ValidIf":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null},"EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null} =IF(COUNT(SELECT(MenusRecette[Vérif si dans le frigo]; AND([Vérif si dans le frigo] = "Dans le frigo"; [Nom] = [_THISROW].[Nom]))) = COUNT(SELECT(MenusRecette[Nom]; [Nom] = [_THISROW].[Nom])) ; "Recette complète" ; IF(AND(COUNT(SELECT(MenusRecette[Vérif si dans le frigo]; AND([Vérif si dans le frigo] = "Dans le frigo"; [Nom] = [_THISROW].[Nom]))) <> COUNT(SELECT(MenusRecette[Nom];[Nom] = [_THISROW].[Nom])); COUNT(SELECT(MenusRecette[Vérif si dans le frigo]; AND([Vérif si dans le frigo] = "Dans le frigo"; [Nom] = [_THISROW].[Nom]))) >0);"Recette presque complète"; "Recette incomplète"))
App formula	
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	fr-FR
Searchable	No
Scannable	No

Sensitive data No

Schema Name DataBeerSecond_Schema

Schema Name DataBeerSecond_Schema
Visible? ALWAYS

Column 1: _RowNumber

Column name _RowNumber
Visible? ALWAYS
Description Number of this row
Type Number

Type Qualifier {"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

Read-Only Yes
Hidden Yes
Label No
Formula version 0
Reset on edit? No
System Defined? Yes
Key No
Part of Key? No
Fixed definition? Yes
Editable Initial Value? Yes
Virtual? No
LocaleName fr-FR
Searchable No
Scannable No
Sensitive data No

Column 2: IDDataBeerSecond

Column name	IDDataBeerSecond
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=UNIQUEID()
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 3: IDDataBeerRef

Column name	IDDataBeerRef
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"Slide DatabaseBeer","ReferencedRootTableName":"DatabaseBeer","ReferencedType":"Text","ReferencedTypeQualifier":{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text"},"IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null},"ReferencedKeyColumn":"IDDataBaseBeer","IsAPartOf":false,"RelationshipN

```
ame":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_In
valid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset
_If":null,"Suggested_Values":null}
```

Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: Date

Column name	Date
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	TODAY()
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: Note Sarah

Column name	Note Sarah
Visible?	ALWAYS
Type	Decimal
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: Note Teddy

Column name	Note Teddy
-------------	------------

Visible?	ALWAYS
Type	Decimal
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: Analyse

Column name	Analyse
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: Coordonnées GPS

Column name	Coordonnées GPS
Visible?	ALWAYS
Type	LatLng
Type Qualifier	{"RealTime":false,"PublishIfRowKey":null,"KMLFileUrl":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 9: Pays (ou Région)

Column name	Pays (ou Région)
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	Yes
Scannable	No
Sensitive data	No

Column 10: Bar / Ville

Column name	Bar / Ville
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	Yes
Scannable	No
Sensitive data	No

Column 11: Contexte (terrasse, intérieur, ...)

Column name	Contexte (terrasse, intérieur, ...)
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	Yes
Scannable	No
Sensitive data	No

Column 12: Evenement

Column name	Evenement
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	Yes
Scannable	No
Sensitive data	No

Column 13: Météo

Column name	Météo
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	Yes
Scannable	No
Sensitive data	No

Column 14: Froid, très chaud ou bien

Column name	Froid, très chaud ou bien
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	Yes
Scannable	No

Sensitive data No

Column 15: Température

Column name	Température
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	Yes
Scannable	No
Sensitive data	No

Column 16: Photo du moment

Column name	Photo du moment
Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No

Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 17: Photo de la bière

Column name	Photo de la bière
Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No

Sensitive data No

Column 18: IBU/DI (proche de 1 = Amer)

Column name	IBU/DI (proche de 1 = Amer)
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	Yes
Scannable	No
Sensitive data	No

Column 19: Note

Column name	Note
Visible?	ALWAYS
Type	Decimal
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

App formula	=IF(AND(ISNOTBLANK([Note Sarah]);ISNOTBLANK([Note Teddy]));([Note Sarah]+[Note Teddy])/2; IF(ISNOTBLANK([Note Sarah]) ; [Note Sarah]; IF(ISNOTBLANK([Note Teddy]) ; [Note Teddy];0)))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Schema Name Commande_Schema

Schema Name	Commande_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 2: IDCommande

Column name	IDCommande
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
Initial value	UNIQUEID()
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes

Virtual?	No
LocaleName	fr-FR
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: Date et heure

Column name	Date et heure
Visible?	ALWAYS
Type	DateTime
Type Qualifier	{"MinValue":null,"MaxValue":null,"UseLongDateFormat":true,"IgnoreSeconds":true,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=NOW()
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: Related DetailsCommandes

Column name	Related DetailsCommandes
Visible?	ALWAYS
Description	=Détails de la commande

Display name	= "Détails commande"
Type	List
Type Qualifier	<pre>{"ElementType": "Ref", "ElementTypeQualifier": {"ReferencedTableName": "SlideDetailsCommande", "ReferencedRootTableName": "DetailsCommande", "ReferencedType": "Text", "ReferencedTypeQualifier": {"MaxLength": null, "MinLength": null, "LongTextFormatting": "PlainText", "IsMulticolumnKey": false, "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null}, "ReferencedKeyColumn": "IDDetailsCommande", "IsAPartOf": false, "RelationshipName": null, "InputMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null}, "ItemSeparator": ", ", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null}</pre>
App formula	=REF_ROWS("Slide DetailsCommande", "IDCommandeRef")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	fr-FR
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 5: Nombre total à commander

Column name	Nombre total à commander
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=SUM(SELECT(Slide DetailsCommande[Nombre]; [IDCommandeRef] = [_THISROW].[IDCommande]))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 6: Texte nombre total

Column name	Texte nombre total
Visible?	ALWAYS
Display name	= " "
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	= "Nombre total à commander : "&[Nombre total à commander]

Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	fr-FR
Searchable	Yes
Scannable	No
Sensitive data	No

Schema Name DetailsCommande_Schema

Schema Name	DetailsCommande_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0

Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 2: IDDetailsCommande

Column name	IDDetailsCommande
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	UNIQUEID()
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	Yes
Scannable	No

Sensitive data No

Column 3: IDCommandeRef

Column name	IDCommandeRef
Visible?	ALWAYS
Type	Ref
Type Qualifier	<pre>{ "ReferencedTableName": "SlideCommande", "ReferencedRootTableName": "Commande", "ReferencedType": "Text", "ReferencedTypeQualifier": "\\", "MaxLength": null, "MinLength": null, "LongTextFormatting": "\\", "IsMulticolumnKey": false, "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null, "ReferenceKeyColumn": "IDCommande", "IsAPartOf": true, "RelationshipName": null, "InputMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }</pre>
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: Quoi ?

Column name Quoi ?

Visible?	ALWAYS
Type	Enum
Type Qualifier	<pre>{ "EnumValues": [], "AllowOtherValues":true, "AutoCompleteOtherValues":true, "BaseType": "Text", "BaseTypeQualifier": { "MaxLength":null, "MinLength":null, "LongTextFormatting": "Plain Text", "IsMulticolumnKey":false, "Valid_If":null, "Error_Message_If_Invalid":null, "Show_If":null, "Required_If":null, "Editable_If":null, "Reset_If":null, "Suggested_Values":null }, "EnumInputMode": "Dropdown", "Valid_If":null, "Error_Message_If_Invalid":null, "Show_If":null, "Required_If":null, "Editable_If":null, "Reset_If":null, "Suggested_Values":null }</pre>
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: Nombre

Column name	Nombre
Visible?	ALWAYS
Type	Number
Type Qualifier	<pre>{ "MaxValue":null, "MinValue":null, "StepValue":null, "NumericDigits":null, "ShowThousandsSeparator":true, "NumberDisplayMode": "Auto", "Valid_If":null, "Error_Message_If_Invalid":null, "Show_If":null, "R</pre>

	equired_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Value s":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	Yes
Scannable	No
Sensitive data	No

Schema Name DatabaseBeer_Schema

Schema Name	DatabaseBeer_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits" :null,"ShowThousandsSeparator":true,"NumberDisplayMode": "Au to","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"R equired_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Value s":null}
Read-Only	Yes
Hidden	Yes

Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 2: IDDataBaseBeer

Column name	IDDataBaseBeer
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	UNIQUEID()
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR

Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: Date

Column name	Date
Visible?	ALWAYS
Type	DateTime
Type Qualifier	{"MinValue":null,"MaxValue":null,"UseLongDateFormat":true,"IgnoreSeconds":true,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=NOW()
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: Service

Column name	Service
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues": [],"AllowOtherValues":true,"AutoCompleteOtherValues":false,"Bas

	eType:"Text",BaseTypeQualifier:" {\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\": \"Plain Text\", \"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Messa ge_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable _If\":null,\"Reset_If\":null,\"Suggested_Values\":null},\"EnumInpu tMode\":\"Buttons\", \"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"S how_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Su ggested_Values\":\"=UNIQUE(Slide Liste 19[Liste 19])\"}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=\"Pression\"
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: Type de bière

Column name	Type de bière
Visible?	ALWAYS
Type	Enum
Type Qualifier	{\"EnumValues\": [],\"AllowOtherValues\":true,\"AutoCompleteOtherValues\":false,\"Bas eType\":\"Text\", \"BaseTypeQualifier\":\" {\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\": \"Plain Text\", \"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Messa ge_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable _If\":null,\"Reset_If\":null,\"Suggested_Values\":null},\"EnumInpu

	tMode":"Buttons","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values": "=UNIQUE(Slide Liste 20[Liste 20])"}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	="Blonde"
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: Typologie

Column name	Typologie
Visible?	ALWAYS
Type	Enum {"EnumValues": [],"AllowOtherValues":true,"AutoCompleteOtherValues":false,"BaseType":"Text","BaseTypeQualifier": {"\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\": "Plain Type Qualifier Text\", \"IsMulticolumnKey\":false, \"Valid_If\":null, \"Error_Message_If_Invalid\":null, \"Show_If\":null, \"Required_If\":null, \"Editable_If\":null, \"Reset_If\":null, \"Suggested_Values\":null}, \"EnumInputMode\":\"Buttons\", \"Valid_If\":null, \"Error_Message_If_Invalid\":null, \"Show_If\":null, \"Required_If\":null, \"Editable_If\":null, \"Reset_If\":null, \"Suggested_Values\": \"=UNIQUE(Slide Liste 21[Liste 21])"} Read-Only No Hidden No

Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: Nom

Column name	Nom
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	Yes

Scannable	No
Sensitive data	No

Column 8: Degrés

Column name	Degrés
Visible?	ALWAYS
Type	Decimal
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	Yes
Scannable	No
Sensitive data	No

Column 9: Note Sarah

Column name	Note Sarah
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues": [],"AllowOtherValues":true,"AutoCompleteOtherValues":false,"BaseType":"Decimal","BaseTypeQualifier": {"MaxValue":null,"MinValue":null,"StepValue":null,"Decimal

Digits\":2,\"NumericDigits\":null,\"ShowThousandsSeparator\":true,\"NumberDisplayMode\": \"Auto\", \"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null},\"EnumInputMode\":\"Buttons\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":\"=UNIQUE(Slide Liste 16[Liste 16])\"}

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	Yes
Scannable	No
Sensitive data	No

Column 10: Note Teddy

Column name	Note Teddy
Visible?	ALWAYS
Type	Enum {"EnumValues": [],"AllowOtherValues":true,"AutoCompleteOtherValues":false,"BaseType":"Decimal","BaseTypeQualifier": {"MaxValue\":null,\"MinValue\":null,\"StepValue\":null,\"Decimal Digits\":2,\"NumericDigits\":null,\"ShowThousandsSeparator\":true,\"NumberDisplayMode\": \"Auto\", \"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null},\"EnumInputMode\":\"Buttons\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":\"=UNIQUE(Slide Liste 16[Liste 16])\"}
Type Qualifier	

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	Yes
Scannable	No
Sensitive data	No

Column 11: Analyse

Column name	Analyse
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No

LocaleName	fr-FR
Searchable	Yes
Scannable	No
Sensitive data	No

Column 12: Coordonnées GPS

Column name	Coordonnées GPS
Visible?	ALWAYS
Type	LatLng
Type Qualifier	{"RealTime":false,"PublishIfRowKey":null,"KMLFileUrl":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 13: Pays (ou Région)

Column name	Pays (ou Région)
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_I

```
nvalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
```

Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	Yes
Scannable	No
Sensitive data	No

Column 14: Bar / Ville

Column name	Bar / Ville
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No

Sensitive data No

Column 16: Evenement

Column name	Evenement
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	Yes
Scannable	No
Sensitive data	No

Column 17: Météo

Column name	Météo
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues": [],"AllowOtherValues":true,"AutoCompleteOtherValues":false,"BaseType":"Text","BaseTypeQualifier": {"MaxLength":null,"MinLength":null,"LongTextFormatting": "Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Messa

	<code>ge_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null,\"EnumInputMode\":\"Buttons\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":\"=UNIQUE(Slide Liste 18[Liste 18])\"}</code>
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	Yes
Scannable	No
Sensitive data	No

Column 18: Froid, très chaud ou bien

Column name	Froid, très chaud ou bien
Visible?	ALWAYS
Type	Enum <code>{"EnumValues": [],"AllowOtherValues":true,"AutoCompleteOtherValues":false,"BaseType":"Text","BaseTypeQualifier": {"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":" "Plain</code>
Type Qualifier	<code>Text\", \"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null,\"EnumInputMode\":\"Buttons\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":\"=UNIQUE(Slide Liste 17[Liste 17])\"}</code>
Read-Only	No

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	= "😎"
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	Yes
Scannable	No
Sensitive data	No

Column 19: Température

Column name	Température
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes

Virtual?	No
LocaleName	fr-FR
Searchable	Yes
Scannable	No
Sensitive data	No

Column 20: Photo du moment

Column name	Photo du moment
Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 21: Photo de la bière

Column name	Photo de la bière
Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

	e_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 22: IBU/DI (proche de 1 = Amer)

Column name	IBU/DI (proche de 1 = Amer)
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	No
LocaleName	fr-FR
Searchable	Yes
Scannable	No
Sensitive data	No

Column 23: Photo

Column name	Photo
Visible?	ALWAYS
Type	Image
Type Qualifier	{"AllowDrawing":false,"FolderLocation":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF(ISNOTBLANK([Photo de la bière]); [Photo de la bière]; [Photo du moment])
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 24: Moyenne des notes

Column name	Moyenne des notes
-------------	-------------------

Visible?	ALWAYS
Type	Decimal
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=AVERAGE(LIST([Note Sarah],[Note Teddy]))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 25: Date réelle

Column name	Date réelle
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":true,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=DATE([Date])
Read-Only	Yes
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	fr-FR
Searchable	Yes
Scannable	No
Sensitive data	No

Column 26: Année

Column name	Année
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=YEAR([Date])
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	fr-FR
Searchable	No

Scannable	No
Sensitive data	No

Column 27: Saison

Column name	Saison
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=ANY(SELECT(Slide Liste déroulante[Liste 25]; [Liste 24]=MONTH([_THISROW].[Date])))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	fr-FR
Searchable	Yes
Scannable	No
Sensitive data	No

Column 28: Classement de la bière

Column name	Classement de la bière
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto"}

	to","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=1 + COUNT(SELECT(DatabaseBeer[Moyenne des notes], ([Moyenne des notes] > [_THISROW].[Moyenne des notes]))) + COUNT(SELECT(DatabaseBeer[_RowNumber], AND(([Moyenne des notes] = [_THISROW].[Moyenne des notes]), ([_RowNumber] < [_THISROW].[_RowNumber]))))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	fr-FR
Searchable	No
Scannable	No
Sensitive data	No

Column 29: Notation

Column name	Notation
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	= "Sarah : "&[Note Sarah]&" • Ted : "&[Note Teddy]&" ("&[Classement Général et note]&")"
Read-Only	Yes
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	fr-FR
Searchable	Yes
Scannable	No
Sensitive data	No

Column 30: Classement Général et note

Column name	Classement Général et note
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=[Classement de la bière]&" • "[Moyenne des notes]
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	fr-FR
Searchable	Yes

Scannable	No
Sensitive data	No

Column 31: Related DataBeerSeconds

Column name	Related DataBeerSeconds
Visible?	ALWAYS
Description	DataBeerSecond entries that reference this entry in the IDDataBeerRef column
Display name	= "Seconde notation"
Type	List
Type Qualifier	<pre>{ "ElementType": "Ref", "ElementTypeQualifier": "ReferencedTableName": "SlideDataBeerSecond", "ReferencedRootTableName": "DataBeerSecond", "ReferencedType": "Text", "ReferencedTypeQualifier": "MaxLength": null, "MinLength": null, "LongTextFormatting": "PlainText", "IsMulticolumnKey": false, "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null, "ReferencedKeyColumn": "IDDataBeerSecond", "IsAPartOf": false, "RelationshipName": null, "InputMode": "Auto", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null, "ItemSeparator": " ,", "Valid_If": null, "Error_Message_If_Invalid": null, "Show_If": null, "Required_If": null, "Editable_If": null, "Reset_If": null, "Suggested_Values": null }</pre>
App formula	=REF_ROWS("Slide DataBeerSecond", "IDDataBeerRef")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	fr-FR
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Slices

Slice Name Slide Liste déroulante

Slice Name	Slide Liste déroulante
Slice Columns	_RowNumber # Liste 1 Liste 2 Liste 3 Liste 4 Liste 5 Liste 6 Liste 7 Liste 8 Liste 9 Liste 10 Liste 11 Liste 12 Liste 13 Liste 14 Liste 15 Liste 16 Liste 17 Liste 18 Liste 19 Liste 20 Liste 21 Liste 22 Liste 23 Liste 24 Liste 25

Liste 26

Liste 27

Liste 28

Liste 29

Liste 30

Liste 31

Liste 32

Liste 33

Liste 34

Liste 35

Liste 36

Liste 37

Liste 38

Liste 39

Liste 40

Liste 41

Liste 42

Liste 43

Liste 44

Liste 45

Liste 46

Liste 47

Liste 48

Liste 49

Liste 50

Liste 51

Liste 52

Liste 53

Liste 54

Liste 55

Liste 56

Liste 57

Liste 58

Liste 59

Liste 60

Liste 61

Liste 62

Liste 63

Liste 64

Liste 65

Liste 66

Liste 67

Liste 68

- Liste 69
- Liste 70
- Liste 71
- Liste 72
- Liste 73
- Liste 74
- Liste 75
- Liste 76
- Liste 77
- Liste 78
- Liste 79
- Liste 80
- Liste 81
- Liste 82
- Liste 83
- Liste 84
- Liste 85
- Liste 86
- Liste 87
- Liste 88
- Liste 89
- Liste 90
- Liste 91
- Liste 92
- Liste 93
- Liste 94
- Liste 95
- Liste 96
- Liste 97
- Liste 98
- Liste 99
- Liste 100

Row filter condition	=ISNOTBLANK([#])
Update mode	ALL_CHANGES
Source Table	Listes déroulantes
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name Slide sous accès

Slice Name	Slide sous accès
Slice Columns	_RowNumber

Accès
Image
Mail
ID Ligne
Sous Accès 1
Sous Accès 2
Sous Accès 3
Sous Accès 4
Sous Accès 5
Sous Accès 6
Sous Accès 7
Sous Accès 8
Sous Accès 9
Sous Accès 10
Sous Accès 11
Sous Accès 12
Sous Accès 13
Sous Accès 14
Sous Accès 15
Sous Accès 16
Sous Accès 17
Sous Accès 18
Sous Accès 19
Sous Accès 20
Sous Accès 21
Sous Accès 22
Sous Accès 23
Sous Accès 24
Sous Accès 25
Sous Accès 26
Sous Accès 27
Sous Accès 28
Sous Accès 29
Sous Accès 30

Row filter condition	=ISNOTBLANK([Accès])
Update mode	ALL_CHANGES
Source Table	Accès
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name Slide accès

Slice Name	Slide accès
	_RowNumber
	#
Slice Columns	Accès
	Image
	Mail
Row filter condition	=AND(ISNOTBLANK([Accès]) ; IN(USEREMAIL();SPLIT([Mail];";")))
Update mode	ALL_CHANGES
Source Table	Accès
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name Slide Accès personnel

Slice Name	Slide Accès personnel
Slice Columns	_RowNumber
	#
	NOM Prénom
	Nom
	Prénom
	Adresse mail
	Téléphone
	Nom Accès 1
	Nom Accès 2
	Nom Accès 3
	Nom Accès 4
	Nom Accès 5
	Nom Accès 6
	Nom Accès 7
	Nom Accès 8
	Nom Accès 9
	Nom Accès 10
	Nom Accès 11
	Nom Accès 12
	Nom Accès 13
	Nom Accès 14
	Nom Accès 15
	Nom Accès 16
	Nom Accès 17
	Nom Accès 18
	Nom Accès 19

Nom Accès 20
Nom Accès 21
Nom Accès 22
Nom Accès 23
Nom Accès 24
Nom Accès 25
Nom Accès 26
Nom Accès 27
Nom Accès 28
Nom Accès 29
Nom Accès 30
Nom Accès 31
Nom Accès 32
Nom Accès 33
Nom Accès 34
Nom Accès 35
Nom Accès 36
Nom Accès 37
Nom Accès 38
Nom Accès 39
Nom Accès 40
Nom Accès 41
Nom Accès 42
Nom Accès 43
Nom Accès 44
Nom Accès 45
Nom Accès 46
Nom Accès 47
Nom Accès 48
Nom Accès 49
Nom Accès 50
Validation Accès 1
Validation Accès 2
Validation Accès 3
Validation Accès 4
Validation Accès 5
Validation Accès 6
Validation Accès 7
Validation Accès 8
Validation Accès 9
Validation Accès 10
Validation Accès 11
Validation Accès 12

Validation Accès 13
Validation Accès 14
Validation Accès 15
Validation Accès 16
Validation Accès 17
Validation Accès 18
Validation Accès 19
Validation Accès 20
Validation Accès 21
Validation Accès 22
Validation Accès 23
Validation Accès 24
Validation Accès 25
Validation Accès 26
Validation Accès 27
Validation Accès 28
Validation Accès 29
Validation Accès 30
Validation Accès 31
Validation Accès 32
Validation Accès 33
Validation Accès 34
Validation Accès 35
Validation Accès 36
Validation Accès 37
Validation Accès 38
Validation Accès 39
Validation Accès 40
Validation Accès 41
Validation Accès 42
Validation Accès 43
Validation Accès 44
Validation Accès 45
Validation Accès 46
Validation Accès 47
Validation Accès 48
Validation Accès 49
Validation Accès 50
Accès App 1
Accès App 2
Accès App 3
Accès App 4
Accès App 5

Accès App 6
Accès App 7
Accès App 8
Accès App 9
Accès App 10
Accès App 11
Accès App 12
Accès App 13
Accès App 14
Accès App 15
Accès App 16
Accès App 17
Accès App 18
Accès App 19
Accès App 20
Accès App 21
Accès App 22
Accès App 23
Accès App 24
Accès App 25
Accès App 26
Accès App 27
Accès App 28
Accès App 29
Accès App 30
Accès App 31
Accès App 32
Accès App 33
Accès App 34
Accès App 35
Accès App 36
Accès App 37
Accès App 38
Accès App 39
Accès App 40
Accès App 41
Accès App 42
Accès App 43
Accès App 44
Accès App 45
Accès App 46
Accès App 47
Accès App 48

	Accès App 49
	Accès App 50
Row filter condition	=ISNOTBLANK([NOM Prénom])
Update mode	ALL_CHANGES
Source Table	Accès Personnel
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name Slide Liste 1

Slice Name	Slide Liste 1
Slice Columns	_RowNumber # Liste 1 Liste 2 Liste 3 Liste 4 Liste 5 Liste 6 Liste 7 Liste 8 Liste 9 Liste 10 Liste 11 Liste 12 Liste 13 Liste 14 Liste 15 Liste 16 Liste 17 Liste 18 Liste 19 Liste 20 Liste 21 Liste 22 Liste 23 Liste 24 Liste 25 Liste 26 Liste 27 Liste 28 Liste 29

Liste 30

Liste 31

Liste 32

Liste 33

Liste 34

Liste 35

Liste 36

Liste 37

Liste 38

Liste 39

Liste 40

Liste 41

Liste 42

Liste 43

Liste 44

Liste 45

Liste 46

Liste 47

Liste 48

Liste 49

Liste 50

Liste 51

Liste 52

Liste 53

Liste 54

Liste 55

Liste 56

Liste 57

Liste 58

Liste 59

Liste 60

Liste 61

Liste 62

Liste 63

Liste 64

Liste 65

Liste 66

Liste 67

Liste 68

Liste 69

Liste 70

Liste 71

Liste 72

- Liste 73
- Liste 74
- Liste 75
- Liste 76
- Liste 77
- Liste 78
- Liste 79
- Liste 80
- Liste 81
- Liste 82
- Liste 83
- Liste 84
- Liste 85
- Liste 86
- Liste 87
- Liste 88
- Liste 89
- Liste 90
- Liste 91
- Liste 92
- Liste 93
- Liste 94
- Liste 95
- Liste 96
- Liste 97
- Liste 98
- Liste 99
- Liste 100

Row filter condition	=ISNOTBLANK([Liste 1])
Update mode	ALL_CHANGES
Source Table	Listes déroulantes
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name Slide Liste 2

Slice Name	Slide Liste 2
Slice Columns	_RowNumber # Liste 1 Liste 2 Liste 3

Liste 4
Liste 5
Liste 6
Liste 7
Liste 8
Liste 9
Liste 10
Liste 11
Liste 12
Liste 13
Liste 14
Liste 15
Liste 16
Liste 17
Liste 18
Liste 19
Liste 20
Liste 21
Liste 22
Liste 23
Liste 24
Liste 25
Liste 26
Liste 27
Liste 28
Liste 29
Liste 30
Liste 31
Liste 32
Liste 33
Liste 34
Liste 35
Liste 36
Liste 37
Liste 38
Liste 39
Liste 40
Liste 41
Liste 42
Liste 43
Liste 44
Liste 45
Liste 46

Liste 47

Liste 48

Liste 49

Liste 50

Liste 51

Liste 52

Liste 53

Liste 54

Liste 55

Liste 56

Liste 57

Liste 58

Liste 59

Liste 60

Liste 61

Liste 62

Liste 63

Liste 64

Liste 65

Liste 66

Liste 67

Liste 68

Liste 69

Liste 70

Liste 71

Liste 72

Liste 73

Liste 74

Liste 75

Liste 76

Liste 77

Liste 78

Liste 79

Liste 80

Liste 81

Liste 82

Liste 83

Liste 84

Liste 85

Liste 86

Liste 87

Liste 88

Liste 89

	Liste 90
	Liste 91
	Liste 92
	Liste 93
	Liste 94
	Liste 95
	Liste 96
	Liste 97
	Liste 98
	Liste 99
	Liste 100
Row filter condition	=ISNOTBLANK([Liste 2])
Update mode	ALL_CHANGES
Source Table	Listes déroulantes
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name Slide Liste 3

Slice Name	Slide Liste 3
Slice Columns	_RowNumber # Liste 1 Liste 2 Liste 3 Liste 4 Liste 5 Liste 6 Liste 7 Liste 8 Liste 9 Liste 10 Liste 11 Liste 12 Liste 13 Liste 14 Liste 15 Liste 16 Liste 17 Liste 18 Liste 19 Liste 20

Liste 21

Liste 22

Liste 23

Liste 24

Liste 25

Liste 26

Liste 27

Liste 28

Liste 29

Liste 30

Liste 31

Liste 32

Liste 33

Liste 34

Liste 35

Liste 36

Liste 37

Liste 38

Liste 39

Liste 40

Liste 41

Liste 42

Liste 43

Liste 44

Liste 45

Liste 46

Liste 47

Liste 48

Liste 49

Liste 50

Liste 51

Liste 52

Liste 53

Liste 54

Liste 55

Liste 56

Liste 57

Liste 58

Liste 59

Liste 60

Liste 61

Liste 62

Liste 63

- Liste 64
- Liste 65
- Liste 66
- Liste 67
- Liste 68
- Liste 69
- Liste 70
- Liste 71
- Liste 72
- Liste 73
- Liste 74
- Liste 75
- Liste 76
- Liste 77
- Liste 78
- Liste 79
- Liste 80
- Liste 81
- Liste 82
- Liste 83
- Liste 84
- Liste 85
- Liste 86
- Liste 87
- Liste 88
- Liste 89
- Liste 90
- Liste 91
- Liste 92
- Liste 93
- Liste 94
- Liste 95
- Liste 96
- Liste 97
- Liste 98
- Liste 99
- Liste 100

Row filter condition	=ISNOTBLANK([Liste 3])
Update mode	ALL_CHANGES
Source Table	Listes déroulantes
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name Slide Liste 4

Slice Name	Slide Liste 4
Slice Columns	_RowNumber # Liste 1 Liste 2 Liste 3 Liste 4 Liste 5 Liste 6 Liste 7 Liste 8 Liste 9 Liste 10 Liste 11 Liste 12 Liste 13 Liste 14 Liste 15 Liste 16 Liste 17 Liste 18 Liste 19 Liste 20 Liste 21 Liste 22 Liste 23 Liste 24 Liste 25 Liste 26 Liste 27 Liste 28 Liste 29 Liste 30 Liste 31 Liste 32 Liste 33 Liste 34 Liste 35 Liste 36 Liste 37 Liste 38

Liste 39

Liste 40

Liste 41

Liste 42

Liste 43

Liste 44

Liste 45

Liste 46

Liste 47

Liste 48

Liste 49

Liste 50

Liste 51

Liste 52

Liste 53

Liste 54

Liste 55

Liste 56

Liste 57

Liste 58

Liste 59

Liste 60

Liste 61

Liste 62

Liste 63

Liste 64

Liste 65

Liste 66

Liste 67

Liste 68

Liste 69

Liste 70

Liste 71

Liste 72

Liste 73

Liste 74

Liste 75

Liste 76

Liste 77

Liste 78

Liste 79

Liste 80

Liste 81

- Liste 82
- Liste 83
- Liste 84
- Liste 85
- Liste 86
- Liste 87
- Liste 88
- Liste 89
- Liste 90
- Liste 91
- Liste 92
- Liste 93
- Liste 94
- Liste 95
- Liste 96
- Liste 97
- Liste 98
- Liste 99
- Liste 100

Row filter condition	=ISNOTBLANK([Liste 4])
Update mode	ALL_CHANGES
Source Table	Listes déroulantes
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name Slide Liste 5

Slice Name	Slide Liste 5
Slice Columns	_RowNumber # Liste 1 Liste 2 Liste 3 Liste 4 Liste 5 Liste 6 Liste 7 Liste 8 Liste 9 Liste 10 Liste 11 Liste 12

Liste 13

Liste 14

Liste 15

Liste 16

Liste 17

Liste 18

Liste 19

Liste 20

Liste 21

Liste 22

Liste 23

Liste 24

Liste 25

Liste 26

Liste 27

Liste 28

Liste 29

Liste 30

Liste 31

Liste 32

Liste 33

Liste 34

Liste 35

Liste 36

Liste 37

Liste 38

Liste 39

Liste 40

Liste 41

Liste 42

Liste 43

Liste 44

Liste 45

Liste 46

Liste 47

Liste 48

Liste 49

Liste 50

Liste 51

Liste 52

Liste 53

Liste 54

Liste 55

Liste 56

Liste 57

Liste 58

Liste 59

Liste 60

Liste 61

Liste 62

Liste 63

Liste 64

Liste 65

Liste 66

Liste 67

Liste 68

Liste 69

Liste 70

Liste 71

Liste 72

Liste 73

Liste 74

Liste 75

Liste 76

Liste 77

Liste 78

Liste 79

Liste 80

Liste 81

Liste 82

Liste 83

Liste 84

Liste 85

Liste 86

Liste 87

Liste 88

Liste 89

Liste 90

Liste 91

Liste 92

Liste 93

Liste 94

Liste 95

Liste 96

Liste 97

Liste 98

	Liste 99
	Liste 100
Row filter condition	=ISNOTBLANK([Liste 5])
Update mode	ALL_CHANGES
Source Table	Listes déroulantes
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name Slide Liste 6

Slice Name	Slide Liste 6
Slice Columns	_RowNumber # Liste 1 Liste 2 Liste 3 Liste 4 Liste 5 Liste 6 Liste 7 Liste 8 Liste 9 Liste 10 Liste 11 Liste 12 Liste 13 Liste 14 Liste 15 Liste 16 Liste 17 Liste 18 Liste 19 Liste 20 Liste 21 Liste 22 Liste 23 Liste 24 Liste 25 Liste 26 Liste 27 Liste 28 Liste 29

Liste 30

Liste 31

Liste 32

Liste 33

Liste 34

Liste 35

Liste 36

Liste 37

Liste 38

Liste 39

Liste 40

Liste 41

Liste 42

Liste 43

Liste 44

Liste 45

Liste 46

Liste 47

Liste 48

Liste 49

Liste 50

Liste 51

Liste 52

Liste 53

Liste 54

Liste 55

Liste 56

Liste 57

Liste 58

Liste 59

Liste 60

Liste 61

Liste 62

Liste 63

Liste 64

Liste 65

Liste 66

Liste 67

Liste 68

Liste 69

Liste 70

Liste 71

Liste 72

- Liste 73
- Liste 74
- Liste 75
- Liste 76
- Liste 77
- Liste 78
- Liste 79
- Liste 80
- Liste 81
- Liste 82
- Liste 83
- Liste 84
- Liste 85
- Liste 86
- Liste 87
- Liste 88
- Liste 89
- Liste 90
- Liste 91
- Liste 92
- Liste 93
- Liste 94
- Liste 95
- Liste 96
- Liste 97
- Liste 98
- Liste 99
- Liste 100

Row filter condition	=ISNOTBLANK([Liste 6])
Update mode	ALL_CHANGES
Source Table	Listes déroulantes
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name Slide Liste 7

Slice Name	Slide Liste 7
Slice Columns	_RowNumber # Liste 1 Liste 2 Liste 3

Liste 4
Liste 5
Liste 6
Liste 7
Liste 8
Liste 9
Liste 10
Liste 11
Liste 12
Liste 13
Liste 14
Liste 15
Liste 16
Liste 17
Liste 18
Liste 19
Liste 20
Liste 21
Liste 22
Liste 23
Liste 24
Liste 25
Liste 26
Liste 27
Liste 28
Liste 29
Liste 30
Liste 31
Liste 32
Liste 33
Liste 34
Liste 35
Liste 36
Liste 37
Liste 38
Liste 39
Liste 40
Liste 41
Liste 42
Liste 43
Liste 44
Liste 45
Liste 46

Liste 47

Liste 48

Liste 49

Liste 50

Liste 51

Liste 52

Liste 53

Liste 54

Liste 55

Liste 56

Liste 57

Liste 58

Liste 59

Liste 60

Liste 61

Liste 62

Liste 63

Liste 64

Liste 65

Liste 66

Liste 67

Liste 68

Liste 69

Liste 70

Liste 71

Liste 72

Liste 73

Liste 74

Liste 75

Liste 76

Liste 77

Liste 78

Liste 79

Liste 80

Liste 81

Liste 82

Liste 83

Liste 84

Liste 85

Liste 86

Liste 87

Liste 88

Liste 89

	Liste 90
	Liste 91
	Liste 92
	Liste 93
	Liste 94
	Liste 95
	Liste 96
	Liste 97
	Liste 98
	Liste 99
	Liste 100
Row filter condition	=ISNOTBLANK([Liste 7])
Update mode	ALL_CHANGES
Source Table	Listes déroulantes
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name Slide Liste 8

Slice Name	Slide Liste 8
Slice Columns	_RowNumber # Liste 1 Liste 2 Liste 3 Liste 4 Liste 5 Liste 6 Liste 7 Liste 8 Liste 9 Liste 10 Liste 11 Liste 12 Liste 13 Liste 14 Liste 15 Liste 16 Liste 17 Liste 18 Liste 19 Liste 20

Liste 21

Liste 22

Liste 23

Liste 24

Liste 25

Liste 26

Liste 27

Liste 28

Liste 29

Liste 30

Liste 31

Liste 32

Liste 33

Liste 34

Liste 35

Liste 36

Liste 37

Liste 38

Liste 39

Liste 40

Liste 41

Liste 42

Liste 43

Liste 44

Liste 45

Liste 46

Liste 47

Liste 48

Liste 49

Liste 50

Liste 51

Liste 52

Liste 53

Liste 54

Liste 55

Liste 56

Liste 57

Liste 58

Liste 59

Liste 60

Liste 61

Liste 62

Liste 63

- Liste 64
- Liste 65
- Liste 66
- Liste 67
- Liste 68
- Liste 69
- Liste 70
- Liste 71
- Liste 72
- Liste 73
- Liste 74
- Liste 75
- Liste 76
- Liste 77
- Liste 78
- Liste 79
- Liste 80
- Liste 81
- Liste 82
- Liste 83
- Liste 84
- Liste 85
- Liste 86
- Liste 87
- Liste 88
- Liste 89
- Liste 90
- Liste 91
- Liste 92
- Liste 93
- Liste 94
- Liste 95
- Liste 96
- Liste 97
- Liste 98
- Liste 99
- Liste 100

Row filter condition	=ISNOTBLANK([Liste 8])
Update mode	ALL_CHANGES
Source Table	Listes déroulantes
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name Slide Liste 9

Slice Name	Slide Liste 9
Slice Columns	_RowNumber # Liste 1 Liste 2 Liste 3 Liste 4 Liste 5 Liste 6 Liste 7 Liste 8 Liste 9 Liste 10 Liste 11 Liste 12 Liste 13 Liste 14 Liste 15 Liste 16 Liste 17 Liste 18 Liste 19 Liste 20 Liste 21 Liste 22 Liste 23 Liste 24 Liste 25 Liste 26 Liste 27 Liste 28 Liste 29 Liste 30 Liste 31 Liste 32 Liste 33 Liste 34 Liste 35 Liste 36 Liste 37 Liste 38

Liste 39

Liste 40

Liste 41

Liste 42

Liste 43

Liste 44

Liste 45

Liste 46

Liste 47

Liste 48

Liste 49

Liste 50

Liste 51

Liste 52

Liste 53

Liste 54

Liste 55

Liste 56

Liste 57

Liste 58

Liste 59

Liste 60

Liste 61

Liste 62

Liste 63

Liste 64

Liste 65

Liste 66

Liste 67

Liste 68

Liste 69

Liste 70

Liste 71

Liste 72

Liste 73

Liste 74

Liste 75

Liste 76

Liste 77

Liste 78

Liste 79

Liste 80

Liste 81

- Liste 82
- Liste 83
- Liste 84
- Liste 85
- Liste 86
- Liste 87
- Liste 88
- Liste 89
- Liste 90
- Liste 91
- Liste 92
- Liste 93
- Liste 94
- Liste 95
- Liste 96
- Liste 97
- Liste 98
- Liste 99
- Liste 100

Row filter condition	=ISNOTBLANK([Liste 9])
Update mode	ALL_CHANGES
Source Table	Listes déroulantes
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name Slide Liste 10

Slice Name	Slide Liste 10
Slice Columns	_RowNumber # Liste 1 Liste 2 Liste 3 Liste 4 Liste 5 Liste 6 Liste 7 Liste 8 Liste 9 Liste 10 Liste 11 Liste 12

Liste 13

Liste 14

Liste 15

Liste 16

Liste 17

Liste 18

Liste 19

Liste 20

Liste 21

Liste 22

Liste 23

Liste 24

Liste 25

Liste 26

Liste 27

Liste 28

Liste 29

Liste 30

Liste 31

Liste 32

Liste 33

Liste 34

Liste 35

Liste 36

Liste 37

Liste 38

Liste 39

Liste 40

Liste 41

Liste 42

Liste 43

Liste 44

Liste 45

Liste 46

Liste 47

Liste 48

Liste 49

Liste 50

Liste 51

Liste 52

Liste 53

Liste 54

Liste 55

Liste 56

Liste 57

Liste 58

Liste 59

Liste 60

Liste 61

Liste 62

Liste 63

Liste 64

Liste 65

Liste 66

Liste 67

Liste 68

Liste 69

Liste 70

Liste 71

Liste 72

Liste 73

Liste 74

Liste 75

Liste 76

Liste 77

Liste 78

Liste 79

Liste 80

Liste 81

Liste 82

Liste 83

Liste 84

Liste 85

Liste 86

Liste 87

Liste 88

Liste 89

Liste 90

Liste 91

Liste 92

Liste 93

Liste 94

Liste 95

Liste 96

Liste 97

Liste 98

	Liste 99
	Liste 100
Row filter condition	=ISNOTBLANK([Liste 10])
Update mode	ALL_CHANGES
Source Table	Listes déroulantes
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name Slide Liste 11

Slice Name	Slide Liste 11
Slice Columns	_RowNumber # Liste 1 Liste 2 Liste 3 Liste 4 Liste 5 Liste 6 Liste 7 Liste 8 Liste 9 Liste 10 Liste 11 Liste 12 Liste 13 Liste 14 Liste 15 Liste 16 Liste 17 Liste 18 Liste 19 Liste 20 Liste 21 Liste 22 Liste 23 Liste 24 Liste 25 Liste 26 Liste 27 Liste 28 Liste 29

Liste 30

Liste 31

Liste 32

Liste 33

Liste 34

Liste 35

Liste 36

Liste 37

Liste 38

Liste 39

Liste 40

Liste 41

Liste 42

Liste 43

Liste 44

Liste 45

Liste 46

Liste 47

Liste 48

Liste 49

Liste 50

Liste 51

Liste 52

Liste 53

Liste 54

Liste 55

Liste 56

Liste 57

Liste 58

Liste 59

Liste 60

Liste 61

Liste 62

Liste 63

Liste 64

Liste 65

Liste 66

Liste 67

Liste 68

Liste 69

Liste 70

Liste 71

Liste 72

- Liste 73
- Liste 74
- Liste 75
- Liste 76
- Liste 77
- Liste 78
- Liste 79
- Liste 80
- Liste 81
- Liste 82
- Liste 83
- Liste 84
- Liste 85
- Liste 86
- Liste 87
- Liste 88
- Liste 89
- Liste 90
- Liste 91
- Liste 92
- Liste 93
- Liste 94
- Liste 95
- Liste 96
- Liste 97
- Liste 98
- Liste 99
- Liste 100

Row filter condition	=ISNOTBLANK([Liste 11])
Update mode	ALL_CHANGES
Source Table	Listes déroulantes
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name Slide Liste 12

Slice Name	Slide Liste 12
Slice Columns	_RowNumber # Liste 1 Liste 2 Liste 3

Liste 4
Liste 5
Liste 6
Liste 7
Liste 8
Liste 9
Liste 10
Liste 11
Liste 12
Liste 13
Liste 14
Liste 15
Liste 16
Liste 17
Liste 18
Liste 19
Liste 20
Liste 21
Liste 22
Liste 23
Liste 24
Liste 25
Liste 26
Liste 27
Liste 28
Liste 29
Liste 30
Liste 31
Liste 32
Liste 33
Liste 34
Liste 35
Liste 36
Liste 37
Liste 38
Liste 39
Liste 40
Liste 41
Liste 42
Liste 43
Liste 44
Liste 45
Liste 46

Liste 47

Liste 48

Liste 49

Liste 50

Liste 51

Liste 52

Liste 53

Liste 54

Liste 55

Liste 56

Liste 57

Liste 58

Liste 59

Liste 60

Liste 61

Liste 62

Liste 63

Liste 64

Liste 65

Liste 66

Liste 67

Liste 68

Liste 69

Liste 70

Liste 71

Liste 72

Liste 73

Liste 74

Liste 75

Liste 76

Liste 77

Liste 78

Liste 79

Liste 80

Liste 81

Liste 82

Liste 83

Liste 84

Liste 85

Liste 86

Liste 87

Liste 88

Liste 89

	Liste 90
	Liste 91
	Liste 92
	Liste 93
	Liste 94
	Liste 95
	Liste 96
	Liste 97
	Liste 98
	Liste 99
	Liste 100
Row filter condition	=ISNOTBLANK([Liste 12])
Update mode	ALL_CHANGES
Source Table	Listes déroulantes
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name Slide Liste 13

Slice Name	Slide Liste 13
Slice Columns	_RowNumber # Liste 1 Liste 2 Liste 3 Liste 4 Liste 5 Liste 6 Liste 7 Liste 8 Liste 9 Liste 10 Liste 11 Liste 12 Liste 13 Liste 14 Liste 15 Liste 16 Liste 17 Liste 18 Liste 19 Liste 20

Liste 21

Liste 22

Liste 23

Liste 24

Liste 25

Liste 26

Liste 27

Liste 28

Liste 29

Liste 30

Liste 31

Liste 32

Liste 33

Liste 34

Liste 35

Liste 36

Liste 37

Liste 38

Liste 39

Liste 40

Liste 41

Liste 42

Liste 43

Liste 44

Liste 45

Liste 46

Liste 47

Liste 48

Liste 49

Liste 50

Liste 51

Liste 52

Liste 53

Liste 54

Liste 55

Liste 56

Liste 57

Liste 58

Liste 59

Liste 60

Liste 61

Liste 62

Liste 63

- Liste 64
- Liste 65
- Liste 66
- Liste 67
- Liste 68
- Liste 69
- Liste 70
- Liste 71
- Liste 72
- Liste 73
- Liste 74
- Liste 75
- Liste 76
- Liste 77
- Liste 78
- Liste 79
- Liste 80
- Liste 81
- Liste 82
- Liste 83
- Liste 84
- Liste 85
- Liste 86
- Liste 87
- Liste 88
- Liste 89
- Liste 90
- Liste 91
- Liste 92
- Liste 93
- Liste 94
- Liste 95
- Liste 96
- Liste 97
- Liste 98
- Liste 99
- Liste 100

Row filter condition	=ISNOTBLANK([Liste 13])
Update mode	ALL_CHANGES
Source Table	Listes déroulantes
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name Slide Liste 14

Slice Name	Slide Liste 14
Slice Columns	_RowNumber # Liste 1 Liste 2 Liste 3 Liste 4 Liste 5 Liste 6 Liste 7 Liste 8 Liste 9 Liste 10 Liste 11 Liste 12 Liste 13 Liste 14 Liste 15 Liste 16 Liste 17 Liste 18 Liste 19 Liste 20 Liste 21 Liste 22 Liste 23 Liste 24 Liste 25 Liste 26 Liste 27 Liste 28 Liste 29 Liste 30 Liste 31 Liste 32 Liste 33 Liste 34 Liste 35 Liste 36 Liste 37 Liste 38

Liste 39

Liste 40

Liste 41

Liste 42

Liste 43

Liste 44

Liste 45

Liste 46

Liste 47

Liste 48

Liste 49

Liste 50

Liste 51

Liste 52

Liste 53

Liste 54

Liste 55

Liste 56

Liste 57

Liste 58

Liste 59

Liste 60

Liste 61

Liste 62

Liste 63

Liste 64

Liste 65

Liste 66

Liste 67

Liste 68

Liste 69

Liste 70

Liste 71

Liste 72

Liste 73

Liste 74

Liste 75

Liste 76

Liste 77

Liste 78

Liste 79

Liste 80

Liste 81

- Liste 82
- Liste 83
- Liste 84
- Liste 85
- Liste 86
- Liste 87
- Liste 88
- Liste 89
- Liste 90
- Liste 91
- Liste 92
- Liste 93
- Liste 94
- Liste 95
- Liste 96
- Liste 97
- Liste 98
- Liste 99
- Liste 100

Row filter condition	=ISNOTBLANK([Liste 14])
Update mode	ALL_CHANGES
Source Table	Listes déroulantes
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name Slide Liste 15

Slice Name	Slide Liste 15
Slice Columns	_RowNumber # Liste 1 Liste 2 Liste 3 Liste 4 Liste 5 Liste 6 Liste 7 Liste 8 Liste 9 Liste 10 Liste 11 Liste 12

Liste 13

Liste 14

Liste 15

Liste 16

Liste 17

Liste 18

Liste 19

Liste 20

Liste 21

Liste 22

Liste 23

Liste 24

Liste 25

Liste 26

Liste 27

Liste 28

Liste 29

Liste 30

Liste 31

Liste 32

Liste 33

Liste 34

Liste 35

Liste 36

Liste 37

Liste 38

Liste 39

Liste 40

Liste 41

Liste 42

Liste 43

Liste 44

Liste 45

Liste 46

Liste 47

Liste 48

Liste 49

Liste 50

Liste 51

Liste 52

Liste 53

Liste 54

Liste 55

Liste 56

Liste 57

Liste 58

Liste 59

Liste 60

Liste 61

Liste 62

Liste 63

Liste 64

Liste 65

Liste 66

Liste 67

Liste 68

Liste 69

Liste 70

Liste 71

Liste 72

Liste 73

Liste 74

Liste 75

Liste 76

Liste 77

Liste 78

Liste 79

Liste 80

Liste 81

Liste 82

Liste 83

Liste 84

Liste 85

Liste 86

Liste 87

Liste 88

Liste 89

Liste 90

Liste 91

Liste 92

Liste 93

Liste 94

Liste 95

Liste 96

Liste 97

Liste 98

	Liste 99
	Liste 100
Row filter condition	=ISNOTBLANK([Liste 15])
Update mode	ALL_CHANGES
Source Table	Listes déroulantes
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name Slide Liste 16

Slice Name	Slide Liste 16
Slice Columns	_RowNumber # Liste 1 Liste 2 Liste 3 Liste 4 Liste 5 Liste 6 Liste 7 Liste 8 Liste 9 Liste 10 Liste 11 Liste 12 Liste 13 Liste 14 Liste 15 Liste 16 Liste 17 Liste 18 Liste 19 Liste 20 Liste 21 Liste 22 Liste 23 Liste 24 Liste 25 Liste 26 Liste 27 Liste 28 Liste 29

Liste 30

Liste 31

Liste 32

Liste 33

Liste 34

Liste 35

Liste 36

Liste 37

Liste 38

Liste 39

Liste 40

Liste 41

Liste 42

Liste 43

Liste 44

Liste 45

Liste 46

Liste 47

Liste 48

Liste 49

Liste 50

Liste 51

Liste 52

Liste 53

Liste 54

Liste 55

Liste 56

Liste 57

Liste 58

Liste 59

Liste 60

Liste 61

Liste 62

Liste 63

Liste 64

Liste 65

Liste 66

Liste 67

Liste 68

Liste 69

Liste 70

Liste 71

Liste 72

- Liste 73
- Liste 74
- Liste 75
- Liste 76
- Liste 77
- Liste 78
- Liste 79
- Liste 80
- Liste 81
- Liste 82
- Liste 83
- Liste 84
- Liste 85
- Liste 86
- Liste 87
- Liste 88
- Liste 89
- Liste 90
- Liste 91
- Liste 92
- Liste 93
- Liste 94
- Liste 95
- Liste 96
- Liste 97
- Liste 98
- Liste 99
- Liste 100

Row filter condition	=ISNOTBLANK([Liste 16])
Update mode	ALL_CHANGES
Source Table	Listes déroulantes
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name Slide Liste 17

Slice Name	Slide Liste 17
Slice Columns	_RowNumber # Liste 1 Liste 2 Liste 3

Liste 4
Liste 5
Liste 6
Liste 7
Liste 8
Liste 9
Liste 10
Liste 11
Liste 12
Liste 13
Liste 14
Liste 15
Liste 16
Liste 17
Liste 18
Liste 19
Liste 20
Liste 21
Liste 22
Liste 23
Liste 24
Liste 25
Liste 26
Liste 27
Liste 28
Liste 29
Liste 30
Liste 31
Liste 32
Liste 33
Liste 34
Liste 35
Liste 36
Liste 37
Liste 38
Liste 39
Liste 40
Liste 41
Liste 42
Liste 43
Liste 44
Liste 45
Liste 46

Liste 47

Liste 48

Liste 49

Liste 50

Liste 51

Liste 52

Liste 53

Liste 54

Liste 55

Liste 56

Liste 57

Liste 58

Liste 59

Liste 60

Liste 61

Liste 62

Liste 63

Liste 64

Liste 65

Liste 66

Liste 67

Liste 68

Liste 69

Liste 70

Liste 71

Liste 72

Liste 73

Liste 74

Liste 75

Liste 76

Liste 77

Liste 78

Liste 79

Liste 80

Liste 81

Liste 82

Liste 83

Liste 84

Liste 85

Liste 86

Liste 87

Liste 88

Liste 89

	Liste 90
	Liste 91
	Liste 92
	Liste 93
	Liste 94
	Liste 95
	Liste 96
	Liste 97
	Liste 98
	Liste 99
	Liste 100
Row filter condition	=ISNOTBLANK([Liste 17])
Update mode	ALL_CHANGES
Source Table	Listes déroulantes
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name Slide Liste 18

Slice Name	Slide Liste 18
Slice Columns	_RowNumber # Liste 1 Liste 2 Liste 3 Liste 4 Liste 5 Liste 6 Liste 7 Liste 8 Liste 9 Liste 10 Liste 11 Liste 12 Liste 13 Liste 14 Liste 15 Liste 16 Liste 17 Liste 18 Liste 19 Liste 20

Liste 21

Liste 22

Liste 23

Liste 24

Liste 25

Liste 26

Liste 27

Liste 28

Liste 29

Liste 30

Liste 31

Liste 32

Liste 33

Liste 34

Liste 35

Liste 36

Liste 37

Liste 38

Liste 39

Liste 40

Liste 41

Liste 42

Liste 43

Liste 44

Liste 45

Liste 46

Liste 47

Liste 48

Liste 49

Liste 50

Liste 51

Liste 52

Liste 53

Liste 54

Liste 55

Liste 56

Liste 57

Liste 58

Liste 59

Liste 60

Liste 61

Liste 62

Liste 63

- Liste 64
- Liste 65
- Liste 66
- Liste 67
- Liste 68
- Liste 69
- Liste 70
- Liste 71
- Liste 72
- Liste 73
- Liste 74
- Liste 75
- Liste 76
- Liste 77
- Liste 78
- Liste 79
- Liste 80
- Liste 81
- Liste 82
- Liste 83
- Liste 84
- Liste 85
- Liste 86
- Liste 87
- Liste 88
- Liste 89
- Liste 90
- Liste 91
- Liste 92
- Liste 93
- Liste 94
- Liste 95
- Liste 96
- Liste 97
- Liste 98
- Liste 99
- Liste 100

Row filter condition	=ISNOTBLANK([Liste 18])
Update mode	ALL_CHANGES
Source Table	Listes déroulantes
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name Slide Liste 19

Slice Name	Slide Liste 19
Slice Columns	_RowNumber # Liste 1 Liste 2 Liste 3 Liste 4 Liste 5 Liste 6 Liste 7 Liste 8 Liste 9 Liste 10 Liste 11 Liste 12 Liste 13 Liste 14 Liste 15 Liste 16 Liste 17 Liste 18 Liste 19 Liste 20 Liste 21 Liste 22 Liste 23 Liste 24 Liste 25 Liste 26 Liste 27 Liste 28 Liste 29 Liste 30 Liste 31 Liste 32 Liste 33 Liste 34 Liste 35 Liste 36 Liste 37 Liste 38

Liste 39

Liste 40

Liste 41

Liste 42

Liste 43

Liste 44

Liste 45

Liste 46

Liste 47

Liste 48

Liste 49

Liste 50

Liste 51

Liste 52

Liste 53

Liste 54

Liste 55

Liste 56

Liste 57

Liste 58

Liste 59

Liste 60

Liste 61

Liste 62

Liste 63

Liste 64

Liste 65

Liste 66

Liste 67

Liste 68

Liste 69

Liste 70

Liste 71

Liste 72

Liste 73

Liste 74

Liste 75

Liste 76

Liste 77

Liste 78

Liste 79

Liste 80

Liste 81

- Liste 82
- Liste 83
- Liste 84
- Liste 85
- Liste 86
- Liste 87
- Liste 88
- Liste 89
- Liste 90
- Liste 91
- Liste 92
- Liste 93
- Liste 94
- Liste 95
- Liste 96
- Liste 97
- Liste 98
- Liste 99
- Liste 100

Row filter condition	=ISNOTBLANK([Liste 19])
Update mode	ALL_CHANGES
Source Table	Listes déroulantes
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name Slide Liste 20

Slice Name	Slide Liste 20
Slice Columns	_RowNumber # Liste 1 Liste 2 Liste 3 Liste 4 Liste 5 Liste 6 Liste 7 Liste 8 Liste 9 Liste 10 Liste 11 Liste 12

Liste 13

Liste 14

Liste 15

Liste 16

Liste 17

Liste 18

Liste 19

Liste 20

Liste 21

Liste 22

Liste 23

Liste 24

Liste 25

Liste 26

Liste 27

Liste 28

Liste 29

Liste 30

Liste 31

Liste 32

Liste 33

Liste 34

Liste 35

Liste 36

Liste 37

Liste 38

Liste 39

Liste 40

Liste 41

Liste 42

Liste 43

Liste 44

Liste 45

Liste 46

Liste 47

Liste 48

Liste 49

Liste 50

Liste 51

Liste 52

Liste 53

Liste 54

Liste 55

Liste 56

Liste 57

Liste 58

Liste 59

Liste 60

Liste 61

Liste 62

Liste 63

Liste 64

Liste 65

Liste 66

Liste 67

Liste 68

Liste 69

Liste 70

Liste 71

Liste 72

Liste 73

Liste 74

Liste 75

Liste 76

Liste 77

Liste 78

Liste 79

Liste 80

Liste 81

Liste 82

Liste 83

Liste 84

Liste 85

Liste 86

Liste 87

Liste 88

Liste 89

Liste 90

Liste 91

Liste 92

Liste 93

Liste 94

Liste 95

Liste 96

Liste 97

Liste 98

	Liste 99
	Liste 100
Row filter condition	=ISNOTBLANK([Liste 20])
Update mode	ALL_CHANGES
Source Table	Listes déroulantes
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name Slide Liste 21

Slice Name	Slide Liste 21
Slice Columns	_RowNumber # Liste 1 Liste 2 Liste 3 Liste 4 Liste 5 Liste 6 Liste 7 Liste 8 Liste 9 Liste 10 Liste 11 Liste 12 Liste 13 Liste 14 Liste 15 Liste 16 Liste 17 Liste 18 Liste 19 Liste 20 Liste 21 Liste 22 Liste 23 Liste 24 Liste 25 Liste 26 Liste 27 Liste 28 Liste 29

Liste 30

Liste 31

Liste 32

Liste 33

Liste 34

Liste 35

Liste 36

Liste 37

Liste 38

Liste 39

Liste 40

Liste 41

Liste 42

Liste 43

Liste 44

Liste 45

Liste 46

Liste 47

Liste 48

Liste 49

Liste 50

Liste 51

Liste 52

Liste 53

Liste 54

Liste 55

Liste 56

Liste 57

Liste 58

Liste 59

Liste 60

Liste 61

Liste 62

Liste 63

Liste 64

Liste 65

Liste 66

Liste 67

Liste 68

Liste 69

Liste 70

Liste 71

Liste 72

- Liste 73
- Liste 74
- Liste 75
- Liste 76
- Liste 77
- Liste 78
- Liste 79
- Liste 80
- Liste 81
- Liste 82
- Liste 83
- Liste 84
- Liste 85
- Liste 86
- Liste 87
- Liste 88
- Liste 89
- Liste 90
- Liste 91
- Liste 92
- Liste 93
- Liste 94
- Liste 95
- Liste 96
- Liste 97
- Liste 98
- Liste 99
- Liste 100

Row filter condition	=ISNOTBLANK([Liste 21])
Update mode	ALL_CHANGES
Source Table	Listes déroulantes
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name Slide Liste 22

Slice Name	Slide Liste 22
Slice Columns	_RowNumber # Liste 1 Liste 2 Liste 3

Liste 4
Liste 5
Liste 6
Liste 7
Liste 8
Liste 9
Liste 10
Liste 11
Liste 12
Liste 13
Liste 14
Liste 15
Liste 16
Liste 17
Liste 18
Liste 19
Liste 20
Liste 21
Liste 22
Liste 23
Liste 24
Liste 25
Liste 26
Liste 27
Liste 28
Liste 29
Liste 30
Liste 31
Liste 32
Liste 33
Liste 34
Liste 35
Liste 36
Liste 37
Liste 38
Liste 39
Liste 40
Liste 41
Liste 42
Liste 43
Liste 44
Liste 45
Liste 46

Liste 47

Liste 48

Liste 49

Liste 50

Liste 51

Liste 52

Liste 53

Liste 54

Liste 55

Liste 56

Liste 57

Liste 58

Liste 59

Liste 60

Liste 61

Liste 62

Liste 63

Liste 64

Liste 65

Liste 66

Liste 67

Liste 68

Liste 69

Liste 70

Liste 71

Liste 72

Liste 73

Liste 74

Liste 75

Liste 76

Liste 77

Liste 78

Liste 79

Liste 80

Liste 81

Liste 82

Liste 83

Liste 84

Liste 85

Liste 86

Liste 87

Liste 88

Liste 89

	Liste 90
	Liste 91
	Liste 92
	Liste 93
	Liste 94
	Liste 95
	Liste 96
	Liste 97
	Liste 98
	Liste 99
	Liste 100
Row filter condition	=ISNOTBLANK([Liste 22])
Update mode	ALL_CHANGES
Source Table	Listes déroulantes
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name Slide Liste 23

Slice Name	Slide Liste 23
Slice Columns	_RowNumber # Liste 1 Liste 2 Liste 3 Liste 4 Liste 5 Liste 6 Liste 7 Liste 8 Liste 9 Liste 10 Liste 11 Liste 12 Liste 13 Liste 14 Liste 15 Liste 16 Liste 17 Liste 18 Liste 19 Liste 20

Liste 21

Liste 22

Liste 23

Liste 24

Liste 25

Liste 26

Liste 27

Liste 28

Liste 29

Liste 30

Liste 31

Liste 32

Liste 33

Liste 34

Liste 35

Liste 36

Liste 37

Liste 38

Liste 39

Liste 40

Liste 41

Liste 42

Liste 43

Liste 44

Liste 45

Liste 46

Liste 47

Liste 48

Liste 49

Liste 50

Liste 51

Liste 52

Liste 53

Liste 54

Liste 55

Liste 56

Liste 57

Liste 58

Liste 59

Liste 60

Liste 61

Liste 62

Liste 63

- Liste 64
- Liste 65
- Liste 66
- Liste 67
- Liste 68
- Liste 69
- Liste 70
- Liste 71
- Liste 72
- Liste 73
- Liste 74
- Liste 75
- Liste 76
- Liste 77
- Liste 78
- Liste 79
- Liste 80
- Liste 81
- Liste 82
- Liste 83
- Liste 84
- Liste 85
- Liste 86
- Liste 87
- Liste 88
- Liste 89
- Liste 90
- Liste 91
- Liste 92
- Liste 93
- Liste 94
- Liste 95
- Liste 96
- Liste 97
- Liste 98
- Liste 99
- Liste 100

Row filter condition	=ISNOTBLANK([Liste 23])
Update mode	ALL_CHANGES
Source Table	Listes déroulantes
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name Slide Liste 24

Slice Name	Slide Liste 24
Slice Columns	_RowNumber # Liste 1 Liste 2 Liste 3 Liste 4 Liste 5 Liste 6 Liste 7 Liste 8 Liste 9 Liste 10 Liste 11 Liste 12 Liste 13 Liste 14 Liste 15 Liste 16 Liste 17 Liste 18 Liste 19 Liste 20 Liste 21 Liste 22 Liste 23 Liste 24 Liste 25 Liste 26 Liste 27 Liste 28 Liste 29 Liste 30 Liste 31 Liste 32 Liste 33 Liste 34 Liste 35 Liste 36 Liste 37 Liste 38

Liste 39

Liste 40

Liste 41

Liste 42

Liste 43

Liste 44

Liste 45

Liste 46

Liste 47

Liste 48

Liste 49

Liste 50

Liste 51

Liste 52

Liste 53

Liste 54

Liste 55

Liste 56

Liste 57

Liste 58

Liste 59

Liste 60

Liste 61

Liste 62

Liste 63

Liste 64

Liste 65

Liste 66

Liste 67

Liste 68

Liste 69

Liste 70

Liste 71

Liste 72

Liste 73

Liste 74

Liste 75

Liste 76

Liste 77

Liste 78

Liste 79

Liste 80

Liste 81

- Liste 82
- Liste 83
- Liste 84
- Liste 85
- Liste 86
- Liste 87
- Liste 88
- Liste 89
- Liste 90
- Liste 91
- Liste 92
- Liste 93
- Liste 94
- Liste 95
- Liste 96
- Liste 97
- Liste 98
- Liste 99
- Liste 100

Row filter condition	=ISNOTBLANK([Liste 24])
Update mode	ALL_CHANGES
Source Table	Listes déroulantes
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name Slide Liste 25

Slice Name	Slide Liste 25
Slice Columns	_RowNumber # Liste 1 Liste 2 Liste 3 Liste 4 Liste 5 Liste 6 Liste 7 Liste 8 Liste 9 Liste 10 Liste 11 Liste 12

Liste 13

Liste 14

Liste 15

Liste 16

Liste 17

Liste 18

Liste 19

Liste 20

Liste 21

Liste 22

Liste 23

Liste 24

Liste 25

Liste 26

Liste 27

Liste 28

Liste 29

Liste 30

Liste 31

Liste 32

Liste 33

Liste 34

Liste 35

Liste 36

Liste 37

Liste 38

Liste 39

Liste 40

Liste 41

Liste 42

Liste 43

Liste 44

Liste 45

Liste 46

Liste 47

Liste 48

Liste 49

Liste 50

Liste 51

Liste 52

Liste 53

Liste 54

Liste 55

Liste 56

Liste 57

Liste 58

Liste 59

Liste 60

Liste 61

Liste 62

Liste 63

Liste 64

Liste 65

Liste 66

Liste 67

Liste 68

Liste 69

Liste 70

Liste 71

Liste 72

Liste 73

Liste 74

Liste 75

Liste 76

Liste 77

Liste 78

Liste 79

Liste 80

Liste 81

Liste 82

Liste 83

Liste 84

Liste 85

Liste 86

Liste 87

Liste 88

Liste 89

Liste 90

Liste 91

Liste 92

Liste 93

Liste 94

Liste 95

Liste 96

Liste 97

Liste 98

	Liste 99
	Liste 100
Row filter condition	=ISNOTBLANK([Liste 25])
Update mode	ALL_CHANGES
Source Table	Listes déroulantes
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name Slide Liste 26

Slice Name	Slide Liste 26
Slice Columns	_RowNumber # Liste 1 Liste 2 Liste 3 Liste 4 Liste 5 Liste 6 Liste 7 Liste 8 Liste 9 Liste 10 Liste 11 Liste 12 Liste 13 Liste 14 Liste 15 Liste 16 Liste 17 Liste 18 Liste 19 Liste 20 Liste 21 Liste 22 Liste 23 Liste 24 Liste 25 Liste 26 Liste 27 Liste 28 Liste 29

Liste 30

Liste 31

Liste 32

Liste 33

Liste 34

Liste 35

Liste 36

Liste 37

Liste 38

Liste 39

Liste 40

Liste 41

Liste 42

Liste 43

Liste 44

Liste 45

Liste 46

Liste 47

Liste 48

Liste 49

Liste 50

Liste 51

Liste 52

Liste 53

Liste 54

Liste 55

Liste 56

Liste 57

Liste 58

Liste 59

Liste 60

Liste 61

Liste 62

Liste 63

Liste 64

Liste 65

Liste 66

Liste 67

Liste 68

Liste 69

Liste 70

Liste 71

Liste 72

- Liste 73
- Liste 74
- Liste 75
- Liste 76
- Liste 77
- Liste 78
- Liste 79
- Liste 80
- Liste 81
- Liste 82
- Liste 83
- Liste 84
- Liste 85
- Liste 86
- Liste 87
- Liste 88
- Liste 89
- Liste 90
- Liste 91
- Liste 92
- Liste 93
- Liste 94
- Liste 95
- Liste 96
- Liste 97
- Liste 98
- Liste 99
- Liste 100

Row filter condition	=ISNOTBLANK([Liste 26])
Update mode	ALL_CHANGES
Source Table	Listes déroulantes
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name Slide Liste 27

Slice Name	Slide Liste 27
Slice Columns	_RowNumber # Liste 1 Liste 2 Liste 3

Liste 4
Liste 5
Liste 6
Liste 7
Liste 8
Liste 9
Liste 10
Liste 11
Liste 12
Liste 13
Liste 14
Liste 15
Liste 16
Liste 17
Liste 18
Liste 19
Liste 20
Liste 21
Liste 22
Liste 23
Liste 24
Liste 25
Liste 26
Liste 27
Liste 28
Liste 29
Liste 30
Liste 31
Liste 32
Liste 33
Liste 34
Liste 35
Liste 36
Liste 37
Liste 38
Liste 39
Liste 40
Liste 41
Liste 42
Liste 43
Liste 44
Liste 45
Liste 46

Liste 47

Liste 48

Liste 49

Liste 50

Liste 51

Liste 52

Liste 53

Liste 54

Liste 55

Liste 56

Liste 57

Liste 58

Liste 59

Liste 60

Liste 61

Liste 62

Liste 63

Liste 64

Liste 65

Liste 66

Liste 67

Liste 68

Liste 69

Liste 70

Liste 71

Liste 72

Liste 73

Liste 74

Liste 75

Liste 76

Liste 77

Liste 78

Liste 79

Liste 80

Liste 81

Liste 82

Liste 83

Liste 84

Liste 85

Liste 86

Liste 87

Liste 88

Liste 89

	Liste 90
	Liste 91
	Liste 92
	Liste 93
	Liste 94
	Liste 95
	Liste 96
	Liste 97
	Liste 98
	Liste 99
	Liste 100
Row filter condition	=ISNOTBLANK([Liste 27])
Update mode	ALL_CHANGES
Source Table	Listes déroulantes
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name Slide Liste 28

Slice Name	Slide Liste 28
Slice Columns	_RowNumber # Liste 1 Liste 2 Liste 3 Liste 4 Liste 5 Liste 6 Liste 7 Liste 8 Liste 9 Liste 10 Liste 11 Liste 12 Liste 13 Liste 14 Liste 15 Liste 16 Liste 17 Liste 18 Liste 19 Liste 20

Liste 21

Liste 22

Liste 23

Liste 24

Liste 25

Liste 26

Liste 27

Liste 28

Liste 29

Liste 30

Liste 31

Liste 32

Liste 33

Liste 34

Liste 35

Liste 36

Liste 37

Liste 38

Liste 39

Liste 40

Liste 41

Liste 42

Liste 43

Liste 44

Liste 45

Liste 46

Liste 47

Liste 48

Liste 49

Liste 50

Liste 51

Liste 52

Liste 53

Liste 54

Liste 55

Liste 56

Liste 57

Liste 58

Liste 59

Liste 60

Liste 61

Liste 62

Liste 63

- Liste 64
- Liste 65
- Liste 66
- Liste 67
- Liste 68
- Liste 69
- Liste 70
- Liste 71
- Liste 72
- Liste 73
- Liste 74
- Liste 75
- Liste 76
- Liste 77
- Liste 78
- Liste 79
- Liste 80
- Liste 81
- Liste 82
- Liste 83
- Liste 84
- Liste 85
- Liste 86
- Liste 87
- Liste 88
- Liste 89
- Liste 90
- Liste 91
- Liste 92
- Liste 93
- Liste 94
- Liste 95
- Liste 96
- Liste 97
- Liste 98
- Liste 99
- Liste 100

Row filter condition	=ISNOTBLANK([Liste 28])
Update mode	ALL_CHANGES
Source Table	Listes déroulantes
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name Slide Liste 29

Slice Name	Slide Liste 29
Slice Columns	_RowNumber # Liste 1 Liste 2 Liste 3 Liste 4 Liste 5 Liste 6 Liste 7 Liste 8 Liste 9 Liste 10 Liste 11 Liste 12 Liste 13 Liste 14 Liste 15 Liste 16 Liste 17 Liste 18 Liste 19 Liste 20 Liste 21 Liste 22 Liste 23 Liste 24 Liste 25 Liste 26 Liste 27 Liste 28 Liste 29 Liste 30 Liste 31 Liste 32 Liste 33 Liste 34 Liste 35 Liste 36 Liste 37 Liste 38

Liste 39

Liste 40

Liste 41

Liste 42

Liste 43

Liste 44

Liste 45

Liste 46

Liste 47

Liste 48

Liste 49

Liste 50

Liste 51

Liste 52

Liste 53

Liste 54

Liste 55

Liste 56

Liste 57

Liste 58

Liste 59

Liste 60

Liste 61

Liste 62

Liste 63

Liste 64

Liste 65

Liste 66

Liste 67

Liste 68

Liste 69

Liste 70

Liste 71

Liste 72

Liste 73

Liste 74

Liste 75

Liste 76

Liste 77

Liste 78

Liste 79

Liste 80

Liste 81

- Liste 82
- Liste 83
- Liste 84
- Liste 85
- Liste 86
- Liste 87
- Liste 88
- Liste 89
- Liste 90
- Liste 91
- Liste 92
- Liste 93
- Liste 94
- Liste 95
- Liste 96
- Liste 97
- Liste 98
- Liste 99
- Liste 100

Row filter condition	=ISNOTBLANK([Liste 29])
Update mode	ALL_CHANGES
Source Table	Listes déroulantes
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name Slide Liste 30

Slice Name	Slide Liste 30
Slice Columns	_RowNumber # Liste 1 Liste 2 Liste 3 Liste 4 Liste 5 Liste 6 Liste 7 Liste 8 Liste 9 Liste 10 Liste 11 Liste 12

Liste 13

Liste 14

Liste 15

Liste 16

Liste 17

Liste 18

Liste 19

Liste 20

Liste 21

Liste 22

Liste 23

Liste 24

Liste 25

Liste 26

Liste 27

Liste 28

Liste 29

Liste 30

Liste 31

Liste 32

Liste 33

Liste 34

Liste 35

Liste 36

Liste 37

Liste 38

Liste 39

Liste 40

Liste 41

Liste 42

Liste 43

Liste 44

Liste 45

Liste 46

Liste 47

Liste 48

Liste 49

Liste 50

Liste 51

Liste 52

Liste 53

Liste 54

Liste 55

Liste 56

Liste 57

Liste 58

Liste 59

Liste 60

Liste 61

Liste 62

Liste 63

Liste 64

Liste 65

Liste 66

Liste 67

Liste 68

Liste 69

Liste 70

Liste 71

Liste 72

Liste 73

Liste 74

Liste 75

Liste 76

Liste 77

Liste 78

Liste 79

Liste 80

Liste 81

Liste 82

Liste 83

Liste 84

Liste 85

Liste 86

Liste 87

Liste 88

Liste 89

Liste 90

Liste 91

Liste 92

Liste 93

Liste 94

Liste 95

Liste 96

Liste 97

Liste 98

	Liste 99
	Liste 100
Row filter condition	=ISNOTBLANK([Liste 30])
Update mode	ALL_CHANGES
Source Table	Listes déroulantes
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name Slide Liste 31

Slice Name	Slide Liste 31
Slice Columns	_RowNumber # Liste 1 Liste 2 Liste 3 Liste 4 Liste 5 Liste 6 Liste 7 Liste 8 Liste 9 Liste 10 Liste 11 Liste 12 Liste 13 Liste 14 Liste 15 Liste 16 Liste 17 Liste 18 Liste 19 Liste 20 Liste 21 Liste 22 Liste 23 Liste 24 Liste 25 Liste 26 Liste 27 Liste 28 Liste 29

Liste 30

Liste 31

Liste 32

Liste 33

Liste 34

Liste 35

Liste 36

Liste 37

Liste 38

Liste 39

Liste 40

Liste 41

Liste 42

Liste 43

Liste 44

Liste 45

Liste 46

Liste 47

Liste 48

Liste 49

Liste 50

Liste 51

Liste 52

Liste 53

Liste 54

Liste 55

Liste 56

Liste 57

Liste 58

Liste 59

Liste 60

Liste 61

Liste 62

Liste 63

Liste 64

Liste 65

Liste 66

Liste 67

Liste 68

Liste 69

Liste 70

Liste 71

Liste 72

- Liste 73
- Liste 74
- Liste 75
- Liste 76
- Liste 77
- Liste 78
- Liste 79
- Liste 80
- Liste 81
- Liste 82
- Liste 83
- Liste 84
- Liste 85
- Liste 86
- Liste 87
- Liste 88
- Liste 89
- Liste 90
- Liste 91
- Liste 92
- Liste 93
- Liste 94
- Liste 95
- Liste 96
- Liste 97
- Liste 98
- Liste 99
- Liste 100

Row filter condition	=ISNOTBLANK([Liste 31])
Update mode	ALL_CHANGES
Source Table	Listes déroulantes
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name Slide Liste 32

Slice Name	Slide Liste 32
Slice Columns	_RowNumber # Liste 1 Liste 2 Liste 3

Liste 4
Liste 5
Liste 6
Liste 7
Liste 8
Liste 9
Liste 10
Liste 11
Liste 12
Liste 13
Liste 14
Liste 15
Liste 16
Liste 17
Liste 18
Liste 19
Liste 20
Liste 21
Liste 22
Liste 23
Liste 24
Liste 25
Liste 26
Liste 27
Liste 28
Liste 29
Liste 30
Liste 31
Liste 32
Liste 33
Liste 34
Liste 35
Liste 36
Liste 37
Liste 38
Liste 39
Liste 40
Liste 41
Liste 42
Liste 43
Liste 44
Liste 45
Liste 46

Liste 47

Liste 48

Liste 49

Liste 50

Liste 51

Liste 52

Liste 53

Liste 54

Liste 55

Liste 56

Liste 57

Liste 58

Liste 59

Liste 60

Liste 61

Liste 62

Liste 63

Liste 64

Liste 65

Liste 66

Liste 67

Liste 68

Liste 69

Liste 70

Liste 71

Liste 72

Liste 73

Liste 74

Liste 75

Liste 76

Liste 77

Liste 78

Liste 79

Liste 80

Liste 81

Liste 82

Liste 83

Liste 84

Liste 85

Liste 86

Liste 87

Liste 88

Liste 89

	Liste 90
	Liste 91
	Liste 92
	Liste 93
	Liste 94
	Liste 95
	Liste 96
	Liste 97
	Liste 98
	Liste 99
	Liste 100
Row filter condition	=ISNOTBLANK([Liste 32])
Update mode	ALL_CHANGES
Source Table	Listes déroulantes
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name Slide Liste 33

Slice Name	Slide Liste 33
Slice Columns	_RowNumber # Liste 1 Liste 2 Liste 3 Liste 4 Liste 5 Liste 6 Liste 7 Liste 8 Liste 9 Liste 10 Liste 11 Liste 12 Liste 13 Liste 14 Liste 15 Liste 16 Liste 17 Liste 18 Liste 19 Liste 20

Liste 21

Liste 22

Liste 23

Liste 24

Liste 25

Liste 26

Liste 27

Liste 28

Liste 29

Liste 30

Liste 31

Liste 32

Liste 33

Liste 34

Liste 35

Liste 36

Liste 37

Liste 38

Liste 39

Liste 40

Liste 41

Liste 42

Liste 43

Liste 44

Liste 45

Liste 46

Liste 47

Liste 48

Liste 49

Liste 50

Liste 51

Liste 52

Liste 53

Liste 54

Liste 55

Liste 56

Liste 57

Liste 58

Liste 59

Liste 60

Liste 61

Liste 62

Liste 63

Liste 64
Liste 65
Liste 66
Liste 67
Liste 68
Liste 69
Liste 70
Liste 71
Liste 72
Liste 73
Liste 74
Liste 75
Liste 76
Liste 77
Liste 78
Liste 79
Liste 80
Liste 81
Liste 82
Liste 83
Liste 84
Liste 85
Liste 86
Liste 87
Liste 88
Liste 89
Liste 90
Liste 91
Liste 92
Liste 93
Liste 94
Liste 95
Liste 96
Liste 97
Liste 98
Liste 99
Liste 100

Row filter condition	=ISNOTBLANK([Liste 33])
Update mode	ALL_CHANGES
Source Table	Listes déroulantes
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name Slide Liste 34

Slice Name	Slide Liste 34
Slice Columns	_RowNumber # Liste 1 Liste 2 Liste 3 Liste 4 Liste 5 Liste 6 Liste 7 Liste 8 Liste 9 Liste 10 Liste 11 Liste 12 Liste 13 Liste 14 Liste 15 Liste 16 Liste 17 Liste 18 Liste 19 Liste 20 Liste 21 Liste 22 Liste 23 Liste 24 Liste 25 Liste 26 Liste 27 Liste 28 Liste 29 Liste 30 Liste 31 Liste 32 Liste 33 Liste 34 Liste 35 Liste 36 Liste 37 Liste 38

Liste 39

Liste 40

Liste 41

Liste 42

Liste 43

Liste 44

Liste 45

Liste 46

Liste 47

Liste 48

Liste 49

Liste 50

Liste 51

Liste 52

Liste 53

Liste 54

Liste 55

Liste 56

Liste 57

Liste 58

Liste 59

Liste 60

Liste 61

Liste 62

Liste 63

Liste 64

Liste 65

Liste 66

Liste 67

Liste 68

Liste 69

Liste 70

Liste 71

Liste 72

Liste 73

Liste 74

Liste 75

Liste 76

Liste 77

Liste 78

Liste 79

Liste 80

Liste 81

- Liste 82
- Liste 83
- Liste 84
- Liste 85
- Liste 86
- Liste 87
- Liste 88
- Liste 89
- Liste 90
- Liste 91
- Liste 92
- Liste 93
- Liste 94
- Liste 95
- Liste 96
- Liste 97
- Liste 98
- Liste 99
- Liste 100

Row filter condition	=ISNOTBLANK([Liste 34])
Update mode	ALL_CHANGES
Source Table	Listes déroulantes
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name Slide Liste 35

Slice Name	Slide Liste 35
Slice Columns	_RowNumber # Liste 1 Liste 2 Liste 3 Liste 4 Liste 5 Liste 6 Liste 7 Liste 8 Liste 9 Liste 10 Liste 11 Liste 12

Liste 13

Liste 14

Liste 15

Liste 16

Liste 17

Liste 18

Liste 19

Liste 20

Liste 21

Liste 22

Liste 23

Liste 24

Liste 25

Liste 26

Liste 27

Liste 28

Liste 29

Liste 30

Liste 31

Liste 32

Liste 33

Liste 34

Liste 35

Liste 36

Liste 37

Liste 38

Liste 39

Liste 40

Liste 41

Liste 42

Liste 43

Liste 44

Liste 45

Liste 46

Liste 47

Liste 48

Liste 49

Liste 50

Liste 51

Liste 52

Liste 53

Liste 54

Liste 55

Liste 56

Liste 57

Liste 58

Liste 59

Liste 60

Liste 61

Liste 62

Liste 63

Liste 64

Liste 65

Liste 66

Liste 67

Liste 68

Liste 69

Liste 70

Liste 71

Liste 72

Liste 73

Liste 74

Liste 75

Liste 76

Liste 77

Liste 78

Liste 79

Liste 80

Liste 81

Liste 82

Liste 83

Liste 84

Liste 85

Liste 86

Liste 87

Liste 88

Liste 89

Liste 90

Liste 91

Liste 92

Liste 93

Liste 94

Liste 95

Liste 96

Liste 97

Liste 98

	Liste 99
	Liste 100
Row filter condition	=ISNOTBLANK([Liste 35])
Update mode	ALL_CHANGES
Source Table	Listes déroulantes
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name Slide Liste 36

Slice Name	Slide Liste 36
Slice Columns	_RowNumber # Liste 1 Liste 2 Liste 3 Liste 4 Liste 5 Liste 6 Liste 7 Liste 8 Liste 9 Liste 10 Liste 11 Liste 12 Liste 13 Liste 14 Liste 15 Liste 16 Liste 17 Liste 18 Liste 19 Liste 20 Liste 21 Liste 22 Liste 23 Liste 24 Liste 25 Liste 26 Liste 27 Liste 28 Liste 29

Liste 30

Liste 31

Liste 32

Liste 33

Liste 34

Liste 35

Liste 36

Liste 37

Liste 38

Liste 39

Liste 40

Liste 41

Liste 42

Liste 43

Liste 44

Liste 45

Liste 46

Liste 47

Liste 48

Liste 49

Liste 50

Liste 51

Liste 52

Liste 53

Liste 54

Liste 55

Liste 56

Liste 57

Liste 58

Liste 59

Liste 60

Liste 61

Liste 62

Liste 63

Liste 64

Liste 65

Liste 66

Liste 67

Liste 68

Liste 69

Liste 70

Liste 71

Liste 72

- Liste 73
- Liste 74
- Liste 75
- Liste 76
- Liste 77
- Liste 78
- Liste 79
- Liste 80
- Liste 81
- Liste 82
- Liste 83
- Liste 84
- Liste 85
- Liste 86
- Liste 87
- Liste 88
- Liste 89
- Liste 90
- Liste 91
- Liste 92
- Liste 93
- Liste 94
- Liste 95
- Liste 96
- Liste 97
- Liste 98
- Liste 99
- Liste 100

Row filter condition	=ISNOTBLANK([Liste 36])
Update mode	ALL_CHANGES
Source Table	Listes déroulantes
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name Slide Liste 37

Slice Name	Slide Liste 37
Slice Columns	_RowNumber # Liste 1 Liste 2 Liste 3

Liste 4
Liste 5
Liste 6
Liste 7
Liste 8
Liste 9
Liste 10
Liste 11
Liste 12
Liste 13
Liste 14
Liste 15
Liste 16
Liste 17
Liste 18
Liste 19
Liste 20
Liste 21
Liste 22
Liste 23
Liste 24
Liste 25
Liste 26
Liste 27
Liste 28
Liste 29
Liste 30
Liste 31
Liste 32
Liste 33
Liste 34
Liste 35
Liste 36
Liste 37
Liste 38
Liste 39
Liste 40
Liste 41
Liste 42
Liste 43
Liste 44
Liste 45
Liste 46

Liste 47

Liste 48

Liste 49

Liste 50

Liste 51

Liste 52

Liste 53

Liste 54

Liste 55

Liste 56

Liste 57

Liste 58

Liste 59

Liste 60

Liste 61

Liste 62

Liste 63

Liste 64

Liste 65

Liste 66

Liste 67

Liste 68

Liste 69

Liste 70

Liste 71

Liste 72

Liste 73

Liste 74

Liste 75

Liste 76

Liste 77

Liste 78

Liste 79

Liste 80

Liste 81

Liste 82

Liste 83

Liste 84

Liste 85

Liste 86

Liste 87

Liste 88

Liste 89

	Liste 90
	Liste 91
	Liste 92
	Liste 93
	Liste 94
	Liste 95
	Liste 96
	Liste 97
	Liste 98
	Liste 99
	Liste 100
Row filter condition	=ISNOTBLANK([Liste 37])
Update mode	ALL_CHANGES
Source Table	Listes déroulantes
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name Slide Liste 38

Slice Name	Slide Liste 38
Slice Columns	_RowNumber # Liste 1 Liste 2 Liste 3 Liste 4 Liste 5 Liste 6 Liste 7 Liste 8 Liste 9 Liste 10 Liste 11 Liste 12 Liste 13 Liste 14 Liste 15 Liste 16 Liste 17 Liste 18 Liste 19 Liste 20

Liste 21

Liste 22

Liste 23

Liste 24

Liste 25

Liste 26

Liste 27

Liste 28

Liste 29

Liste 30

Liste 31

Liste 32

Liste 33

Liste 34

Liste 35

Liste 36

Liste 37

Liste 38

Liste 39

Liste 40

Liste 41

Liste 42

Liste 43

Liste 44

Liste 45

Liste 46

Liste 47

Liste 48

Liste 49

Liste 50

Liste 51

Liste 52

Liste 53

Liste 54

Liste 55

Liste 56

Liste 57

Liste 58

Liste 59

Liste 60

Liste 61

Liste 62

Liste 63

- Liste 64
- Liste 65
- Liste 66
- Liste 67
- Liste 68
- Liste 69
- Liste 70
- Liste 71
- Liste 72
- Liste 73
- Liste 74
- Liste 75
- Liste 76
- Liste 77
- Liste 78
- Liste 79
- Liste 80
- Liste 81
- Liste 82
- Liste 83
- Liste 84
- Liste 85
- Liste 86
- Liste 87
- Liste 88
- Liste 89
- Liste 90
- Liste 91
- Liste 92
- Liste 93
- Liste 94
- Liste 95
- Liste 96
- Liste 97
- Liste 98
- Liste 99
- Liste 100

Row filter condition	=ISNOTBLANK([Liste 38])
Update mode	ALL_CHANGES
Source Table	Listes déroulantes
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name Slide Liste 39

Slice Name	Slide Liste 39
Slice Columns	_RowNumber # Liste 1 Liste 2 Liste 3 Liste 4 Liste 5 Liste 6 Liste 7 Liste 8 Liste 9 Liste 10 Liste 11 Liste 12 Liste 13 Liste 14 Liste 15 Liste 16 Liste 17 Liste 18 Liste 19 Liste 20 Liste 21 Liste 22 Liste 23 Liste 24 Liste 25 Liste 26 Liste 27 Liste 28 Liste 29 Liste 30 Liste 31 Liste 32 Liste 33 Liste 34 Liste 35 Liste 36 Liste 37 Liste 38

Liste 39

Liste 40

Liste 41

Liste 42

Liste 43

Liste 44

Liste 45

Liste 46

Liste 47

Liste 48

Liste 49

Liste 50

Liste 51

Liste 52

Liste 53

Liste 54

Liste 55

Liste 56

Liste 57

Liste 58

Liste 59

Liste 60

Liste 61

Liste 62

Liste 63

Liste 64

Liste 65

Liste 66

Liste 67

Liste 68

Liste 69

Liste 70

Liste 71

Liste 72

Liste 73

Liste 74

Liste 75

Liste 76

Liste 77

Liste 78

Liste 79

Liste 80

Liste 81

- Liste 82
- Liste 83
- Liste 84
- Liste 85
- Liste 86
- Liste 87
- Liste 88
- Liste 89
- Liste 90
- Liste 91
- Liste 92
- Liste 93
- Liste 94
- Liste 95
- Liste 96
- Liste 97
- Liste 98
- Liste 99
- Liste 100

Row filter condition	=ISNOTBLANK([Liste 39])
Update mode	ALL_CHANGES
Source Table	Listes déroulantes
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name Slide Liste 40

Slice Name	Slide Liste 40
Slice Columns	_RowNumber # Liste 1 Liste 2 Liste 3 Liste 4 Liste 5 Liste 6 Liste 7 Liste 8 Liste 9 Liste 10 Liste 11 Liste 12

Liste 13

Liste 14

Liste 15

Liste 16

Liste 17

Liste 18

Liste 19

Liste 20

Liste 21

Liste 22

Liste 23

Liste 24

Liste 25

Liste 26

Liste 27

Liste 28

Liste 29

Liste 30

Liste 31

Liste 32

Liste 33

Liste 34

Liste 35

Liste 36

Liste 37

Liste 38

Liste 39

Liste 40

Liste 41

Liste 42

Liste 43

Liste 44

Liste 45

Liste 46

Liste 47

Liste 48

Liste 49

Liste 50

Liste 51

Liste 52

Liste 53

Liste 54

Liste 55

Liste 56

Liste 57

Liste 58

Liste 59

Liste 60

Liste 61

Liste 62

Liste 63

Liste 64

Liste 65

Liste 66

Liste 67

Liste 68

Liste 69

Liste 70

Liste 71

Liste 72

Liste 73

Liste 74

Liste 75

Liste 76

Liste 77

Liste 78

Liste 79

Liste 80

Liste 81

Liste 82

Liste 83

Liste 84

Liste 85

Liste 86

Liste 87

Liste 88

Liste 89

Liste 90

Liste 91

Liste 92

Liste 93

Liste 94

Liste 95

Liste 96

Liste 97

Liste 98

	Liste 99
	Liste 100
Row filter condition	=ISNOTBLANK([Liste 40])
Update mode	ALL_CHANGES
Source Table	Listes déroulantes
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name Slide Liste 41

Slice Name	Slide Liste 41
Slice Columns	_RowNumber # Liste 1 Liste 2 Liste 3 Liste 4 Liste 5 Liste 6 Liste 7 Liste 8 Liste 9 Liste 10 Liste 11 Liste 12 Liste 13 Liste 14 Liste 15 Liste 16 Liste 17 Liste 18 Liste 19 Liste 20 Liste 21 Liste 22 Liste 23 Liste 24 Liste 25 Liste 26 Liste 27 Liste 28 Liste 29

Liste 30

Liste 31

Liste 32

Liste 33

Liste 34

Liste 35

Liste 36

Liste 37

Liste 38

Liste 39

Liste 40

Liste 41

Liste 42

Liste 43

Liste 44

Liste 45

Liste 46

Liste 47

Liste 48

Liste 49

Liste 50

Liste 51

Liste 52

Liste 53

Liste 54

Liste 55

Liste 56

Liste 57

Liste 58

Liste 59

Liste 60

Liste 61

Liste 62

Liste 63

Liste 64

Liste 65

Liste 66

Liste 67

Liste 68

Liste 69

Liste 70

Liste 71

Liste 72

- Liste 73
- Liste 74
- Liste 75
- Liste 76
- Liste 77
- Liste 78
- Liste 79
- Liste 80
- Liste 81
- Liste 82
- Liste 83
- Liste 84
- Liste 85
- Liste 86
- Liste 87
- Liste 88
- Liste 89
- Liste 90
- Liste 91
- Liste 92
- Liste 93
- Liste 94
- Liste 95
- Liste 96
- Liste 97
- Liste 98
- Liste 99
- Liste 100

Row filter condition	=ISNOTBLANK([Liste 41])
Update mode	ALL_CHANGES
Source Table	Listes déroulantes
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name Slide Liste 42

Slice Name	Slide Liste 42
Slice Columns	_RowNumber # Liste 1 Liste 2 Liste 3

Liste 4
Liste 5
Liste 6
Liste 7
Liste 8
Liste 9
Liste 10
Liste 11
Liste 12
Liste 13
Liste 14
Liste 15
Liste 16
Liste 17
Liste 18
Liste 19
Liste 20
Liste 21
Liste 22
Liste 23
Liste 24
Liste 25
Liste 26
Liste 27
Liste 28
Liste 29
Liste 30
Liste 31
Liste 32
Liste 33
Liste 34
Liste 35
Liste 36
Liste 37
Liste 38
Liste 39
Liste 40
Liste 41
Liste 42
Liste 43
Liste 44
Liste 45
Liste 46

Liste 47

Liste 48

Liste 49

Liste 50

Liste 51

Liste 52

Liste 53

Liste 54

Liste 55

Liste 56

Liste 57

Liste 58

Liste 59

Liste 60

Liste 61

Liste 62

Liste 63

Liste 64

Liste 65

Liste 66

Liste 67

Liste 68

Liste 69

Liste 70

Liste 71

Liste 72

Liste 73

Liste 74

Liste 75

Liste 76

Liste 77

Liste 78

Liste 79

Liste 80

Liste 81

Liste 82

Liste 83

Liste 84

Liste 85

Liste 86

Liste 87

Liste 88

Liste 89

	Liste 90
	Liste 91
	Liste 92
	Liste 93
	Liste 94
	Liste 95
	Liste 96
	Liste 97
	Liste 98
	Liste 99
	Liste 100
Row filter condition	=ISNOTBLANK([Liste 42])
Update mode	ALL_CHANGES
Source Table	Listes déroulantes
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name Slide Liste 43

Slice Name	Slide Liste 43
Slice Columns	_RowNumber # Liste 1 Liste 2 Liste 3 Liste 4 Liste 5 Liste 6 Liste 7 Liste 8 Liste 9 Liste 10 Liste 11 Liste 12 Liste 13 Liste 14 Liste 15 Liste 16 Liste 17 Liste 18 Liste 19 Liste 20

Liste 21

Liste 22

Liste 23

Liste 24

Liste 25

Liste 26

Liste 27

Liste 28

Liste 29

Liste 30

Liste 31

Liste 32

Liste 33

Liste 34

Liste 35

Liste 36

Liste 37

Liste 38

Liste 39

Liste 40

Liste 41

Liste 42

Liste 43

Liste 44

Liste 45

Liste 46

Liste 47

Liste 48

Liste 49

Liste 50

Liste 51

Liste 52

Liste 53

Liste 54

Liste 55

Liste 56

Liste 57

Liste 58

Liste 59

Liste 60

Liste 61

Liste 62

Liste 63

- Liste 64
- Liste 65
- Liste 66
- Liste 67
- Liste 68
- Liste 69
- Liste 70
- Liste 71
- Liste 72
- Liste 73
- Liste 74
- Liste 75
- Liste 76
- Liste 77
- Liste 78
- Liste 79
- Liste 80
- Liste 81
- Liste 82
- Liste 83
- Liste 84
- Liste 85
- Liste 86
- Liste 87
- Liste 88
- Liste 89
- Liste 90
- Liste 91
- Liste 92
- Liste 93
- Liste 94
- Liste 95
- Liste 96
- Liste 97
- Liste 98
- Liste 99
- Liste 100

Row filter condition	=ISNOTBLANK([Liste 43])
Update mode	ALL_CHANGES
Source Table	Listes déroulantes
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name Slide Liste 44

Slice Name	Slide Liste 44
Slice Columns	_RowNumber # Liste 1 Liste 2 Liste 3 Liste 4 Liste 5 Liste 6 Liste 7 Liste 8 Liste 9 Liste 10 Liste 11 Liste 12 Liste 13 Liste 14 Liste 15 Liste 16 Liste 17 Liste 18 Liste 19 Liste 20 Liste 21 Liste 22 Liste 23 Liste 24 Liste 25 Liste 26 Liste 27 Liste 28 Liste 29 Liste 30 Liste 31 Liste 32 Liste 33 Liste 34 Liste 35 Liste 36 Liste 37 Liste 38

Liste 39

Liste 40

Liste 41

Liste 42

Liste 43

Liste 44

Liste 45

Liste 46

Liste 47

Liste 48

Liste 49

Liste 50

Liste 51

Liste 52

Liste 53

Liste 54

Liste 55

Liste 56

Liste 57

Liste 58

Liste 59

Liste 60

Liste 61

Liste 62

Liste 63

Liste 64

Liste 65

Liste 66

Liste 67

Liste 68

Liste 69

Liste 70

Liste 71

Liste 72

Liste 73

Liste 74

Liste 75

Liste 76

Liste 77

Liste 78

Liste 79

Liste 80

Liste 81

- Liste 82
- Liste 83
- Liste 84
- Liste 85
- Liste 86
- Liste 87
- Liste 88
- Liste 89
- Liste 90
- Liste 91
- Liste 92
- Liste 93
- Liste 94
- Liste 95
- Liste 96
- Liste 97
- Liste 98
- Liste 99
- Liste 100

Row filter condition	=ISNOTBLANK([Liste 44])
Update mode	ALL_CHANGES
Source Table	Listes déroulantes
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name Slide Liste 45

Slice Name	Slide Liste 45
Slice Columns	_RowNumber # Liste 1 Liste 2 Liste 3 Liste 4 Liste 5 Liste 6 Liste 7 Liste 8 Liste 9 Liste 10 Liste 11 Liste 12

Liste 13

Liste 14

Liste 15

Liste 16

Liste 17

Liste 18

Liste 19

Liste 20

Liste 21

Liste 22

Liste 23

Liste 24

Liste 25

Liste 26

Liste 27

Liste 28

Liste 29

Liste 30

Liste 31

Liste 32

Liste 33

Liste 34

Liste 35

Liste 36

Liste 37

Liste 38

Liste 39

Liste 40

Liste 41

Liste 42

Liste 43

Liste 44

Liste 45

Liste 46

Liste 47

Liste 48

Liste 49

Liste 50

Liste 51

Liste 52

Liste 53

Liste 54

Liste 55

Liste 56

Liste 57

Liste 58

Liste 59

Liste 60

Liste 61

Liste 62

Liste 63

Liste 64

Liste 65

Liste 66

Liste 67

Liste 68

Liste 69

Liste 70

Liste 71

Liste 72

Liste 73

Liste 74

Liste 75

Liste 76

Liste 77

Liste 78

Liste 79

Liste 80

Liste 81

Liste 82

Liste 83

Liste 84

Liste 85

Liste 86

Liste 87

Liste 88

Liste 89

Liste 90

Liste 91

Liste 92

Liste 93

Liste 94

Liste 95

Liste 96

Liste 97

Liste 98

	Liste 99
	Liste 100
Row filter condition	=ISNOTBLANK([Liste 45])
Update mode	ALL_CHANGES
Source Table	Listes déroulantes
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name Slide Liste 46

Slice Name	Slide Liste 46
Slice Columns	_RowNumber # Liste 1 Liste 2 Liste 3 Liste 4 Liste 5 Liste 6 Liste 7 Liste 8 Liste 9 Liste 10 Liste 11 Liste 12 Liste 13 Liste 14 Liste 15 Liste 16 Liste 17 Liste 18 Liste 19 Liste 20 Liste 21 Liste 22 Liste 23 Liste 24 Liste 25 Liste 26 Liste 27 Liste 28 Liste 29

Liste 30

Liste 31

Liste 32

Liste 33

Liste 34

Liste 35

Liste 36

Liste 37

Liste 38

Liste 39

Liste 40

Liste 41

Liste 42

Liste 43

Liste 44

Liste 45

Liste 46

Liste 47

Liste 48

Liste 49

Liste 50

Liste 51

Liste 52

Liste 53

Liste 54

Liste 55

Liste 56

Liste 57

Liste 58

Liste 59

Liste 60

Liste 61

Liste 62

Liste 63

Liste 64

Liste 65

Liste 66

Liste 67

Liste 68

Liste 69

Liste 70

Liste 71

Liste 72

- Liste 73
- Liste 74
- Liste 75
- Liste 76
- Liste 77
- Liste 78
- Liste 79
- Liste 80
- Liste 81
- Liste 82
- Liste 83
- Liste 84
- Liste 85
- Liste 86
- Liste 87
- Liste 88
- Liste 89
- Liste 90
- Liste 91
- Liste 92
- Liste 93
- Liste 94
- Liste 95
- Liste 96
- Liste 97
- Liste 98
- Liste 99
- Liste 100

Row filter condition	=ISNOTBLANK([Liste 46])
Update mode	ALL_CHANGES
Source Table	Listes déroulantes
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name Slide Liste 47

Slice Name	Slide Liste 47
Slice Columns	_RowNumber # Liste 1 Liste 2 Liste 3

Liste 4
Liste 5
Liste 6
Liste 7
Liste 8
Liste 9
Liste 10
Liste 11
Liste 12
Liste 13
Liste 14
Liste 15
Liste 16
Liste 17
Liste 18
Liste 19
Liste 20
Liste 21
Liste 22
Liste 23
Liste 24
Liste 25
Liste 26
Liste 27
Liste 28
Liste 29
Liste 30
Liste 31
Liste 32
Liste 33
Liste 34
Liste 35
Liste 36
Liste 37
Liste 38
Liste 39
Liste 40
Liste 41
Liste 42
Liste 43
Liste 44
Liste 45
Liste 46

Liste 47

Liste 48

Liste 49

Liste 50

Liste 51

Liste 52

Liste 53

Liste 54

Liste 55

Liste 56

Liste 57

Liste 58

Liste 59

Liste 60

Liste 61

Liste 62

Liste 63

Liste 64

Liste 65

Liste 66

Liste 67

Liste 68

Liste 69

Liste 70

Liste 71

Liste 72

Liste 73

Liste 74

Liste 75

Liste 76

Liste 77

Liste 78

Liste 79

Liste 80

Liste 81

Liste 82

Liste 83

Liste 84

Liste 85

Liste 86

Liste 87

Liste 88

Liste 89

	Liste 90
	Liste 91
	Liste 92
	Liste 93
	Liste 94
	Liste 95
	Liste 96
	Liste 97
	Liste 98
	Liste 99
	Liste 100
Row filter condition	=ISNOTBLANK([Liste 47])
Update mode	ALL_CHANGES
Source Table	Listes déroulantes
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name Slide Liste 48

Slice Name	Slide Liste 48
Slice Columns	_RowNumber # Liste 1 Liste 2 Liste 3 Liste 4 Liste 5 Liste 6 Liste 7 Liste 8 Liste 9 Liste 10 Liste 11 Liste 12 Liste 13 Liste 14 Liste 15 Liste 16 Liste 17 Liste 18 Liste 19 Liste 20

Liste 21

Liste 22

Liste 23

Liste 24

Liste 25

Liste 26

Liste 27

Liste 28

Liste 29

Liste 30

Liste 31

Liste 32

Liste 33

Liste 34

Liste 35

Liste 36

Liste 37

Liste 38

Liste 39

Liste 40

Liste 41

Liste 42

Liste 43

Liste 44

Liste 45

Liste 46

Liste 47

Liste 48

Liste 49

Liste 50

Liste 51

Liste 52

Liste 53

Liste 54

Liste 55

Liste 56

Liste 57

Liste 58

Liste 59

Liste 60

Liste 61

Liste 62

Liste 63

- Liste 64
- Liste 65
- Liste 66
- Liste 67
- Liste 68
- Liste 69
- Liste 70
- Liste 71
- Liste 72
- Liste 73
- Liste 74
- Liste 75
- Liste 76
- Liste 77
- Liste 78
- Liste 79
- Liste 80
- Liste 81
- Liste 82
- Liste 83
- Liste 84
- Liste 85
- Liste 86
- Liste 87
- Liste 88
- Liste 89
- Liste 90
- Liste 91
- Liste 92
- Liste 93
- Liste 94
- Liste 95
- Liste 96
- Liste 97
- Liste 98
- Liste 99
- Liste 100

Row filter condition	=ISNOTBLANK([Liste 48])
Update mode	ALL_CHANGES
Source Table	Listes déroulantes
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name Slide Liste 49

Slice Name	Slide Liste 49
Slice Columns	_RowNumber # Liste 1 Liste 2 Liste 3 Liste 4 Liste 5 Liste 6 Liste 7 Liste 8 Liste 9 Liste 10 Liste 11 Liste 12 Liste 13 Liste 14 Liste 15 Liste 16 Liste 17 Liste 18 Liste 19 Liste 20 Liste 21 Liste 22 Liste 23 Liste 24 Liste 25 Liste 26 Liste 27 Liste 28 Liste 29 Liste 30 Liste 31 Liste 32 Liste 33 Liste 34 Liste 35 Liste 36 Liste 37 Liste 38

Liste 39

Liste 40

Liste 41

Liste 42

Liste 43

Liste 44

Liste 45

Liste 46

Liste 47

Liste 48

Liste 49

Liste 50

Liste 51

Liste 52

Liste 53

Liste 54

Liste 55

Liste 56

Liste 57

Liste 58

Liste 59

Liste 60

Liste 61

Liste 62

Liste 63

Liste 64

Liste 65

Liste 66

Liste 67

Liste 68

Liste 69

Liste 70

Liste 71

Liste 72

Liste 73

Liste 74

Liste 75

Liste 76

Liste 77

Liste 78

Liste 79

Liste 80

Liste 81

- Liste 82
- Liste 83
- Liste 84
- Liste 85
- Liste 86
- Liste 87
- Liste 88
- Liste 89
- Liste 90
- Liste 91
- Liste 92
- Liste 93
- Liste 94
- Liste 95
- Liste 96
- Liste 97
- Liste 98
- Liste 99
- Liste 100

Row filter condition	=ISNOTBLANK([Liste 49])
Update mode	ALL_CHANGES
Source Table	Listes déroulantes
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name Slide Liste 50

Slice Name	Slide Liste 50
Slice Columns	_RowNumber # Liste 1 Liste 2 Liste 3 Liste 4 Liste 5 Liste 6 Liste 7 Liste 8 Liste 9 Liste 10 Liste 11 Liste 12

Liste 13

Liste 14

Liste 15

Liste 16

Liste 17

Liste 18

Liste 19

Liste 20

Liste 21

Liste 22

Liste 23

Liste 24

Liste 25

Liste 26

Liste 27

Liste 28

Liste 29

Liste 30

Liste 31

Liste 32

Liste 33

Liste 34

Liste 35

Liste 36

Liste 37

Liste 38

Liste 39

Liste 40

Liste 41

Liste 42

Liste 43

Liste 44

Liste 45

Liste 46

Liste 47

Liste 48

Liste 49

Liste 50

Liste 51

Liste 52

Liste 53

Liste 54

Liste 55

Liste 56

Liste 57

Liste 58

Liste 59

Liste 60

Liste 61

Liste 62

Liste 63

Liste 64

Liste 65

Liste 66

Liste 67

Liste 68

Liste 69

Liste 70

Liste 71

Liste 72

Liste 73

Liste 74

Liste 75

Liste 76

Liste 77

Liste 78

Liste 79

Liste 80

Liste 81

Liste 82

Liste 83

Liste 84

Liste 85

Liste 86

Liste 87

Liste 88

Liste 89

Liste 90

Liste 91

Liste 92

Liste 93

Liste 94

Liste 95

Liste 96

Liste 97

Liste 98

	Liste 99
	Liste 100
Row filter condition	=ISNOTBLANK([Liste 50])
Update mode	ALL_CHANGES
Source Table	Listes déroulantes
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name Slide Gestion sous accès

Slice Name	Slide Gestion sous accès
Slice Columns	_RowNumber # Accès Image Mail ID Ligne Sous Accès 1 Sous Accès 2 Sous Accès 3 Sous Accès 4 Sous Accès 5 Sous Accès 6 Sous Accès 7 Sous Accès 8 Sous Accès 9 Sous Accès 10 Sous Accès 11 Sous Accès 12 Sous Accès 13 Sous Accès 14 Sous Accès 15 Sous Accès 16 Sous Accès 17 Sous Accès 18 Sous Accès 19 Sous Accès 20 Sous Accès 21 Sous Accès 22 Sous Accès 23 Sous Accès 24 Sous Accès 25

	Sous Accès 26
	Sous Accès 27
	Sous Accès 28
	Sous Accès 29
	Sous Accès 30
Row filter condition	=ISNOTBLANK([Accès])
Update mode	ALL_CHANGES
Source Table	Accès
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name Slide Administratif

Slice Name	Slide Administratif
	_RowNumber
	#
	Date
	Catégorie
	Type
	Document
	Style de document
	Infos complémentaires
Slice Columns	Document traité ?
	Fichier PDF
	Fichier Photo 1
	Fichier Photo 2
	Fichier Photo 3
	Fichier Photo 4
	Fichier Photo 5
	Document traité
	Classe
Row filter condition	=ISNOTBLANK([Document])
Update mode	ALL_CHANGES
Source Table	Administratif
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name Slide Activités

Slice Name	Slide Activités
Slice Columns	_RowNumber

	#
	Photo
	Type
	Activité
	Infos complémentaires
	Lieu
	Zone géographique
	A voir ou Fait
	Conseil venu de
	Note
	Priorité
	Lieux des choses déjà faites
	Lien
	Déjà fait
	Gamme de prix
Row filter condition	=ISNOTBLANK([Activité])
Update mode	ALL_CHANGES
Source Table	Activites
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name Slide FilmSérie

Slice Name	Slide FilmSérie
	_RowNumber
	#
	Type
	Nom
	Plateforme
	Catégorie
Slice Columns	Vu ou non vu
	Note
	Infos complémentaires
	Prix (si location ou achat)
	Noter si vu ou non vu
	Date de sortie
	Saison / Partie
Row filter condition	=ISNOTBLANK([Nom])
Update mode	ALL_CHANGES
Source Table	FilmsSeries
Visible?	ALWAYS

Slice Actions

****auto****

Slice Name Slide Astuces

Slice Name	Slide Astuces
	_RowNumber
	#
Slice Columns	Type
	Astuces
	Infos complémentaires
Row filter condition	=ISNOTBLANK([Astuces])
Update mode	ALL_CHANGES
Source Table	Astuces
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name Slide Cartes cadeaux

Slice Name	Slide Cartes cadeaux
	_RowNumber
	#
	Magasin
	Prix
	Date de fin de validité
Slice Columns	Temps restant (en jours)
	Carte à ne plus afficher
	Carte valide ?
	Label
	Objectif de la carte
	Mettre la Carte invalide
Row filter condition	=AND(ISNOTBLANK([Label]) ; ISBLANK([Carte à ne plus afficher]))
Update mode	ALL_CHANGES
Source Table	CartesCadeaux
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name Slide Notifications

Slice Name	Slide Notifications
Slice Columns	_RowNumber
	#

	Titre
	Détails
	Image
	Affichage
Row filter condition	=AND(ISNOTBLANK([Titre]) ; ISNOTBLANK([Affichage]))
Update mode	ALL_CHANGES
Source Table	Notifications
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name Slide Cadeaux

Slice Name	Slide Cadeaux
	_RowNumber
	#
	Idées de cadeaux
	Pour qui ?
Slice Columns	Pour quelle occasion ?
	Qui peut voir ça
	Mails
	Acheté
	Image
Row filter condition	=AND(ISNOTBLANK([Idées de cadeaux]; ISBLANK([Acheté]);IN(USEREMAIL());SPLIT([Mails];";"))
Update mode	ALL_CHANGES
Source Table	Cadeaux
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name Slide Liste de course

Slice Name	Slide Liste de course
Slice Columns	_RowNumber
	#
	Articles
	Quantité
	Image
	Date création
	Acheté ?
	Image auto
	Etat

	Regroupement
	Infos complémentaires
	Modifier infos
	Texte détails
	Dans le frigo
Row filter condition	=ISNOTBLANK([Articles])
Update mode	ALL_CHANGES
Source Table	Liste de courses
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name Slide DataBeer

Slice Name	Slide DataBeer
Slice Columns	_RowNumber # Date Service Type de bière Typologie Nom Degrés Note Note Sarah Note Teddy Analyse Coordonnées GPS Pays (ou Région) Bar / Ville Contexte (terrasse, intérieur, ...) Evenement Météo Froid, très chaud ou bien Température Photo du moment Photo de la bière IBU/DI (proche de 1 = Amer) Année Saison Classement général et note Nb de fois Jour split

	Mois split
	Année split
	Classement
	Classement Sarah
	Classement Teddy
	Sarah ♦ Teddy
	Infos
	Photos
	Split typologie 1
	Split typologie 2
	Split typologie 3
	Split typologie 4
	IDDataBeer
	Note (nouv)
Row filter condition	=ISNOTBLANK([Nom])
Update mode	ALL_CHANGES
Source Table	DataBeer
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name Slide TDB Beer

Slice Name	Slide TDB Beer
	_RowNumber
	Bilan
	Nombre de bières totales :
	Nombre de bières blondes :
	Nombre de bières blanches :
Slice Columns	Nombre de bières brunes :
	Nombre de bières IPA :
	Nombre de bières de soif :
	Note maximale :
	Note minimale :
	Moyenne des notes :
Row filter condition	=ISNOTBLANK([Bilan])
Update mode	ALL_CHANGES
Source Table	TDBBeer
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name Slide Recette

Slice Name	Slide Recette
	_RowNumber
	ID
	Nom
	Ingrédients
	Sélection aléatoire d'une recette
Slice Columns	Photo de la recette 1
	Image du plat
	Photo de la recette 2
	Note recette
	Regroupement
	Recette complète dans le frigo
Row filter condition	=ISNOTBLANK([Nom])
Update mode	ALL_CHANGES
Source Table	Recettes
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name Slide Repas aléatoire

Slice Name	Slide Repas aléatoire
	_RowNumber
	ID
	Nom
Slice Columns	Ingrédients
	Sélection aléatoire d'une recette
	Note recette
Row filter condition	=ISNOTBLANK([Nom])
Update mode	ALL_CHANGES
Source Table	Recettes
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name Slide Jeux

Slice Name	Slide Jeux
Slice Columns	_RowNumber
	ID
	Label
	Date de la partie

ID Partie
Jeux
Nombre de joueurs
Joueur 1
Nom Joueur 1
Point joueur 1
Joueur 2
Nom Joueur 2
Point joueur 2
Joueur 3
Nom Joueur 3
Point joueur 3
Joueur 4
Nom Joueur 4
Point joueur 4
Joueur 5
Nom Joueur 5
Point joueur 5
Joueur 6
Nom Joueur 6
Point joueur 6
Joueur 7
Nom Joueur 7
Point joueur 7
Joueur 8
Nom Joueur 8
Point joueur 8
Joueur 9
Nom Joueur 9
Point joueur 9
Joueur 10
Nom Joueur 10
Point joueur 10
Joueur 11
Nom Joueur 11
Point joueur 11
Joueur 12
Nom Joueur 12
Point joueur 12
Joueur 13
Nom Joueur 13
Point joueur 13
Joueur 14

	Nom Joueur 14
	Point joueur 14
	Joueur 15
	Nom Joueur 15
	Point joueur 15
	Calculer cette partie
	N° Tour
	Partie
	Tour
	N° Partie
	ID Tour
Row filter condition	=ISNOTBLANK([ID])
Update mode	ALL_CHANGES
Source Table	Jeux
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name Slide Bilan Jeux

Slice Name	Slide Bilan Jeux
Slice Columns	_RowNumber Filtre Nom Joueur 1 Joueur 1 Nom Joueur 2 Joueur 2 Nom Joueur 3 Joueur 3 Nom Joueur 4 Joueur 4 Nom Joueur 5 Joueur 5 Nom Joueur 6 Joueur 6 Nom Joueur 7 Joueur 7 Nom Joueur 8 Joueur 8 Nom Joueur 9 Joueur 9 Nom Joueur 10 Joueur 10

	Nom Joueur 11
	Joueur 11
	Nom Joueur 12
	Joueur 12
	Nom Joueur 13
	Joueur 13
	Nom Joueur 14
	Joueur 14
	Nom Joueur 15
	Joueur 15
	ID Partie
	Label
Row filter condition	=ISNOTBLANK([Filtre])
Update mode	READ_ONLY
Source Table	Bilan jeux
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name Slide MenusRecette

Slice Name	Slide MenusRecette
	_RowNumber
	ID
Slice Columns	ID Menus
	Ingrédients
	Nom
	Vérif si dans le frigo
Row filter condition	=ISNOTBLANK([ID])
Update mode	ALL_CHANGES
Source Table	MenusRecette
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name Slide DataBeerSecond

Slice Name	Slide DataBeerSecond
Slice Columns	_RowNumber
	IDDataBeerSecond
	IDDataBeerRef
	Date
	Note Sarah

Note Teddy
Analyse
Coordonnées GPS
Pays (ou Région)
Bar / Ville
Contexte (terrasse, intérieur, ...)
Evenement
Météo
Froid, très chaud ou bien
Température
Photo du moment
Photo de la bière
IBU/DI (proche de 1 = Amer)
Note

Row filter condition	=ISNOTBLANK([IDDataBeerSecond])
Update mode	ALL_CHANGES
Source Table	DataBeerSecond
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name Slide Commande

Slice Name	Slide Commande _RowNumber IDCommande
Slice Columns	Date et heure Related DetailsCommandes Nombre total à commander Texte nombre total
Row filter condition	=ISNOTBLANK([IDCommande])
Update mode	ALL_CHANGES
Source Table	Commande
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name Slide DetailsCommande

Slice Name	Slide DetailsCommande
Slice Columns	_RowNumber IDDetailsCommande IDCommandeRef

	Quoi ?
	Nombre
Row filter condition	=ISNOTBLANK([IDDetailsCommande])
Update mode	ALL_CHANGES
Source Table	DetailsCommande
Visible?	ALWAYS
Slice Actions	**auto**

Slice Name Slide DatabaseBeer

Slice Name	Slide DatabaseBeer
	_RowNumber
	IDDataBaseBeer
	Date
	Service
	Type de bière
	Typologie
	Nom
	Degrés
	Note Sarah
	Note Teddy
	Analyse
	Coordonnées GPS
	Pays (ou Région)
	Bar / Ville
	Contexte (terrasse, intérieur, ...)
Slice Columns	Evenement
	Météo
	Froid, très chaud ou bien
	Température
	Photo du moment
	Photo de la bière
	IBU/DI (proche de 1 = Amer)
	Photo
	Moyenne des notes
	Date réelle
	Année
	Saison
	Classement de la bière
	Notation
	Classement Général et note
	Related DataBeerSeconds

Row filter condition	=ISNOTBLANK([IDDataBaseBeer])
Update mode	ALL_CHANGES
Source Table	DatabaseBeer
Visible?	ALWAYS
Slice Actions	**auto**

UX

Views

View name Notifications

View name	Notifications
Created by	App owner
View type	onboarding
Position	center
View configuration	<pre>{"Image":"Image","Title":"Titre","FirstBlurb":"Détails","SecondBlurb":null,"FinishView":"Accès","GroupBy":[],"GroupAggregate":"NONE","SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fas fa-home-alt","IconRunnerUps":null,"MenuOrder":1}</pre>
Visible?	ALWAYS
Icon	
Menu order	1

View name Bières

View name	Bières
Created by	App owner
View type	deck
ActionType	Full Image
Position	menu
View configuration	<pre>{"MainDeckImageColumn":"Photo","ImageShape":"Full Image","PrimaryDeckHeaderColumn":"Nom","SecondaryDeckHeaderColumn":"Notation","DeckSummaryColumn":"Type de bière","DeckNestedTableColumn":"**none**","ShowActionBar":true,"ActionColumns":[],"ActionBarEntries":["View Map (Coordonnées GPS)","Edit"],"GroupBy":[{"Column":"Moyenne des notes","Order":"Ascending"},{"Column":"Date réelle","Order":"Descending"}],"GroupAggregate":"COUNT","SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[{"EventType":"Row Selected","EventAction":"**auto**"}, {"EventType":"Row Swiped Left","EventAction":"**auto**"}, {"EventType":"Row Swiped Right","EventAction":"**auto**"}],"Icon":"fa-list-ul","IconRunnerUps":null,"MenuOrder":1}</pre>
Visible?	ALWAYS
Icon	

Menu order1

View name Bières (ancien)

View name	Bières (ancien)
Created by	App owner
View type	deck
ActionType	Full Image
Position	menu
View configuration	<pre>{ "MainDeckImageColumn": "Photos", "ImageShape": "Full Image", "PrimaryDeckHeaderColumn": "Nom", "SecondaryDeckHeaderColumn": "Infos", "DeckSummaryColumn": "Sarah ♦ Teddy", "DeckNestedTableColumn": "**none**", "ShowActionBar": true, "ActionColumns": [], "ActionBarEntries": [], "GroupBy": [{ "Column": "Note", "Order": "Ascending" }, { "Column": "Date", "Order": "Descending" }], "GroupAggregate": "NONE", "SortBy": [{ "Column": "Note", "Order": "Descending" }], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [{ "EventType": "Row Selected", "EventAction": "**auto**" }, { "EventType": "Row Swiped Left", "EventAction": "**auto**" }, { "EventType": "Row Swiped Right", "EventAction": "**auto**" }], "Icon": "fa-list-ul", "IconRunnerUps": null, "MenuOrder": 1 }</pre>
Visible?	ALWAYS
Icon	☰
Menu order	1

View name Commandes

View name	Commandes
Created by	App owner
View type	deck
ActionType	Square Image
Position	menu
View configuration	<pre>{ "MainDeckImageColumn": "**auto**", "ImageShape": "Square Image", "PrimaryDeckHeaderColumn": "Date et heure", "SecondaryDeckHeaderColumn": "**none**", "DeckSummaryColumn": "**none**", "DeckNestedTableColumn": null, "ShowActionBar": false, "ActionColumns": [], "ActionBarEntries": [], "GroupBy": [], "GroupAggregate": "NONE", "SortBy": [{ "Column": "Date et heure", "Order": "Descending" }], "PrimarySortColumn": null, "IsPrimarySortDescending": false }</pre>

	tDescending":false,"Events":[{"EventType":"Row Selected","EventAction":"**auto**"}, {"EventType":"Row Swiped Left","EventAction":"**auto**"}, {"EventType":"Row Swiped Right","EventAction":"**auto**"}], "Icon": "fa-list-ul", "IconRunnerUps": null, "MenuOrder": 1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Accès

View name	Accès
Created by	App owner
View type	gallery
ActionType	Small
Position	ref
View configuration	{ "ImageSize": "Small", "ActionBarEntries": [], "SortBy": [{"Column": "Accès", "Order": "Ascending"}], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [{"EventType": "Row Selected", "EventAction": "Aller vers Sous Accès"}], "Icon": "fas fa-home-alt", "IconRunnerUps": null, "MenuOrder": 1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Accès Personnel

View name	Accès Personnel
Created by	App owner
View type	deck
ActionType	Square Image
Position	ref
View configuration	{ "MainDeckImageColumn": "**auto**", "ImageShape": "Square Image", "PrimaryDeckHeaderColumn": "NOM Prénom", "SecondaryDeckHeaderColumn": "**none**", "DeckSummaryColumn": "**none**", "DeckNestedTableColumn": null, "ShowActionBar": true, "ActionColumns": [], "ActionBarEntries": ["Compose Email (Adresse mail)"], "GroupBy": [], "GroupAggregate": "NONE", "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [{"EventType": "Row Selected", "EventAction": "**auto**"}],

```
{ "EventType": "Row Swiped Left", "EventAction": "**auto**" },
{ "EventType": "Row Swiped Right", "EventAction": "**auto**" } ], "Icon": "fa-
list-ul", "IconRunnerUps": null, "MenuOrder": 1 }
```

Visible?	ALWAYS
Icon	
Menu order	1

View name Accès Personnel_Detail

View name	Accès Personnel_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{ "MainSlideshowImageColumn": "**auto**", "DetailContentColumn": "**none**", "HeaderColumns": [], "QuickEditColumns": [], "ColumnOrder": [], "ImageStyle": "Fill", "Layout": null, "UseCardLayout": false, "DisplayMode": "Automatic", "MaxNestedRows": 5, "SlideshowMode": true, "DesktopSplitMode": "Split view", "UseDesktopMultiColumn": true, "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [], "Icon": "fa-indent", "IconRunnerUps": null, "MenuOrder": 1 }
Visible?	ALWAYS
Icon	
Menu order	1

View name Accès Personnel_Form

View name	Accès Personnel_Form
Created by	System
View type	form
Position	ref
View configuration	{ "ColumnOrder": null, "AutoSave": false, "AutoReopen": false, "FinishView": "**Automatic**", "RowKey": "", "FormStyle": "Automatic", "PageStyle": "Automatic", "FormFooterStyle": "Bottom", "MaxNestedRows": 5, "AudioInput": false, "Events": [{ "EventType": "Form Saved", "EventAction": "**auto**" }], "Icon": "fa-edit", "IconRunnerUps": null, "MenuOrder": 1 }
Visible?	ALWAYS
Icon	
Menu order	1

View name Activités

View name	Activités
Created by	App owner
View type	deck
ActionType	Full Image
Position	ref
View configuration	<pre>{ "MainDeckImageColumn": "Photo", "ImageShape": "Full Image", "PrimaryDeckHeaderColumn": "Activité", "SecondaryDeckHeaderColumn": "Infos complémentaires", "DeckSummaryColumn": "Note", "DeckNestedTableColumn": "**none**", "ShowActionBar": true, "ActionColumns": [], "ActionBarEntries": ["Open Url (Lien)", "View Map (Lieu)", "Activité à faire / faite", "Edit"], "GroupBy": { "Column": "Type", "Order": "Ascending" }, "GroupAggregate": "COUNT", "SortBy": { "Column": "Note", "Order": "Descending" }, "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [{ "EventType": "Row Selected", "EventAction": "**auto**" }, { "EventType": "Row Swiped Left", "EventAction": "**auto**" }, { "EventType": "Row Swiped Right", "EventAction": "**auto**" }], "Icon": "fa-list-ul", "IconRunnerUps": null, "MenuOrder": 1 }</pre>
Visible?	ALWAYS
Icon	☰
Menu order	1

View name Activites_Detail

View name	Activites_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	<pre>{ "MainSlideshowImageColumn": "**auto**", "DetailContentColumn": "**none**", "HeaderColumns": [], "QuickEditColumns": [], "ColumnOrder": [], "ImageStyle": "Fill", "Layout": null, "UseCardLayout": false, "DisplayMode": "Automatic", "MaxNestedRows": 5, "SlideshowMode": true, "DesktopSplitMode": "Split view", "UseDesktopMultiColumn": true, "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [], "Icon": "fa-indent", "IconRunnerUps": null, "MenuOrder": 1 }</pre>
Visible?	ALWAYS

Icon	
Menu order	1

View name Activites_Form

View name	Activites_Form
Created by	System
View type	form
Position	ref
View configuration	<pre>{"ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView":"**Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false,"Events":{"EventType":"Form Saved","EventAction":"**auto**"}}, {"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}</pre>
Visible?	ALWAYS
Icon	
Menu order	1

View name Administratif_Detail

View name	Administratif_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	<pre>{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder":[],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Automatic","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}</pre>
Visible?	ALWAYS
Icon	
Menu order	1

View name Administratif_Form

View name	Administratif_Form
-----------	--------------------

Created by	System
View type	form
Position	ref
View configuration	{ "ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView": "Automatic","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic", "FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false, "Events":[{"EventType":"Form Saved","EventAction":"**auto**"}], "Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Astuces

View name	Astuces
Created by	App owner
View type	deck
ActionType	Full Image
Position	ref
View configuration	{ "MainDeckImageColumn":"**none**","ImageShape":"Full Image", "PrimaryDeckHeaderColumn":"Astuces","SecondaryDeckHeaderColumn":"Infos complémentaires", "DeckSummaryColumn":"Type","DeckNestedTableColumn":"**none**", "ShowActionBar":true,"ActionColumns":[], "ActionBarEntries":[], "GroupBy":[{"Column":"Type","Order":"Ascending"}], "GroupAggregate":"COUNT","SortBy":[{"Column":"Astuces","Order":"Ascending"}], "PrimarySortColumn":null,"IsPrimarySortDescending":false, "Events":[{"EventType":"Row Selected","EventAction":"**auto**"}, {"EventType":"Row Swiped Left","EventAction":"**auto**"}, {"EventType":"Row Swiped Right","EventAction":"**auto**"}], "Icon":"fa-list-ul","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Astuces_Detail

View name	Astuces_Detail
-----------	----------------

Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{ "MainSlideshowImageColumn": "**auto**", "DetailContentColumn": "**none**", "HeaderColumns": [], "QuickEditColumns": [], "ColumnOrder": [], "ImageStyle": "Fill", "Layout": null, "UseCardLayout": false, "DisplayMode": "Automatic", "MaxNestedRows": 5, "SlideshowMode": true, "DesktopSplitMode": "Split view", "UseDesktopMultiColumn": true, "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [], "Icon": "fa-indent", "IconRunnerUps": null, "MenuOrder": 1 }
Visible?	ALWAYS
Icon	
Menu order	1

View name Astuces_Form

View name	Astuces_Form
Created by	System
View type	form
Position	ref
View configuration	{ "ColumnOrder": null, "AutoSave": false, "AutoReopen": false, "FinishView": "**Automatic**", "RowKey": "", "FormStyle": "Automatic", "PageStyle": "Automatic", "FormFooterStyle": "Bottom", "MaxNestedRows": 5, "AudioInput": false, "Events": [{ "EventType": "Form Saved", "EventAction": "**auto**" }], "Icon": "fa-edit", "IconRunnerUps": null, "MenuOrder": 1 }
Visible?	ALWAYS
Icon	
Menu order	1

View name Bières Notation 2

View name	Bières Notation 2
Created by	App owner
View type	deck
ActionType	Full Image
Position	ref
View configuration	{ "MainDeckImageColumn": "**auto**", "ImageShape": "Full Image", "PrimaryDeckHeaderColumn": "**auto**", "SecondaryDeckHeaderColumn": "**auto**" }

	<pre>derColumn": "**none**", "DeckSummaryColumn": "**none**", "DeckNestedTableColumn": "**none**", "ShowActionBar": false, "ActionColumns": [], "ActionBarEntries": [], "GroupBy": [{"Column": "Date", "Order": "Descending"}], "GroupAggregate": "NONE", "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [{"EventType": "Row Selected", "EventAction": "**auto**"}, {"EventType": "Row Swiped Left", "EventAction": "**auto**"}, {"EventType": "Row Swiped Right", "EventAction": "**auto**"}], "Icon": "fa-list-ul", "IconRunnerUps": null, "MenuOrder": 1}</pre>
Visible?	ALWAYS
Icon	☰
Menu order	1

View name Bilan Bières

View name	Bilan Bières
Created by	App owner
View type	detail
ActionType	Automatic
Position	ref
View configuration	<pre>{"MainSlideshowImageColumn": "**auto**", "DetailContentColumn": "**none**", "HeaderColumns": [], "QuickEditColumns": [], "ColumnOrder": [], "ImageStyle": "Fill", "Layout": null, "UseCardLayout": false, "DisplayMode": "Automatic", "MaxNestedRows": 5, "SlideshowMode": false, "DesktopSplitMode": "Split view", "UseDesktopMultiColumn": false, "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [], "Icon": "fa-list-ul", "IconRunnerUps": null, "MenuOrder": 1}</pre>
Visible?	ALWAYS
Icon	☰
Menu order	1

View name Bilan Jeux

View name	Bilan Jeux
Created by	App owner
View type	table
Position	ref
View configuration	<pre>{"ColumnWidth": "Default", "EnableQuickEdit": false, "ColumnOrder": ["Label", "Nom Joueur 1", "Joueur 1", "Nom Joueur 2", "Joueur 2", "Nom Joueur 3", "Joueur 3", "Nom Joueur 4", "Joueur 4", "Nom Joueur</pre>

5","Joueur 5","Nom Joueur 6","Joueur 6","Nom Joueur 7","Joueur 7","Nom Joueur 8","Joueur 8","Nom Joueur 9","Joueur 9","Nom Joueur 10","Joueur 10","Nom Joueur 11","Joueur 11","Nom Joueur 12","Joueur 12","Nom Joueur 13","Joueur 13","Nom Joueur 14","Joueur 14","Nom Joueur 15","Joueur 15"],"GroupBy": [{"Column": "ID Partie", "Order": "Descending"}], "GroupAggregate": "NONE", "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [{"Event Type": "Row Selected", "Event Action": "**auto**"}], "Icon": "fa-list-ul", "IconRunnerUps": null, "MenuOrder": 1}	
Visible?	ALWAYS
Icon	
Menu order	1

View name Bilan jeux_Detail

View name	Bilan jeux_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{ "MainSlideshowImageColumn": "**auto**", "DetailContentColumn": "**none**", "HeaderColumns": [], "QuickEditColumns": [], "ColumnOrder": [], "ImageStyle": "Fill", "Layout": null, "UseCardLayout": false, "DisplayMode": "Automatic", "MaxNestedRows": 5, "SlideshowMode": true, "DesktopSplitMode": "Split view", "UseDesktopMultiColumn": true, "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [], "Icon": "fa-indent", "IconRunnerUps": null, "MenuOrder": 1 }
Visible?	ALWAYS
Icon	
Menu order	1

View name Cadeaux_Detail

View name	Cadeaux_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref

View configuration	<pre>{ "MainSlideshowImageColumn": "**auto**", "DetailContentColumn": "**none**", "HeaderColumns": [], "QuickEditColumns": [], "ColumnOrder": [], "ImageStyle": "Fill", "Layout": null, "UseCardLayout": false, "DisplayMode": "Automatic", "MaxNestedRows": 5, "SlideshowMode": true, "DesktopSplitMode": "Split view", "UseDesktopMultiColumn": true, "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [], "Icon": "fa-indent", "IconRunnerUps": null, "MenuOrder": 1 }</pre>
Visible?	ALWAYS
Icon	
Menu order	1

View name Cadeaux_Form

View name	Cadeaux_Form
Created by	System
View type	form
Position	ref
View configuration	<pre>{ "ColumnOrder": null, "AutoSave": false, "AutoReopen": false, "FinishView": "**Automatic**", "RowKey": "", "FormStyle": "Automatic", "PageStyle": "Automatic", "FormFooterStyle": "Bottom", "MaxNestedRows": 5, "AudioInput": false, "Events": [{ "EventType": "Form Saved", "EventAction": "**auto**" }], "Icon": "fa-edit", "IconRunnerUps": null, "MenuOrder": 1 }</pre>
Visible?	ALWAYS
Icon	
Menu order	1

View name Cartes cadeaux

View name	Cartes cadeaux
Created by	App owner
View type	deck
ActionType	Full Image
Position	ref
View configuration	<pre>{ "MainDeckImageColumn": "**none**", "ImageShape": "Full Image", "PrimaryDeckHeaderColumn": "Label", "SecondaryDeckHeaderColumn": "Temps restant (en jours)", "DeckSummaryColumn": "**none**", "DeckNestedTableColumn": "**none**", "ShowActionBar": true, "ActionColumns": [], "ActionBarEntries": [], "GroupBy": [{ "Column": "Carte valide" }</pre>

	<pre>{",Order": "Ascending"}], "GroupAggregate": "COUNT", "SortBy": [{"Column": "Temps restant (en jours)", "Order": "Ascending"}], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [{"EventType": "Row Selected", "EventAction": "**auto**"}, {"EventType": "Row Swiped Left", "EventAction": "**auto**"}, {"EventType": "Row Swiped Right", "EventAction": "**auto**"}], "Icon": "fa-list-ul", "IconRunnerUps": null, "MenuOrder": 1}</pre>
Visible?	ALWAYS
Icon	
Menu order	1

View name CartesCadeaux_Detail

View name	CartesCadeaux_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	<pre>{"MainSlideshowImageColumn": "**auto**", "DetailContentColumn": "**none**", "HeaderColumns": [], "QuickEditColumns": [], "ColumnOrder": [], "ImageStyle": "Fill", "Layout": null, "UseCardLayout": false, "DisplayMode": "Automatic", "MaxNestedRows": 5, "SlideshowMode": true, "DesktopSplitMode": "Split view", "UseDesktopMultiColumn": true, "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [], "Icon": "fa-indent", "IconRunnerUps": null, "MenuOrder": 1}</pre>
Visible?	ALWAYS
Icon	
Menu order	1

View name CartesCadeaux_Form

View name	CartesCadeaux_Form
Created by	System
View type	form
Position	ref
View configuration	<pre>{"ColumnOrder": null, "AutoSave": false, "AutoReopen": false, "FinishView": "**Automatic**", "RowKey": "", "FormStyle": "Automatic", "PageStyle": "Automatic", "FormFooterStyle": "Bottom", "MaxNestedRows": 5, "AudioInput": false, "Events": [{"EventType": "Form</pre>

	Saved","EventAction":"**auto**"}],Icon":"fa-edit",IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Commande_Detail

View name	Commande_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{ "MainSlideshowImageColumn":"**auto**", "DetailContentColumn":"**none**", "HeaderColumns":[], "QuickEditColumns":[], "ColumnOrder":[], "ImageStyle":"Fill", "Layout":null, "UseCardLayout":false, "DisplayMode":"Automatic", "MaxNestedRows":5, "SlideshowMode":true, "DesktopSplitMode":"Split view", "UseDesktopMultiColumn":true, "SortBy":[], "PrimarySortColumn":null, "IsPrimarySortDescending":false, "Events":[], "Icon":"fa-indent", "IconRunnerUps":null, "MenuOrder":1 }
Visible?	ALWAYS
Icon	
Menu order	1

View name Commande_Form

View name	Commande_Form
Created by	System
View type	form
Position	ref
View configuration	{ "ColumnOrder":null, "AutoSave":false, "AutoReopen":false, "FinishView":"**Automatic**", "RowKey":""," "FormStyle":"Automatic", "PageStyle":"Automatic", "FormFooterStyle":"Bottom", "MaxNestedRows":5, "AudioInput":false, "Events":[{"EventType":"Form Saved","EventAction":"**auto**"}], Icon":"fa-edit", IconRunnerUps":null, "MenuOrder":1 }
Visible?	ALWAYS
Icon	
Menu order	1

View name DatabaseBeer_Detail

View name	DatabaseBeer_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{ "MainSlideshowImageColumn": "**auto**", "DetailContentColumn": "**none**", "HeaderColumns": [], "QuickEditColumns": [], "ColumnOrder": [], "ImageStyle": "Fill", "Layout": null, "UseCardLayout": false, "DisplayMode": "Automatic", "MaxNestedRows": 5, "SlideshowMode": true, "DesktopSplitMode": "Split view", "UseDesktopMultiColumn": true, "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [], "Icon": "fa-indent", "IconRunnerUps": null, "MenuOrder": 1 }
Visible?	ALWAYS
Icon	
Menu order	1

View name DatabaseBeer_Form

View name	DatabaseBeer_Form
Created by	System
View type	form
Position	ref
View configuration	{ "ColumnOrder": null, "AutoSave": false, "AutoReopen": false, "FinishView": "**Automatic**", "RowKey": "", "FormStyle": "Automatic", "PageStyle": "Automatic", "FormFooterStyle": "Bottom", "MaxNestedRows": 5, "AudioInput": false, "Events": [{ "EventType": "Form Saved", "EventAction": "**auto**" }], "Icon": "fa-edit", "IconRunnerUps": null, "MenuOrder": 1 }
Visible?	ALWAYS
Icon	
Menu order	1

View name DataBeer_Detail

View name	DataBeer_Detail
Created by	System
View type	detail
ActionType	Automatic

Position	ref
View configuration	{ "MainSlideshowImageColumn": "**auto**", "DetailContentColumn": "**none**", "HeaderColumns": [], "QuickEditColumns": [], "ColumnOrder": [], "ImageStyle": "Fill", "Layout": null, "UseCardLayout": false, "DisplayMode": "Automatic", "MaxNestedRows": 5, "SlideshowMode": true, "DesktopSplitMode": "Split view", "UseDesktopMultiColumn": true, "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [], "Icon": "fa-indent", "IconRunnerUps": null, "MenuOrder": 1 }
Visible?	ALWAYS
Icon	
Menu order	1

View name DataBeer_Form

View name	DataBeer_Form
Created by	System
View type	form
Position	ref
View configuration	{ "ColumnOrder": null, "AutoSave": false, "AutoReopen": false, "FinishView": "**Automatic**", "RowKey": "", "FormStyle": "Automatic", "PageStyle": "Automatic", "FormFooterStyle": "Bottom", "MaxNestedRows": 5, "AudioInput": false, "Events": [{ "EventType": "Form Saved", "EventAction": "**auto**" }], "Icon": "fa-edit", "IconRunnerUps": null, "MenuOrder": 1 }
Visible?	ALWAYS
Icon	
Menu order	1

View name DataBeerSecond_Detail

View name	DataBeerSecond_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{ "MainSlideshowImageColumn": "**auto**", "DetailContentColumn": "**none**", "HeaderColumns": [], "QuickEditColumns": [], "ColumnOrder": [], "ImageStyle": "Fill", "Layout": null, "UseCardLayout": false, "DisplayMode": "Automatic", "MaxNestedRows": 5, "SlideshowMode": true, "DesktopSplitMode": "Split view", "UseDesktopMultiColumn": true, "SortBy":

	<pre>[{"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events": [{"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}]}</pre>
Visible?	ALWAYS
Icon	
Menu order	1

View name DataBeerSecond_Form

View name	DataBeerSecond_Form
Created by	System
View type	form
Position	ref
View configuration	<pre>{"ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView": "***Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false,"Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}</pre>
Visible?	ALWAYS
Icon	
Menu order	1

View name DataBeerSecond_Inline

View name	DataBeerSecond_Inline
Created by	System
View type	deck
ActionType	Square Image
Position	ref
View configuration	<pre>{"MainDeckImageColumn":null,"ImageShape":"Square Image","PrimaryDeckHeaderColumn":null,"SecondaryDeckHeaderColumn":null,"DeckSummaryColumn":null,"DeckNestedTableColumn":null,"ShowActionBar":true,"ActionColumns":null,"ActionBarEntries": [{"GroupBy":[],"GroupAggregate":"NONE","SortBy": [{"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events": [{"EventType":"Row Selected","EventAction":"**auto**"}, {"EventType":"Row Swiped Left","EventAction":"**auto**"}, {"EventType":"Row Swiped Right","EventAction":"**auto**"}],"Icon":"fa-list-ul","IconRunnerUps":null,"MenuOrder":1}]}]}</pre>
Visible?	ALWAYS

Icon	
Menu order	1

View name Détails Commandes

View name	Détails Commandes
Created by	App owner
View type	deck
ActionType	Square Image
Position	ref
View configuration	<pre>{ "MainDeckImageColumn": "**auto**", "ImageShape": "Square Image", "PrimaryDeckHeaderColumn": "Quoi?", "SecondaryDeckHeaderColumn": "Nombre", "DeckSummaryColumn": "**none**", "DeckNestedTableColumn": null, "ShowActionBar": true, "ActionColumns": [], "ActionBarEntries": ["Ajouter", "Retirer"], "GroupBy": [], "GroupAggregate": "NONE", "SortBy": [{"Column": "Nombre", "Order": "Descending"}], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": { "EventType": "Row Selected", "EventAction": "**auto**", "EventType": "Row Swiped Left", "EventAction": "**auto**", "EventType": "Row Swiped Right", "EventAction": "**auto**" }, "Icon": "fa-list-ul", "IconRunnerUps": null, "MenuOrder": 1 }</pre>
Visible?	ALWAYS
Icon	
Menu order	1

View name DetailsCommande_Detail

View name	DetailsCommande_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	<pre>{ "MainSlideshowImageColumn": "**auto**", "DetailContentColumn": "**none**", "HeaderColumns": [], "QuickEditColumns": [], "ColumnOrder": [], "ImageStyle": "Fill", "Layout": null, "UseCardLayout": false, "DisplayMode": "Automatic", "MaxNestedRows": 5, "SlideshowMode": true, "DesktopSplitMode": "Split view", "UseDesktopMultiColumn": true, "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [], "Icon": "fa-indent", "IconRunnerUps": null, "MenuOrder": 1 }</pre>

Visible?	ALWAYS
Icon	
Menu order	1

View name DetailsCommande_Form

View name	DetailsCommande_Form
Created by	System
View type	form
Position	ref
View configuration	<pre>{"ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView":"**Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false,"Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}</pre>
Visible?	ALWAYS
Icon	
Menu order	1

View name DetailsCommande_Inline

View name	DetailsCommande_Inline
Created by	System
View type	table
Position	ref
View configuration	<pre>{"ColumnWidth":"Default","EnableQuickEdit":false,"ColumnOrder":[],"GroupBy":[],"GroupAggregate":"NONE","SortBy":["PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[{"EventType":"Row Selected","EventAction":"**auto**"}],"Icon":"fa-table","IconRunnerUps":null,"MenuOrder":1}</pre>
Visible?	ALWAYS
Icon	
Menu order	1

View name Films & Séries

View name	Films & Séries
Created by	App owner
View type	deck

ActionType	Full Image
Position	ref
View configuration	<pre>{ "MainDeckImageColumn": "**auto**", "ImageShape": "Full Image", "PrimaryDeckHeaderColumn": "Nom", "SecondaryDeckHeaderColumn": "Infos complémentaires", "DeckSummaryColumn": "Note", "DeckNestedTableColumn": "**none**", "ShowActionBar": true, "ActionColumns": [], "ActionBarEntries": [], "GroupBy": [{"Column": "Type", "Order": "Ascending"}], "Column": "Catégorie", "Order": "Ascending", "GroupAggregate": "COUNT", "SortBy": [{"Column": "Note", "Order": "Descending"}], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [{ "EventType": "Row Selected", "EventAction": "**auto**" }, { "EventType": "Row Swiped Left", "EventAction": "**auto**" }, { "EventType": "Row Swiped Right", "EventAction": "**auto**" }], "Icon": "fa-list-ul", "IconRunnerUps": null, "MenuOrder": 1 }</pre>
Visible?	ALWAYS
Icon	
Menu order	1

View name FilmsSeries_Detail

View name	FilmsSeries_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	<pre>{ "MainSlideshowImageColumn": "**auto**", "DetailContentColumn": "**none**", "HeaderColumns": [], "QuickEditColumns": [], "ColumnOrder": [], "ImageStyle": "Fill", "Layout": null, "UseCardLayout": false, "DisplayMode": "Automatic", "MaxNestedRows": 5, "SlideshowMode": true, "DesktopSplitMode": "Split view", "UseDesktopMultiColumn": true, "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [], "Icon": "fa-indent", "IconRunnerUps": null, "MenuOrder": 1 }</pre>
Visible?	ALWAYS
Icon	
Menu order	1

View name FilmsSeries_Form

View name	FilmsSeries_Form
Created by	System
View type	form
Position	ref
View configuration	<pre>{"ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView": :**Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Aut omatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput ":false,"Events":[{"EventType":"Form Saved","EventAction"::**auto**}],Icon":"fa- edit","IconRunnerUps":null,"MenuOrder":1}</pre>
Visible?	ALWAYS
Icon	
Menu order	1

View name Gestion Notifications

View name	Gestion Notifications
Created by	App owner
View type	table
Position	ref
View configuration	<pre>{"ColumnWidth":"Wide","EnableQuickEdit":true,"ColumnOrder": [],"GroupBy":[],"GroupAggregate":"COUNT","SortBy": [],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events" :[{"EventType":"Row Selected","EventAction"::**auto**}],Icon":"fa-list- ul","IconRunnerUps":null,"MenuOrder":1}</pre>
Visible?	ALWAYS
Icon	
Menu order	1

View name Gestion sous accès

View name	Gestion sous accès
Created by	App owner
View type	card
ActionType	Square Image
Position	ref
View configuration	<pre>{"Layout":{"style":{"type":"style","color": {"type":"variable","value":"primaryText","id":"7169c5f7-dbee-4c27- a791-511f7aa9c621"},"border":</pre>

```

{"type":"variable","value":"cardBorderStyle","id":"b419c6c9-c7d0-4945-
a2c1-082f1bb3d8da"},"borderRadius":
{"type":"variable","value":"cardBorderRadius","id":"09c9d1a3-47cc-
4d01-b469-6dacf7efdc53"},"borderColor":
{"type":"variable","value":"cardOutline","id":"bce55944-7e74-4a1b-
b760-
4ec5b773ce2a"},"display":"flex","flexDirection":"column","background
Color":
{"type":"variable","value":"mainContentBackground","id":"bd58227d-
e947-4c65-889b-1e4e256752e3"},"fontSize":16,"highlightedUpdate":
{"type":"style","border":
{"type":"variable","value":"cardBorderStyleSelected","id":"75bc01d5-
46b7-4b38-916e-bb5a4fb9c92f"},"borderColor":
{"type":"variable","value":"focusColor","id":"8a6aa8c2-70e6-48c6-
8c78-20e80a241c7e"},"id":"cd59db70-9d92-4d30-8c05-
5eb00d83a464"},"id":"bf49015e-053c-4635-b2bf-
a3afe738ec61"},"children":[{"style":
{"type":"style","display":"flex","alignItems":"center","padding":8,"cursor":
"pointer","backgroundColor":
{"type":"variable","value":"mainContentBackground","id":"0cacd2ef-
e515-4884-8ba4-d900d3144ba4"},"borderRadius":
{"type":"variable","value":"cardBorderRadius","id":"76a23842-3439-
4db9-a5c5-c0817bd4997b"},"transition":"background 0.8s","hover":
{"type":"style","background":
{"type":"variable","value":"cardHoverBackground","id":"d220ae1c-
9b38-45ec-b75a-b03d8592fede"},"boxShadow":
{"type":"variable","value":"cardHoverShadow","id":"d220ae1c-9b38-
45ec-b75a-b03d8592fede"},"transition":"background
0.8s","id":"b10155de-960d-4680-99ab-12250e16f9ee"},"highlighted":
{"type":"style","background":
{"type":"variable","value":"tableRowFocus","id":"d220ae1c-9b38-45ec-
b75a-b03d8592fed3"},"id":"b10155de-960d-4680-99ab-
12250e16f94e"},"highlightedUpdate":{"down":
{"type":"style","background":
{"type":"variable","value":"cardHoverBackground","id":"21f41bc4-1d8f-
4212-a6e4-057bd3a8fe0b"},"transition":"background
0.8s","id":"9205c7a9-35ed-4237-b9c8-
92d448dc9b11"},"id":"41561a21-2f97-490c-9ca2-
d0f862f55568"},"children":[{"child":
{"id":"mainImage","type":"image","style":
{"type":"style","overflow":"hidden","width":70,"height":70,"borderRadius
":"2px","objectFit":"contain","flex":"0 0
70px","alignItems":"center","justifyContent":"center","id":"bc54d99e-

```



```

c9a5-4f7c-bc5a-7ff388247636"},"ignore":true},"id":"28502c76-f322-4bee-a3dd-3517932edb72","type":"binding"},{"style":
{"type":"style","display":"flex","flexDirection":"column","marginLeft":16,"flexShrink":1,"flexGrow":0,"overflow":"hidden","id":"1b750d3d-d245-4672-a22d-e194832d833c"},"children":[{"value":"Accès","child":
{"id":"labelText","type":"text","style":{"type":"style","id":"507ee6fc-c860-445f-880a-c8682b6bd878"},"ignore":false},"id":"3f58a5eb-8102-4b18-b70c-81c3721275d3","type":"binding","ignore":false},{"child":
{"id":"subtitleText","type":"text","style":
{"type":"style","opacity":0.6,"fontSize":12,"maxHeight":40,"id":"0211ba96-1cee-43ff-a277-dc8081acdd07"},"ignore":true},"id":"af00a19c-2913-444c-a6cf-f10de41f6961","type":"binding"}],"id":"cc8e8bdf-8cbf-45fd-9bf6-3cc2da557703","type":"container"},{"style":
{"type":"style","justifyContent":"flex-end","flexGrow":1,"display":"flex","id":"03e8ac10-f699-4b0e-b962-c2f9b1beb94e"},"children":[{"style":{"type":"style","color":
{"id":"ellipsisColor","type":"variable","value":"primaryText"},"id":"57bd433c-5c9e-4b89-8d65-0af7d885351d"},"items":[{"style":
{"type":"style","id":"771c2038-f239-4584-9a68-8e870783c818"},"onClick":{"id":"8969b669-2c65-49b4-8068-f388d058d3af","type":"action"},"icon":{"type":"constant","value":"fa-envelope","id":"e1d07767-257b-4bd2-80c4-cfe0773a3bde"},"text":
{"value":"Compose Email (Mail)","id":"ae79459c-e025-4fbd-b8a5-a67c1951a6fa","type":"actionDisplayText"},"id":"cb2b0d60-7def-4900-93be-de47d032c897","type":"systemAction","ignore":true},{"style":
{"type":"style","id":"cda5f0a8-23ef-44a3-9ac3-4b25a63c857f"},"onClick":{"id":"9164b27a-0247-493c-91fe-5759897fd40b","type":"action"},"icon":{"type":"constant","value":"fa-edit","id":"c7e376a4-a10d-4255-a9d2-8e38befe4cea"},"text":
{"value":"Edit","id":"9414fa56-e4d7-4ac7-942d-b88c1433122b","type":"actionDisplayText"},"id":"e09dfed3-b0ba-4a3a-9d32-f1f34f7b82cb","type":"systemAction","ignore":true},
{"style":{"type":"style","id":"f62e1913-b059-422a-a0ce-c6c1ed939c19"},"onClick":{"id":"b4573f97-1ca8-48ea-bffb-e03966b053c9","type":"action"},"icon":{"type":"constant","value":"fa-trash-alt","id":"67e305c4-18ca-47c6-b221-38bb5634e8bd"},"text":
{"value":"Delete","id":"b75ef34e-a76d-4ce7-8ab8-5be5dc3ad59b","type":"actionDisplayText"},"id":"c65d949d-a0ae-44ef-a7a0-1c3be8b647eb","type":"systemAction","ignore":true}],id":"cdf524ff-9a78-4f03-8b01-e5bde99d56fc","type":"ellipsisMenu"}],"id":"c0bf415a-39e0-4d21-990a-f3fc8afae169","type":"container"},"onClick":{"value":"Go to

```

```
details","id":"bfaf6abf-c1a8-4e20-b27f-
24e65c0da7a1","type":"action","ignore":false},"id":"357a17b3-b454-
405e-9a77-
59fd604173ce","type":"container","ignore":false}], "name":"list","variabl
es":
[{"name":"imageName","value":"https://www.appsheet.com/Content/
editor/img/empty-media-template.png"},
{"name":"labelName","value":"Title goes
here"}], "version":0,"id":"a89b72c9-97cf-43a7-8b48-
b3daf0733a83","type":"container","ignore":false}, {"MainDeckImageCol
umn":"**auto**", "ImageShape":"Square
Image", "PrimaryDeckHeaderColumn":"**auto**", "SecondaryDeckHea
derColumn":"**auto**", "DeckSummaryColumn":"**auto**", "DeckNeste
dTableColumn":null, "ShowActionBar":false, "ActionColumns":
[], "ActionBarEntries":[], "GroupBy":
[], "GroupAggregate":"NONE", "SortBy":
[], "PrimarySortColumn":null, "IsPrimarySortDescending":false, "Events"
:[{"Icon":"fas fa-home-alt", "IconRunnerUps":null, "MenuOrder":1}
```

Visible?	ALWAYS
Icon	
Menu order	1

View name Idées Cadeaux

View name	Idées Cadeaux
Created by	App owner
View type	deck
ActionType	Full Image
Position	ref
View configuration	{ "MainDeckImageColumn": "**none**", "ImageShape": "Full Image", "PrimaryDeckHeaderColumn": "Idées de cadeaux", "SecondaryDeckHeaderColumn": "Pour qui ?", "DeckSummaryColumn": "Pour quelle occasion ?", "DeckNestedTableColumn": "**none**", "ShowActionBar": true, "ActionColumns": [], "ActionBarEntries": [], "GroupBy": [{"Column": "Pour qui ?", "Order": "Ascending"}], "GroupAggregate": "COUNT", "SortBy": [{"Column": "Pour quelle occasion ?", "Order": "Ascending"}], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [{"EventType": "Row Selected", "EventAction": "**auto**"}, {"EventType": "Row Swiped Left", "EventAction": "**auto**"}, {"EventType": "Row Swiped

Right","EventAction":"**auto**"}], "Icon": "fa-list-ul", "IconRunnerUps": null, "MenuOrder": 1}

Visible?	ALWAYS
Icon	☰
Menu order	1

View name Jeux

View name	Jeux
Created by	App owner
View type	deck
ActionType	Full Image
Position	ref
View configuration	{ "MainDeckImageColumn": "**auto**", "ImageShape": "Full Image", "PrimaryDeckHeaderColumn": "Label", "SecondaryDeckHeaderColumn": "**none**", "DeckSummaryColumn": "**none**", "DeckNestedTableColumn": "**none**", "ShowActionBar": true, "ActionColumns": [], "ActionBarEntries": ["Calculer cette partie", "Ne pas calculer cette partie",], "GroupBy": [{ "Column": "Date de la partie", "Order": "Ascending" }, { "Column": "ID Partie", "Order": "Descending" }], "GroupAggregate": "NONE", "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [{ "EventType": "Row Selected", "EventAction": "**auto**" }, { "EventType": "Row Swiped Left", "EventAction": "**auto**" }, { "EventType": "Row Swiped Right", "EventAction": "**auto**" }], "Icon": "fa-list-ul", "IconRunnerUps": null, "MenuOrder": 1 }
Visible?	ALWAYS
Icon	☰
Menu order	1

View name Jeux_Detail

View name	Jeux_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{ "MainSlideshowImageColumn": "**auto**", "DetailContentColumn": "**none**", "HeaderColumns": [], "QuickEditColumns": [], "ColumnOrder": [], "ImageStyle": "Fill", "Layout": null, "UseCardLayout": false, "DisplayMode": "Full" }

	":Automatic","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy": [],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events": [],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Jeux_Form

View name	Jeux_Form
Created by	System
View type	form
Position	ref
View configuration	{ "ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView": "***Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false,"Events":[{"EventType":"Form Saved","EventAction": "***auto**"}], "Icon": "fa-edit", "IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Liste de course

View name	Liste de course
Created by	App owner
View type	deck
ActionType	Full Image
Position	ref
View configuration	{ "MainDeckImageColumn": "Image auto", "ImageShape": "Full Image", "PrimaryDeckHeaderColumn": "Articles", "SecondaryDeckHeaderColumn": "Texte détails", "DeckSummaryColumn": "Etat", "DeckNestedTableColumn": "none**", "ShowActionBar": true, "ActionColumns": [], "ActionBarEntries": ["Voir les détails", "Acheté (liste de course)", "Dans le frigo (liste de course)", "Pas dans le frigo (liste de course)", "Edit"], "GroupBy": [{"Column": "Regroupement", "Order": "Ascending"}], "GroupAggregate": "COUNT", "SortBy": [{"Column": "Date création", "Order": "Descending"}], "PrimarySortColumn": null, "IsPrimary

	<pre>SortDescending":false,"Events":[{"EventType":"Row Selected","EventAction":"Acheté (liste de course)"},{"EventType":"Row Swiped Left","EventAction":"**auto**"},{"EventType":"Row Swiped Right","EventAction":"**auto**"}],"Icon":"fa-list- ul","IconRunnerUps":null,"MenuOrder":1}</pre>
Visible?	ALWAYS
Icon	
Menu order	1

View name Liste de courses_Detail

View name	Liste de courses_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	<pre>{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"** none**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder": [],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode ":"Automatic","MaxNestedRows":5,"SlideshowMode":true,"DesktopSpl itMode":"Split view","UseDesktopMultiColumn":true,"SortBy": [],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events" :[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}</pre>
Visible?	ALWAYS
Icon	
Menu order	1

View name Liste de courses_Form

View name	Liste de courses_Form
Created by	System
View type	form
Position	ref
View configuration	<pre>{"ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView" ":"**Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Aut omatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput ":false,"Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa- edit","IconRunnerUps":null,"MenuOrder":1}</pre>
Visible?	ALWAYS

Icon	
Menu order	1

View name Listes déroulantes

View name	Listes déroulantes
Created by	App owner
View type	table
Position	ref
View configuration	<pre>{ "ColumnWidth": "Wide", "EnableQuickEdit": true, "ColumnOrder": [], "GroupBy": [], "GroupAggregate": "NONE", "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [{ "EventType": "Row Selected", "EventAction": "**auto**" }], "Icon": "fa-list-ul", "IconRunnerUps": null, "MenuOrder": 1 }</pre>
Visible?	ALWAYS
Icon	
Menu order	1

View name Listes déroulantes_Detail

View name	Listes déroulantes_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	<pre>{ "MainSlideshowImageColumn": "**auto**", "DetailContentColumn": "**none**", "HeaderColumns": [], "QuickEditColumns": [], "ColumnOrder": [], "ImageStyle": "Fill", "Layout": null, "UseCardLayout": false, "DisplayMode": "Automatic", "MaxNestedRows": 5, "SlideshowMode": true, "DesktopSplitMode": "Split view", "UseDesktopMultiColumn": true, "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [], "Icon": "fa-indent", "IconRunnerUps": null, "MenuOrder": 1 }</pre>
Visible?	ALWAYS
Icon	
Menu order	1

View name Listes déroulantes_Form

View name	Listes déroulantes_Form
Created by	System

View type	form
Position	ref
View configuration	{ "ColumnOrder": null, "AutoSave": false, "AutoReopen": false, "FinishView": "**Automatic**", "RowKey": "", "FormStyle": "Automatic", "PageStyle": "Automatic", "FormFooterStyle": "Bottom", "MaxNestedRows": 5, "AudioInput": false, "Events": [{ "EventType": "Form Saved", "EventAction": "**auto**" }], "Icon": "fa-edit", "IconRunnerUps": null, "MenuOrder": 1 }
Visible?	ALWAYS
Icon	
Menu order	1

View name Map activités

View name	Map activités
Created by	App owner
View type	map
ActionType	Aerial
Position	ref
View configuration	{ "MapType": "Aerial", "MapColumn": "Lieu", "LocationMode": "Normal", "SecondaryTable": "Slide Activités", "SecondaryColumn": "Lieux des choses déjà faites", "MinimumClusterSize": 0, "Events": [], "Icon": "fa-list-ul", "IconRunnerUps": null, "MenuOrder": 1 }
Visible?	ALWAYS
Icon	
Menu order	1

View name MenusRecette_Detail

View name	MenusRecette_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{ "MainSlideshowImageColumn": "**auto**", "DetailContentColumn": "**none**", "HeaderColumns": [], "QuickEditColumns": [], "ColumnOrder": ["Ingrédients", "Nom", "Vérif si dans le frigo", "Recette complète dans le frigo"], "ImageStyle": "Fill", "Layout": null, "UseCardLayout": false, "Display Mode": "Automatic", "MaxNestedRows": 5, "SlideshowMode": true, "DesktopSplitMode": "Split view", "UseDesktopMultiColumn": true, "SortBy":

```
[{"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":{},"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
```

Visible?	ALWAYS
Icon	
Menu order	1

View name MenusRecette_Form

View name	MenusRecette_Form
Created by	System
View type	form
Position	ref
View configuration	<pre>{"ColumnOrder":["Ingrédients"],"AutoSave":true,"AutoReopen":true,"FinishView":"**Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom","MaxNestedRows":1000,"AudioInput":false,"Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}</pre>
Visible?	ALWAYS
Icon	
Menu order	1

View name MenusRecette_Inline

View name	MenusRecette_Inline
Created by	System
View type	table
Position	ref
View configuration	<pre>{"ColumnWidth":"Default","EnableQuickEdit":false,"ColumnOrder":["Ingrédients","Vérif si dans le frigo"],"GroupBy":{"Column":"Vérif si dans le frigo","Order":"Ascending"},"GroupAggregate":"COUNT","SortBy":{},"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[{"EventType":"Row Selected","EventAction":"**auto**"}],"Icon":"fa-table","IconRunnerUps":null,"MenuOrder":1}</pre>
Visible?	ALWAYS
Icon	
Menu order	1

View name Notifications_Detail

View name	Notifications_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{ "MainSlideshowImageColumn": "**auto**", "DetailContentColumn": "**none**", "HeaderColumns": [], "QuickEditColumns": [], "ColumnOrder": [], "ImageStyle": "Fill", "Layout": null, "UseCardLayout": false, "DisplayMode": "Automatic", "MaxNestedRows": 5, "SlideshowMode": true, "DesktopSplitMode": "Split view", "UseDesktopMultiColumn": true, "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [], "Icon": "fa-indent", "IconRunnerUps": null, "MenuOrder": 1 }
Visible?	ALWAYS
Icon	
Menu order	1

View name Notifications_Form

View name	Notifications_Form
Created by	System
View type	form
Position	ref
View configuration	{ "ColumnOrder": null, "AutoSave": false, "AutoReopen": false, "FinishView": "**Automatic**", "RowKey": "", "FormStyle": "Automatic", "PageStyle": "Automatic", "FormFooterStyle": "Bottom", "MaxNestedRows": 5, "AudioInput": false, "Events": [{ "EventType": "Form Saved", "EventAction": "**auto**" }], "Icon": "fa-edit", "IconRunnerUps": null, "MenuOrder": 1 }
Visible?	ALWAYS
Icon	
Menu order	1

View name Papiers

View name	Papiers
Created by	App owner
View type	deck
ActionType	Full Image

Position	ref
View configuration	<pre>{ "MainDeckImageColumn": "***none**", "ImageShape": "Full Image", "PrimaryDeckHeaderColumn": "Document", "SecondaryDeckHeaderColumn": "***none**", "DeckSummaryColumn": "Style de document", "DeckNestedTableColumn": "***none**", "ShowActionBar": true, "ActionColumns": [], "ActionBarEntries": [], "GroupBy": [{"Column": "Catégorie", "Order": "Ascending"}], "GroupAggregate": "COUNT", "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [{"EventType": "Row Selected", "EventAction": "***auto**"}, {"EventType": "Row Swiped Left", "EventAction": "***auto**"}, {"EventType": "Row Swiped Right", "EventAction": "***auto**"}], "Icon": "fa-list-ul", "IconRunnerUps": null, "MenuOrder": 1 }</pre>
Visible?	ALWAYS
Icon	☰
Menu order	1

View name Recettes

View name	Recettes
Created by	App owner
View type	deck
ActionType	Full Image
Position	ref
View configuration	<pre>{ "MainDeckImageColumn": "Image du plat", "ImageShape": "Full Image", "PrimaryDeckHeaderColumn": "Nom", "SecondaryDeckHeaderColumn": "Recette complète dans le frigo", "DeckSummaryColumn": "***none**", "DeckNestedTableColumn": "***none**", "ShowActionBar": false, "ActionColumns": [], "ActionBarEntries": [], "GroupBy": [{"Column": "Regroupement", "Order": "Ascending"}], "GroupAggregate": "COUNT", "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [{"EventType": "Row Selected", "EventAction": "***auto**"}, {"EventType": "Row Swiped Left", "EventAction": "***auto**"}, {"EventType": "Row Swiped Right", "EventAction": "***auto**"}], "Icon": "fa-list-ul", "IconRunnerUps": null, "MenuOrder": 1 }</pre>
Visible?	ALWAYS
Icon	☰
Menu order	1

View name Recettes_Detail

View name	Recettes_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{ "MainSlideshowImageColumn": "**auto**", "DetailContentColumn": "**none**", "HeaderColumns": [], "QuickEditColumns": [], "ColumnOrder": [], "ImageStyle": "Fill", "Layout": null, "UseCardLayout": false, "DisplayMode": "Automatic", "MaxNestedRows": 5, "SlideshowMode": true, "DesktopSplitMode": "Split view", "UseDesktopMultiColumn": true, "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [], "Icon": "fa-indent", "IconRunnerUps": null, "MenuOrder": 1 }
Visible?	ALWAYS
Icon	
Menu order	1

View name Recettes_Form

View name	Recettes_Form
Created by	System
View type	form
Position	ref
View configuration	{ "ColumnOrder": null, "AutoSave": false, "AutoReopen": false, "FinishView": "**Automatic**", "RowKey": "", "FormStyle": "Automatic", "PageStyle": "Automatic", "FormFooterStyle": "Bottom", "MaxNestedRows": 5, "AudioInput": false, "Events": [{ "EventType": "Form Saved", "EventAction": "**auto**" }], "Icon": "fa-edit", "IconRunnerUps": null, "MenuOrder": 1 }
Visible?	ALWAYS
Icon	
Menu order	1

View name Repas aléatoire

View name	Repas aléatoire
Created by	App owner
View type	detail
ActionType	Automatic

Position	ref
View configuration	<pre>{ "MainSlideshowImageColumn": "***none**", "DetailContentColumn": "***none**", "HeaderColumns": [], "QuickEditColumns": [], "ColumnOrder": ["Sélection aléatoire d'une recette"], "ImageStyle": "Fill", "Layout": null, "UseCardLayout": false, "DisplayMode": "Automatic", "MaxNestedRows": 5, "SlideshowMode": false, "DesktopSplitMode": "Split view", "UseDesktopMultiColumn": false, "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [], "Icon": "fa-list-ul", "IconRunnerUps": null, "MenuOrder": 1 }</pre>
Visible?	ALWAYS
Icon	
Menu order	1

View name Slide Accès personnel_Detail

View name	Slide Accès personnel_Detail
Created by	System
View type	detail
ActionType	Side-by-side
Position	ref
View configuration	<pre>{ "MainSlideshowImageColumn": "**auto**", "DetailContentColumn": "***none**", "HeaderColumns": [], "QuickEditColumns": ["Nom", "Prénom", "Adresse mail", "Téléphone"], "ColumnOrder": ["ImageStyle": "Fill", "Layout": null, "UseCardLayout": false, "DisplayMode": "Side-by-side", "MaxNestedRows": 5, "SlideshowMode": false, "DesktopSplitMode": "Split view", "UseDesktopMultiColumn": true, "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [], "Icon": "fa-indent", "IconRunnerUps": null, "MenuOrder": 1] }</pre>
Visible?	ALWAYS
Icon	
Menu order	1

View name Slide Accès personnel_Form

View name	Slide Accès personnel_Form
Created by	System
View type	form
Position	ref

View configuration	<pre>{"ColumnOrder":null,"AutoSave":true,"AutoReopen":false,"FinishView": "**Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Aut omatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput ":false,"Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa- edit","IconRunnerUps":null,"MenuOrder":1}</pre>
Visible?	ALWAYS
Icon	
Menu order	1

View name Slide accès_Detail

View name	Slide accès_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	<pre>{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"** none**","HeaderColumns":[],"QuickEditColumns": ["Image"],"ColumnOrder": [],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode ":"Automatic","MaxNestedRows":5,"SlideshowMode":false,"DesktopS plitMode":"Split view","UseDesktopMultiColumn":false,"SortBy": [],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events" :[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}</pre>
Visible?	ALWAYS
Icon	
Menu order	1

View name Slide accès_Form

View name	Slide accès_Form
Created by	System
View type	form
Position	ref
View configuration	<pre>{"ColumnOrder":null,"AutoSave":true,"AutoReopen":false,"FinishView": "**Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Aut omatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput ":false,"Events":[{"EventType":"Form</pre>

	Saved","EventAction":"**auto**}],\"Icon\":\"fa-edit\",\"IconRunnerUps\":null,\"MenuOrder\":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Slide Activités_Detail

View name	Slide Activités_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{\"MainSlideshowImageColumn\":\"**auto**\",\"DetailContentColumn\":\"**none**\",\"HeaderColumns\":[],\"QuickEditColumns\":[],\"ColumnOrder\":[\"Activité\",\"Photo\",\"Type\",\"Infos complémentaires\",\"Lieu\",\"Zone géographique\",\"A voir ou Fait\",\"Conseil venu de\",\"Note\",\"Priorité\",\"Gamme de prix\",\"Lien\"],\"ImageStyle\":\"Fill\",\"Layout\":null,\"UseCardLayout\":false,\"DisplayMode\":\"Automatic\",\"MaxNestedRows\":5,\"SlideshowMode\":true,\"DesktopSplitMode\":\"Split view\",\"UseDesktopMultiColumn\":false,\"SortBy\":[],\"PrimarySortColumn\":null,\"IsPrimarySortDescending\":false,\"Events\":[],\"Icon\":\"fa-indent\",\"IconRunnerUps\":null,\"MenuOrder\":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Slide Activités_Form

View name	Slide Activités_Form
Created by	System
View type	form
Position	ref
View configuration	{\"ColumnOrder\":[\"_RowNumber\",\"Photo\",\"Type\",\"Activité\",\"Infos complémentaires\",\"Lieu\",\"Zone géographique\",\"Conseil venu de\",\"Note\",\"Priorité\",\"Gamme de prix\",\"Lien\"],\"AutoSave\":true,\"AutoReopen\":false,\"FinishView\":\"**Automatic**\",\"RowKey\":\"\",\"FormStyle\":\"Automatic\",\"PageStyle\":\"Automatic\",\"FormFooterStyle\":\"Bottom\",\"MaxNestedRows\":5,\"AudioInput\":false,\"Ev

ents":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}

Visible?	ALWAYS
Icon	
Menu order	1

View name Slide Administratif_Detail

View name	Slide Administratif_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{ "MainSlideshowImageColumn":"**none**", "DetailContentColumn":"**none**", "HeaderColumns":[], "QuickEditColumns":[], "ColumnOrder":["Document","Date","Catégorie","Infos complémentaires","Document traité ?","Document traité","Fichier PDF","Fichier Photo 1","Fichier Photo 2","Fichier Photo 3","Fichier Photo 4","Fichier Photo 5"], "ImageStyle":"Fit", "Layout":null, "UseCardLayout":false, "DisplayMode":"Automatic", "MaxNestedRows":5, "SlideshowMode":true, "DesktopSplitMode":"Split view", "UseDesktopMultiColumn":false, "SortBy":[], "PrimarySortColumn":null, "IsPrimarySortDescending":false, "Events":[], "Icon":"fa-indent", "IconRunnerUps":null, "MenuOrder":1 }
Visible?	ALWAYS
Icon	
Menu order	1

View name Slide Administratif_Form

View name	Slide Administratif_Form
Created by	System
View type	form
Position	ref
View configuration	{ "ColumnOrder": ["_RowNumber","Date","Catégorie","Classe","Type","Document","Style de document","Infos complémentaires","Fichier PDF","Fichier Photo 1","Fichier Photo 2","Fichier Photo 3","Fichier Photo 4","Fichier Photo 5"], "AutoSave":true, "AutoReopen":false, "FinishView":"**Automatic**", "RowKey":""," "FormStyle":"Automatic", "PageStyle":"Automatic", "FormFooterStyle":"Bottom", "MaxNestedRows":5, "AudioInput":false, "Events": }

{["EventType":"Form Saved","EventAction":"**auto**"}],["Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}

Visible?	ALWAYS
Icon	
Menu order	1

View name Slide Astuces_Detail

View name	Slide Astuces_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{["MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder":["ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Automatic","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy":["PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":["Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1]}
Visible?	ALWAYS
Icon	
Menu order	1

View name Slide Astuces_Form

View name	Slide Astuces_Form
Created by	System
View type	form
Position	ref
View configuration	{["ColumnOrder":null,"AutoSave":true,"AutoReopen":false,"FinishView":"**Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false,"Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],["Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1]}
Visible?	ALWAYS
Icon	
Menu order	1

View name Slide Bilan Jeux_Detail

View name	Slide Bilan Jeux_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	<pre>{ "MainSlideshowImageColumn": "**auto**", "DetailContentColumn": "**none**", "HeaderColumns": [], "QuickEditColumns": [], "ColumnOrder": ["Label", "Nom Joueur 1", "Joueur 1", "Nom Joueur 2", "Joueur 2", "Nom Joueur 3", "Joueur 3", "Nom Joueur 4", "Joueur 4", "Nom Joueur 5", "Joueur 5", "Nom Joueur 6", "Joueur 6", "Nom Joueur 7", "Joueur 7", "Nom Joueur 8", "Joueur 8", "Nom Joueur 9", "Joueur 9", "Nom Joueur 10", "Joueur 10", "Nom Joueur 11", "Joueur 11", "Nom Joueur 12", "Joueur 12", "Nom Joueur 13", "Joueur 13", "Nom Joueur 14", "Joueur 14", "Nom Joueur 15", "Joueur 15"], "ImageStyle": "Fill", "Layout": null, "UseCardLayout": false, "DisplayMode": "Automatic", "MaxNestedRows": 5, "SlideshowMode": true, "DesktopSplitMode": "Split view", "UseDesktopMultiColumn": true, "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [], "Icon": "fa-indent", "IconRunnerUps": null, "MenuOrder": 1 }</pre>
Visible?	ALWAYS
Icon	
Menu order	1

View name Slide Cadeaux_Detail

View name	Slide Cadeaux_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	<pre>{ "MainSlideshowImageColumn": "**auto**", "DetailContentColumn": "**none**", "HeaderColumns": [], "QuickEditColumns": [], "ColumnOrder": ["Label", "Nom Joueur 1", "Joueur 1", "Nom Joueur 2", "Joueur 2", "Nom Joueur 3", "Joueur 3", "Nom Joueur 4", "Joueur 4", "Nom Joueur 5", "Joueur 5", "Nom Joueur 6", "Joueur 6", "Nom Joueur 7", "Joueur 7", "Nom Joueur 8", "Joueur 8", "Nom Joueur 9", "Joueur 9", "Nom Joueur 10", "Joueur 10", "Nom Joueur 11", "Joueur 11", "Nom Joueur 12", "Joueur 12", "Nom Joueur 13", "Joueur 13", "Nom Joueur 14", "Joueur 14", "Nom Joueur 15", "Joueur 15"], "ImageStyle": "Fill", "Layout": null, "UseCardLayout": false, "DisplayMode": "Automatic", "MaxNestedRows": 5, "SlideshowMode": true, "DesktopSplitMode": "Split view", "UseDesktopMultiColumn": false, "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [], "Icon": "fa-indent", "IconRunnerUps": null, "MenuOrder": 1 }</pre>
Visible?	ALWAYS

Icon	
Menu order	1

View name Slide Cadeaux_Form

View name	Slide Cadeaux_Form
Created by	System
View type	form
Position	ref
View configuration	<pre>{"ColumnOrder":null,"AutoSave":true,"AutoReopen":false,"FinishView": "**Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Aut omatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput ":false,"Events":{"EventType":"Form Saved","EventAction":"**auto**"}}, {"Icon":"fa- edit","IconRunnerUps":null,"MenuOrder":1}</pre>
Visible?	ALWAYS
Icon	
Menu order	1

View name Slide Cartes cadeaux_Detail

View name	Slide Cartes cadeaux_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	<pre>{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"** none**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder": ["Label","Magasin","Prix","Date de fin de validit�","Temps restant (en jours)","Objectif de la carte","Mettre la Carte invalide"],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"Displ ayMode":"Automatic","MaxNestedRows":5,"SlideshowMode":true,"De sktopSplitMode":"Split view","UseDesktopMultiColumn":false,"SortBy": [],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events" :[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}</pre>
Visible?	ALWAYS
Icon	
Menu order	1

View name Slide Cartes cadeaux_Form

View name	Slide Cartes cadeaux_Form
Created by	System
View type	form
Position	ref
View configuration	{ "ColumnOrder":["_RowNumber","Magasin","Prix","Date de fin de validité","Carte à ne plus afficher","Objectif de la carte"],"AutoSave":true,"AutoReopen":false,"FinishView":"**Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false,"Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Slide Commande_Detail

View name	Slide Commande_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{ "MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder":["Date et heure","Texte nombre total","Related DetailsCommandes"],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Automatic","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Slide Commande_Form

View name	Slide Commande_Form
-----------	---------------------

Created by	System
View type	form
Position	ref
View configuration	{ "ColumnOrder":["Date et heure","Related DetailsCommandes"], "AutoSave":false, "AutoReopen":false, "FinishView":"**Automatic**", "RowKey":"","FormStyle":"Automatic", "PageStyle":"Automatic", "FormFooterStyle":"Bottom", "MaxNestedRows":5, "AudioInput":false, "Events":[{"EventType":"Form Saved","EventAction":"**auto**"}], "Icon":"fa-edit", "IconRunnerUps":null, "MenuOrder":1 }
Visible?	ALWAYS
Icon	
Menu order	1

View name Slide DatabaseBeer_Detail

View name	Slide DatabaseBeer_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{ "MainSlideshowImageColumn":"**auto**", "DetailContentColumn":"**none**", "HeaderColumns":[], "QuickEditColumns":[], "ColumnOrder":["Nom","Classement Général et note","Notation","Date","Related DataBeerSeconds","Service","Type de bière","Typologie","Degrés","Note Sarah","Note Teddy","Analyse","Coordonnées GPS","Pays (ou Région)","Bar / Ville","Contexte (terrasse, intérieur, ...)","Evenement","Météo","Froid, très chaud ou bien","Température","Photo du moment","Photo de la bière","IBU/DI (proche de 1 = Amer)","Moyenne des notes","Saison"], "ImageStyle":"Fill", "Layout":null, "UseCardLayout":false, "DisplayMode":"Automatic", "MaxNestedRows":1000, "SlideshowMode":true, "DesktopSplitMode":"Split view", "UseDesktopMultiColumn":true, "SortBy":[], "PrimarySortColumn":null, "IsPrimarySortDescending":false, "Events":[], "Icon":"fa-indent", "IconRunnerUps":null, "MenuOrder":1 }
Visible?	ALWAYS
Icon	
Menu order	1

View name Slide DatabaseBeer_Form

View name	Slide DatabaseBeer_Form
Created by	System
View type	form
Position	ref
View configuration	<pre>{ "ColumnOrder": ["Nom", "Degrés", "Service", "Type de bière", "Typologie", "Note Sarah", "Note Teddy", "Analyse", "Coordonnées GPS", "Pays (ou Région)", "Bar / Ville", "Contexte (terrasse, intérieur, ...)", "Evenement", "Météo", "Froid, très chaud ou bien", "Température", "Photo du moment", "Photo de la bière", "IBU/DI (proche de 1 = Amer)"], "AutoSave": false, "AutoReopen": false, "FinishView": "***Automatic***", "RowKey": "", "FormStyle": "Automatic", "PageStyle": "Automatic", "FormFooterStyle": "Bottom", "MaxNestedRows": 1000, "AudioInput": false, "Events": [{ "EventType": "Form Saved", "EventAction": "***auto***" }], "Icon": "fa-edit", "IconRunnerUps": null, "MenuOrder": 1 }</pre>
Visible?	ALWAYS
Icon	
Menu order	1

View name Slide DataBeer_Detail

View name	Slide DataBeer_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	<pre>{ "MainSlideshowImageColumn": "***auto***", "DetailContentColumn": "***none***", "HeaderColumns": [], "QuickEditColumns": [], "ColumnOrder": ["Nom", "Classement général et note", "Date", "Service", "Type de bière", "Typologie", "Degrés", "Note", "Note Sarah", "Note Teddy", "Analyse", "Coordonnées GPS", "Evenement", "Pays (ou Région)", "Bar / Ville", "Contexte (terrasse, intérieur, ...)", "Saison", "Météo", "Froid, très chaud ou bien", "Température", "Photo du moment", "Photo de la bière", "IBU/DI (proche de 1 = Amer)"], "ImageStyle": "Fill", "Layout": null, "UseCardLayout": false, "DisplayMode": "Automatic", "MaxNestedRows": 5, "SlideshowMode": true, "DesktopSplitMode": "Split view", "UseDesktopMultiColumn": false, "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [], "Icon": "fa-indent", "IconRunnerUps": null, "MenuOrder": 1 }</pre>

Visible?	ALWAYS
Icon	
Menu order	1

View name Slide DataBeer_Form

View name	Slide DataBeer_Form
Created by	System
View type	form
Position	ref
View configuration	<pre>{ "ColumnOrder": ["_RowNumber", "Nom", "Degrés", "Service", "Type de bière", "Typologie", "Note Sarah", "Note Teddy", "Analyse", "Coordonnées GPS", "Pays (ou Région)", "Bar / Ville", "Contexte (terrasse, intérieur, ...)", "Evenement", "Météo", "Froid, très chaud ou bien", "Température", "Photo du moment", "Photo de la bière", "IBU/DI (proche de 1 = Amer)"], "AutoSave": true, "AutoReopen": false, "FinishView": "**Automatic**", "RowKey": "", "FormStyle": "Automatic", "PageStyle": "Automatic", "FormFooterStyle": "Bottom", "MaxNestedRows": 5, "AudioInput": false, "Events": [{ "EventType": "Form Saved", "EventAction": "**auto**" }], "Icon": "fa-edit", "IconRunnerUps": null, "MenuOrder": 1 }</pre>
Visible?	ALWAYS
Icon	
Menu order	1

View name Slide DataBeerSecond_Detail

View name	Slide DataBeerSecond_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	<pre>{ "MainSlideshowImageColumn": "**auto**", "DetailContentColumn": "**none**", "HeaderColumns": [], "QuickEditColumns": [], "ColumnOrder": ["IDDDataBeerRef", "Date", "Note Sarah", "Note Teddy", "Analyse", "Coordonnées GPS", "Pays (ou Région)", "Bar / Ville", "Contexte (terrasse, intérieur, ...)", "Evenement", "Météo", "Froid, très chaud ou bien", "Température", "Photo du moment", "Photo de la bière", "IBU/DI (proche de 1 = Amer)", "Note"], "ImageStyle": "Fill", "Layout": null, "UseCardLayout": false, "DisplayMode": "Automatic", "MaxNestedRows": 5, "SlideshowMode": true }</pre>

	e,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":false,"SortBy": [],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events" :[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Slide DataBeerSecond_Form

View name	Slide DataBeerSecond_Form
Created by	System
View type	form
Position	ref
View configuration	{ "ColumnOrder":["IDDataBeerRef","Date","Note Sarah","Note Teddy","Analyse","Coordonnées GPS","Pays (ou Région)","Bar / Ville","Contexte (terrasse, intérieur, ...)","Evenement","Météo","Froid, très chaud ou bien","Température","Photo du moment","Photo de la bière","IBU/DI (proche de 1 = Amer)"], "AutoSave":false,"AutoReopen":false,"FinishView":"**Automat ic**", "RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","Fo rmFooterStyle":"Bottom", "MaxNestedRows":1000,"AudioInput":false," Events":[{"EventType":"Form Saved", "EventAction":"**auto**"}], "Icon":"fa- edit", "IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Slide DetailsCommande_Detail

View name	Slide DetailsCommande_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{ "MainSlideshowImageColumn":"**auto**", "DetailContentColumn":"** none**", "HeaderColumns":[], "QuickEditColumns":[], "ColumnOrder": ["IDCommandeRef","Quoi ?", "Nombre"], "ImageStyle":"Fill", "Layout":null,"UseCardLayout":false,"Di splayMode":"Automatic", "MaxNestedRows":100,"SlideshowMode":tru

	e,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy": [],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events" :[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Slide DetailsCommande_Form

View name	Slide DetailsCommande_Form
Created by	System
View type	form
Position	ref
View configuration	{ "ColumnOrder": ["Quoi ?", "Nombre"], "AutoSave": false, "AutoReopen": false, "FinishView": "**Aut omatic**", "RowKey": "", "FormStyle": "Automatic", "PageStyle": "Automati c", "FormFooterStyle": "Bottom", "MaxNestedRows": 1000, "AudioInput": f alse, "Events": [{"EventType": "Form Saved", "EventAction": "**auto**"}], "Icon": "fa- edit", "IconRunnerUps": null, "MenuOrder": 1 }
Visible?	ALWAYS
Icon	
Menu order	1

View name Slide FilmSérie_Detail

View name	Slide FilmSérie_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{ "MainSlideshowImageColumn": "**auto**", "DetailContentColumn": "** none**", "HeaderColumns": [], "QuickEditColumns": [], "ColumnOrder": [], "ImageStyle": "Fill", "Layout": null, "UseCardLayout": false, "DisplayMode ": "Automatic", "MaxNestedRows": 5, "SlideshowMode": true, "DesktopSpl itMode": "Split view", "UseDesktopMultiColumn": false, "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events" : [], "Icon": "fa-indent", "IconRunnerUps": null, "MenuOrder": 1 }
Visible?	ALWAYS

Icon	
Menu order	1

View name Slide FilmSérie_Form

View name	Slide FilmSérie_Form
Created by	System
View type	form
Position	ref
View configuration	<pre>{"ColumnOrder": ["_RowNumber", "Type", "Nom", "Plateforme", "Catégorie", "Note", "Infos complémentaires", "Prix (si location ou achat)", "Date de sortie", "Saison / Partie"], "AutoSave": true, "AutoReopen": false, "FinishView": "**Automatic**", "RowKey": "", "FormStyle": "Automatic", "PageStyle": "Automatic", "FormFooterStyle": "Bottom", "MaxNestedRows": 5, "AudioInput": false, "Events": [{"EventType": "Form Saved", "EventAction": "**auto**"}], "Icon": "fa-edit", "IconRunnerUps": null, "MenuOrder": 1}</pre>
Visible?	ALWAYS
Icon	
Menu order	1

View name Slide Gestion sous accès_Detail

View name	Slide Gestion sous accès_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	<pre>{"MainSlideshowImageColumn": "**auto**", "DetailContentColumn": "none**", "HeaderColumns": [], "QuickEditColumns": ["Image", "Sous Accès 1", "Sous Accès 2", "Sous Accès 3", "Sous Accès 4", "Sous Accès 5", "Sous Accès 6", "Sous Accès 7", "Sous Accès 8", "Sous Accès 9", "Sous Accès 10", "Sous Accès 11", "Sous Accès 12", "Sous Accès 13", "Sous Accès 14", "Sous Accès 15", "Sous Accès 16", "Sous Accès 17", "Sous Accès 18", "Sous Accès 19", "Sous Accès 20", "Sous Accès 21", "Sous Accès 22", "Sous Accès 23", "Sous Accès 24", "Sous Accès 25", "Sous Accès 26", "Sous Accès 27", "Sous Accès 28", "Sous Accès 29", "Sous Accès 30"], "ColumnOrder": [], "ImageStyle": "Fill", "Layout": null, "UseCardLayout": false, "DisplayMode": "Automatic", "MaxNestedRows": 5, "SlideshowMode": false, "DesktopS</pre>

```
plitMode":"Split view","UseDesktopMultiColumn":false,"SortBy":
[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events"
:[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
```

Visible?	ALWAYS
Icon	
Menu order	1

View name Slide Gestion sous accès_Form

View name	Slide Gestion sous accès_Form
Created by	System
View type	form
Position	ref
View configuration	{ "ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView":"**Automatic**", "RowKey":"","FormStyle":"Automatic", "PageStyle":"Automatic", "FormFooterStyle":"Bottom", "MaxNestedRows":5, "AudioInput":false, "Events":[{"EventType":"Form Saved", "EventAction":"**auto**"}], "Icon":"fa-edit", "IconRunnerUps":null, "MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Slide Jeux_Detail

View name	Slide Jeux_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{ "MainSlideshowImageColumn":"**auto**", "DetailContentColumn":"**none**", "HeaderColumns":[], "QuickEditColumns":["Point joueur 1", "Point joueur 2", "Point joueur 3", "Point joueur 4", "Point joueur 5", "Point joueur 6", "Point joueur 7", "Point joueur 8", "Point joueur 9", "Point joueur 10", "Point joueur 11", "Point joueur 12", "Point joueur 13", "Point joueur 14", "Point joueur 15"], "ColumnOrder":["Label", "Nom Joueur 1", "Point joueur 1", "Nom Joueur 2", "Point joueur 2", "Nom Joueur 3", "Point joueur 3", "Nom Joueur 4", "Point joueur 4", "Nom Joueur 5", "Point joueur 5", "Nom Joueur 6", "Point joueur 6", "Nom Joueur 7", "Point joueur 7", "Nom Joueur 8", "Point joueur 8", "Nom Joueur 9", "Point joueur 9", "Nom Joueur 10", "Point joueur 10", "Nom

	Joueur 11","Point joueur 11","Nom Joueur 12","Point joueur 12","Nom Joueur 13","Point joueur 13","Nom Joueur 14","Point joueur 14","Nom Joueur 15","Point joueur 15"],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Automatic","MaxNestedRows":5,"SlideshowMode":false,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":false,"SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Slide Jeux_Form

View name	Slide Jeux_Form
Created by	System
View type	form
Position	ref
View configuration	{ "ColumnOrder": ["Jeux", "Nombre de joueurs", "Joueur 1", "Joueur 2", "Joueur 3", "Joueur 4", "Joueur 5", "Joueur 6", "Joueur 7", "Joueur 8", "Joueur 9", "Joueur 10", "Joueur 11", "Joueur 12", "Joueur 13", "Joueur 14", "Joueur 15", "Partie", "Tour"], "AutoSave": true, "AutoReopen": false, "FinishView": "**Automatic**", "RowKey": "", "FormStyle": "Automatic", "PageStyle": "Automatic", "FormFooterStyle": "Bottom", "MaxNestedRows": 5, "AudioInput": false, "Events": [{"EventType": "Form Saved", "EventAction": "**auto**"}], "Icon": "fa-edit", "IconRunnerUps": null, "MenuOrder": 1 }
Visible?	ALWAYS
Icon	
Menu order	1

View name Slide Liste de course_Detail

View name	Slide Liste de course_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{ "MainSlideshowImageColumn": "**auto**", "DetailContentColumn": "**none**", "HeaderColumns": [], "QuickEditColumns": [], "ColumnOrder":

	<pre>["Articles", "Dans le frigo", "Quantité", "Infos complémentaires", "Image", "Image auto", "Etat"], "ImageStyle": "Fit", "Layout": null, "UseCardLayout": false, "DisplayMode": "Automatic", "MaxNestedRows": 5, "SlideshowMode": true, "DesktopSplitMode": "Split view", "UseDesktopMultiColumn": false, "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [], "Icon": "fa-indent", "IconRunnerUps": null, "MenuOrder": 1 }</pre>
Visible?	ALWAYS
Icon	
Menu order	1

View name Slide Liste de course_Form

View name	Slide Liste de course_Form
Created by	System
View type	form
Position	ref
View configuration	<pre>{ "ColumnOrder": ["_RowNumber", "Articles", "Modifier infos", "Quantité", "Image", "Infos complémentaires"], "AutoSave": true, "AutoReopen": false, "FinishView": "**Automatic**", "RowKey": "", "FormStyle": "Automatic", "PageStyle": "Automatic", "FormFooterStyle": "Bottom", "MaxNestedRows": 1000, "AudioInput": false, "Events": [{ "EventType": "Form Saved", "EventAction": "**auto**" }], "Icon": "fa-edit", "IconRunnerUps": null, "MenuOrder": 1 }</pre>
Visible?	ALWAYS
Icon	
Menu order	1

View name Slide Liste déroulante_Detail

View name	Slide Liste déroulante_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	<pre>{ "MainSlideshowImageColumn": "**auto**", "DetailContentColumn": "**none**", "HeaderColumns": [], "QuickEditColumns": ["Liste 1", "Liste 2", "Liste 3", "Liste 4", "Liste 5", "Liste 6", "Liste 7", "Liste 8", "Liste 9", "Liste 10", "Liste 11", "Liste 12", "Liste 13", "Liste 14", "Liste 15", "Liste 16", "Liste</pre>

```
17","Liste 18","Liste 19","Liste 20","Liste 21","Liste 22","Liste 23","Liste
24","Liste 25","Liste 26","Liste 27","Liste 28","Liste 29","Liste 30","Liste
31","Liste 32","Liste 33","Liste 34","Liste 35","Liste 36","Liste 37","Liste
38","Liste 39","Liste 40","Liste 41","Liste 42","Liste 43","Liste 44","Liste
45","Liste 46","Liste 47","Liste 48","Liste 49","Liste 50","Liste 51","Liste
52","Liste 53","Liste 54","Liste 55","Liste 56","Liste 57","Liste 58","Liste
59","Liste 60","Liste 61","Liste 62","Liste 63","Liste 64","Liste 65","Liste
66","Liste 67","Liste 68","Liste 69","Liste 70","Liste 71","Liste 72","Liste
73","Liste 74","Liste 75","Liste 76","Liste 77","Liste 78","Liste 79","Liste
80","Liste 81","Liste 82","Liste 83","Liste 84","Liste 85","Liste 86","Liste
87","Liste 88","Liste 89","Liste 90","Liste 91","Liste 92","Liste 93","Liste
94","Liste 95","Liste 96","Liste 97","Liste 98","Liste 99","Liste
100"],"ColumnOrder":
[],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode
":"Automatic","MaxNestedRows":5,"SlideshowMode":false,"DesktopS
plitMode":"Split view","UseDesktopMultiColumn":true,"SortBy":
[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events"
:[{"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
```

Visible?	ALWAYS
Icon	
Menu order	1

View name Slide Liste déroulante_Form

View name	Slide Liste déroulante_Form
Created by	System
View type	form
Position	ref
View configuration	{ "ColumnOrder":null,"AutoSave":true,"AutoReopen":false,"FinishView": "Automatic","RowKey":"","FormStyle":"Automatic","PageStyle":"Aut omatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput ":false,"Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa- edit","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Slide MenusRecette_Detail

View name	Slide MenusRecette_Detail
-----------	---------------------------

Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{ "MainSlideshowImageColumn": "**auto**", "DetailContentColumn": "**none**", "HeaderColumns": [], "QuickEditColumns": [], "ColumnOrder": [], "ImageStyle": "Fill", "Layout": null, "UseCardLayout": false, "DisplayMode": "Automatic", "MaxNestedRows": 5, "SlideshowMode": true, "DesktopSplitMode": "Split view", "UseDesktopMultiColumn": true, "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [], "Icon": "fa-indent", "IconRunnerUps": null, "MenuOrder": 1 }
Visible?	ALWAYS
Icon	
Menu order	1

View name Slide MenusRecette_Form

View name	Slide MenusRecette_Form
Created by	System
View type	form
Position	ref
View configuration	{ "ColumnOrder": null, "AutoSave": false, "AutoReopen": false, "FinishView": "**Automatic**", "RowKey": "", "FormStyle": "Automatic", "PageStyle": "Automatic", "FormFooterStyle": "Bottom", "MaxNestedRows": 5, "AudioInput": false, "Events": [{ "EventType": "Form Saved", "EventAction": "**auto**" }], "Icon": "fa-edit", "IconRunnerUps": null, "MenuOrder": 1 }
Visible?	ALWAYS
Icon	
Menu order	1

View name Slide Notifications_Detail

View name	Slide Notifications_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{ "MainSlideshowImageColumn": "**none**", "DetailContentColumn": "**none**", "HeaderColumns": [], "QuickEditColumns": }

	<pre>[{"Titre","Détails","Image"],"ColumnOrder": [],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode ":"Automatic","MaxNestedRows":5,"SlideshowMode":true,"DesktopSpl itMode":"Split view","UseDesktopMultiColumn":false,"SortBy": [],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events" :[{"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}</pre>
Visible?	ALWAYS
Icon	
Menu order	1

View name Slide Notifications_Form

View name	Slide Notifications_Form
Created by	System
View type	form
Position	ref
View configuration	<pre>{"ColumnOrder":null,"AutoSave":true,"AutoReopen":false,"FinishView": "***Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Aut omatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput ":false,"Events":[{"EventType":"Form Saved","EventAction":"***auto**"}],"Icon":"fa- edit","IconRunnerUps":null,"MenuOrder":1}</pre>
Visible?	ALWAYS
Icon	
Menu order	1

View name Slide Recette_Detail

View name	Slide Recette_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	<pre>{"MainSlideshowImageColumn":"***auto**","DetailContentColumn":"** none**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder": [{"Nom","Note recette","Image du plat","Photo de la recette 1","Photo de la recette 2","Sélection aléatoire d'une recette","Ingrédients"],"ImageStyle":"Fill","Layout":null,"UseCardLayout ":false,"DisplayMode":"Automatic","MaxNestedRows":5,"SlideshowMo de":false,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":false,"SortBy":</pre>

	<pre>[{"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events": [{"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}]}</pre>
Visible?	ALWAYS
Icon	
Menu order	1

View name Slide Recette_Form

View name	Slide Recette_Form
Created by	System
View type	form
Position	ref
View configuration	<pre>{"ColumnOrder":["Nom","Note recette","Image du plat","Photo de la recette 1","Photo de la recette 2"],"AutoSave":true,"AutoReopen":true,"FinishView":"**Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom","MaxNestedRows":1000,"AudioInput":false,"Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}</pre>
Visible?	ALWAYS
Icon	
Menu order	1

View name Slide sous accès_Detail

View name	Slide sous accès_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	<pre>{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none**","HeaderColumns":[],"QuickEditColumns":["Image","Sous Accès 1","Sous Accès 2","Sous Accès 3","Sous Accès 4","Sous Accès 5","Sous Accès 6","Sous Accès 7","Sous Accès 8","Sous Accès 9","Sous Accès 10","Sous Accès 11","Sous Accès 12","Sous Accès 13","Sous Accès 14","Sous Accès 15","Sous Accès 16","Sous Accès 17","Sous Accès 19","Sous Accès 20","Sous Accès 21","Sous Accès 22","Sous Accès 23","Sous Accès 24","Sous Accès 25","Sous Accès 26","Sous Accès 27","Sous Accès 28","Sous Accès 29","Sous Accès 30","Sous Accès 18"],"ColumnOrder":["ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode</pre>

	":Automatic","MaxNestedRows":5,"SlideshowMode":false,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":false,"SortBy": [],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events": :[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Slide sous accès_Form

View name	Slide sous accès_Form
Created by	System
View type	form
Position	ref
View configuration	{ "ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView": :"**Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Aut omatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput ":false,"Events":[{"EventType":"Form Saved","EventAction":"**auto**"}], "Icon":"fa- edit","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	
Menu order	1

View name Slide TDB Beer_Detail

View name	Slide TDB Beer_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{ "MainSlideshowImageColumn":"**auto**","DetailContentColumn":"** none**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder": [],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode ":Automatic,"MaxNestedRows":5,"SlideshowMode":true,"DesktopSpl itMode":"Split view","UseDesktopMultiColumn":true,"SortBy": [],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events" :[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	

Menu order1

View name Slide TDB Beer_Form

View name	Slide TDB Beer_Form
Created by	System
View type	form
Position	ref
View configuration	{ "ColumnOrder": null, "AutoSave": false, "AutoReopen": false, "FinishView": "**Automatic**", "RowKey": "", "FormStyle": "Automatic", "PageStyle": "Automatic", "FormFooterStyle": "Bottom", "MaxNestedRows": 5, "AudioInput": false, "Events": [{ "EventType": "Form Saved", "EventAction": "**auto**" }], "Icon": "fa-edit", "IconRunnerUps": null, "MenuOrder": 1 }
Visible?	ALWAYS
Icon	
Menu order	1

View name Sous Accès

View name	Sous Accès
Created by	App owner
View type	detail
ActionType	Automatic
Position	ref
View configuration	{ "MainSlideshowImageColumn": "**auto**", "DetailContentColumn": "**none**", "HeaderColumns": [], "QuickEditColumns": [], "ColumnOrder": ["Accès"], "ImageStyle": "Fill", "Layout": { "style": { "type": "style", "color": { "type": "variable", "value": "primaryText", "id": "7169c5f7-dbee-4c27-a791-511f7aa9c621" }, "border": { "type": "variable", "value": "cardBorderStyle", "id": "b419c6c9-c7d0-4945-a2c1-082f1bb3d8da" }, "borderRadius": { "type": "variable", "value": "cardBorderRadius", "id": "09c9d1a3-47cc-4d01-b469-6dacf7efdc53" }, "borderColor": { "type": "variable", "value": "cardOutline", "id": "bce55944-7e74-4a1b-b760-4ec5b773ce2a" }, "display": "flex", "flexDirection": "column", "backgroundColor": { "type": "variable", "value": "mainContentBackground", "id": "bd58227d-e947-4c65-889b-1e4e256752e3" }, "fontSize": 16, "highlightedUpdate": { "type": "style", "border":

```

{"type":"variable","value":"cardBorderStyleSelected","id":"75bc01d5-46b7-4b38-916e-bb5a4fb9c92f"},"borderColor":
{"type":"variable","value":"focusColor","id":"8a6aa8c2-70e6-48c6-8c78-20e80a241c7e"},"id":"cd59db70-9d92-4d30-8c05-5eb00d83a464"},"id":"bf49015e-053c-4635-b2bf-a3afe738ec61"},"children":[{"style":
{"type":"style","display":"flex","alignItems":"center","padding":8,"cursor":"pointer","backgroundColor":
{"type":"variable","value":"mainContentBackground","id":"0cacd2ef-e515-4884-8ba4-d900d3144ba4"},"borderRadius":
{"type":"variable","value":"cardBorderRadius","id":"76a23842-3439-4db9-a5c5-c0817bd4997b"},"transition":"background 0.8s","hover":
{"type":"style","background":
{"type":"variable","value":"cardHoverBackground","id":"d220ae1c-9b38-45ec-b75a-b03d8592fede"},"boxShadow":
{"type":"variable","value":"cardHoverShadow","id":"d220ae1c-9b38-45ec-b75a-b03d8592fede"},"transition":"background 0.8s","id":"b10155de-960d-4680-99ab-12250e16f9ee"},"highlighted":
{"type":"style","background":
{"type":"variable","value":"tableRowFocus","id":"d220ae1c-9b38-45ec-b75a-b03d8592fed3"},"id":"b10155de-960d-4680-99ab-12250e16f94e"},"highlightedUpdate":{},"down":
{"type":"style","background":
{"type":"variable","value":"cardHoverBackground","id":"21f41bc4-1d8f-4212-a6e4-057bd3a8fe0b"},"transition":"background 0.8s","id":"9205c7a9-35ed-4237-b9c8-92d448dc9b11"},"id":"41561a21-2f97-490c-9ca2-d0f862f55568"},"children":[{"child":
{"id":"mainImage","type":"image","style":
{"type":"style","overflow":"hidden","width":70,"height":70,"borderRadius":"2px","objectFit":"contain","flex":"0 0 70px","alignItems":"center","justifyContent":"center","id":"bc54d99e-c9a5-4f7c-bc5a-7ff388247636"},"ignore":true},"id":"28502c76-f322-4bee-a3dd-3517932edb72","type":"binding"},{"style":
{"type":"style","display":"flex","flexDirection":"column","marginLeft":16,"flexShrink":1,"flexGrow":0,"overflow":"hidden","id":"1b750d3d-d245-4672-a22d-e194832d833c"},"children":[{"value":"Accès","child":
{"id":"labelText","type":"text","style":{"type":"style","id":"507ee6fc-c860-445f-880a-c8682b6bd878"},"ignore":false},"id":"3f58a5eb-8102-4b18-b70c-81c3721275d3","type":"binding","ignore":false},{"child":
{"id":"subtitleText","type":"text","style":
{"type":"style","opacity":0.6,"fontSize":12,"maxHeight":40,"id":"0211ba96-1cee-43ff-a277-dc8081acdd07"},"ignore":true},"id":"af00a19c-2913-

```

```

444c-a6cf-f10de41f6961","type":"binding"}],id:"cc8e8bdf-8cbf-45fd-
9bf6-3cc2da557703","type":"container"},{"style":
{"type":"style",justifyContent:"flex-
end","flexGrow":1,"display":"flex",id:"03e8ac10-f699-4b0e-b962-
c2f9b1beb94e"},"children":[{"style":{"type":"style","color":
{"id":"ellipsisColor","type":"variable","value":"primaryText"},"id":"57bd43
3c-5c9e-4b89-8d65-0af7d885351d"},"items":[{"style":
{"type":"style",id:"771c2038-f239-4584-9a68-
8e870783c818"},"onClick":{"id":"8969b669-2c65-49b4-8068-
f388d058d3af","type":"action"},"icon":{"type":"constant","value":"fa-
envelope",id:"e1d07767-257b-4bd2-80c4-cfe0773a3bde"},"text":
{"value":"Compose Email (Mail)",id:"ae79459c-e025-4fbd-b8a5-
a67c1951a6fa","type":"actionDisplayText"},"id":"cb2b0d60-7def-4900-
93be-de47d032c897","type":"systemAction","ignore":true},{"style":
{"type":"style",id:"cda5f0a8-23ef-44a3-9ac3-
4b25a63c857f"},"onClick":{"id":"9164b27a-0247-493c-91fe-
5759897fd40b","type":"action"},"icon":{"type":"constant","value":"fa-
edit",id:"c7e376a4-a10d-4255-a9d2-8e38befe4cea"},"text":
{"value":"Edit",id:"9414fa56-e4d7-4ac7-942d-
b88c1433122b","type":"actionDisplayText"},"id":"e09dfed3-b0ba-
4a3a-9d32-f1f34f7b82cb","type":"systemAction","ignore":true},
{"style":{"type":"style",id:"f62e1913-b059-422a-a0ce-
c6c1ed939c19"},"onClick":{"id":"b4573f97-1ca8-48ea-bffb-
e03966b053c9","type":"action"},"icon":{"type":"constant","value":"fa-
trash-alt",id:"67e305c4-18ca-47c6-b221-38bb5634e8bd"},"text":
{"value":"Delete",id:"b75ef34e-a76d-4ce7-8ab8-
5be5dc3ad59b","type":"actionDisplayText"},"id":"c65d949d-a0ae-
44ef-a7a0-
1c3be8b647eb","type":"systemAction","ignore":true}],id:"cdf524ff-
9a78-4f03-8b01-
e5bde99d56fc","type":"ellipsisMenu"}],id:"c0bf415a-39e0-4d21-
990a-f3fc8afae169","type":"container"},"onClick":{"value":"Go to
details",id:"bfaf6abf-c1a8-4e20-b27f-
24e65c0da7a1","type":"action"},"id":"357a17b3-b454-405e-9a77-
59fd604173ce","type":"container"},"name":"list","variables":
[{"name":"imageName","value":"https://www.appsheet.com/Content/
editor/img/empty-media-template.png"},
{"name":"labelName","value":"Title goes
here"}],version:0,id:"a89b72c9-97cf-43a7-8b48-
b3daf0733a83","type":"container"},"UseCardLayout":false,"DisplayMo
de":"Automatic","MaxNestedRows":5,"SlideshowMode":false,"Desкто
pSplitMode":"Split view","UseDesktopMultiColumn":false,"SortBy":

```

[{"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[{"Icon":"fas fa-home-alt","IconRunnerUps":null,"MenuOrder":1}]}

Visible?	ALWAYS
Icon	
Menu order	1

View name Sous Accès_Detail

View name	Sous Accès_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{ "MainSlideshowImageColumn": "**auto**", "DetailContentColumn": "**none**", "HeaderColumns": [], "QuickEditColumns": [], "ColumnOrder": [], "ImageStyle": "Fill", "Layout": null, "UseCardLayout": false, "DisplayMode": "Automatic", "MaxNestedRows": 5, "SlideshowMode": true, "DesktopSplitMode": "Split view", "UseDesktopMultiColumn": true, "SortBy": [{"PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [{"Icon": "fa-indent", "IconRunnerUps": null, "MenuOrder": 1}]}]}
Visible?	ALWAYS
Icon	
Menu order	1

View name Sous Accès_Form

View name	Sous Accès_Form
Created by	System
View type	form
Position	ref
View configuration	{ "ColumnOrder": null, "AutoSave": false, "AutoReopen": false, "FinishView": "**Automatic**", "RowKey": "", "FormStyle": "Automatic", "PageStyle": "Automatic", "FormFooterStyle": "Bottom", "MaxNestedRows": 5, "AudioInput": false, "Events": [{"EventType": "Form Saved", "EventAction": "**auto**"}], "Icon": "fa-edit", "IconRunnerUps": null, "MenuOrder": 1}
Visible?	ALWAYS
Icon	
Menu order	1

View name TDBBeer_Detail

View name	TDBBeer_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{ "MainSlideshowImageColumn": "**auto**", "DetailContentColumn": "**none**", "HeaderColumns": [], "QuickEditColumns": [], "ColumnOrder": [], "ImageStyle": "Fill", "Layout": null, "UseCardLayout": false, "DisplayMode": "Automatic", "MaxNestedRows": 5, "SlideshowMode": true, "DesktopSplitMode": "Split view", "UseDesktopMultiColumn": true, "SortBy": [], "PrimarySortColumn": null, "IsPrimarySortDescending": false, "Events": [], "Icon": "fa-indent", "IconRunnerUps": null, "MenuOrder": 1 }
Visible?	ALWAYS
Icon	
Menu order	1

View name TDBBeer_Form

View name	TDBBeer_Form
Created by	System
View type	form
Position	ref
View configuration	{ "ColumnOrder": null, "AutoSave": false, "AutoReopen": false, "FinishView": "**Automatic**", "RowKey": "", "FormStyle": "Automatic", "PageStyle": "Automatic", "FormFooterStyle": "Bottom", "MaxNestedRows": 5, "AudioInput": false, "Events": [{ "EventType": "Form Saved", "EventAction": "**auto**" }], "Icon": "fa-edit", "IconRunnerUps": null, "MenuOrder": 1 }
Visible?	ALWAYS
Icon	
Menu order	1

Format Rules

Rule name Non validé accès 1

Rule name	Non validé accès 1
-----------	--------------------

Format these columns and actions	Accès App 1
For this data	Accès Personnel
If this condition is true	=ISBLANK([Validation Accès 1])
Rule order	1
Is this format rule disabled?	No
Like this	<pre>{"textColor":"","highlightColor":"red","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"far fa-stop","imageSize":null}</pre>
Visible?	ALWAYS

Rule name Validé accès 1

Rule name	Validé accès 1
Format these columns and actions	Accès App 1
For this data	Accès Personnel
If this condition is true	=ISNOTBLANK([Validation Accès 1])
Rule order	1
Is this format rule disabled?	No
Like this	<pre>{"textColor":"","highlightColor":"#38761d","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"far fa-check-square","imageSize":null}</pre>
Visible?	ALWAYS

Rule name Non validé accès 2

Rule name	Non validé accès 2
Format these columns and actions	Accès App 2
For this data	Accès Personnel
If this condition is true	=ISBLANK([Validation Accès 2])
Rule order	1
Is this format rule disabled?	No
Like this	<pre>{"textColor":"","highlightColor":"red","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"far fa-stop","imageSize":null}</pre>
Visible?	ALWAYS

Rule name Non validé accès 3

Rule name	Non validé accès 3
Format these columns and actions	Accès App 3
For this data	Accès Personnel
If this condition is true	=ISBLANK([Validation Accès 3])
Rule order	1
Is this format rule disabled?	No
Like this	{ "textColor":"","highlightColor":"red","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"far fa-stop","imageSize":null}
Visible?	ALWAYS

Rule name Non validé accès 4

Rule name	Non validé accès 4
Format these columns and actions	Accès App 4
For this data	Accès Personnel
If this condition is true	=ISBLANK([Validation Accès 4])
Rule order	1
Is this format rule disabled?	No
Like this	{ "textColor":"","highlightColor":"red","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"far fa-stop","imageSize":null}
Visible?	ALWAYS

Rule name Non validé accès 5

Rule name	Non validé accès 5
Format these columns and actions	Accès App 5
For this data	Accès Personnel
If this condition is true	=ISBLANK([Validation Accès 5])
Rule order	1
Is this format rule disabled?	No
Like this	{ "textColor":"","highlightColor":"red","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"far fa-stop","imageSize":null}
Visible?	ALWAYS

Rule name Non valide accès 6

Rule name	Non valide accès 6
Format these columns and actions	Accès App 6
For this data	Accès Personnel
If this condition is true	=ISBLANK([Validation Accès 6])
Rule order	1
Is this format rule disabled?	No
Like this	<code>{"textColor":"","highlightColor":"red","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"far fa-stop","imageSize":null}</code>
Visible?	ALWAYS

Rule name Non valide accès 7

Rule name	Non valide accès 7
Format these columns and actions	Accès App 7
For this data	Accès Personnel
If this condition is true	=ISBLANK([Validation Accès 7])
Rule order	1
Is this format rule disabled?	No
Like this	<code>{"textColor":"","highlightColor":"red","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"far fa-stop","imageSize":null}</code>
Visible?	ALWAYS

Rule name Non valide accès 8

Rule name	Non valide accès 8
Format these columns and actions	Accès App 8
For this data	Accès Personnel
If this condition is true	=ISBLANK([Validation Accès 8])
Rule order	1
Is this format rule disabled?	No
Like this	<code>{"textColor":"","highlightColor":"red","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"far fa-stop","imageSize":null}</code>

Visible? ALWAYS

Rule name Non valide accès 9

Rule name	Non valide accès 9
Format these columns and actions	Accès App 9
For this data	Accès Personnel
If this condition is true	=ISBLANK([Validation Accès 9])
Rule order	1
Is this format rule disabled?	No
Like this	<pre>{"textColor":"","highlightColor":"red","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"far fa-stop","imageSize":null}</pre>
Visible?	ALWAYS

Rule name Non valide accès 10

Rule name	Non valide accès 10
Format these columns and actions	Accès App 10
For this data	Accès Personnel
If this condition is true	=ISBLANK([Validation Accès 10])
Rule order	1
Is this format rule disabled?	No
Like this	<pre>{"textColor":"","highlightColor":"red","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"far fa-stop","imageSize":null}</pre>
Visible?	ALWAYS

Rule name Non valide accès 11

Rule name	Non valide accès 11
Format these columns and actions	Accès App 11
For this data	Accès Personnel
If this condition is true	=ISBLANK([Validation Accès 11])
Rule order	1
Is this format rule disabled?	No

Like this

```
{
  "textColor": "",
  "highlightColor": "red",
  "textSize": 1.0,
  "underline": false,
  "strikethrough": false,
  "bold": true,
  "italic": false,
  "uppercase": false,
  "icon": "far fa-stop",
  "imageSize": null
}
```

Visible?

ALWAYS

Rule name Non validé accès 12

Rule name

Non validé accès 12

Format these columns and actions

Accès App 12

For this data

Accès Personnel

If this condition is true

=ISBLANK([Validation Accès 12])

Rule order

1

Is this format rule disabled?

No

Like this

```
{
  "textColor": "",
  "highlightColor": "red",
  "textSize": 1.0,
  "underline": false,
  "strikethrough": false,
  "bold": true,
  "italic": false,
  "uppercase": false,
  "icon": "far fa-stop",
  "imageSize": null
}
```

Visible?

ALWAYS

Rule name Non validé accès 13

Rule name

Non validé accès 13

Format these columns and actions

Accès App 13

For this data

Accès Personnel

If this condition is true

=ISBLANK([Validation Accès 13])

Rule order

1

Is this format rule disabled?

No

Like this

```
{
  "textColor": "",
  "highlightColor": "red",
  "textSize": 1.0,
  "underline": false,
  "strikethrough": false,
  "bold": true,
  "italic": false,
  "uppercase": false,
  "icon": "far fa-stop",
  "imageSize": null
}
```

Visible?

ALWAYS

Rule name Non validé accès 14

Rule name

Non validé accès 14

Format these columns and actions

Accès App 14

For this data

Accès Personnel

If this condition is true

=ISBLANK([Validation Accès 14])

Rule order	1
Is this format rule disabled?	No
Like this	<code>{"textColor":"","highlightColor":"red","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"far fa-stop","imageSize":null}</code>
Visible?	ALWAYS

Rule name Non validé accès 15

Rule name	Non validé accès 15
Format these columns and actions	Accès App 15
For this data	Accès Personnel
If this condition is true	=ISBLANK([Validation Accès 15])
Rule order	1
Is this format rule disabled?	No
Like this	<code>{"textColor":"","highlightColor":"red","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"far fa-stop","imageSize":null}</code>
Visible?	ALWAYS

Rule name Non validé accès 16

Rule name	Non validé accès 16
Format these columns and actions	Accès App 16
For this data	Accès Personnel
If this condition is true	=ISBLANK([Validation Accès 16])
Rule order	1
Is this format rule disabled?	No
Like this	<code>{"textColor":"","highlightColor":"red","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"far fa-stop","imageSize":null}</code>
Visible?	ALWAYS

Rule name Non validé accès 17

Rule name	Non validé accès 17
Format these columns and actions	Accès App 17

For this data	Accès Personnel
If this condition is true	=ISBLANK([Validation Accès 17])
Rule order	1
Is this format rule disabled?	No
Like this	{ "textColor":"","highlightColor":"red","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"far fa-stop","imageSize":null}
Visible?	ALWAYS

Rule name Non validé accès 18

Rule name	Non validé accès 18
Format these columns and actions	Accès App 18
For this data	Accès Personnel
If this condition is true	=ISBLANK([Validation Accès 18])
Rule order	1
Is this format rule disabled?	No
Like this	{ "textColor":"","highlightColor":"red","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"far fa-stop","imageSize":null}
Visible?	ALWAYS

Rule name Non validé accès 19

Rule name	Non validé accès 19
Format these columns and actions	Accès App 19
For this data	Accès Personnel
If this condition is true	=ISBLANK([Validation Accès 19])
Rule order	1
Is this format rule disabled?	No
Like this	{ "textColor":"","highlightColor":"red","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"far fa-stop","imageSize":null}
Visible?	ALWAYS

Rule name Non validé accès 20

Rule name	Non validé accès 20
-----------	---------------------

Format these columns and actions	Accès App 20
For this data	Accès Personnel
If this condition is true	=ISBLANK([Validation Accès 20])
Rule order	1
Is this format rule disabled?	No
Like this	<pre>{"textColor":"","highlightColor":"red","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"far fa-stop","imageSize":null}</pre>
Visible?	ALWAYS

Rule name Non validé accès 21

Rule name	Non validé accès 21
Format these columns and actions	Accès App 21
For this data	Accès Personnel
If this condition is true	=ISBLANK([Validation Accès 21])
Rule order	1
Is this format rule disabled?	No
Like this	<pre>{"textColor":"","highlightColor":"red","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"far fa-stop","imageSize":null}</pre>
Visible?	ALWAYS

Rule name Non validé accès 22

Rule name	Non validé accès 22
Format these columns and actions	Accès App 22
For this data	Accès Personnel
If this condition is true	=ISBLANK([Validation Accès 22])
Rule order	1
Is this format rule disabled?	No
Like this	<pre>{"textColor":"","highlightColor":"red","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"far fa-stop","imageSize":null}</pre>
Visible?	ALWAYS

Rule name Non validé accès 23

Rule name	Non validé accès 23
Format these columns and actions	Accès App 23
For this data	Accès Personnel
If this condition is true	=ISBLANK([Validation Accès 23])
Rule order	1
Is this format rule disabled?	No
Like this	{ "textColor":"","highlightColor":"red","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"far fa-stop","imageSize":null}
Visible?	ALWAYS

Rule name Non validé accès 24

Rule name	Non validé accès 24
Format these columns and actions	Accès App 24
For this data	Accès Personnel
If this condition is true	=ISBLANK([Validation Accès 24])
Rule order	1
Is this format rule disabled?	No
Like this	{ "textColor":"","highlightColor":"red","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"far fa-stop","imageSize":null}
Visible?	ALWAYS

Rule name Non validé accès 25

Rule name	Non validé accès 25
Format these columns and actions	Accès App 25
For this data	Accès Personnel
If this condition is true	=ISBLANK([Validation Accès 25])
Rule order	1
Is this format rule disabled?	No
Like this	{ "textColor":"","highlightColor":"red","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"far fa-stop","imageSize":null}
Visible?	ALWAYS

Rule name Non valide accès 26

Rule name	Non valide accès 26
Format these columns and actions	Accès App 26
For this data	Accès Personnel
If this condition is true	=ISBLANK([Validation Accès 26])
Rule order	1
Is this format rule disabled?	No
Like this	<pre>{ "textColor": "", "highlightColor": "red", "textSize": 1.0, "underline": false, "strikethrough": false, "bold": true, "italic": false, "uppercase": false, "icon": "far fa-stop", "imageSize": null }</pre>
Visible?	ALWAYS

Rule name Non valide accès 27

Rule name	Non valide accès 27
Format these columns and actions	Accès App 27
For this data	Accès Personnel
If this condition is true	=ISBLANK([Validation Accès 27])
Rule order	1
Is this format rule disabled?	No
Like this	<pre>{ "textColor": "", "highlightColor": "red", "textSize": 1.0, "underline": false, "strikethrough": false, "bold": true, "italic": false, "uppercase": false, "icon": "far fa-stop", "imageSize": null }</pre>
Visible?	ALWAYS

Rule name Non valide accès 28

Rule name	Non valide accès 28
Format these columns and actions	Accès App 28
For this data	Accès Personnel
If this condition is true	=ISBLANK([Validation Accès 28])
Rule order	1
Is this format rule disabled?	No
Like this	<pre>{ "textColor": "", "highlightColor": "red", "textSize": 1.0, "underline": false, "strikethrough": false, "bold": true, "italic": false, "uppercase": false, "icon": "far fa-stop", "imageSize": null }</pre>

Visible?

ALWAYS

Rule name Non valide accès 29

Rule name	Non valide accès 29
Format these columns and actions	Accès App 29
For this data	Accès Personnel
If this condition is true	=ISBLANK([Validation Accès 29])
Rule order	1
Is this format rule disabled?	No
Like this	<pre>{ "textColor": "", "highlightColor": "red", "textSize": 1.0, "underline": false, "strikethrough": false, "bold": true, "italic": false, "uppercase": false, "icon": "far fa-stop", "imageSize": null }</pre>
Visible?	ALWAYS

Rule name Non valide accès 30

Rule name	Non valide accès 30
Format these columns and actions	Accès App 30
For this data	Accès Personnel
If this condition is true	=ISBLANK([Validation Accès 30])
Rule order	1
Is this format rule disabled?	No
Like this	<pre>{ "textColor": "", "highlightColor": "red", "textSize": 1.0, "underline": false, "strikethrough": false, "bold": true, "italic": false, "uppercase": false, "icon": "far fa-stop", "imageSize": null }</pre>
Visible?	ALWAYS

Rule name Non valide accès 31

Rule name	Non valide accès 31
Format these columns and actions	Accès App 31
For this data	Accès Personnel
If this condition is true	=ISBLANK([Validation Accès 31])
Rule order	1
Is this format rule disabled?	No

Like this

```
{
  "textColor": "",
  "highlightColor": "red",
  "textSize": 1.0,
  "underline": false,
  "strikethrough": false,
  "bold": true,
  "italic": false,
  "uppercase": false,
  "icon": "far fa-stop",
  "imageSize": null
}
```

Visible?

ALWAYS

Rule name Non validé accès 32

Rule name

Non validé accès 32

Format these columns and actions

Accès App 32

For this data

Accès Personnel

If this condition is true

=ISBLANK([Validation Accès 32])

Rule order

1

Is this format rule disabled?

No

Like this

```
{
  "textColor": "",
  "highlightColor": "red",
  "textSize": 1.0,
  "underline": false,
  "strikethrough": false,
  "bold": true,
  "italic": false,
  "uppercase": false,
  "icon": "far fa-stop",
  "imageSize": null
}
```

Visible?

ALWAYS

Rule name Non validé accès 33

Rule name

Non validé accès 33

Format these columns and actions

Accès App 33

For this data

Accès Personnel

If this condition is true

=ISBLANK([Validation Accès 33])

Rule order

1

Is this format rule disabled?

No

Like this

```
{
  "textColor": "",
  "highlightColor": "red",
  "textSize": 1.0,
  "underline": false,
  "strikethrough": false,
  "bold": true,
  "italic": false,
  "uppercase": false,
  "icon": "far fa-stop",
  "imageSize": null
}
```

Visible?

ALWAYS

Rule name Non validé accès 34

Rule name

Non validé accès 34

Format these columns and actions

Accès App 34

For this data

Accès Personnel

If this condition is true

=ISBLANK([Validation Accès 34])

Rule order	1
Is this format rule disabled?	No
Like this	<code>{"textColor":"","highlightColor":"red","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"far fa-stop","imageSize":null}</code>
Visible?	ALWAYS

Rule name Non validé accès 35

Rule name	Non validé accès 35
Format these columns and actions	Accès App 35
For this data	Accès Personnel
If this condition is true	=ISBLANK([Validation Accès 35])
Rule order	1
Is this format rule disabled?	No
Like this	<code>{"textColor":"","highlightColor":"red","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"far fa-stop","imageSize":null}</code>
Visible?	ALWAYS

Rule name Non validé accès 36

Rule name	Non validé accès 36
Format these columns and actions	Accès App 36
For this data	Accès Personnel
If this condition is true	=ISBLANK([Validation Accès 36])
Rule order	1
Is this format rule disabled?	No
Like this	<code>{"textColor":"","highlightColor":"red","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"far fa-stop","imageSize":null}</code>
Visible?	ALWAYS

Rule name Non validé accès 37

Rule name	Non validé accès 37
Format these columns and actions	Accès App 37

For this data	Accès Personnel
If this condition is true	=ISBLANK([Validation Accès 37])
Rule order	1
Is this format rule disabled?	No
Like this	{ "textColor": "", "highlightColor": "red", "textSize": 1.0, "underline": false, "strikethrough": false, "bold": true, "italic": false, "uppercase": false, "icon": "far fa-stop", "imageSize": null }
Visible?	ALWAYS

Rule name Non validé accès 38

Rule name	Non validé accès 38
Format these columns and actions	Accès App 38
For this data	Accès Personnel
If this condition is true	=ISBLANK([Validation Accès 38])
Rule order	1
Is this format rule disabled?	No
Like this	{ "textColor": "", "highlightColor": "red", "textSize": 1.0, "underline": false, "strikethrough": false, "bold": true, "italic": false, "uppercase": false, "icon": "far fa-stop", "imageSize": null }
Visible?	ALWAYS

Rule name Non validé accès 39

Rule name	Non validé accès 39
Format these columns and actions	Accès App 39
For this data	Accès Personnel
If this condition is true	=ISBLANK([Validation Accès 39])
Rule order	1
Is this format rule disabled?	No
Like this	{ "textColor": "", "highlightColor": "red", "textSize": 1.0, "underline": false, "strikethrough": false, "bold": true, "italic": false, "uppercase": false, "icon": "far fa-stop", "imageSize": null }
Visible?	ALWAYS

Rule name Non validé accès 40

Rule name	Non validé accès 40
-----------	---------------------

Format these columns and actions	Accès App 40
For this data	Accès Personnel
If this condition is true	=ISBLANK([Validation Accès 40])
Rule order	1
Is this format rule disabled?	No
Like this	<pre>{"textColor":"","highlightColor":"red","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"far fa-stop","imageSize":null}</pre>
Visible?	ALWAYS

Rule name Non validé accès 41

Rule name	Non validé accès 41
Format these columns and actions	Accès App 41
For this data	Accès Personnel
If this condition is true	=ISBLANK([Validation Accès 41])
Rule order	1
Is this format rule disabled?	No
Like this	<pre>{"textColor":"","highlightColor":"red","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"far fa-stop","imageSize":null}</pre>
Visible?	ALWAYS

Rule name Non validé accès 42

Rule name	Non validé accès 42
Format these columns and actions	Accès App 42
For this data	Accès Personnel
If this condition is true	=ISBLANK([Validation Accès 42])
Rule order	1
Is this format rule disabled?	No
Like this	<pre>{"textColor":"","highlightColor":"red","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"far fa-stop","imageSize":null}</pre>
Visible?	ALWAYS

Rule name Non validé accès 43

Rule name	Non validé accès 43
Format these columns and actions	Accès App 43
For this data	Accès Personnel
If this condition is true	=ISBLANK([Validation Accès 43])
Rule order	1
Is this format rule disabled?	No
Like this	{ "textColor":"","highlightColor":"red","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"far fa-stop","imageSize":null}
Visible?	ALWAYS

Rule name Non validé accès 44

Rule name	Non validé accès 44
Format these columns and actions	Accès App 44
For this data	Accès Personnel
If this condition is true	=ISBLANK([Validation Accès 44])
Rule order	1
Is this format rule disabled?	No
Like this	{ "textColor":"","highlightColor":"red","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"far fa-stop","imageSize":null}
Visible?	ALWAYS

Rule name Non validé accès 45

Rule name	Non validé accès 45
Format these columns and actions	Accès App 45
For this data	Accès Personnel
If this condition is true	=ISBLANK([Validation Accès 45])
Rule order	1
Is this format rule disabled?	No
Like this	{ "textColor":"","highlightColor":"red","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"far fa-stop","imageSize":null}
Visible?	ALWAYS

Rule name Non valide accès 46

Rule name	Non valide accès 46
Format these columns and actions	Accès App 46
For this data	Accès Personnel
If this condition is true	=ISBLANK([Validation Accès 46])
Rule order	1
Is this format rule disabled?	No
Like this	<code>{"textColor":"","highlightColor":"red","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"far fa-stop","imageSize":null}</code>
Visible?	ALWAYS

Rule name Non valide accès 47

Rule name	Non valide accès 47
Format these columns and actions	Accès App 47
For this data	Accès Personnel
If this condition is true	=ISBLANK([Validation Accès 47])
Rule order	1
Is this format rule disabled?	No
Like this	<code>{"textColor":"","highlightColor":"red","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"far fa-stop","imageSize":null}</code>
Visible?	ALWAYS

Rule name Non valide accès 48

Rule name	Non valide accès 48
Format these columns and actions	Accès App 48
For this data	Accès Personnel
If this condition is true	=ISBLANK([Validation Accès 48])
Rule order	1
Is this format rule disabled?	No
Like this	<code>{"textColor":"","highlightColor":"red","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"far fa-stop","imageSize":null}</code>

Visible?

ALWAYS

Rule name Non valide accès 49

Rule name	Non valide accès 49
Format these columns and actions	Accès App 49
For this data	Accès Personnel
If this condition is true	=ISBLANK([Validation Accès 49])
Rule order	1
Is this format rule disabled?	No
Like this	<pre>{ "textColor": "", "highlightColor": "red", "textSize": 1.0, "underline": false, "strikethrough": false, "bold": true, "italic": false, "uppercase": false, "icon": "far fa-stop", "imageSize": null }</pre>
Visible?	ALWAYS

Rule name Non valide accès 50

Rule name	Non valide accès 50
Format these columns and actions	Accès App 50
For this data	Accès Personnel
If this condition is true	=ISBLANK([Validation Accès 50])
Rule order	1
Is this format rule disabled?	No
Like this	<pre>{ "textColor": "", "highlightColor": "red", "textSize": 1.0, "underline": false, "strikethrough": false, "bold": true, "italic": false, "uppercase": false, "icon": "far fa-stop", "imageSize": null }</pre>
Visible?	ALWAYS

Rule name Validé accès 2

Rule name	Validé accès 2
Format these columns and actions	Accès App 2
For this data	Accès Personnel
If this condition is true	=ISNOTBLANK([Validation Accès 2])
Rule order	1
Is this format rule disabled?	No

Like this

```
{"textColor":"","highlightColor":"#38761d","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"far fa-check-square","imageSize":null}
```

Visible?

ALWAYS

Rule name Validé accès 3

Rule name

Validé accès 3

Format these columns and actions

Accès App 3

For this data

Accès Personnel

If this condition is true

=ISNOTBLANK([Validation Accès 3])

Rule order

1

Is this format rule disabled?

No

Like this

```
{"textColor":"","highlightColor":"#38761d","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"far fa-check-square","imageSize":null}
```

Visible?

ALWAYS

Rule name Validé accès 4

Rule name

Validé accès 4

Format these columns and actions

Accès App 4

For this data

Accès Personnel

If this condition is true

=ISNOTBLANK([Validation Accès 4])

Rule order

1

Is this format rule disabled?

No

Like this

```
{"textColor":"","highlightColor":"#38761d","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"far fa-check-square","imageSize":null}
```

Visible?

ALWAYS

Rule name Validé accès 5

Rule name

Validé accès 5

Format these columns and actions

Accès App 5

For this data

Accès Personnel

If this condition is true

=ISNOTBLANK([Validation Accès 5])

Rule order	1
Is this format rule disabled?	No
Like this	<code>{"textColor":"","highlightColor":"#38761d","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"far fa-check-square","imageSize":null}</code>
Visible?	ALWAYS

Rule name Validé accès 6

Rule name	Validé accès 6
Format these columns and actions	Accès App 6
For this data	Accès Personnel
If this condition is true	=ISNOTBLANK([Validation Accès 6])
Rule order	1
Is this format rule disabled?	No
Like this	<code>{"textColor":"","highlightColor":"#38761d","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"far fa-check-square","imageSize":null}</code>
Visible?	ALWAYS

Rule name Validé accès 7

Rule name	Validé accès 7
Format these columns and actions	Accès App 7
For this data	Accès Personnel
If this condition is true	=ISNOTBLANK([Validation Accès 7])
Rule order	1
Is this format rule disabled?	No
Like this	<code>{"textColor":"","highlightColor":"#38761d","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"far fa-check-square","imageSize":null}</code>
Visible?	ALWAYS

Rule name Validé accès 8

Rule name	Validé accès 8
Format these columns and actions	Accès App 8

For this data	Accès Personnel
If this condition is true	=ISNOTBLANK([Validation Accès 8])
Rule order	1
Is this format rule disabled?	No
Like this	<pre>{"textColor":"","highlightColor":"#38761d","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"far fa-check-square","imageSize":null}</pre>
Visible?	ALWAYS

Rule name Validé accès 9

Rule name	Validé accès 9
Format these columns and actions	Accès App 9
For this data	Accès Personnel
If this condition is true	=ISNOTBLANK([Validation Accès 9])
Rule order	1
Is this format rule disabled?	No
Like this	<pre>{"textColor":"","highlightColor":"#38761d","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"far fa-check-square","imageSize":null}</pre>
Visible?	ALWAYS

Rule name Validé accès 10

Rule name	Validé accès 10
Format these columns and actions	Accès App 10
For this data	Accès Personnel
If this condition is true	=ISNOTBLANK([Validation Accès 10])
Rule order	1
Is this format rule disabled?	No
Like this	<pre>{"textColor":"","highlightColor":"#38761d","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"far fa-check-square","imageSize":null}</pre>
Visible?	ALWAYS

Rule name Validé accès 11

Rule name	Validé accès 11
-----------	-----------------

Format these columns and actions	Accès App 11
For this data	Accès Personnel
If this condition is true	=ISNOTBLANK([Validation Accès 11])
Rule order	1
Is this format rule disabled?	No
Like this	{ "textColor": "", "highlightColor": "#38761d", "textSize": 1.0, "underline": false, "strikethrough": false, "bold": true, "italic": false, "uppercase": false, "icon": "far fa-check-square", "imageSize": null }
Visible?	ALWAYS

Rule name Validé accès 12

Rule name	Validé accès 12
Format these columns and actions	Accès App 12
For this data	Accès Personnel
If this condition is true	=ISNOTBLANK([Validation Accès 12])
Rule order	1
Is this format rule disabled?	No
Like this	{ "textColor": "", "highlightColor": "#38761d", "textSize": 1.0, "underline": false, "strikethrough": false, "bold": true, "italic": false, "uppercase": false, "icon": "far fa-check-square", "imageSize": null }
Visible?	ALWAYS

Rule name Validé accès 13

Rule name	Validé accès 13
Format these columns and actions	Accès App 13
For this data	Accès Personnel
If this condition is true	=ISNOTBLANK([Validation Accès 13])
Rule order	1
Is this format rule disabled?	No
Like this	{ "textColor": "", "highlightColor": "#38761d", "textSize": 1.0, "underline": false, "strikethrough": false, "bold": true, "italic": false, "uppercase": false, "icon": "far fa-check-square", "imageSize": null }
Visible?	ALWAYS

Rule name Validé accès 14

Rule name	Validé accès 14
Format these columns and actions	Accès App 14
For this data	Accès Personnel
If this condition is true	=ISNOTBLANK([Validation Accès 14])
Rule order	1
Is this format rule disabled?	No
Like this	{ "textColor":"","highlightColor":"#38761d","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"far fa-check-square","imageSize":null}
Visible?	ALWAYS

Rule name Validé accès 15

Rule name	Validé accès 15
Format these columns and actions	Accès App 15
For this data	Accès Personnel
If this condition is true	=ISNOTBLANK([Validation Accès 15])
Rule order	1
Is this format rule disabled?	No
Like this	{ "textColor":"","highlightColor":"#38761d","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"far fa-check-square","imageSize":null}
Visible?	ALWAYS

Rule name Validé accès 16

Rule name	Validé accès 16
Format these columns and actions	Accès App 16
For this data	Accès Personnel
If this condition is true	=ISNOTBLANK([Validation Accès 16])
Rule order	1
Is this format rule disabled?	No
Like this	{ "textColor":"","highlightColor":"#38761d","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"far fa-check-square","imageSize":null}
Visible?	ALWAYS

Rule name Validé accès 17

Rule name	Validé accès 17
Format these columns and actions	Accès App 17
For this data	Accès Personnel
If this condition is true	=ISNOTBLANK([Validation Accès 17])
Rule order	1
Is this format rule disabled?	No
Like this	<code>{"textColor":"","highlightColor":"#38761d","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"far fa-check-square","imageSize":null}</code>
Visible?	ALWAYS

Rule name Validé accès 18

Rule name	Validé accès 18
Format these columns and actions	Accès App 18
For this data	Accès Personnel
If this condition is true	=ISNOTBLANK([Validation Accès 18])
Rule order	1
Is this format rule disabled?	No
Like this	<code>{"textColor":"","highlightColor":"#38761d","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"far fa-check-square","imageSize":null}</code>
Visible?	ALWAYS

Rule name Validé accès 19

Rule name	Validé accès 19
Format these columns and actions	Accès App 19
For this data	Accès Personnel
If this condition is true	=ISNOTBLANK([Validation Accès 19])
Rule order	1
Is this format rule disabled?	No
Like this	<code>{"textColor":"","highlightColor":"#38761d","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"far fa-check-square","imageSize":null}</code>

Visible? ALWAYS

Rule name Validé accès 20

Rule name	Validé accès 20
Format these columns and actions	Accès App 20
For this data	Accès Personnel
If this condition is true	=ISNOTBLANK([Validation Accès 20])
Rule order	1
Is this format rule disabled?	No
Like this	<code>{"textColor":"","highlightColor":"#38761d","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"far fa-check-square","imageSize":null}</code>
Visible?	ALWAYS

Rule name Validé accès 21

Rule name	Validé accès 21
Format these columns and actions	Accès App 21
For this data	Accès Personnel
If this condition is true	=ISNOTBLANK([Validation Accès 21])
Rule order	1
Is this format rule disabled?	No
Like this	<code>{"textColor":"","highlightColor":"#38761d","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"far fa-check-square","imageSize":null}</code>
Visible?	ALWAYS

Rule name Validé accès 22

Rule name	Validé accès 22
Format these columns and actions	Accès App 22
For this data	Accès Personnel
If this condition is true	=ISNOTBLANK([Validation Accès 22])
Rule order	1
Is this format rule disabled?	No

Like this

```
{"textColor":"","highlightColor":"#38761d","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"far fa-check-square","imageSize":null}
```

Visible?

ALWAYS

Rule name Validé accès 23

Rule name

Validé accès 23

Format these columns and actions

Accès App 23

For this data

Accès Personnel

If this condition is true

=ISNOTBLANK([Validation Accès 23])

Rule order

1

Is this format rule disabled?

No

Like this

```
{"textColor":"","highlightColor":"#38761d","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"far fa-check-square","imageSize":null}
```

Visible?

ALWAYS

Rule name Validé accès 24

Rule name

Validé accès 24

Format these columns and actions

Accès App 24

For this data

Accès Personnel

If this condition is true

=ISNOTBLANK([Validation Accès 24])

Rule order

1

Is this format rule disabled?

No

Like this

```
{"textColor":"","highlightColor":"#38761d","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"far fa-check-square","imageSize":null}
```

Visible?

ALWAYS

Rule name Validé accès 25

Rule name

Validé accès 25

Format these columns and actions

Accès App 25

For this data

Accès Personnel

If this condition is true

=ISNOTBLANK([Validation Accès 25])

Rule order	1
Is this format rule disabled?	No
Like this	<code>{"textColor":"","highlightColor":"#38761d","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"far fa-check-square","imageSize":null}</code>
Visible?	ALWAYS

Rule name Validé accès 26

Rule name	Validé accès 26
Format these columns and actions	Accès App 26
For this data	Accès Personnel
If this condition is true	=ISNOTBLANK([Validation Accès 26])
Rule order	1
Is this format rule disabled?	No
Like this	<code>{"textColor":"","highlightColor":"#38761d","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"far fa-check-square","imageSize":null}</code>
Visible?	ALWAYS

Rule name Validé accès 27

Rule name	Validé accès 27
Format these columns and actions	Accès App 27
For this data	Accès Personnel
If this condition is true	=ISNOTBLANK([Validation Accès 27])
Rule order	1
Is this format rule disabled?	No
Like this	<code>{"textColor":"","highlightColor":"#38761d","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"far fa-check-square","imageSize":null}</code>
Visible?	ALWAYS

Rule name Validé accès 28

Rule name	Validé accès 28
Format these columns and actions	Accès App 28

For this data	Accès Personnel
If this condition is true	=ISNOTBLANK([Validation Accès 28])
Rule order	1
Is this format rule disabled?	No
Like this	<pre>{"textColor":"","highlightColor":"#38761d","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"far fa-check-square","imageSize":null}</pre>
Visible?	ALWAYS

Rule name Validé accès 29

Rule name	Validé accès 29
Format these columns and actions	Accès App 29
For this data	Accès Personnel
If this condition is true	=ISNOTBLANK([Validation Accès 29])
Rule order	1
Is this format rule disabled?	No
Like this	<pre>{"textColor":"","highlightColor":"#38761d","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"far fa-check-square","imageSize":null}</pre>
Visible?	ALWAYS

Rule name Validé accès 30

Rule name	Validé accès 30
Format these columns and actions	Accès App 30
For this data	Accès Personnel
If this condition is true	=ISNOTBLANK([Validation Accès 30])
Rule order	1
Is this format rule disabled?	No
Like this	<pre>{"textColor":"","highlightColor":"#38761d","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"far fa-check-square","imageSize":null}</pre>
Visible?	ALWAYS

Rule name Validé accès 31

Rule name	Validé accès 31
-----------	-----------------

Format these columns and actions	Accès App 31
For this data	Accès Personnel
If this condition is true	=ISNOTBLANK([Validation Accès 31])
Rule order	1
Is this format rule disabled?	No
Like this	<code>{"textColor":"","highlightColor":"#38761d","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"far fa-check-square","imageSize":null}</code>
Visible?	ALWAYS

Rule name Validé accès 32

Rule name	Validé accès 32
Format these columns and actions	Accès App 32
For this data	Accès Personnel
If this condition is true	=ISNOTBLANK([Validation Accès 32])
Rule order	1
Is this format rule disabled?	No
Like this	<code>{"textColor":"","highlightColor":"#38761d","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"far fa-check-square","imageSize":null}</code>
Visible?	ALWAYS

Rule name Validé accès 33

Rule name	Validé accès 33
Format these columns and actions	Accès App 33
For this data	Accès Personnel
If this condition is true	=ISNOTBLANK([Validation Accès 33])
Rule order	1
Is this format rule disabled?	No
Like this	<code>{"textColor":"","highlightColor":"#38761d","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"far fa-check-square","imageSize":null}</code>
Visible?	ALWAYS

Rule name Validé accès 34

Rule name	Validé accès 34
Format these columns and actions	Accès App 34
For this data	Accès Personnel
If this condition is true	=ISNOTBLANK([Validation Accès 34])
Rule order	1
Is this format rule disabled?	No
Like this	{ "textColor":"","highlightColor":"#38761d","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"far fa-check-square","imageSize":null}
Visible?	ALWAYS

Rule name Validé accès 35

Rule name	Validé accès 35
Format these columns and actions	Accès App 35
For this data	Accès Personnel
If this condition is true	=ISNOTBLANK([Validation Accès 35])
Rule order	1
Is this format rule disabled?	No
Like this	{ "textColor":"","highlightColor":"#38761d","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"far fa-check-square","imageSize":null}
Visible?	ALWAYS

Rule name Validé accès 36

Rule name	Validé accès 36
Format these columns and actions	Accès App 36
For this data	Accès Personnel
If this condition is true	=ISNOTBLANK([Validation Accès 36])
Rule order	1
Is this format rule disabled?	No
Like this	{ "textColor":"","highlightColor":"#38761d","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"far fa-check-square","imageSize":null}
Visible?	ALWAYS

Rule name Validé accès 37

Rule name	Validé accès 37
Format these columns and actions	Accès App 37
For this data	Accès Personnel
If this condition is true	=ISNOTBLANK([Validation Accès 37])
Rule order	1
Is this format rule disabled?	No
Like this	<code>{"textColor":"","highlightColor":"#38761d","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"far fa-check-square","imageSize":null}</code>
Visible?	ALWAYS

Rule name Validé accès 38

Rule name	Validé accès 38
Format these columns and actions	Accès App 38
For this data	Accès Personnel
If this condition is true	=ISNOTBLANK([Validation Accès 38])
Rule order	1
Is this format rule disabled?	No
Like this	<code>{"textColor":"","highlightColor":"#38761d","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"far fa-check-square","imageSize":null}</code>
Visible?	ALWAYS

Rule name Validé accès 39

Rule name	Validé accès 39
Format these columns and actions	Accès App 39
For this data	Accès Personnel
If this condition is true	=ISNOTBLANK([Validation Accès 39])
Rule order	1
Is this format rule disabled?	No
Like this	<code>{"textColor":"","highlightColor":"#38761d","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"far fa-check-square","imageSize":null}</code>

Visible? ALWAYS

Rule name Validé accès 40

Rule name	Validé accès 40
Format these columns and actions	Accès App 40
For this data	Accès Personnel
If this condition is true	=ISNOTBLANK([Validation Accès 40])
Rule order	1
Is this format rule disabled?	No
Like this	<pre>{"textColor":"","highlightColor":"#38761d","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"far fa-check-square","imageSize":null}</pre>
Visible?	ALWAYS

Rule name Validé accès 41

Rule name	Validé accès 41
Format these columns and actions	Accès App 41
For this data	Accès Personnel
If this condition is true	=ISNOTBLANK([Validation Accès 41])
Rule order	1
Is this format rule disabled?	No
Like this	<pre>{"textColor":"","highlightColor":"#38761d","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"far fa-check-square","imageSize":null}</pre>
Visible?	ALWAYS

Rule name Validé accès 42

Rule name	Validé accès 42
Format these columns and actions	Accès App 42
For this data	Accès Personnel
If this condition is true	=ISNOTBLANK([Validation Accès 42])
Rule order	1
Is this format rule disabled?	No

Like this

```
{"textColor":"","highlightColor":"#38761d","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"far fa-check-square","imageSize":null}
```

Visible?

ALWAYS

Rule name Validé accès 43

Rule name

Validé accès 43

Format these columns and actions

Accès App 43

For this data

Accès Personnel

If this condition is true

=ISNOTBLANK([Validation Accès 43])

Rule order

1

Is this format rule disabled?

No

Like this

```
{"textColor":"","highlightColor":"#38761d","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"far fa-check-square","imageSize":null}
```

Visible?

ALWAYS

Rule name Validé accès 44

Rule name

Validé accès 44

Format these columns and actions

Accès App 44

For this data

Accès Personnel

If this condition is true

=ISNOTBLANK([Validation Accès 44])

Rule order

1

Is this format rule disabled?

No

Like this

```
{"textColor":"","highlightColor":"#38761d","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"far fa-check-square","imageSize":null}
```

Visible?

ALWAYS

Rule name Validé accès 45

Rule name

Validé accès 45

Format these columns and actions

Accès App 45

For this data

Accès Personnel

If this condition is true

=ISNOTBLANK([Validation Accès 45])

Rule order	1
Is this format rule disabled?	No
Like this	<code>{"textColor":"","highlightColor":"#38761d","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"far fa-check-square","imageSize":null}</code>
Visible?	ALWAYS

Rule name Validé accès 46

Rule name	Validé accès 46
Format these columns and actions	Accès App 46
For this data	Accès Personnel
If this condition is true	=ISNOTBLANK([Validation Accès 46])
Rule order	1
Is this format rule disabled?	No
Like this	<code>{"textColor":"","highlightColor":"#38761d","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"far fa-check-square","imageSize":null}</code>
Visible?	ALWAYS

Rule name Validé accès 47

Rule name	Validé accès 47
Format these columns and actions	Accès App 47
For this data	Accès Personnel
If this condition is true	=ISNOTBLANK([Validation Accès 47])
Rule order	1
Is this format rule disabled?	No
Like this	<code>{"textColor":"","highlightColor":"#38761d","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"far fa-check-square","imageSize":null}</code>
Visible?	ALWAYS

Rule name Validé accès 48

Rule name	Validé accès 48
Format these columns and actions	Accès App 48

For this data	Accès Personnel
If this condition is true	=ISNOTBLANK([Validation Accès 48])
Rule order	1
Is this format rule disabled?	No
Like this	<pre>{"textColor":"","highlightColor":"#38761d","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"far fa-check-square","imageSize":null}</pre>
Visible?	ALWAYS

Rule name Validé accès 49

Rule name	Validé accès 49
Format these columns and actions	Accès App 49
For this data	Accès Personnel
If this condition is true	=ISNOTBLANK([Validation Accès 49])
Rule order	1
Is this format rule disabled?	No
Like this	<pre>{"textColor":"","highlightColor":"#38761d","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"far fa-check-square","imageSize":null}</pre>
Visible?	ALWAYS

Rule name Validé accès 50

Rule name	Validé accès 50
Format these columns and actions	Accès App 50
For this data	Accès Personnel
If this condition is true	=ISNOTBLANK([Validation Accès 50])
Rule order	1
Is this format rule disabled?	No
Like this	<pre>{"textColor":"","highlightColor":"#38761d","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"far fa-check-square","imageSize":null}</pre>
Visible?	ALWAYS

Rule name Label Accès

Rule name	Label Accès
-----------	-------------

Format these columns and actions	Accès
For this data	Accès
Rule order	1
Is this format rule disabled?	No
Like this	<code>{"textColor":"primaryText","highlightColor":"","textSize":1.2,"underline":true,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":null,"imageSize":null}</code>
Visible?	ALWAYS

Rule name Doc non traité

Rule name	Doc non traité
Format these columns and actions	__action__Document traité
For this data	Administratif
If this condition is true	=ISBLANK([Document traité ?])
Rule order	1
Is this format rule disabled?	No
Like this	<code>{"textColor":"","highlightColor":"red","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"far fa-stop","imageSize":null}</code>
Visible?	ALWAYS

Rule name Doc traité

Rule name	Doc traité
Format these columns and actions	__action__Document traité
For this data	Administratif
If this condition is true	=ISNOTBLANK([Document traité ?])
Rule order	1
Is this format rule disabled?	No
Like this	<code>{"textColor":"","highlightColor":"green","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"far fa-check-square","imageSize":null}</code>
Visible?	ALWAYS

Rule name Doc non traité texte

Rule name	Doc non traité texte
Format these columns and actions	Document traité
For this data	Administratif
If this condition is true	=ISBLANK([Document traité ?])
Rule order	1
Is this format rule disabled?	No
Like this	{ "textColor": "primaryText", "highlightColor": "", "textSize": 1.0, "underline": false, "strikethrough": false, "bold": true, "italic": false, "uppercase": false, "icon": "", "imageSize": null }
Visible?	ALWAYS

Rule name Doc traité texte

Rule name	Doc traité texte
Format these columns and actions	Document traité
For this data	Administratif
If this condition is true	=ISNOTBLANK([Document traité ?])
Rule order	1
Is this format rule disabled?	No
Like this	{ "textColor": "primaryText", "highlightColor": "", "textSize": 1.0, "underline": false, "strikethrough": false, "bold": true, "italic": false, "uppercase": false, "icon": "", "imageSize": null }
Visible?	ALWAYS

Rule name Editer administratif

Rule name	Editer administratif
Format these columns and actions	__action__Edit
For this data	Administratif
Rule order	1
Is this format rule disabled?	No
Like this	{ "textColor": "primaryText", "highlightColor": "primaryText", "textSize": 1.0, "underline": false, "strikethrough": false, "bold": true, "italic": false, "uppercase": false, "icon": "", "imageSize": null }
Visible?	ALWAYS

Rule name Document

Rule name	Document
Format these columns and actions	__action__Open File (Fichier PDF)
For this data	Administratif
Rule order	1
Is this format rule disabled?	No
Like this	{ "textColor":"primaryText","highlightColor":"themeMainColor", "textSize":1.0,"underline":false,"strikethrough":false,"bold":true, "italic":false,"uppercase":false,"icon":"","imageSize":null}
Visible?	ALWAYS

Rule name Document titre

Rule name	Document titre
Format these columns and actions	Fichier PDF
For this data	Administratif
Rule order	1
Is this format rule disabled?	No
Like this	{ "textColor":"primaryText","highlightColor":"","textSize":1.0,"underline":true,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"","imageSize":null}
Visible?	ALWAYS

Rule name Non fait

Rule name	Non fait
Format these columns and actions	__action__Activité à faire / faite
For this data	Activites
If this condition is true	=ISBLANK([Déjà fait])
Rule order	1
Is this format rule disabled?	No
Like this	{ "textColor":"","highlightColor":"red","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"far fa-stop","imageSize":null}
Visible?	ALWAYS

Rule name Non fait texte

Rule name	Non fait texte
Format these columns and actions	A voir ou Fait
For this data	Activites
If this condition is true	=ISBLANK([Déjà fait])
Rule order	2
Is this format rule disabled?	No
Like this	{ "textColor": "primaryText", "highlightColor": "", "textSize": 1.0, "underline": false, "strikethrough": false, "bold": true, "italic": false, "uppercase": false, "icon": "", "imageSize": null }
Visible?	ALWAYS

Rule name Fait

Rule name	Fait
Format these columns and actions	__action__Activité à faire / faite
For this data	Activites
If this condition is true	=ISNOTBLANK([Déjà fait])
Rule order	3
Is this format rule disabled?	No
Like this	{ "textColor": "", "highlightColor": "green", "textSize": 1.0, "underline": false, "strikethrough": false, "bold": true, "italic": false, "uppercase": false, "icon": "far fa-check-square", "imageSize": null }
Visible?	ALWAYS

Rule name Fait texte

Rule name	Fait texte
Format these columns and actions	A voir ou Fait
For this data	Activites
If this condition is true	=ISNOTBLANK([Déjà fait])
Rule order	4
Is this format rule disabled?	No
Like this	{ "textColor": "primaryText", "highlightColor": "", "textSize": 1.0, "underline": false, "strikethrough": false, "bold": true, "italic": false, "uppercase": false, "icon": "", "imageSize": null }

Visible?

ALWAYS

Rule name Editer activités

Rule name

Editer activités

Format these columns and actions

__action__Edit

For this data

Activites

Rule order

5

Is this format rule disabled?

No

Like this

```
{"textColor":"primaryText","highlightColor":"primaryText","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"","imageSize":null}
```

Visible?

ALWAYS

Rule name Lieu Bar

Rule name

Lieu Bar

Format these columns and actions

Lieu

For this data

Activites

If this condition is true

```
=AND([Type] = "Bar" ; ISBLANK([Lieux des choses déjà faites]))
```

Rule order

6

Is this format rule disabled?

No

Like this

```
{"textColor":"primaryText","highlightColor":"red","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"fas fa-glass-cheers","imageSize":null}
```

Visible?

ALWAYS

Rule name Lien

Rule name

Lien

Format these columns and actions

__action__Open Url (Lien)

For this data

Activites

Rule order

8

Is this format rule disabled?

No

Like this

```
{"textColor":"primaryText","highlightColor":"themeMainColor","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"fas fa-external-link","imageSize":null}
```

Visible?

ALWAYS

Rule name Lien texte

Rule name Lien texte

Format these columns and actions Lien

For this data Activites

Rule order 7

Is this format rule disabled? No

```
Like this {"textColor":"themeMainColor","highlightColor":"","textSize":1.0,"underline":true,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"","imageSize":null}
```

Visible? ALWAYS

Rule name Editer FilmSerie

Rule name Editer FilmSerie

Format these columns and actions __action__Edit

For this data FilmsSeries

Rule order 1

Is this format rule disabled? No

```
Like this {"textColor":"primaryText","highlightColor":"primaryText","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"","imageSize":null}
```

Visible? ALWAYS

Rule name Déjà regardé

Rule name Déjà regardé

Format these columns and actions __action__Vu ou non vu

For this data FilmsSeries

If this condition is true =ISNOTBLANK([Vu ou non vu])

Rule order 1

Is this format rule disabled?	No
Like this	<code>{"textColor":"","highlightColor":"green","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"far fa-check-square","imageSize":null}</code>
Visible?	ALWAYS

Rule name Déjà regardé texte

Rule name	Déjà regardé texte
Format these columns and actions	Noter si vu ou non vu
For this data	FilmsSeries
If this condition is true	=ISNOTBLANK([Vu ou non vu])
Rule order	1
Is this format rule disabled?	No
Like this	<code>{"textColor":"primaryText","highlightColor":"","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"","imageSize":null}</code>
Visible?	ALWAYS

Rule name Non regardé

Rule name	Non regardé
Format these columns and actions	__action__Vu ou non vu
For this data	FilmsSeries
If this condition is true	=ISBLANK([Vu ou non vu])
Rule order	1
Is this format rule disabled?	No
Like this	<code>{"textColor":"","highlightColor":"red","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"far fa-stop","imageSize":null}</code>
Visible?	ALWAYS

Rule name Non regardé texte

Rule name	Non regardé texte
Format these columns and actions	Noter si vu ou non vu
For this data	FilmsSeries

If this condition is true	=ISBLANK([Vu ou non vu])
Rule order	1
Is this format rule disabled?	No
Like this	{ "textColor": "primaryText", "highlightColor": "", "textSize": 1.0, "underline": false, "strikethrough": false, "bold": true, "italic": false, "uppercase": false, "icon": "", "imageSize": null }
Visible?	ALWAYS

Rule name Editer astuces

Rule name	Editer astuces
Format these columns and actions	__action__Edit
For this data	Astuces
Rule order	1
Is this format rule disabled?	No
Like this	{ "textColor": "primaryText", "highlightColor": "primaryText", "textSize": 1.0, "underline": false, "strikethrough": false, "bold": true, "italic": false, "uppercase": false, "icon": "", "imageSize": null }
Visible?	ALWAYS

Rule name Editer Cartes cadeaux

Rule name	Editer Cartes cadeaux
Format these columns and actions	__action__Edit
For this data	CartesCadeaux
Rule order	1
Is this format rule disabled?	No
Like this	{ "textColor": "primaryText", "highlightColor": "primaryText", "textSize": 1.0, "underline": false, "strikethrough": false, "bold": true, "italic": false, "uppercase": false, "icon": "", "imageSize": null }
Visible?	ALWAYS

Rule name Label Cartes cadeaux

Rule name	Label Cartes cadeaux
Format these columns and actions	Label
For this data	CartesCadeaux

Rule order	1
Is this format rule disabled?	No
Like this	<code>{"textColor":"primaryText","highlightColor":"","textSize":1.1,"underline":true,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"","imageSize":null}</code>
Visible?	ALWAYS

Rule name Carte invalide

Rule name	Carte invalide
Format these columns and actions	__action__Carte invalide
For this data	CartesCadeaux
If this condition is true	=ISBLANK([Carte à ne plus afficher])
Rule order	1
Is this format rule disabled?	No
Like this	<code>{"textColor":"","highlightColor":"red","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"far fa-stop","imageSize":null}</code>
Visible?	ALWAYS

Rule name Carte invalide texte

Rule name	Carte invalide texte
Format these columns and actions	Mettre la Carte invalide
For this data	CartesCadeaux
If this condition is true	=ISBLANK([Carte à ne plus afficher])
Rule order	1
Is this format rule disabled?	No
Like this	<code>{"textColor":"primaryText","highlightColor":"","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"","imageSize":null}</code>
Visible?	ALWAYS

Rule name Titre Notif

Rule name	Titre Notif
Format these columns and actions	Titre

For this data	Notifications
If this condition is true	=[#] > 1
Rule order	1
Is this format rule disabled?	No
Like this	{ "textColor": "red", "highlightColor": "red", "textSize": 1.2, "underline": true, "strikethrough": false, "bold": true, "italic": false, "uppercase": false, "icon": "fas fa-exclamation-triangle", "imageSize": null }
Visible?	ALWAYS

Rule name Détails Notif

Rule name	Détails Notif
Format these columns and actions	Détails
For this data	Notifications
Rule order	1
Is this format rule disabled?	No
Like this	{ "textColor": "primaryText", "highlightColor": "", "textSize": 1.0, "underline": false, "strikethrough": false, "bold": true, "italic": false, "uppercase": false, "icon": "", "imageSize": null }
Visible?	ALWAYS

Rule name Bienvenue notif

Rule name	Bienvenue notif
Format these columns and actions	Titre
For this data	Notifications
If this condition is true	=[#] = 1
Rule order	1
Is this format rule disabled?	No
Like this	{ "textColor": "themeMainColor", "highlightColor": "", "textSize": 1.2, "underline": true, "strikethrough": false, "bold": true, "italic": false, "uppercase": false, "icon": "far fa-smile", "imageSize": null }
Visible?	ALWAYS

Rule name Editer cadeaux

Rule name	Editer cadeaux
-----------	----------------

Format these columns and actions	__action__Edit
For this data	Cadeaux
Rule order	1
Is this format rule disabled?	No
Like this	{ "textColor": "primaryText", "highlightColor": "primaryText", "textSize": 1.0, "underline": false, "strikethrough": false, "bold": true, "italic": false, "uppercase": false, "icon": "", "imageSize": null }
Visible?	ALWAYS

Rule name Cadeau acheté

Rule name	Cadeau acheté
Format these columns and actions	__action__Cadeau Acheté
For this data	Cadeaux
Rule order	1
Is this format rule disabled?	No
Like this	{ "textColor": "primaryText", "highlightColor": "themeMainColor", "textSize": 1.0, "underline": false, "strikethrough": false, "bold": true, "italic": false, "uppercase": false, "icon": "", "imageSize": null }
Visible?	ALWAYS

Rule name Editer liste de course

Rule name	Editer liste de course
Format these columns and actions	__action__Edit
For this data	Liste de courses
Rule order	1
Is this format rule disabled?	No
Like this	{ "textColor": "primaryText", "highlightColor": "primaryText", "textSize": 1.0, "underline": false, "strikethrough": false, "bold": true, "italic": false, "uppercase": false, "icon": "", "imageSize": null }
Visible?	ALWAYS

Rule name Fait liste de course

Rule name	Fait liste de course
-----------	----------------------

Format these columns and actions	__action__Acheté (liste de course)
For this data	Liste de courses
If this condition is true	=ISNOTBLANK([Acheté ?])
Rule order	1
Is this format rule disabled?	No
Like this	{ "textColor":"","highlightColor":"green","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"far fa-check-square","imageSize":null}
Visible?	ALWAYS

Rule name Fait liste de course texte

Rule name	Fait liste de course texte
Format these columns and actions	Etat
For this data	Liste de courses
If this condition is true	=ISNOTBLANK([Acheté ?])
Rule order	1
Is this format rule disabled?	No
Like this	{ "textColor":"primaryText","highlightColor":"","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"","imageSize":null}
Visible?	ALWAYS

Rule name Non fait liste de course

Rule name	Non fait liste de course
Format these columns and actions	__action__Acheté (liste de course)
For this data	Liste de courses
If this condition is true	=ISBLANK([Acheté ?])
Rule order	1
Is this format rule disabled?	No
Like this	{ "textColor":"","highlightColor":"red","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"far fa-stop","imageSize":null}
Visible?	ALWAYS

Rule name Non fait liste de course texte

Rule name	Non fait liste de course texte
Format these columns and actions	Etat
For this data	Liste de courses
If this condition is true	=ISBLANK([Acheté ?])
Rule order	1
Is this format rule disabled?	No
Like this	{ "textColor": "primaryText", "highlightColor": "", "textSize": 1.0, "underline": false, "strikethrough": false, "bold": true, "italic": false, "uppercase": false, "icon": "", "imageSize": null }
Visible?	ALWAYS

Rule name Détails liste de course

Rule name	Détails liste de course
Format these columns and actions	__action__ Voir les détails
For this data	Liste de courses
Rule order	1
Is this format rule disabled?	No
Like this	{ "textColor": "primaryText", "highlightColor": "themeMainColor", "textSize": 1.0, "underline": false, "strikethrough": false, "bold": true, "italic": false, "uppercase": false, "icon": "", "imageSize": null }
Visible?	ALWAYS

Rule name Editer bières

Rule name	Editer bières
Format these columns and actions	__action__ Edit
For this data	DataBeer
Rule order	1
Is this format rule disabled?	No
Like this	{ "textColor": "primaryText", "highlightColor": "primaryText", "textSize": 1.0, "underline": false, "strikethrough": false, "bold": true, "italic": false, "uppercase": false, "icon": "", "imageSize": null }
Visible?	ALWAYS

Rule name Lieu map bières

Rule name	Lieu map bières
Format these columns and actions	__action__View Map (Coordonnées GPS)
For this data	DataBeer
Rule order	1
Is this format rule disabled?	No
Like this	<pre>{"textColor":"primaryText","highlightColor":"red","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"fas fa-map-marker-alt","imageSize":null}</pre>
Visible?	ALWAYS

Rule name Bières blanches

Rule name	Bières blanches
Format these columns and actions	Nombre de bières blanches :
For this data	TDBBeer
Rule order	1
Is this format rule disabled?	No
Like this	<pre>{"textColor":"cyan","highlightColor":"cyan","textSize":1.4,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"fas fa-lightbulb","imageSize":null}</pre>
Visible?	ALWAYS

Rule name Bières blondes

Rule name	Bières blondes
Format these columns and actions	Nombre de bières blondes :
For this data	TDBBeer
Rule order	1
Is this format rule disabled?	No
Like this	<pre>{"textColor":"yellow","highlightColor":"yellow","textSize":1.4,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"fas fa-star","imageSize":null}</pre>
Visible?	ALWAYS

Rule name Bières brunes

Rule name	Bières brunes
Format these columns and actions	Nombre de bières brunes :
For this data	TDBBeer
Rule order	1
Is this format rule disabled?	No
Like this	<pre>{"textColor":"secondaryText","highlightColor":"secondaryText","textSize":1.4,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"fas fa-bell","imageSize":null}</pre>
Visible?	ALWAYS

Rule name Bières de soif

Rule name	Bières de soif
Format these columns and actions	Nombre de bières de soif :
For this data	TDBBeer
Rule order	1
Is this format rule disabled?	No
Like this	<pre>{"textColor":"blue","highlightColor":"blue","textSize":1.4,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"fas fa-glass","imageSize":null}</pre>
Visible?	ALWAYS

Rule name Bières IPA

Rule name	Bières IPA
Format these columns and actions	Nombre de bières IPA :
For this data	TDBBeer
Rule order	1
Is this format rule disabled?	No
Like this	<pre>{"textColor":"#E53935","highlightColor":"#E53935","textSize":1.4,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"fas fa-bolt","imageSize":null}</pre>
Visible?	ALWAYS

Rule name Bières totales

Rule name	Bières totales
Format these columns and actions	Nombre de bières totales :
For this data	TDBBeer
Rule order	1
Is this format rule disabled?	No
Like this	<code>{"textColor":"blue","highlightColor":"blue","textSize":1.4,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"fas fa-arrow-circle-right","imageSize":null}</code>
Visible?	ALWAYS

Rule name Bilan global bières

Rule name	Bilan global bières
Format these columns and actions	Bilan
For this data	TDBBeer
Rule order	1
Is this format rule disabled?	No
Like this	<code>{"textColor":"red","highlightColor":"","textSize":1.6,"underline":true,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"","imageSize":null}</code>
Visible?	ALWAYS

Rule name Bières note max

Rule name	Bières note max
Format these columns and actions	Note maximale :
For this data	TDBBeer
Rule order	1
Is this format rule disabled?	No
Like this	<code>{"textColor":"primaryText","highlightColor":"primaryText","textSize":1.4,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"fas fa-heart","imageSize":null}</code>
Visible?	ALWAYS

Rule name Bières note min

Rule name	Bières note min
Format these columns and actions	Note minimale :
For this data	TDBBeer
Rule order	1
Is this format rule disabled?	No
Like this	<code>{"textColor":"#E53935","highlightColor":"#E53935","textSize":1.4,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"fas fa-minus-circle","imageSize":null}</code>
Visible?	ALWAYS

Rule name Bières note moyenne

Rule name	Bières note moyenne
Format these columns and actions	Moyenne des notes :
For this data	TDBBeer
Rule order	1
Is this format rule disabled?	No
Like this	<code>{"textColor":"primaryText","highlightColor":"primaryText","textSize":1.4,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"fas fa-tachometer-alt-average","imageSize":null}</code>
Visible?	ALWAYS

Rule name Lieu Restaurant

Rule name	Lieu Restaurant
Format these columns and actions	Lieu
For this data	Activites
If this condition is true	<code>=AND([Type] = "Restaurant" ; ISBLANK([Lieux des choses déjà faites]))</code>
Rule order	9
Is this format rule disabled?	No
Like this	<code>{"textColor":"primaryText","highlightColor":"red","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"","imageSize":null}</code>

```
se,"uppercase":false,"icon":"fas fa-  
cheeseburger","imageSize":null}
```

Visible?

ALWAYS

Rule name Lieu Activité

Rule name

Lieu Activité

Format these columns and
actions

Lieu

For this data

Activites

If this condition is true

```
=AND([Type] = "Activité" ; ISBLANK([Lieux des choses déjà  
faites]))
```

Rule order

10

Is this format rule disabled?

No

Like this

```
{"textColor":"primaryText","highlightColor":"red","textSize":1.  
0,"underline":false,"strikethrough":false,"bold":true,"italic":fal  
se,"uppercase":false,"icon":"fas fa-smile","imageSize":null}
```

Visible?

ALWAYS

Rule name Lieu Lieu

Rule name

Lieu Lieu

Format these columns and
actions

Lieu

For this data

Activites

If this condition is true

```
=AND([Type] = "Lieu" ; ISBLANK([Lieux des choses déjà  
faites]))
```

Rule order

11

Is this format rule disabled?

No

Like this

```
{"textColor":"primaryText","highlightColor":"red","textSize":1.  
0,"underline":false,"strikethrough":false,"bold":true,"italic":fal  
se,"uppercase":false,"icon":"fas fa-map-  
pin","imageSize":null}
```

Visible?

ALWAYS

Rule name Lieu Parc

Rule name

Lieu Parc

Format these columns and
actions

Lieu

For this data	Activites
If this condition is true	=AND([Type] = "Parc" ; ISBLANK([Lieux des choses déjà faites]))
Rule order	12
Is this format rule disabled?	No
Like this	{ "textColor": "primaryText", "highlightColor": "red", "textSize": 1.0, "underline": false, "strikethrough": false, "bold": true, "italic": false, "uppercase": false, "icon": "fas fa-bolt", "imageSize": null }
Visible?	ALWAYS

Rule name Lieu Vacances

Rule name	Lieu Vacances
Format these columns and actions	Lieu
For this data	Activites
If this condition is true	=AND([Type] = "Vacances" ; ISBLANK([Lieux des choses déjà faites]))
Rule order	13
Is this format rule disabled?	No
Like this	{ "textColor": "primaryText", "highlightColor": "red", "textSize": 1.0, "underline": false, "strikethrough": false, "bold": true, "italic": false, "uppercase": false, "icon": "fas fa-plane-departure", "imageSize": null }
Visible?	ALWAYS

Rule name Lieu Aire autoroute

Rule name	Lieu Aire autoroute
Format these columns and actions	Lieu
For this data	Activites
If this condition is true	=AND([Type] = "Aire d'autoroute" ; ISBLANK([Lieux des choses déjà faites]))
Rule order	14
Is this format rule disabled?	No
Like this	{ "textColor": "primaryText", "highlightColor": "red", "textSize": 1.0, "underline": false, "strikethrough": false, "bold": true, "italic": false, "uppercase": false, "icon": "fas fa-gas-pump", "imageSize": null }

Visible? ALWAYS

Rule name Lieu Logement

Rule name	Lieu Logement
Format these columns and actions	Lieu
For this data	Activites
If this condition is true	=AND([Type] = "Logement" ; ISBLANK([Lieux des choses déjà faites]))
Rule order	15
Is this format rule disabled?	No
Like this	{ "textColor": "primaryText", "highlightColor": "red", "textSize": 1.0, "underline": false, "strikethrough": false, "bold": true, "italic": false, "uppercase": false, "icon": "fas fa-home-heart", "imageSize": null }
Visible?	ALWAYS

Rule name Lieu Activité 2

Rule name	Lieu Activité 2
Format these columns and actions	Lieux des choses déjà faites
For this data	Activites
If this condition is true	=AND([Type] = "Activité" ; ISNOTBLANK([Lieux des choses déjà faites]))
Rule order	16
Is this format rule disabled?	No
Like this	{ "textColor": "primaryText", "highlightColor": "themeMainColor", "textSize": 1.0, "underline": false, "strikethrough": false, "bold": true, "italic": false, "uppercase": false, "icon": "fas fa-smile", "imageSize": null }
Visible?	ALWAYS

Rule name Lieu Aire autoroute 2

Rule name	Lieu Aire autoroute 2
Format these columns and actions	Lieux des choses déjà faites
For this data	Activites

If this condition is true	=AND([Type] = "Aire d'autoroute" ; ISNOTBLANK([Lieux des choses déjà faites]))
Rule order	17
Is this format rule disabled?	No
Like this	{ "textColor": "primaryText", "highlightColor": "themeMainColor", "textSize": 1.0, "underline": false, "strikethrough": false, "bold": true, "italic": false, "uppercase": false, "icon": "fas fa-gas-pump", "imageSize": null }
Visible?	ALWAYS

Rule name Lieu Bar 2

Rule name	Lieu Bar 2
Format these columns and actions	Lieux des choses déjà faites
For this data	Activites
If this condition is true	=AND([Type] = "Bar" ; ISNOTBLANK([Lieux des choses déjà faites]))
Rule order	18
Is this format rule disabled?	No
Like this	{ "textColor": "primaryText", "highlightColor": "themeMainColor", "textSize": 1.0, "underline": false, "strikethrough": false, "bold": true, "italic": false, "uppercase": false, "icon": "fas fa-glass-cheers", "imageSize": null }
Visible?	ALWAYS

Rule name Lieu Lieu 2

Rule name	Lieu Lieu 2
Format these columns and actions	Lieux des choses déjà faites
For this data	Activites
If this condition is true	=AND([Type] = "Lieu" ; ISNOTBLANK([Lieux des choses déjà faites]))
Rule order	19
Is this format rule disabled?	No
Like this	{ "textColor": "primaryText", "highlightColor": "themeMainColor", "textSize": 1.0, "underline": false, "strikethrough": false, "bold": true, "italic": false, "uppercase": false, "icon": "fas fa-map-pin", "imageSize": null }

Visible? ALWAYS

Rule name Lieu Logement 2

Rule name	Lieu Logement 2
Format these columns and actions	Lieux des choses déjà faites
For this data	Activites
If this condition is true	=AND([Type] = "Logement" ; ISNOTBLANK([Lieux des choses déjà faites]))
Rule order	20
Is this format rule disabled?	No
Like this	<pre>{"textColor":"primaryText","highlightColor":"themeMainColor","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"fas fa-home-heart","imageSize":null}</pre>
Visible?	ALWAYS

Rule name Lieu Parc 2

Rule name	Lieu Parc 2
Format these columns and actions	Lieux des choses déjà faites
For this data	Activites
If this condition is true	=AND([Type] = "Parc" ; ISNOTBLANK([Lieux des choses déjà faites]))
Rule order	21
Is this format rule disabled?	No
Like this	<pre>{"textColor":"primaryText","highlightColor":"themeMainColor","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"fas fa-bolt","imageSize":null}</pre>
Visible?	ALWAYS

Rule name Lieu Restaurant 2

Rule name	Lieu Restaurant 2
Format these columns and actions	Lieux des choses déjà faites
For this data	Activites

If this condition is true	=AND([Type] = "Restaurant" ; ISNOTBLANK([Lieux des choses déjà faites]))
Rule order	22
Is this format rule disabled?	No
Like this	{ "textColor": "primaryText", "highlightColor": "themeMainColor", "textSize": 1.0, "underline": false, "strikethrough": false, "bold": true, "italic": false, "uppercase": false, "icon": "fas fa-cheeseburger", "imageSize": null }
Visible?	ALWAYS

Rule name Lieu Vacances 2

Rule name	Lieu Vacances 2
Format these columns and actions	Lieux des choses déjà faites
For this data	Activites
If this condition is true	=AND([Type] = "Vacances" ; ISNOTBLANK([Lieux des choses déjà faites]))
Rule order	23
Is this format rule disabled?	No
Like this	{ "textColor": "primaryText", "highlightColor": "themeMainColor", "textSize": 1.0, "underline": false, "strikethrough": false, "bold": true, "italic": false, "uppercase": false, "icon": "fas fa-plane-departure", "imageSize": null }
Visible?	ALWAYS

Rule name Dans le frigo liste de course

Rule name	Dans le frigo liste de course
Format these columns and actions	__action__Pas dans le frigo (liste de course)
For this data	Liste de courses
If this condition is true	=ISNOTBLANK([Dans le frigo])
Rule order	1
Is this format rule disabled?	No
Like this	{ "textColor": "", "highlightColor": "green", "textSize": 1.0, "underline": false, "strikethrough": false, "bold": true, "italic": false, "uppercase": false, "icon": "fas fa-check-circle", "imageSize": null }
Visible?	ALWAYS

Rule name Pas dans le frigo fait liste de course

Rule name	Pas dans le frigo fait liste de course
Format these columns and actions	__action__Dans le frigo (liste de course)
For this data	Liste de courses
If this condition is true	=ISBLANK([Dans le frigo])
Rule order	1
Is this format rule disabled?	No
Like this	<pre>{ "textColor": "", "highlightColor": "red", "textSize": 1.0, "underline": false, "strikethrough": false, "bold": true, "italic": false, "uppercase": false, "icon": "fas fa-empty-set", "imageSize": null }</pre>
Visible?	ALWAYS

Rule name Recette à acheter

Rule name	Recette à acheter
Format these columns and actions	Vérif si dans le frigo
For this data	MenusRecette
If this condition is true	=[Vérif si dans le frigo] = "A acheter"
Rule order	1
Is this format rule disabled?	No
Like this	<pre>{ "textColor": "red", "highlightColor": "", "textSize": 1.0, "underline": false, "strikethrough": false, "bold": true, "italic": false, "uppercase": false, "icon": "fas fa-times-circle", "imageSize": null }</pre>
Visible?	ALWAYS

Rule name Recette dans le frigo

Rule name	Recette dans le frigo
Format these columns and actions	Vérif si dans le frigo
For this data	MenusRecette
If this condition is true	=[Vérif si dans le frigo] <> "A acheter"
Rule order	1
Is this format rule disabled?	No
Like this	<pre>{ "textColor": "green", "highlightColor": "", "textSize": 1.0, "underline": false, "strikethrough": false, "bold": true, "italic": false, "uppercase": false, "icon": "fas fa-check-circle", "imageSize": null }</pre>

Visible?

ALWAYS

Rule name Calcul de la partie

Rule name	Calcul de la partie
Format these columns and actions	__action__Calculer cette partie
For this data	Jeux
If this condition is true	=[Calculer cette partie] = "Oui"
Rule order	1
Is this format rule disabled?	No
Like this	{ "textColor":"green","highlightColor":"","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"","imageSize":null}
Visible?	ALWAYS

Rule name Nom joueurs

Rule name	Nom joueurs
	Nom Joueur 1
	Nom Joueur 2
	Nom Joueur 3
	Nom Joueur 4
	Nom Joueur 5
	Nom Joueur 6
	Nom Joueur 7
Format these columns and actions	Nom Joueur 8
	Nom Joueur 9
	Nom Joueur 10
	Nom Joueur 11
	Nom Joueur 12
	Nom Joueur 13
	Nom Joueur 14
	Nom Joueur 15
For this data	Jeux
Rule order	1
Is this format rule disabled?	No
Like this	{ "textColor":"primaryText","highlightColor":"primaryText","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"fas fa-user-circle","imageSize":null}

Visible? ALWAYS

Rule name Label jeux

Rule name	Label jeux
Format these columns and actions	Label
For this data	Jeux
Rule order	1
Is this format rule disabled?	No
Like this	<code>{"textColor":"red","highlightColor":"red","textSize":1.1,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"fas fa-arrow-circle-right","imageSize":null}</code>
Visible?	ALWAYS

Rule name Label bilan jeux

Rule name	Label bilan jeux
Format these columns and actions	Label
For this data	Bilan jeux
Rule order	1
Is this format rule disabled?	No
Like this	<code>{"textColor":"primaryText","highlightColor":"","textSize":1.1,"underline":true,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"","imageSize":null}</code>
Visible?	ALWAYS

Rule name Recette complète

Rule name	Recette complète
Format these columns and actions	Recette complète dans le frigo
For this data	Recettes
If this condition is true	<code>= [Recette complète dans le frigo] = "Recette complète"</code>
Rule order	1
Is this format rule disabled?	No
Like this	<code>{"textColor":"green","highlightColor":"green","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"fas fa-check-circle","imageSize":null}</code>

Visible?

ALWAYS

Rule name Recette incomplète

Rule name	Recette incomplète
Format these columns and actions	Recette complète dans le frigo
For this data	Recettes
If this condition is true	=[Recette complète dans le frigo] = "Recette incomplète"
Rule order	1
Is this format rule disabled?	No
Like this	<pre>{"textColor":"red","highlightColor":"red","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"fas fa-times-circle","imageSize":null}</pre>
Visible?	ALWAYS

Rule name Recette presque complète

Rule name	Recette presque complète
Format these columns and actions	Recette complète dans le frigo
For this data	Recettes
If this condition is true	=[Recette complète dans le frigo] = "Recette presque complète"
Rule order	1
Is this format rule disabled?	No
Like this	<pre>{"textColor":"yellow","highlightColor":"yellow","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"fas fa-spinner","imageSize":null}</pre>
Visible?	ALWAYS

Rule name Nombre total de commandes

Rule name	Nombre total de commandes
Format these columns and actions	Texte nombre total
For this data	Commande
Rule order	1
Is this format rule disabled?	No

Like this

```
{"textColor":"primaryText","highlightColor":"red","textSize":1.1,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"fas fa-chevron-circle-right","imageSize":null}
```

Visible?

ALWAYS

Behavior

Actions

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Do_Not_Display
Action order	1
With these properties	<code>{"InputParametersUsed":null,"Prominence":"Do_Not_Display","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}</code>
Do this	DELETE_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Listes déroulantes
Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	43
With these properties	<code>{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Do_Not_Display","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}</code>
Do this	EDIT_RECORD
Disable automatic updates?	No
Action icon	

For a record of this table	Listes déroulantes
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	44
With these properties	{"Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	ADD_RECORD
Disable automatic updates?	No
Display name	Liste
Action icon	
For a record of this table	Listes déroulantes
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Do_Not_Display
Action order	45
With these properties	{"InputParametersUsed":null,"Prominence":"Do_Not_Display","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	DELETE_RECORD
Disable automatic updates?	No

Action icon	
For a record of this table	Accès
Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	46
With these properties	<pre>{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Do_Not_Display","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}</pre>
Do this	EDIT_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Accès
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	47
With these properties	<pre>{"Prominence":"Do_Not_Display","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}</pre>
Do this	ADD_RECORD

Only if this condition is true	=AND(IN(USEREMAIL());SPLIT([Mail];";")) ; [#] = 1)
Disable automatic updates?	No
Display name	Accès
Action icon	
For a record of this table	Accès
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name Aller vers Sous Accès

Action name	Aller vers Sous Accès
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	48
With these properties	{ "NavigateTarget": "=LINKTOROW([ID Ligne], \"Sous Accès\")", "Prominence": "Do_Not_Display", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": false, "BulkApplicable": false }
Do this	NAVIGATE_APP
Attach to column	ID Ligne
Only if this condition is true	=IN(USEREMAIL());SPLIT([Mail];";"))
Disable automatic updates?	No
For a record of this table	Accès
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Sous accès 1

Action name	Sous accès 1
Bulk action?	No
Modifies data?	No

Needs confirmation?	No
Prominence	Display_Prominently
Action order	49
With these properties	{ "NavigateTarget": "=LINKTOVIEW([Sous Accès 1])", "Prominence": "Display_Prominently", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": false, "BulkApplicable": false }
Do this	NAVIGATE_APP
Attach to column	ID Ligne
Only if this condition is true	=ISNOTBLANK([Sous Accès 1])
Disable automatic updates?	No
Display name	=[Sous Accès 1]
For a record of this table	Accès
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Do_Not_Display
Action order	50
With these properties	{ "InputParametersUsed": null, "Prominence": "Do_Not_Display", "NeedsConfirmation": true, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": true }
Do this	DELETE_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Accès Personnel
Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	51
With these properties	<pre>{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Do_Not_Display","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}</pre>
Do this	EDIT_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Accès Personnel
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Compose Email (Adresse mail)

Action name	Compose Email (Adresse mail)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Overlay
Action order	52
With these properties	<pre>{"EmailTo":"[Adresse mail]","Subject":null,"Body":null,"Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}</pre>
Do this	EMAIL
Attach to column	Adresse mail
Set this column	Adresse mail
Only if this condition is true	NOT(ISBLANK([Adresse mail]))

Disable automatic updates?	No
Display name	Mail
Action icon	
For a record of this table	Accès Personnel
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	53
With these properties	{"Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	ADD_RECORD
Disable automatic updates?	No
Display name	Personnel
Action icon	
For a record of this table	Accès Personnel
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name Call Phone (Téléphone)

Action name	Call Phone (Téléphone)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Overlay
Action order	54
With these properties	{"Number":"[Téléphone]","Prominence":"Display_Overlay","NeedsConfirmatio

	n":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	CALL
Attach to column	Téléphone
Set this column	Téléphone
Only if this condition is true	NOT(ISBLANK([Téléphone]))
Disable automatic updates?	No
Display name	Appeler
Action icon	
For a record of this table	Accès Personnel
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Send SMS (Téléphone)

Action name	Send SMS (Téléphone)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Overlay
Action order	55
With these properties	{ "Number": "[Téléphone]", "Message": "", "Prominence": "Display_Overlay", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": false, "BulkApplicable": false }
Do this	SMS
Attach to column	Téléphone
Set this column	Téléphone
Only if this condition is true	NOT(ISBLANK([Téléphone]))
Disable automatic updates?	No
Display name	SMS
Action icon	
For a record of this table	Accès Personnel

Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Validation accès 1

Action name	Validation accès 1
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Inline
Action order	56
With these properties	<pre>{ "Assignments": [{ "ColumnToEdit": "Validation Accès 1", "NewColumnValue": "=IF(ISNOTBLANK([Validation Accès 1]) ; \"\" ; \"Oui\")" }, { "ColumnToEdit": "Validation Accès 1", "NewColumnValue": "=IF(ISNOTBLANK([Validation Accès 1]) ; \"\" ; \"Oui\")" }], "InputParametersUsed": null, "Prominence": "Display_Inline", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": true }</pre>
Do this	SET_COLUMN_VALUE
Attach to column	Accès App 1
Set this column	Validation Accès 1
Only if this condition is true	true
Disable automatic updates?	No
Display name	= "Validation accès"
For a record of this table	Accès Personnel
Does this action apply to the whole table?	No
To this value	=IF(ISNOTBLANK([Validation Accès 1]) ; "" ; "Oui")
Visible?	ALWAYS

Action name Sous accès 2

Action name	Sous accès 2
Bulk action?	No
Modifies data?	No
Needs confirmation?	No

Prominence	Display_Prominently
Action order	57
With these properties	{ "NavigateTarget": "=LINKTOVIEW([Sous Accès 2])", "Prominence": "Display_Prominently", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": false, "BulkApplicable": false }
Do this	NAVIGATE_APP
Attach to column	ID Ligne
Only if this condition is true	=ISNOTBLANK([Sous Accès 2])
Disable automatic updates?	No
Display name	= [Sous Accès 2]
For a record of this table	Accès
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Sous accès 3

Action name	Sous accès 3
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Prominently
Action order	58
With these properties	{ "NavigateTarget": "=LINKTOVIEW([Sous Accès 3])", "Prominence": "Display_Prominently", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": false, "BulkApplicable": false }
Do this	NAVIGATE_APP
Attach to column	ID Ligne
Only if this condition is true	=ISNOTBLANK([Sous Accès 3])
Disable automatic updates?	No
Display name	= [Sous Accès 3]
For a record of this table	Accès

Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Validation accès 2

Action name	Validation accès 2
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Inline
Action order	59
With these properties	<pre>{ "Assignments": [{ "ColumnToEdit": "Validation Accès 2", "NewColumnValue": "=IF(ISNOTBLANK([Validation Accès 2]) ; \"\" ; \"Oui\")" }], "ColumnToEdit": "Validation Accès 2", "NewColumnValue": "=IF(ISNOTBLANK([Validation Accès 2]) ; \"\" ; \"Oui\")", "InputParametersUsed": null, "Prominence": "Display_Inline", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": true }</pre>
Do this	SET_COLUMN_VALUE
Attach to column	Accès App 2
Set this column	Validation Accès 2
Only if this condition is true	true
Disable automatic updates?	No
Display name	= "Validation accès"
For a record of this table	Accès Personnel
Does this action apply to the whole table?	No
To this value	=IF(ISNOTBLANK([Validation Accès 2]) ; "" ; "Oui")
Visible?	ALWAYS

Action name Validation accès 3

Action name	Validation accès 3
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No

Prominence	Display_Inline
Action order	60
With these properties	<pre>{ "Assignments": [{ "ColumnToEdit": "Validation Accès 3", "NewColumnValue": "IF(ISNOTBLANK([Validation Accès 3]) ; \"\" ; \"Oui\")" }, { "ColumnToEdit": "Validation Accès 3", "NewColumnValue": "IF(ISNOTBLANK([Validation Accès 3]) ; \"\" ; \"Oui\")" }], "InputParametersUsed": null, "Prominence": "Display_Inline", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": true }</pre>
Do this	SET_COLUMN_VALUE
Attach to column	Accès App 3
Set this column	Validation Accès 3
Only if this condition is true	true
Disable automatic updates?	No
Display name	"Validation accès"
For a record of this table	Accès Personnel
Does this action apply to the whole table?	No
To this value	"IF(ISNOTBLANK([Validation Accès 3]) ; \"\" ; \"Oui\")"
Visible?	ALWAYS

Action name Validation accès 4

Action name	Validation accès 4
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Inline
Action order	61
With these properties	<pre>{ "Assignments": [{ "ColumnToEdit": "Validation Accès 4", "NewColumnValue": "IF(ISNOTBLANK([Validation Accès 4]) ; \"\" ; \"Oui\")" }, { "ColumnToEdit": "Validation Accès 4", "NewColumnValue": "IF(ISNOTBLANK([Validation Accès 4]) ; \"\" ; \"Oui\")" }], "InputParametersUsed": null, "Prominence": "Display_Inline", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": true }</pre>

Do this	SET_COLUMN_VALUE
Attach to column	Accès App 4
Set this column	Validation Accès 4
Only if this condition is true	true
Disable automatic updates?	No
Display name	"Validation accès"
For a record of this table	Accès Personnel
Does this action apply to the whole table?	No
To this value	=IF(ISNOTBLANK([Validation Accès 4]) ; "" ; "Oui")
Visible?	ALWAYS

Action name Validation accès 5

Action name	Validation accès 5
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Inline
Action order	62
With these properties	<pre>{ "Assignments": [{ "ColumnToEdit": "Validation Accès 5", "NewColumnValue": "=IF(ISNOTBLANK([Validation Accès 5]) ; \"\" ; \"Oui\")" }], "ColumnToEdit": "Validation Accès 5", "NewColumnValue": "=IF(ISNOTBLANK([Validation Accès 5]) ; \"\" ; \"Oui\")", "InputParametersUsed": null, "Prominence": "Display_Inline", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": true }</pre>
Do this	SET_COLUMN_VALUE
Attach to column	Accès App 5
Set this column	Validation Accès 5
Only if this condition is true	true
Disable automatic updates?	No
Display name	"Validation accès"
For a record of this table	Accès Personnel

Does this action apply to the whole table?	No
To this value	=IF(ISNOTBLANK([Validation Accès 5]) ; "" ; "Oui")
Visible?	ALWAYS

Action name Validation accès 6

Action name	Validation accès 6
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Inline
Action order	63
With these properties	<pre>{ "Assignments": [{ "ColumnToEdit": "Validation Accès 6", "NewColumnValue": "=IF(ISNOTBLANK([Validation Accès 6]) ; \"\" ; \"Oui\")" }, { "ColumnToEdit": "Validation Accès 6", "NewColumnValue": "=IF(ISNOTBLANK([Validation Accès 6]) ; \"\" ; \"\" ; \"Oui\")" }], "InputParametersUsed": null, "Prominence": "Display_Inline", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": true }</pre>
Do this	SET_COLUMN_VALUE
Attach to column	Accès App 6
Set this column	Validation Accès 6
Only if this condition is true	true
Disable automatic updates?	No
Display name	"Validation accès"
For a record of this table	Accès Personnel
Does this action apply to the whole table?	No
To this value	=IF(ISNOTBLANK([Validation Accès 6]) ; "" ; "Oui")
Visible?	ALWAYS

Action name Validation accès 7

Action name	Validation accès 7
Bulk action?	Yes
Modifies data?	Yes

Needs confirmation?	No
Prominence	Display_Inline
Action order	64
With these properties	{ "Assignments":{ "ColumnToEdit":"Validation Accès 7", "NewColumnValue":"=IF(ISNOTBLANK([Validation Accès 7]) ; \"\" ; \"Oui\")" }, "ColumnToEdit":"Validation Accès 7", "NewColumnValue":"=IF(ISNOTBLANK([Validation Accès 7]) ; \"\" ; \"Oui\")", "InputParametersUsed":null, "Prominence":"Display_Inline", "NeedsConfirmation":false, "ConfirmationMessage":"","ModifiesData":true, "BulkApplicable":true }
Do this	SET_COLUMN_VALUE
Attach to column	Accès App 7
Set this column	Validation Accès 7
Only if this condition is true	true
Disable automatic updates?	No
Display name	= "Validation accès"
For a record of this table	Accès Personnel
Does this action apply to the whole table?	No
To this value	=IF(ISNOTBLANK([Validation Accès 7]) ; "" ; "Oui")
Visible?	ALWAYS

Action name Validation accès 8

Action name	Validation accès 8
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Inline
Action order	65
With these properties	{ "Assignments":{ "ColumnToEdit":"Validation Accès 8", "NewColumnValue":"=IF(ISNOTBLANK([Validation Accès 8]) ; \"\" ; \"Oui\")" }, "ColumnToEdit":"Validation Accès 8", "NewColumnValue":"=IF(ISNOTBLANK([Validation Accès 8]) ; \"\" ; \"Oui\")", "InputParametersUsed":null, "Prominence":"Display_Inline" }

	e","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	SET_COLUMN_VALUE
Attach to column	Accès App 8
Set this column	Validation Accès 8
Only if this condition is true	true
Disable automatic updates?	No
Display name	= "Validation accès"
For a record of this table	Accès Personnel
Does this action apply to the whole table?	No
To this value	=IF(ISNOTBLANK([Validation Accès 8]) ; "" ; "Oui")
Visible?	ALWAYS

Action name Validation accès 9

Action name	Validation accès 9
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Inline
Action order	66
With these properties	{ "Assignments": [{ "ColumnToEdit": "Validation Accès 9", "NewColumnValue": "=IF(ISNOTBLANK([Validation Accès 9]) ; \"\" ; \"Oui\")" }, { "ColumnToEdit": "Validation Accès 9", "NewColumnValue": "=IF(ISNOTBLANK([Validation Accès 9]) ; \"\" ; \"Oui\")" }], "InputParametersUsed": null, "Prominence": "Display_Inline", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": true }
Do this	SET_COLUMN_VALUE
Attach to column	Accès App 9
Set this column	Validation Accès 9
Only if this condition is true	true
Disable automatic updates?	No

Display name	= "Validation accès"
For a record of this table	Accès Personnel
Does this action apply to the whole table?	No
To this value	=IF(ISNOTBLANK([Validation Accès 9]) ; "" ; "Oui")
Visible?	ALWAYS

Action name Validation accès 10

Action name	Validation accès 10
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Inline
Action order	67
With these properties	<pre>{ "Assignments": { "ColumnToEdit": "Validation Accès 10", "NewColumnValue": "=IF(ISNOTBLANK([Validation Accès 10]) ; \"\" ; \"Oui\")", "ColumnToEdit": "Validation Accès 10", "NewColumnValue": "=IF(ISNOTBLANK([Validation Accès 10]) ; \"\" ; \"Oui\")", "InputParametersUsed": null, "Prominence": "Display_Inline", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": true } }</pre>
Do this	SET_COLUMN_VALUE
Attach to column	Accès App 10
Set this column	Validation Accès 10
Only if this condition is true	true
Disable automatic updates?	No
Display name	= "Validation accès"
For a record of this table	Accès Personnel
Does this action apply to the whole table?	No
To this value	=IF(ISNOTBLANK([Validation Accès 10]) ; "" ; "Oui")
Visible?	ALWAYS

Action name Validation accès 11

Action name	Validation accès 11
-------------	---------------------

Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Inline
Action order	68
With these properties	<pre>{ "Assignments": [{ "ColumnToEdit": "Validation Accès 11", "NewColumnValue": "IF(ISNOTBLANK([Validation Accès 11]) ; \"\" ; \"Oui\")" }, { "ColumnToEdit": "Validation Accès 11", "NewColumnValue": "IF(ISNOTBLANK([Validation Accès 11]) ; \"\" ; \"Oui\")" }], "InputParametersUsed": null, "Prominence": "Display_Inline", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": true }</pre>
Do this	SET_COLUMN_VALUE
Attach to column	Accès App 11
Set this column	Validation Accès 11
Only if this condition is true	true
Disable automatic updates?	No
Display name	"Validation accès"
For a record of this table	Accès Personnel
Does this action apply to the whole table?	No
To this value	"IF(ISNOTBLANK([Validation Accès 11]) ; \"\" ; \"Oui\")"
Visible?	ALWAYS

Action name Validation accès 12

Action name	Validation accès 12
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Inline
Action order	69
With these properties	<pre>{ "Assignments": [{ "ColumnToEdit": "Validation Accès 12", "NewColumnValue": "IF(ISNOTBLANK([Validation Accès 12]) ; \"\" ; \"Oui\")" }, { "ColumnToEdit": "Validation Accès 12", "NewColumnValue": "IF(ISNOTBLANK([Validation Accès 12]) ; \"\" ; \"Oui\")" }], "InputParametersUsed": null, "Prominence": "Display_Inline", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": true }</pre>

	<code>\ "Oui\ ") , "InputParametersUsed": null, "Prominence": "Display_Inline", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": true }</code>
Do this	SET_COLUMN_VALUE
Attach to column	Accès App 12
Set this column	Validation Accès 12
Only if this condition is true	true
Disable automatic updates?	No
Display name	= "Validation accès"
For a record of this table	Accès Personnel
Does this action apply to the whole table?	No
To this value	= IF (ISNOTBLANK ([Validation Accès 12]) ; "" ; "Oui")
Visible?	ALWAYS

Action name Validation accès 13

Action name	Validation accès 13
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Inline
Action order	70
With these properties	<code>{ "Assignments": [{ "ColumnToEdit": "Validation Accès 13", "NewColumnValue": "= IF (ISNOTBLANK ([Validation Accès 13]) ; \ " " ; \ "Oui\ ") }], "ColumnToEdit": "Validation Accès 13", "NewColumnValue": "= IF (ISNOTBLANK ([Validation Accès 13]) ; \ " " ; \ "Oui\ ") , "InputParametersUsed": null, "Prominence": "Display_Inline", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": true }</code>
Do this	SET_COLUMN_VALUE
Attach to column	Accès App 13
Set this column	Validation Accès 13
Only if this condition is true	true
Disable automatic updates?	No

Display name	= "Validation accès"
For a record of this table	Accès Personnel
Does this action apply to the whole table?	No
To this value	=IF(ISNOTBLANK([Validation Accès 13]) ; "" ; "Oui")
Visible?	ALWAYS

Action name Validation accès 14

Action name	Validation accès 14
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Inline
Action order	71
With these properties	<pre>{ "Assignments": [{ "ColumnToEdit": "Validation Accès 14", "NewColumnValue": "=IF(ISNOTBLANK([Validation Accès 14]) ; \"\" ; \"Oui\")" }, { "ColumnToEdit": "Validation Accès 14", "NewColumnValue": "=IF(ISNOTBLANK([Validation Accès 14]) ; \"\" ; \"Oui\")" }], "InputParametersUsed": null, "Prominence": "Display_Inline", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": true }</pre>
Do this	SET_COLUMN_VALUE
Attach to column	Accès App 14
Set this column	Validation Accès 14
Only if this condition is true	true
Disable automatic updates?	No
Display name	= "Validation accès"
For a record of this table	Accès Personnel
Does this action apply to the whole table?	No
To this value	=IF(ISNOTBLANK([Validation Accès 14]) ; "" ; "Oui")
Visible?	ALWAYS

Action name Validation accès 15

Action name	Validation accès 15
-------------	---------------------

Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Inline
Action order	72
With these properties	<pre>{ "Assignments": [{ "ColumnToEdit": "Validation Accès 15", "NewColumnValue": "=IF(ISNOTBLANK([Validation Accès 15]) ; \"\" ; \"Oui\")" }, { "ColumnToEdit": "Validation Accès 15", "NewColumnValue": "=IF(ISNOTBLANK([Validation Accès 15]) ; \"\" ; \"Oui\")" }], "InputParametersUsed": null, "Prominence": "Display_Inline", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": true }</pre>
Do this	SET_COLUMN_VALUE
Attach to column	Accès App 15
Set this column	Validation Accès 15
Only if this condition is true	true
Disable automatic updates?	No
Display name	"Validation accès"
For a record of this table	Accès Personnel
Does this action apply to the whole table?	No
To this value	"=IF(ISNOTBLANK([Validation Accès 15]) ; \"\" ; \"Oui\")"
Visible?	ALWAYS

Action name Validation accès 16

Action name	Validation accès 16
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Inline
Action order	73
With these properties	<pre>{ "Assignments": [{ "ColumnToEdit": "Validation Accès 16", "NewColumnValue": "=IF(ISNOTBLANK([Validation Accès 16]) ; \"\" ; \"Oui\")" }, { "ColumnToEdit": "Validation Accès 16", "NewColumnValue": "=IF(ISNOTBLANK([Validation Accès 16]) ; \"\" ; \"Oui\")" }], "InputParametersUsed": null, "Prominence": "Display_Inline", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": true }</pre>

	<code>\ "Oui\ ") , "InputParametersUsed": null, "Prominence": "Display_Inline", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": true }</code>
Do this	SET_COLUMN_VALUE
Attach to column	Accès App 16
Set this column	Validation Accès 16
Only if this condition is true	true
Disable automatic updates?	No
Display name	= "Validation accès"
For a record of this table	Accès Personnel
Does this action apply to the whole table?	No
To this value	= IF (ISNOTBLANK ([Validation Accès 16]) ; "" ; "Oui")
Visible?	ALWAYS

Action name Validation accès 17

Action name	Validation accès 17
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Inline
Action order	74
With these properties	<code>{ "Assignments": [{ "ColumnToEdit": "Validation Accès 17", "NewColumnValue": "= IF (ISNOTBLANK ([Validation Accès 17]) ; \ " " ; \ "Oui\ ") }] , "ColumnToEdit": "Validation Accès 17", "NewColumnValue": "= IF (ISNOTBLANK ([Validation Accès 17]) ; \ " " ; \ "Oui\ ") , "InputParametersUsed": null, "Prominence": "Display_Inline", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": true }</code>
Do this	SET_COLUMN_VALUE
Attach to column	Accès App 17
Set this column	Validation Accès 17
Only if this condition is true	true
Disable automatic updates?	No

Display name	= "Validation accès"
For a record of this table	Accès Personnel
Does this action apply to the whole table?	No
To this value	=IF(ISNOTBLANK([Validation Accès 17]) ; "" ; "Oui")
Visible?	ALWAYS

Action name Validation accès 18

Action name	Validation accès 18
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Inline
Action order	75
With these properties	<pre>{ "Assignments": [{ "ColumnToEdit": "Validation Accès 18", "NewColumnValue": "=IF(ISNOTBLANK([Validation Accès 18]) ; \"\" ; \"Oui\")" }, { "ColumnToEdit": "Validation Accès 18", "NewColumnValue": "=IF(ISNOTBLANK([Validation Accès 18]) ; \"\" ; \"Oui\")" }], "InputParametersUsed": null, "Prominence": "Display_Inline", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": true }</pre>
Do this	SET_COLUMN_VALUE
Attach to column	Accès App 18
Set this column	Validation Accès 18
Only if this condition is true	true
Disable automatic updates?	No
Display name	= "Validation accès"
For a record of this table	Accès Personnel
Does this action apply to the whole table?	No
To this value	=IF(ISNOTBLANK([Validation Accès 18]) ; "" ; "Oui")
Visible?	ALWAYS

Action name Validation accès 19

Action name	Validation accès 19
-------------	---------------------

Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Inline
Action order	76
With these properties	<pre>{ "Assignments": [{ "ColumnToEdit": "Validation Accès 19", "NewColumnValue": "IF(ISNOTBLANK([Validation Accès 19]) ; \"\" ; \"Oui\")" }, { "ColumnToEdit": "Validation Accès 19", "NewColumnValue": "IF(ISNOTBLANK([Validation Accès 19]) ; \"\" ; \"Oui\")" }], "InputParametersUsed": null, "Prominence": "Display_Inline", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": true }</pre>
Do this	SET_COLUMN_VALUE
Attach to column	Accès App 19
Set this column	Validation Accès 19
Only if this condition is true	true
Disable automatic updates?	No
Display name	"Validation accès"
For a record of this table	Accès Personnel
Does this action apply to the whole table?	No
To this value	"IF(ISNOTBLANK([Validation Accès 19]) ; \"\" ; \"Oui\")"
Visible?	ALWAYS

Action name Validation accès 20

Action name	Validation accès 20
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Inline
Action order	77
With these properties	<pre>{ "Assignments": [{ "ColumnToEdit": "Validation Accès 20", "NewColumnValue": "IF(ISNOTBLANK([Validation Accès 20]) ; \"\" ; \"Oui\")" }, { "ColumnToEdit": "Validation Accès 20", "NewColumnValue": "IF(ISNOTBLANK([Validation Accès 20]) ; \"\" ; \"Oui\")" }], "InputParametersUsed": null, "Prominence": "Display_Inline", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": true }</pre>

	<code>\ "Oui\ ") , "InputParametersUsed":null,"Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}</code>
Do this	SET_COLUMN_VALUE
Attach to column	Accès App 20
Set this column	Validation Accès 20
Only if this condition is true	true
Disable automatic updates?	No
Display name	= "Validation accès"
For a record of this table	Accès Personnel
Does this action apply to the whole table?	No
To this value	=IF(ISNOTBLANK([Validation Accès 20]) ; "" ; "Oui")
Visible?	ALWAYS

Action name Validation accès 21

Action name	Validation accès 21
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Inline
Action order	78
With these properties	<pre>{ "Assignments": [{ "ColumnToEdit": "Validation Accès 21", "NewColumnValue": "=IF(ISNOTBLANK([Validation Accès 21]) ; \ " ; \ "Oui\ ")", "ColumnToEdit": "Validation Accès 21", "NewColumnValue": "=IF(ISNOTBLANK([Validation Accès 21]) ; \ " ; \ "Oui\ ")", "InputParametersUsed": null, "Prominence": "Display_Inline", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": true }] }</pre>
Do this	SET_COLUMN_VALUE
Attach to column	Accès App 21
Set this column	Validation Accès 21
Only if this condition is true	true
Disable automatic updates?	No

Display name	= "Validation accès"
For a record of this table	Accès Personnel
Does this action apply to the whole table?	No
To this value	=IF(ISNOTBLANK([Validation Accès 21]) ; "" ; "Oui")
Visible?	ALWAYS

Action name Validation accès 22

Action name	Validation accès 22
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Inline
Action order	79
With these properties	<pre>{ "Assignments": { "ColumnToEdit": "Validation Accès 22", "NewColumnValue": "=IF(ISNOTBLANK([Validation Accès 22]) ; \"\" ; \"Oui\")", "ColumnToEdit": "Validation Accès 22", "NewColumnValue": "=IF(ISNOTBLANK([Validation Accès 22]) ; \"\" ; \"Oui\")", "InputParametersUsed": null, "Prominence": "Display_Inline", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": true } }</pre>
Do this	SET_COLUMN_VALUE
Attach to column	Accès App 22
Set this column	Validation Accès 22
Only if this condition is true	true
Disable automatic updates?	No
Display name	= "Validation accès"
For a record of this table	Accès Personnel
Does this action apply to the whole table?	No
To this value	=IF(ISNOTBLANK([Validation Accès 22]) ; "" ; "Oui")
Visible?	ALWAYS

Action name Validation accès 23

Action name	Validation accès 23
-------------	---------------------

Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Inline
Action order	80
With these properties	<pre>{ "Assignments": [{ "ColumnToEdit": "Validation Accès 23", "NewColumnValue": "=IF(ISNOTBLANK([Validation Accès 23]) ; \"\" ; \"Oui\")", "ColumnToEdit": "Validation Accès 23", "NewColumnValue": "=IF(ISNOTBLANK([Validation Accès 23]) ; \"\" ; \"Oui\")", "InputParametersUsed": null, "Prominence": "Display_Inline", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": true }] }</pre>
Do this	SET_COLUMN_VALUE
Attach to column	Accès App 23
Set this column	Validation Accès 23
Only if this condition is true	true
Disable automatic updates?	No
Display name	= "Validation accès"
For a record of this table	Accès Personnel
Does this action apply to the whole table?	No
To this value	=IF(ISNOTBLANK([Validation Accès 23]) ; "" ; "Oui")
Visible?	ALWAYS

Action name Validation accès 24

Action name	Validation accès 24
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Inline
Action order	81
With these properties	<pre>{ "Assignments": [{ "ColumnToEdit": "Validation Accès 24", "NewColumnValue": "=IF(ISNOTBLANK([Validation Accès 24]) ; \"\" ; \"Oui\")", "ColumnToEdit": "Validation Accès 24", "NewColumnValue": "=IF(ISNOTBLANK([Validation Accès 24]) ; \"\" ; \"Oui\")", "InputParametersUsed": null, "Prominence": "Display_Inline", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": true }] }</pre>

	<code>\ "Oui\ ") " , "InputParametersUsed": null, "Prominence": "Display_Inline", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": true }</code>
Do this	SET_COLUMN_VALUE
Attach to column	Accès App 24
Set this column	Validation Accès 24
Only if this condition is true	true
Disable automatic updates?	No
Display name	= "Validation accès"
For a record of this table	Accès Personnel
Does this action apply to the whole table?	No
To this value	= IF (ISNOTBLANK ([Validation Accès 24]) ; "" ; "Oui")
Visible?	ALWAYS

Action name Validation accès 25

Action name	Validation accès 25
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Inline
Action order	82
With these properties	<pre>{"Assignments":[{"ColumnToEdit":"Validation Accès 25","NewColumnValue":"=IF(ISNOTBLANK([Validation Accès 25]) ; \"\" ; \"Oui\")"}], "ColumnToEdit":"Validation Accès 25","NewColumnValue":"=IF(ISNOTBLANK([Validation Accès 25]) ; \"\" ; \"Oui\")","InputParametersUsed":null,"Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}</pre>
Do this	SET_COLUMN_VALUE
Attach to column	Accès App 25
Set this column	Validation Accès 25
Only if this condition is true	true
Disable automatic updates?	No

Display name	= "Validation accès"
For a record of this table	Accès Personnel
Does this action apply to the whole table?	No
To this value	=IF(ISNOTBLANK([Validation Accès 25]) ; "" ; "Oui")
Visible?	ALWAYS

Action name Validation accès 26

Action name	Validation accès 26
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Inline
Action order	83
With these properties	<pre>{ "Assignments": { "ColumnToEdit": "Validation Accès 26", "NewColumnValue": "=IF(ISNOTBLANK([Validation Accès 26]) ; \"\" ; \"Oui\")", "ColumnToEdit": "Validation Accès 26", "NewColumnValue": "=IF(ISNOTBLANK([Validation Accès 26]) ; \"\" ; \"Oui\")", "InputParametersUsed": null, "Prominence": "Display_Inline", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": true } }</pre>
Do this	SET_COLUMN_VALUE
Attach to column	Accès App 26
Set this column	Validation Accès 26
Only if this condition is true	true
Disable automatic updates?	No
Display name	= "Validation accès"
For a record of this table	Accès Personnel
Does this action apply to the whole table?	No
To this value	=IF(ISNOTBLANK([Validation Accès 26]) ; "" ; "Oui")
Visible?	ALWAYS

Action name Validation accès 27

Action name	Validation accès 27
-------------	---------------------

Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Inline
Action order	84
With these properties	<pre>{ "Assignments": [{ "ColumnToEdit": "Validation Accès 27", "NewColumnValue": "IF(ISNOTBLANK([Validation Accès 27]) ; \"\" ; \"Oui\")" }, { "ColumnToEdit": "Validation Accès 27", "NewColumnValue": "IF(ISNOTBLANK([Validation Accès 27]) ; \"\" ; \"Oui\")" }], "InputParametersUsed": null, "Prominence": "Display_Inline", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": true }</pre>
Do this	SET_COLUMN_VALUE
Attach to column	Accès App 27
Set this column	Validation Accès 27
Only if this condition is true	true
Disable automatic updates?	No
Display name	"Validation accès"
For a record of this table	Accès Personnel
Does this action apply to the whole table?	No
To this value	"IF(ISNOTBLANK([Validation Accès 27]) ; \"\" ; \"Oui\")"
Visible?	ALWAYS

Action name Validation accès 28

Action name	Validation accès 28
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Inline
Action order	85
With these properties	<pre>{ "Assignments": [{ "ColumnToEdit": "Validation Accès 28", "NewColumnValue": "IF(ISNOTBLANK([Validation Accès 28]) ; \"\" ; \"Oui\")" }, { "ColumnToEdit": "Validation Accès 28", "NewColumnValue": "IF(ISNOTBLANK([Validation Accès 28]) ; \"\" ; \"Oui\")" }], "InputParametersUsed": null, "Prominence": "Display_Inline", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": true }</pre>

	<code>\ "Oui\ ") , "InputParametersUsed":null,"Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}</code>
Do this	SET_COLUMN_VALUE
Attach to column	Accès App 28
Set this column	Validation Accès 28
Only if this condition is true	true
Disable automatic updates?	No
Display name	= "Validation accès"
For a record of this table	Accès Personnel
Does this action apply to the whole table?	No
To this value	=IF(ISNOTBLANK([Validation Accès 28]) ; "" ; "Oui")
Visible?	ALWAYS

Action name Validation accès 29

Action name	Validation accès 29
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Inline
Action order	86
With these properties	<pre>{ "Assignments": [{ "ColumnToEdit": "Validation Accès 29", "NewColumnValue": "=IF(ISNOTBLANK([Validation Accès 29]) ; \ " ; \ "Oui\ ")", "ColumnToEdit": "Validation Accès 29", "NewColumnValue": "=IF(ISNOTBLANK([Validation Accès 29]) ; \ " ; \ "Oui\ ")", "InputParametersUsed": null, "Prominence": "Display_Inline", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": true }] }</pre>
Do this	SET_COLUMN_VALUE
Attach to column	Accès App 29
Set this column	Validation Accès 29
Only if this condition is true	true
Disable automatic updates?	No

Display name	= "Validation accès"
For a record of this table	Accès Personnel
Does this action apply to the whole table?	No
To this value	=IF(ISNOTBLANK([Validation Accès 29]) ; "" ; "Oui")
Visible?	ALWAYS

Action name Validation accès 30

Action name	Validation accès 30
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Inline
Action order	87
With these properties	<pre>{ "Assignments": { "ColumnToEdit": "Validation Accès 30", "NewColumnValue": "=IF(ISNOTBLANK([Validation Accès 30]) ; \"\" ; \"Oui\")", "ColumnToEdit": "Validation Accès 30", "NewColumnValue": "=IF(ISNOTBLANK([Validation Accès 30]) ; \"\" ; \"Oui\")", "InputParametersUsed": null, "Prominence": "Display_Inline", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": true } }</pre>
Do this	SET_COLUMN_VALUE
Attach to column	Accès App 30
Set this column	Validation Accès 30
Only if this condition is true	true
Disable automatic updates?	No
Display name	= "Validation accès"
For a record of this table	Accès Personnel
Does this action apply to the whole table?	No
To this value	=IF(ISNOTBLANK([Validation Accès 30]) ; "" ; "Oui")
Visible?	ALWAYS

Action name Validation accès 31

Action name	Validation accès 31
-------------	---------------------

Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Inline
Action order	88
With these properties	<pre>{ "Assignments": [{ "ColumnToEdit": "Validation Accès 31", "NewColumnValue": "IF(ISNOTBLANK([Validation Accès 31]) ; \"\" ; \"Oui\")" }, { "ColumnToEdit": "Validation Accès 31", "NewColumnValue": "IF(ISNOTBLANK([Validation Accès 31]) ; \"\" ; \"Oui\")" }], "InputParametersUsed": null, "Prominence": "Display_Inline", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": true }</pre>
Do this	SET_COLUMN_VALUE
Attach to column	Accès App 31
Set this column	Validation Accès 31
Only if this condition is true	true
Disable automatic updates?	No
Display name	"Validation accès"
For a record of this table	Accès Personnel
Does this action apply to the whole table?	No
To this value	"IF(ISNOTBLANK([Validation Accès 31]) ; \"\" ; \"Oui\")"
Visible?	ALWAYS

Action name Validation accès 32

Action name	Validation accès 32
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Inline
Action order	89
With these properties	<pre>{ "Assignments": [{ "ColumnToEdit": "Validation Accès 32", "NewColumnValue": "IF(ISNOTBLANK([Validation Accès 32]) ; \"\" ; \"Oui\")" }, { "ColumnToEdit": "Validation Accès 32", "NewColumnValue": "IF(ISNOTBLANK([Validation Accès 32]) ; \"\" ; \"Oui\")" }], "InputParametersUsed": null, "Prominence": "Display_Inline", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": true }</pre>

	<code>\ "Oui\ ") , "InputParametersUsed": null, "Prominence": "Display_Inline", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": true }</code>
Do this	SET_COLUMN_VALUE
Attach to column	Accès App 32
Set this column	Validation Accès 32
Only if this condition is true	true
Disable automatic updates?	No
Display name	= "Validation accès"
For a record of this table	Accès Personnel
Does this action apply to the whole table?	No
To this value	= IF (ISNOTBLANK ([Validation Accès 32]) ; "" ; "Oui")
Visible?	ALWAYS

Action name Validation accès 33

Action name	Validation accès 33
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Inline
Action order	90
With these properties	<code>{ "Assignments": [{ "ColumnToEdit": "Validation Accès 33", "NewColumnValue": "= IF (ISNOTBLANK ([Validation Accès 33]) ; \ " " ; \ "Oui\ ") }] , "ColumnToEdit": "Validation Accès 33", "NewColumnValue": "= IF (ISNOTBLANK ([Validation Accès 33]) ; \ " " ; \ "Oui\ ") , "InputParametersUsed": null, "Prominence": "Display_Inline", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": true }</code>
Do this	SET_COLUMN_VALUE
Attach to column	Accès App 33
Set this column	Validation Accès 33
Only if this condition is true	true
Disable automatic updates?	No

Display name	= "Validation accès"
For a record of this table	Accès Personnel
Does this action apply to the whole table?	No
To this value	=IF(ISNOTBLANK([Validation Accès 33]) ; "" ; "Oui")
Visible?	ALWAYS

Action name Validation accès 34

Action name	Validation accès 34
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Inline
Action order	91
With these properties	<pre>{ "Assignments": { "ColumnToEdit": "Validation Accès 34", "NewColumnValue": "=IF(ISNOTBLANK([Validation Accès 34]) ; \"\" ; \"Oui\")", "ColumnToEdit": "Validation Accès 34", "NewColumnValue": "=IF(ISNOTBLANK([Validation Accès 34]) ; \"\" ; \"Oui\")", "InputParametersUsed": null, "Prominence": "Display_Inline", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": true } }</pre>
Do this	SET_COLUMN_VALUE
Attach to column	Accès App 34
Set this column	Validation Accès 34
Only if this condition is true	true
Disable automatic updates?	No
Display name	= "Validation accès"
For a record of this table	Accès Personnel
Does this action apply to the whole table?	No
To this value	=IF(ISNOTBLANK([Validation Accès 34]) ; "" ; "Oui")
Visible?	ALWAYS

Action name Validation accès 35

Action name	Validation accès 35
-------------	---------------------

Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Inline
Action order	92
With these properties	<pre>{ "Assignments": [{ "ColumnToEdit": "Validation Accès 35", "NewColumnValue": "IF(ISNOTBLANK([Validation Accès 35]) ; \"\" ; \"Oui\")" }, { "ColumnToEdit": "Validation Accès 35", "NewColumnValue": "IF(ISNOTBLANK([Validation Accès 35]) ; \"\" ; \"Oui\")" }], "InputParametersUsed": null, "Prominence": "Display_Inline", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": true }</pre>
Do this	SET_COLUMN_VALUE
Attach to column	Accès App 35
Set this column	Validation Accès 35
Only if this condition is true	true
Disable automatic updates?	No
Display name	"Validation accès"
For a record of this table	Accès Personnel
Does this action apply to the whole table?	No
To this value	"IF(ISNOTBLANK([Validation Accès 35]) ; \"\" ; \"Oui\")"
Visible?	ALWAYS

Action name Validation accès 36

Action name	Validation accès 36
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Inline
Action order	93
With these properties	<pre>{ "Assignments": [{ "ColumnToEdit": "Validation Accès 36", "NewColumnValue": "IF(ISNOTBLANK([Validation Accès 36]) ; \"\" ; \"Oui\")" }, { "ColumnToEdit": "Validation Accès 36", "NewColumnValue": "IF(ISNOTBLANK([Validation Accès 36]) ; \"\" ; \"Oui\")" }], "InputParametersUsed": null, "Prominence": "Display_Inline", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": true }</pre>

	<code>\ "Oui\")", "InputParametersUsed": null, "Prominence": "Display_Inline", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": true}</code>
Do this	SET_COLUMN_VALUE
Attach to column	Accès App 36
Set this column	Validation Accès 36
Only if this condition is true	true
Disable automatic updates?	No
Display name	= "Validation accès"
For a record of this table	Accès Personnel
Does this action apply to the whole table?	No
To this value	= IF (ISNOTBLANK ([Validation Accès 36]) ; "" ; "Oui")
Visible?	ALWAYS

Action name Validation accès 37

Action name	Validation accès 37
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Inline
Action order	94
With these properties	<pre>{ "Assignments": [{ "ColumnToEdit": "Validation Accès 37", "NewColumnValue": "=IF (ISNOTBLANK ([Validation Accès 37]) ; \ " " ; \ "Oui\")", "ColumnToEdit": "Validation Accès 37", "NewColumnValue": "=IF (ISNOTBLANK ([Validation Accès 37]) ; \ " " ; \ "Oui\")", "InputParametersUsed": null, "Prominence": "Display_Inline", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": true }</pre>
Do this	SET_COLUMN_VALUE
Attach to column	Accès App 37
Set this column	Validation Accès 37
Only if this condition is true	true
Disable automatic updates?	No

Display name	= "Validation accès"
For a record of this table	Accès Personnel
Does this action apply to the whole table?	No
To this value	=IF(ISNOTBLANK([Validation Accès 37]) ; "" ; "Oui")
Visible?	ALWAYS

Action name Validation accès 38

Action name	Validation accès 38
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Inline
Action order	95
With these properties	<pre>{ "Assignments": { "ColumnToEdit": "Validation Accès 38", "NewColumnValue": "=IF(ISNOTBLANK([Validation Accès 38]) ; \"\" ; \"Oui\")", "ColumnToEdit": "Validation Accès 38", "NewColumnValue": "=IF(ISNOTBLANK([Validation Accès 38]) ; \"\" ; \"Oui\")", "InputParametersUsed": null, "Prominence": "Display_Inline", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": true } }</pre>
Do this	SET_COLUMN_VALUE
Attach to column	Accès App 38
Set this column	Validation Accès 38
Only if this condition is true	true
Disable automatic updates?	No
Display name	= "Validation accès"
For a record of this table	Accès Personnel
Does this action apply to the whole table?	No
To this value	=IF(ISNOTBLANK([Validation Accès 38]) ; "" ; "Oui")
Visible?	ALWAYS

Action name Validation accès 39

Action name	Validation accès 39
-------------	---------------------

Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Inline
Action order	96
With these properties	<pre>{ "Assignments": [{ "ColumnToEdit": "Validation Accès 39", "NewColumnValue": "IF(ISNOTBLANK([Validation Accès 39]) ; \"\" ; \"Oui\")" }, { "ColumnToEdit": "Validation Accès 39", "NewColumnValue": "IF(ISNOTBLANK([Validation Accès 39]) ; \"\" ; \"Oui\")" }], "InputParametersUsed": null, "Prominence": "Display_Inline", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": true }</pre>
Do this	SET_COLUMN_VALUE
Attach to column	Accès App 39
Set this column	Validation Accès 39
Only if this condition is true	true
Disable automatic updates?	No
Display name	"Validation accès"
For a record of this table	Accès Personnel
Does this action apply to the whole table?	No
To this value	"IF(ISNOTBLANK([Validation Accès 39]) ; \"\" ; \"Oui\")"
Visible?	ALWAYS

Action name Validation accès 40

Action name	Validation accès 40
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Inline
Action order	97
With these properties	<pre>{ "Assignments": [{ "ColumnToEdit": "Validation Accès 40", "NewColumnValue": "IF(ISNOTBLANK([Validation Accès 40]) ; \"\" ; \"Oui\")" }, { "ColumnToEdit": "Validation Accès 40", "NewColumnValue": "IF(ISNOTBLANK([Validation Accès 40]) ; \"\" ; \"Oui\")" }], "InputParametersUsed": null, "Prominence": "Display_Inline", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": true }</pre>

	<code>\ "Oui\ ") , "InputParametersUsed": null, "Prominence": "Display_Inline", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": true }</code>
Do this	SET_COLUMN_VALUE
Attach to column	Accès App 40
Set this column	Validation Accès 40
Only if this condition is true	true
Disable automatic updates?	No
Display name	= "Validation accès"
For a record of this table	Accès Personnel
Does this action apply to the whole table?	No
To this value	= IF (ISNOTBLANK ([Validation Accès 40]) ; "" ; "Oui")
Visible?	ALWAYS

Action name Validation accès 41

Action name	Validation accès 41
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Inline
Action order	98
With these properties	<pre>{ "Assignments": [{ "ColumnToEdit": "Validation Accès 41", "NewColumnValue": "=IF(ISNOTBLANK([Validation Accès 41]) ; \ " " ; \ "Oui\ ") } , { "ColumnToEdit": "Validation Accès 41", "NewColumnValue": "=IF(ISNOTBLANK([Validation Accès 41]) ; \ " " ; \ "Oui\ ") }] , "InputParametersUsed": null, "Prominence": "Display_Inline", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": true }</pre>
Do this	SET_COLUMN_VALUE
Attach to column	Accès App 41
Set this column	Validation Accès 41
Only if this condition is true	true
Disable automatic updates?	No

Display name	= "Validation accès"
For a record of this table	Accès Personnel
Does this action apply to the whole table?	No
To this value	=IF(ISNOTBLANK([Validation Accès 41]) ; "" ; "Oui")
Visible?	ALWAYS

Action name Validation accès 42

Action name	Validation accès 42
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Inline
Action order	99
With these properties	<pre>{ "Assignments": { "ColumnToEdit": "Validation Accès 42", "NewColumnValue": "=IF(ISNOTBLANK([Validation Accès 42]) ; \"\" ; \"Oui\")", "ColumnToEdit": "Validation Accès 42", "NewColumnValue": "=IF(ISNOTBLANK([Validation Accès 42]) ; \"\" ; \"Oui\")", "InputParametersUsed": null, "Prominence": "Display_Inline", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": true } }</pre>
Do this	SET_COLUMN_VALUE
Attach to column	Accès App 42
Set this column	Validation Accès 42
Only if this condition is true	true
Disable automatic updates?	No
Display name	= "Validation accès"
For a record of this table	Accès Personnel
Does this action apply to the whole table?	No
To this value	=IF(ISNOTBLANK([Validation Accès 42]) ; "" ; "Oui")
Visible?	ALWAYS

Action name Validation accès 43

Action name	Validation accès 43
-------------	---------------------

Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Inline
Action order	100
With these properties	<pre>{ "Assignments": [{ "ColumnToEdit": "Validation Accès 43", "NewColumnValue": "IF(ISNOTBLANK([Validation Accès 43]) ; \"\" ; \"Oui\")" }, { "ColumnToEdit": "Validation Accès 43", "NewColumnValue": "IF(ISNOTBLANK([Validation Accès 43]) ; \"\" ; \"Oui\")" }], "InputParametersUsed": null, "Prominence": "Display_Inline", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": true }</pre>
Do this	SET_COLUMN_VALUE
Attach to column	Accès App 43
Set this column	Validation Accès 43
Only if this condition is true	true
Disable automatic updates?	No
Display name	"Validation accès"
For a record of this table	Accès Personnel
Does this action apply to the whole table?	No
To this value	"IF(ISNOTBLANK([Validation Accès 43]) ; \"\" ; \"Oui\")"
Visible?	ALWAYS

Action name Validation accès 44

Action name	Validation accès 44
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Inline
Action order	101
With these properties	<pre>{ "Assignments": [{ "ColumnToEdit": "Validation Accès 44", "NewColumnValue": "IF(ISNOTBLANK([Validation Accès 44]) ; \"\" ; \"Oui\")" }, { "ColumnToEdit": "Validation Accès 44", "NewColumnValue": "IF(ISNOTBLANK([Validation Accès 44]) ; \"\" ; \"Oui\")" }], "InputParametersUsed": null, "Prominence": "Display_Inline", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": true }</pre>

	<code>\ "Oui\ ") , "InputParametersUsed":null,"Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}</code>
Do this	SET_COLUMN_VALUE
Attach to column	Accès App 44
Set this column	Validation Accès 44
Only if this condition is true	true
Disable automatic updates?	No
Display name	= "Validation accès"
For a record of this table	Accès Personnel
Does this action apply to the whole table?	No
To this value	=IF(ISNOTBLANK([Validation Accès 44]) ; "" ; "Oui")
Visible?	ALWAYS

Action name Validation accès 45

Action name	Validation accès 45
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Inline
Action order	102
With these properties	<code>{ "Assignments": [{ "ColumnToEdit": "Validation Accès 45", "NewColumnValue": "=IF(ISNOTBLANK([Validation Accès 45]) ; \ " " ; \ "Oui\ ") } , { "ColumnToEdit": "Validation Accès 45", "NewColumnValue": "=IF(ISNOTBLANK([Validation Accès 45]) ; \ " " ; \ "Oui\ ") }] , "InputParametersUsed":null,"Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}</code>
Do this	SET_COLUMN_VALUE
Attach to column	Accès App 45
Set this column	Validation Accès 45
Only if this condition is true	true
Disable automatic updates?	No

Display name	= "Validation accès"
For a record of this table	Accès Personnel
Does this action apply to the whole table?	No
To this value	=IF(ISNOTBLANK([Validation Accès 45]) ; "" ; "Oui")
Visible?	ALWAYS

Action name Validation accès 46

Action name	Validation accès 46
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Inline
Action order	103
With these properties	<pre>{ "Assignments": { "ColumnToEdit": "Validation Accès 46", "NewColumnValue": "=IF(ISNOTBLANK([Validation Accès 46]) ; \"\" ; \"Oui\")", "ColumnToEdit": "Validation Accès 46", "NewColumnValue": "=IF(ISNOTBLANK([Validation Accès 46]) ; \"\" ; \"Oui\")", "InputParametersUsed": null, "Prominence": "Display_Inline", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": true } }</pre>
Do this	SET_COLUMN_VALUE
Attach to column	Accès App 46
Set this column	Validation Accès 46
Only if this condition is true	true
Disable automatic updates?	No
Display name	= "Validation accès"
For a record of this table	Accès Personnel
Does this action apply to the whole table?	No
To this value	=IF(ISNOTBLANK([Validation Accès 46]) ; "" ; "Oui")
Visible?	ALWAYS

Action name Validation accès 47

Action name	Validation accès 47
-------------	---------------------

Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Inline
Action order	104
With these properties	<pre>{ "Assignments": [{ "ColumnToEdit": "Validation Accès 47", "NewColumnValue": "IF(ISNOTBLANK([Validation Accès 47]) ; \"\" ; \"Oui\")" }, { "ColumnToEdit": "Validation Accès 47", "NewColumnValue": "IF(ISNOTBLANK([Validation Accès 47]) ; \"\" ; \"Oui\")" }], "InputParametersUsed": null, "Prominence": "Display_Inline", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": true }</pre>
Do this	SET_COLUMN_VALUE
Attach to column	Accès App 47
Set this column	Validation Accès 47
Only if this condition is true	true
Disable automatic updates?	No
Display name	"Validation accès"
For a record of this table	Accès Personnel
Does this action apply to the whole table?	No
To this value	"IF(ISNOTBLANK([Validation Accès 47]) ; \"\" ; \"Oui\")"
Visible?	ALWAYS

Action name Validation accès 48

Action name	Validation accès 48
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Inline
Action order	105
With these properties	<pre>{ "Assignments": [{ "ColumnToEdit": "Validation Accès 48", "NewColumnValue": "IF(ISNOTBLANK([Validation Accès 48]) ; \"\" ; \"Oui\")" }, { "ColumnToEdit": "Validation Accès 48", "NewColumnValue": "IF(ISNOTBLANK([Validation Accès 48]) ; \"\" ; \"Oui\")" }], "InputParametersUsed": null, "Prominence": "Display_Inline", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": true }</pre>

	<code>\ "Oui\ ") , "InputParametersUsed":null,"Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}</code>
Do this	SET_COLUMN_VALUE
Attach to column	Accès App 48
Set this column	Validation Accès 48
Only if this condition is true	true
Disable automatic updates?	No
Display name	= "Validation accès"
For a record of this table	Accès Personnel
Does this action apply to the whole table?	No
To this value	=IF(ISNOTBLANK([Validation Accès 48]) ; "" ; "Oui")
Visible?	ALWAYS

Action name Validation accès 49

Action name	Validation accès 49
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Inline
Action order	106
With these properties	<code>{ "Assignments": [{ "ColumnToEdit": "Validation Accès 49", "NewColumnValue": "=IF(ISNOTBLANK([Validation Accès 49]) ; \ " " ; \ "Oui\ ") } , { "ColumnToEdit": "Validation Accès 49", "NewColumnValue": "=IF(ISNOTBLANK([Validation Accès 49]) ; \ " " ; \ "Oui\ ") }] , "InputParametersUsed":null,"Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}</code>
Do this	SET_COLUMN_VALUE
Attach to column	Accès App 49
Set this column	Validation Accès 49
Only if this condition is true	true
Disable automatic updates?	No

Display name	= "Validation accès"
For a record of this table	Accès Personnel
Does this action apply to the whole table?	No
To this value	=IF(ISNOTBLANK([Validation Accès 49]) ; "" ; "Oui")
Visible?	ALWAYS

Action name Validation accès 50

Action name	Validation accès 50
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Inline
Action order	107
With these properties	<pre>{ "Assignments": { "ColumnToEdit": "Validation Accès 50", "NewColumnValue": "=IF(ISNOTBLANK([Validation Accès 50]) ; \"\" ; \"Oui\")", "ColumnToEdit": "Validation Accès 50", "NewColumnValue": "=IF(ISNOTBLANK([Validation Accès 50]) ; \"\" ; \"Oui\")", "InputParametersUsed": null, "Prominence": "Display_Inline", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": true } }</pre>
Do this	SET_COLUMN_VALUE
Attach to column	Accès App 50
Set this column	Validation Accès 50
Only if this condition is true	true
Disable automatic updates?	No
Display name	= "Validation accès"
For a record of this table	Accès Personnel
Does this action apply to the whole table?	No
To this value	=IF(ISNOTBLANK([Validation Accès 50]) ; "" ; "Oui")
Visible?	ALWAYS

Action name Sous accès 4

Action name	Sous accès 4
-------------	--------------

Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Prominently
Action order	108
With these properties	{ "NavigateTarget": "=LINKTOVIEW([Sous Accès 4])", "Prominence": "Display_Prominently", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": false, "BulkApplicable": false }
Do this	NAVIGATE_APP
Attach to column	ID Ligne
Only if this condition is true	=ISNOTBLANK([Sous Accès 4])
Disable automatic updates?	No
Display name	=[Sous Accès 4]
For a record of this table	Accès
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Sous accès 5

Action name	Sous accès 5
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Prominently
Action order	109
With these properties	{ "NavigateTarget": "=LINKTOVIEW([Sous Accès 5])", "Prominence": "Display_Prominently", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": false, "BulkApplicable": false }
Do this	NAVIGATE_APP
Attach to column	ID Ligne
Only if this condition is true	=ISNOTBLANK([Sous Accès 5])
Disable automatic updates?	No

Display name	=[Sous Accès 5]
For a record of this table	Accès
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Sous accès 6

Action name	Sous accès 6
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Prominently
Action order	110
With these properties	<code>{"NavigateTarget":"=LINKTOVIEW([Sous Accès 6])","Prominence":"Display_Prominently","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}</code>
Do this	NAVIGATE_APP
Attach to column	ID Ligne
Only if this condition is true	<code>=ISNOTBLANK([Sous Accès 6])</code>
Disable automatic updates?	No
Display name	=[Sous Accès 6]
For a record of this table	Accès
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Sous accès 7

Action name	Sous accès 7
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Prominently
Action order	111

With these properties	<code>{"NavigateTarget": "LINKTOVIEW([Sous Accès 7])", "Prominence": "Display_Prominently", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": false, "BulkApplicable": false}</code>
Do this	NAVIGATE_APP
Attach to column	ID Ligne
Only if this condition is true	<code>=ISNOTBLANK([Sous Accès 7])</code>
Disable automatic updates?	No
Display name	<code>=[Sous Accès 7]</code>
For a record of this table	Accès
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Sous accès 8

Action name	Sous accès 8
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Prominently
Action order	112
With these properties	<code>{"NavigateTarget": "LINKTOVIEW([Sous Accès 8])", "Prominence": "Display_Prominently", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": false, "BulkApplicable": false}</code>
Do this	NAVIGATE_APP
Attach to column	ID Ligne
Only if this condition is true	<code>=ISNOTBLANK([Sous Accès 8])</code>
Disable automatic updates?	No
Display name	<code>=[Sous Accès 8]</code>
For a record of this table	Accès
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Sous accès 9

Action name	Sous accès 9
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Prominently
Action order	113
With these properties	<code>{"NavigateTarget": "=LINKTOVIEW([Sous Accès 9])", "Prominence": "Display_Prominently", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": false, "BulkApplicable": false}</code>
Do this	NAVIGATE_APP
Attach to column	ID Ligne
Only if this condition is true	<code>=ISNOTBLANK([Sous Accès 9])</code>
Disable automatic updates?	No
Display name	<code>=[Sous Accès 9]</code>
For a record of this table	Accès
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Sous accès 10

Action name	Sous accès 10
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Prominently
Action order	114
With these properties	<code>{"NavigateTarget": "=LINKTOVIEW([Sous Accès 10])", "Prominence": "Display_Prominently", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": false, "BulkApplicable": false}</code>
Do this	NAVIGATE_APP
Attach to column	ID Ligne

Only if this condition is true	=ISNOTBLANK([Sous Accès 10])
Disable automatic updates?	No
Display name	=[Sous Accès 10]
For a record of this table	Accès
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Sous accès 11

Action name	Sous accès 11
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Prominently
Action order	115
With these properties	{ "NavigateTarget": "=LINKTOVIEW([Sous Accès 11])", "Prominence": "Display_Prominently", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": false, "BulkApplicable": false }
Do this	NAVIGATE_APP
Attach to column	ID Ligne
Only if this condition is true	=ISNOTBLANK([Sous Accès 11])
Disable automatic updates?	No
Display name	=[Sous Accès 11]
For a record of this table	Accès
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Sous accès 12

Action name	Sous accès 12
Bulk action?	No
Modifies data?	No

Needs confirmation?	No
Prominence	Display_Prominently
Action order	116
With these properties	{ "NavigateTarget": "=LINKTOVIEW([Sous Accès 12])", "Prominence": "Display_Prominently", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": false, "BulkApplicable": false }
Do this	NAVIGATE_APP
Attach to column	ID Ligne
Only if this condition is true	=ISNOTBLANK([Sous Accès 12])
Disable automatic updates?	No
Display name	=[Sous Accès 12]
For a record of this table	Accès
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Sous accès 13

Action name	Sous accès 13
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Prominently
Action order	117
With these properties	{ "NavigateTarget": "=LINKTOVIEW([Sous Accès 13])", "Prominence": "Display_Prominently", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": false, "BulkApplicable": false }
Do this	NAVIGATE_APP
Attach to column	ID Ligne
Only if this condition is true	=ISNOTBLANK([Sous Accès 13])
Disable automatic updates?	No
Display name	=[Sous Accès 13]
For a record of this table	Accès

Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Sous accès 14

Action name	Sous accès 14
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Prominently
Action order	118
With these properties	{ "NavigateTarget": "=LINKTOVIEW([Sous Accès 14])", "Prominence": "Display_Prominently", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": false, "BulkApplicable": false }
Do this	NAVIGATE_APP
Attach to column	ID Ligne
Only if this condition is true	=ISNOTBLANK([Sous Accès 14])
Disable automatic updates?	No
Display name	=[Sous Accès 14]
For a record of this table	Accès
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Sous accès 15

Action name	Sous accès 15
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Prominently
Action order	119
With these properties	{ "NavigateTarget": "=LINKTOVIEW([Sous Accès 15])", "Prominence": "Display_Prominently", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": false, "BulkApplicable": false }

	also,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_APP
Attach to column	ID Ligne
Only if this condition is true	=ISNOTBLANK([Sous Accès 15])
Disable automatic updates?	No
Display name	=[Sous Accès 15]
For a record of this table	Accès
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Sous accès 16

Action name	Sous accès 16
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Prominently
Action order	120
With these properties	{ "NavigateTarget": "=LINKTOVIEW([Sous Accès 16])", "Prominence": "Display_Prominently", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": false, "BulkApplicable": false }
Do this	NAVIGATE_APP
Attach to column	ID Ligne
Only if this condition is true	=ISNOTBLANK([Sous Accès 16])
Disable automatic updates?	No
Display name	=[Sous Accès 16]
For a record of this table	Accès
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Sous accès 17

Action name	Sous accès 17
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Prominently
Action order	121
With these properties	{ "NavigateTarget": "=LINKTOVIEW([Sous Accès 17])", "Prominence": "Display_Prominently", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": false, "BulkApplicable": false }
Do this	NAVIGATE_APP
Attach to column	ID Ligne
Only if this condition is true	=ISNOTBLANK([Sous Accès 17])
Disable automatic updates?	No
Display name	=[Sous Accès 17]
For a record of this table	Accès
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Sous accès 18

Action name	Sous accès 18
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Prominently
Action order	122
With these properties	{ "NavigateTarget": "=LINKTOVIEW([Sous Accès 18])", "Prominence": "Display_Prominently", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": false, "BulkApplicable": false }
Do this	NAVIGATE_APP
Attach to column	ID Ligne
Only if this condition is true	=ISNOTBLANK([Sous Accès 18])

Disable automatic updates?	No
Display name	=[Sous Accès 18]
For a record of this table	Accès
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Sous accès 19

Action name	Sous accès 19
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Prominently
Action order	123
With these properties	{ "NavigateTarget": "=LINKTOVIEW([Sous Accès 19])", "Prominence": "Display_Prominently", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": false, "BulkApplicable": false }
Do this	NAVIGATE_APP
Attach to column	ID Ligne
Only if this condition is true	=ISNOTBLANK([Sous Accès 19])
Disable automatic updates?	No
Display name	=[Sous Accès 19]
For a record of this table	Accès
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Sous accès 20

Action name	Sous accès 20
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Prominently

Action order	124
With these properties	{"NavigateTarget": "=LINKTOVIEW([Sous Accès 20])", "Prominence": "Display_Prominently", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": false, "BulkApplicable": false}
Do this	NAVIGATE_APP
Attach to column	ID Ligne
Only if this condition is true	=ISNOTBLANK([Sous Accès 20])
Disable automatic updates?	No
Display name	=[Sous Accès 20]
For a record of this table	Accès
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Sous accès 21

Action name	Sous accès 21
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Prominently
Action order	125
With these properties	{"NavigateTarget": "=LINKTOVIEW([Sous Accès 21])", "Prominence": "Display_Prominently", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": false, "BulkApplicable": false}
Do this	NAVIGATE_APP
Attach to column	ID Ligne
Only if this condition is true	=ISNOTBLANK([Sous Accès 21])
Disable automatic updates?	No
Display name	=[Sous Accès 21]
For a record of this table	Accès
Does this action apply to the whole table?	No

Visible?

ALWAYS

Action name Sous accès 22

Action name	Sous accès 22
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Prominently
Action order	126
With these properties	{ "NavigateTarget": "=LINKTOVIEW([Sous Accès 22])", "Prominence": "Display_Prominently", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": false, "BulkApplicable": false }
Do this	NAVIGATE_APP
Attach to column	ID Ligne
Only if this condition is true	=ISNOTBLANK([Sous Accès 22])
Disable automatic updates?	No
Display name	=[Sous Accès 22]
For a record of this table	Accès
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Sous accès 23

Action name	Sous accès 23
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Prominently
Action order	127
With these properties	{ "NavigateTarget": "=LINKTOVIEW([Sous Accès 23])", "Prominence": "Display_Prominently", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": false, "BulkApplicable": false }
Do this	NAVIGATE_APP

Attach to column	ID Ligne
Only if this condition is true	=ISNOTBLANK([Sous Accès 23])
Disable automatic updates?	No
Display name	=[Sous Accès 23]
For a record of this table	Accès
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Sous accès 24

Action name	Sous accès 24
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Prominently
Action order	128
With these properties	{ "NavigateTarget": "=LINKTOVIEW([Sous Accès 24])", "Prominence": "Display_Prominently", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": false, "BulkApplicable": false }
Do this	NAVIGATE_APP
Attach to column	ID Ligne
Only if this condition is true	=ISNOTBLANK([Sous Accès 24])
Disable automatic updates?	No
Display name	=[Sous Accès 24]
For a record of this table	Accès
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Sous accès 25

Action name	Sous accès 25
Bulk action?	No

Modifies data?	No
Needs confirmation?	No
Prominence	Display_Prominently
Action order	129
With these properties	{ "NavigateTarget": "=LINKTOVIEW([Sous Accès 25])", "Prominence": "Display_Prominently", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": false, "BulkApplicable": false }
Do this	NAVIGATE_APP
Attach to column	ID Ligne
Only if this condition is true	=ISNOTBLANK([Sous Accès 25])
Disable automatic updates?	No
Display name	=[Sous Accès 25]
For a record of this table	Accès
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Sous accès 26

Action name	Sous accès 26
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Prominently
Action order	130
With these properties	{ "NavigateTarget": "=LINKTOVIEW([Sous Accès 26])", "Prominence": "Display_Prominently", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": false, "BulkApplicable": false }
Do this	NAVIGATE_APP
Attach to column	ID Ligne
Only if this condition is true	=ISNOTBLANK([Sous Accès 26])
Disable automatic updates?	No
Display name	=[Sous Accès 26]

For a record of this table	Accès
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Sous accès 27

Action name	Sous accès 27
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Prominently
Action order	131
With these properties	{ "NavigateTarget": "=LINKTOVIEW([Sous Accès 27])", "Prominence": "Display_Prominently", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": false, "BulkApplicable": false }
Do this	NAVIGATE_APP
Attach to column	ID Ligne
Only if this condition is true	=ISNOTBLANK([Sous Accès 27])
Disable automatic updates?	No
Display name	=[Sous Accès 27]
For a record of this table	Accès
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Sous accès 28

Action name	Sous accès 28
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Prominently
Action order	132
With these properties	{ "NavigateTarget": "=LINKTOVIEW([Sous Accès 28])", "Prominence": "Display_Prominently", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": false, "BulkApplicable": false }

	also,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_APP
Attach to column	ID Ligne
Only if this condition is true	=ISNOTBLANK([Sous Accès 28])
Disable automatic updates?	No
Display name	=[Sous Accès 28]
For a record of this table	Accès
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Sous accès 29

Action name	Sous accès 29
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Prominently
Action order	133
With these properties	{ "NavigateTarget": "=LINKTOVIEW([Sous Accès 29])", "Prominence": "Display_Prominently", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": false, "BulkApplicable": false }
Do this	NAVIGATE_APP
Attach to column	ID Ligne
Only if this condition is true	=ISNOTBLANK([Sous Accès 29])
Disable automatic updates?	No
Display name	=[Sous Accès 29]
For a record of this table	Accès
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Sous accès 30

Action name	Sous accès 30
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Prominently
Action order	134
With these properties	{ "NavigateTarget": "=LINKTOVIEW([Sous Accès 30])", "Prominence": "Display_Prominently", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": false, "BulkApplicable": false }
Do this	NAVIGATE_APP
Attach to column	ID Ligne
Only if this condition is true	=ISNOTBLANK([Sous Accès 30])
Disable automatic updates?	No
Display name	=[Sous Accès 30]
For a record of this table	Accès
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Do_Not_Display
Action order	135
With these properties	{ "InputParametersUsed": null, "Prominence": "Do_Not_Display", "NeedsConfirmation": true, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": true }
Do this	DELETE_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Activites

Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	39
With these properties	{ "DesktopBehavior": "Open a form", "DesktopEditBehavior": "Edit in place", "Prominence": "Display_Overlay", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": false }
Do this	EDIT_RECORD
Disable automatic updates?	No
Display name	Modifier
Action icon	
For a record of this table	Activites
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Do_Not_Display
Action order	139
With these properties	{ "InputParametersUsed": null, "Prominence": "Do_Not_Display", "NeedsConfirmation": true, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": true }
Do this	DELETE_RECORD

Disable automatic updates?	No
Action icon	
For a record of this table	Administratif
Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Prominently
Action order	152
With these properties	{ "DesktopBehavior": "Open a form", "DesktopEditBehavior": "Edit in place", "Prominence": "Display_Prominently", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": false }
Do this	EDIT_RECORD
Disable automatic updates?	No
Display name	Modifier
Action icon	
For a record of this table	Administratif
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	138

With these properties	{"Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	ADD_RECORD
Disable automatic updates?	No
Display name	Ajout
Action icon	
For a record of this table	Activites
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	140
With these properties	{"Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	ADD_RECORD
Disable automatic updates?	No
Display name	Ajout
Action icon	
For a record of this table	Administratif
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name Open File (Fichier PDF)

Action name	Open File (Fichier PDF)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline

Action order	141
With these properties	<code>{"FileTarget":["Fichier PDF"],"Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}</code>
Do this	OPEN_FILE
Attach to column	Fichier PDF
Set this column	Fichier PDF
Only if this condition is true	<code>NOT(ISBLANK([Fichier PDF]))</code>
Disable automatic updates?	No
Action icon	
For a record of this table	Administratif
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Document traité

Action name	Document traité
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Inline
Action order	142
With these properties	<code>{"Assignments":{"ColumnToEdit":"Document traité ?","NewColumnValue":"=IF(ISNOTBLANK([Document traité ?]) ; \\" ; \\"Oui\\")"},"ColumnToEdit":"Document traité ?","NewColumnValue":"=IF(ISNOTBLANK([Document traité ?]) ; \\" ; \\"Oui\\")","InputParametersUsed":null,"Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}</code>
Do this	SET_COLUMN_VALUE
Attach to column	Document traité
Set this column	Document traité ?
Only if this condition is true	true

Disable automatic updates?	No
Display name	=IF(ISNOTBLANK([Document traité ?]) ; "A jour" ; "A voir / A faire")
For a record of this table	Administratif
Does this action apply to the whole table?	No
To this value	=IF(ISNOTBLANK([Document traité ?]) ; "" ; "Oui")
Visible?	ALWAYS

Action name View Map (Lieu)

Action name	View Map (Lieu)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	41
With these properties	{ "NavigateTarget": "CONCATENATE(\"#page=map&table=Activites&mapcolumn=Lieu&row=\", ENCODEURL([_THISROW]))", "Prominence": "Display_Inline", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": false, "BulkApplicable": false }
Do this	NAVIGATE_APP
Attach to column	Lieu
Set this column	Lieu
Only if this condition is true	NOT(ISBLANK([Lieu]))
Disable automatic updates?	No
Action icon	
For a record of this table	Activites
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name View Map (Lieux des choses déjà faites)

Action name	View Map (Lieux des choses déjà faites)
-------------	---

Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	137
With these properties	<code>{"NavigateTarget":"CONCATENATE(\"#page=map&table=Activites&mapcolumn=Lieux%20des%20choses%20d%C3%A9jà%C3%A0%20faites&row=\", ENCODEURL([_THISROW]))","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}</code>
Do this	NAVIGATE_APP
Attach to column	Lieux des choses déjà faites
Set this column	Lieux des choses déjà faites
Only if this condition is true	<code>NOT(ISBLANK([Lieux des choses déjà faites]))</code>
Disable automatic updates?	No
Action icon	
For a record of this table	Activites
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Activité à faire / faite

Action name	Activité à faire / faite
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Inline
Action order	40
With these properties	<code>{"Assignments":{"ColumnToEdit":"Déjà fait","NewColumnValue":"=IF(ISNOTBLANK([Déjà fait]) ; \"\" ; \"Oui\")"},"ColumnToEdit":"Déjà fait","NewColumnValue":"=IF(ISNOTBLANK([Déjà fait]) ; \"\" ; \"Oui\")","InputParametersUsed":null,"Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}</code>
Do this	SET_COLUMN_VALUE

Attach to column	A voir ou Fait
Set this column	Déjà fait
Only if this condition is true	true
Disable automatic updates?	No
Display name	=IF(ISNOTBLANK([Déjà fait]) ; "Fait" ; "A voir / A faire")
For a record of this table	Activites
Does this action apply to the whole table?	No
To this value	=IF(ISNOTBLANK([Déjà fait]) ; "" ; "Oui")
Visible?	ALWAYS

Action name Voir la Map

Action name	Voir la Map
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Overlay
Action order	136
With these properties	{ "NavigateTarget": "=LINKTOVIEW(\"Map activités\")", "Prominence": "Display_Overlay", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": false, "BulkApplicable": false }
Do this	NAVIGATE_APP
Attach to column	Lieu
Only if this condition is true	=true
Disable automatic updates?	No
Action icon	
For a record of this table	Activites
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Open Url (Lien)

Action name	Open Url (Lien)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	42
With these properties	<pre>{ "NavigateTarget": "[Lien]", "LaunchExternal": false, "Prominence": "Display_Inline", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": false, "BulkApplicable": false }</pre>
Do this	NAVIGATE_URL
Attach to column	Lien
Set this column	Lien
Only if this condition is true	NOT(ISBLANK([Lien]))
Disable automatic updates?	No
Display name	Lien
For a record of this table	Activites
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Do_Not_Display
Action order	38
With these properties	<pre>{ "InputParametersUsed": null, "Prominence": "Do_Not_Display", "NeedsConfirmation": true, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": true }</pre>
Do this	DELETE_RECORD
Disable automatic updates?	No
Action icon	

For a record of this table	FilmsSeries
Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	151
With these properties	{ "DesktopBehavior": "Open a form", "DesktopEditBehavior": "Edit in place", "Prominence": "Display_Overlay", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": false }
Do this	EDIT_RECORD
Disable automatic updates?	No
Display name	Modifier
Action icon	
For a record of this table	FilmsSeries
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	37
With these properties	{ "Prominence": "Display_Overlay", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": true }
Do this	ADD_RECORD

Disable automatic updates?	No
Display name	Ajout
Action icon	
For a record of this table	FilmsSeries
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name Vu ou non vu

Action name	Vu ou non vu
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Inline
Action order	143
With these properties	<pre>{ "Assignments": [{ "ColumnToEdit": "Vu ou non vu", "NewColumnValue": "=IF(ISNOTBLANK([Vu ou non vu]) ; \"\" ; \"Oui\")" }], "ColumnToEdit": "Vu ou non vu", "NewColumnValue": "=IF(ISNOTBLANK([Vu ou non vu]) ; \"\" ; \"Oui\")", "InputParametersUsed": null, "Prominence": "Display_Inline", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": true }</pre>
Do this	SET_COLUMN_VALUE
Attach to column	Noter si vu ou non vu
Set this column	Vu ou non vu
Only if this condition is true	true
Disable automatic updates?	No
Display name	=IF(ISNOTBLANK([Vu ou non vu]) ; "Déjà regardé" ; "A regarder")
For a record of this table	FilmsSeries
Does this action apply to the whole table?	No
To this value	=IF(ISNOTBLANK([Vu ou non vu]) ; "" ; "Oui")
Visible?	ALWAYS

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Do_Not_Display
Action order	32
With these properties	<code>{"InputParametersUsed":null,"Prominence":"Do_Not_Display","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}</code>
Do this	DELETE_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Astuces
Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Prominently
Action order	33
With these properties	<code>{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Display_Prominently","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}</code>
Do this	EDIT_RECORD
Disable automatic updates?	No
Display name	Modifier
Action icon	
For a record of this table	Astuces
Does this action apply to the whole table?	No

Visible?	ALWAYS
----------	--------

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	34
With these properties	{"Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	ADD_RECORD
Disable automatic updates?	No
Display name	Ajout
Action icon	
For a record of this table	Astuces
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Do_Not_Display
Action order	35
With these properties	{"InputParametersUsed":null,"Prominence":"Do_Not_Display","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	DELETE_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	CartesCadeaux

Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Prominently
Action order	150
With these properties	{ "DesktopBehavior": "Open a form", "DesktopEditBehavior": "Edit in place", "Prominence": "Display_Prominently", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": false }
Do this	EDIT_RECORD
Disable automatic updates?	No
Display name	Modifier
Action icon	
For a record of this table	CartesCadeaux
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	36
With these properties	{ "Prominence": "Display_Overlay", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": true }
Do this	ADD_RECORD
Disable automatic updates?	No

Display name	Ajout
Action icon	
For a record of this table	CartesCadeaux
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name Carte invalide

Action name	Carte invalide
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Inline
Action order	144
With these properties	{ "Assignments": [{ "ColumnToEdit": "Carte à ne plus afficher", "NewColumnValue": "\Oui\\"" }, { "ColumnToEdit": "Carte à ne plus afficher", "NewColumnValue": "\Oui\\"", "InputParametersUsed": null, "Prominence": "Display_Inline", "NeedsConfirmation": true, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": true }] }
Do this	SET_COLUMN_VALUE
Attach to column	Mettre la Carte invalide
Set this column	Carte à ne plus afficher
Only if this condition is true	=true
Disable automatic updates?	No
Display name	= "Carte invalide"
Action icon	
For a record of this table	CartesCadeaux
Does this action apply to the whole table?	No
To this value	= "Oui"
Visible?	ALWAYS

Action name Delete

Action name	Delete
-------------	--------

Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Do_Not_Display
Action order	25
With these properties	<code>{"InputParametersUsed":null,"Prominence":"Do_Not_Display","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}</code>
Do this	DELETE_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Notifications
Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	26
With these properties	<code>{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Do_Not_Display","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}</code>
Do this	EDIT_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Notifications
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	27
With these properties	{"Prominence":"Do_Not_Display","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	ADD_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Notifications
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Do_Not_Display
Action order	28
With these properties	{"InputParametersUsed":null,"Prominence":"Do_Not_Display","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	DELETE_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Cadeaux
Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Prominently
Action order	31
With these properties	{ "DesktopBehavior": "Open a form", "DesktopEditBehavior": "Edit in place", "Prominence": "Display_Prominently", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": false }
Do this	EDIT_RECORD
Disable automatic updates?	No
Display name	Modifier
Action icon	
For a record of this table	Cadeaux
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	29
With these properties	{ "Prominence": "Display_Overlay", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": true }
Do this	ADD_RECORD
Disable automatic updates?	No
Display name	Ajout
Action icon	
For a record of this table	Cadeaux
Does this action apply to the whole table?	Yes

Visible? ALWAYS

Action name Cadeau Acheté

Action name	Cadeau Acheté
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Inline
Action order	30
With these properties	<pre>{ "Assignments": [{ "ColumnToEdit": "Acheté", "NewColumnValue": "\Oui\\"", "ColumnToEdit": "Acheté", "NewColumnValue": "\Oui\\"", "InputParametersUsed": null, "Prominence": "Display_Inline", "NeedsConfirmation": true, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": true }] }</pre>
Do this	SET_COLUMN_VALUE
Attach to column	Acheté
Set this column	Acheté
Only if this condition is true	=true
Disable automatic updates?	No
Display name	= "Cadeau acheté"
Action icon	
For a record of this table	Cadeaux
Does this action apply to the whole table?	No
To this value	= "Oui"
Visible?	ALWAYS

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Do_Not_Display
Action order	24

24/07/2026 12:44		Application Documentation	
		{ "InputParametersUsed": null, "Prominence": "Do_Not_Display", "NeedsConfirmation": true, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": true }	
With these properties			
Do this		DELETE_RECORD	
Disable automatic updates?		No	
Action icon			
For a record of this table		Liste de courses	
Does this action apply to the whole table?		No	
Visible?		ADVANCED	

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Prominently
Action order	149
With these properties	{ "DesktopBehavior": "Open a form", "DesktopEditBehavior": "Edit in place", "Prominence": "Display_Prominently", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": false }
Do this	EDIT_RECORD
Disable automatic updates?	No
Display name	Modifier
Action icon	
For a record of this table	Liste de courses
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes

Needs confirmation?	No
Prominence	Display_Overlay
Action order	23
With these properties	{"Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	ADD_RECORD
Disable automatic updates?	No
Display name	Ajout
Action icon	
For a record of this table	Liste de courses
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name Acheté (liste de course)

Action name	Acheté (liste de course)
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Inline
Action order	146
With these properties	<pre>{ "Assignments": [{ "ColumnToEdit": "Acheté", "NewColumnValue": "IF(ISNOTBLANK([Acheté ?]) ; \"\" ; \"Oui\")" }], "ColumnToEdit": "Acheté", "NewColumnValue": "IF(ISNOTBLANK([Acheté ?]) ; \"\" ; \"Oui\")", "InputParametersUsed": null, "Prominence": "Display_Inline", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": true }</pre>
Do this	SET_COLUMN_VALUE
Attach to column	Etat
Set this column	Acheté ?
Only if this condition is true	=true
Disable automatic updates?	No
Display name	=IF(ISNOTBLANK([Acheté ?]) ; "Article acheté" ; "Article en attente")

For a record of this table	Liste de courses
Does this action apply to the whole table?	No
To this value	=IF(ISNOTBLANK([Acheté ?]) ; "" ; "Oui")
Visible?	ALWAYS

Action name Voir les détails

Action name	Voir les détails
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Prominently
Action order	145
With these properties	{ "NavigateTarget": "=LINKTOROW([_RowNumber], \"Slide Liste de course_Detail\")", "Prominence": "Display_Prominently", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": false, "BulkApplicable": false }
Do this	NAVIGATE_APP
Attach to column	_RowNumber
Disable automatic updates?	No
Display name	= "Voir les détails"
Action icon	
For a record of this table	Liste de courses
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Do_Not_Display
Action order	20

With these properties	<code>{"InputParametersUsed":null,"Prominence":"Do_Not_Display","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}</code>
Do this	DELETE_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	DataBeer
Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	22
With these properties	<code>{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}</code>
Do this	EDIT_RECORD
Disable automatic updates?	No
Display name	Modifier
Action icon	
For a record of this table	DataBeer
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name View Map (Coordonnées GPS)

Action name	View Map (Coordonnées GPS)
Bulk action?	No
Modifies data?	No

Needs confirmation?	No
Prominence	Display_Inline
Action order	21
With these properties	{ "NavigateTarget": "CONCATENATE(\ "#page=map&table=DataBeer&mapcolumn=Coordonn%C3%A9es%20GPS&row=", ENCODEURL([_THISROW]))", "Prominence": "Display_Inline", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": false, "BulkApplicable": false }
Do this	NAVIGATE_APP
Attach to column	Coordonnées GPS
Set this column	Coordonnées GPS
Only if this condition is true	NOT(ISBLANK([Coordonnées GPS]))
Disable automatic updates?	No
Action icon	
For a record of this table	DataBeer
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	19
With these properties	{ "Prominence": "Display_Overlay", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": true }
Do this	ADD_RECORD
Disable automatic updates?	No
Display name	Ajout
Action icon	
For a record of this table	DataBeer
Does this action apply to the whole table?	Yes

Visible?	ALWAYS
----------	--------

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Do_Not_Display
Action order	9
With these properties	<code>{"InputParametersUsed":null,"Prominence":"Do_Not_Display","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}</code>
Do this	DELETE_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	TDBBeer
Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	10
With these properties	<code>{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Do_Not_Display","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}</code>
Do this	EDIT_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	TDBBeer

Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	11
With these properties	{"Prominence":"Do_Not_Display","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	ADD_RECORD
Disable automatic updates?	No
Action icon	+
For a record of this table	TDBBeer
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name Dans le frigo (liste de course)

Action name	Dans le frigo (liste de course)
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Prominently
Action order	147
With these properties	{"Assignments":[{"ColumnToEdit":"Dans le frigo","NewColumnValue":"=\"Oui\""}],"ColumnToEdit":"Dans le frigo","NewColumnValue":"=\"Oui\"","InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	SET_COLUMN_VALUE
Attach to column	Dans le frigo

Set this column	Dans le frigo
Only if this condition is true	=ISBLANK([Dans le frigo])
Disable automatic updates?	No
Display name	= "Article dispo dans le frigo"
For a record of this table	Liste de courses
Does this action apply to the whole table?	No
To this value	= "Oui"
Visible?	ALWAYS

Action name Pas dans le frigo (liste de course)

Action name	Pas dans le frigo (liste de course)
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Prominently
Action order	148
With these properties	{ "Assignments": [{ "ColumnToEdit": "Dans le frigo", "NewColumnValue": "= \"\""}, { "ColumnToEdit": "Dans le frigo", "NewColumnValue": "= \"\""}, { "InputParametersUsed": null, "Prominence": "Display_Prominently", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": true }] }
Do this	SET_COLUMN_VALUE
Attach to column	Dans le frigo
Set this column	Dans le frigo
Only if this condition is true	=ISNOTBLANK([Dans le frigo])
Disable automatic updates?	No
Display name	= "Article non dispo dans le frigo"
For a record of this table	Liste de courses
Does this action apply to the whole table?	No
To this value	= ""
Visible?	ALWAYS

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Do_Not_Display
Action order	12
With these properties	<code>{"InputParametersUsed":null,"Prominence":"Do_Not_Display","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}</code>
Do this	DELETE_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Recettes
Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Prominently
Action order	13
With these properties	<code>{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Display_Prominently","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}</code>
Do this	EDIT_RECORD
Disable automatic updates?	No
Display name	Modifier
Action icon	
For a record of this table	Recettes

Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	16
With these properties	{"Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	ADD_RECORD
Disable automatic updates?	No
Display name	Ajout
Action icon	
For a record of this table	Recettes
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name Aller vers la liste de course

Action name	Aller vers la liste de course
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Overlay
Action order	15
With these properties	{"NavigateTarget":"=LINKTOVIEW(\"Liste de course\")","Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_APP
Only if this condition is true	true

Disable automatic updates?	No
Display name	= "Liste de courses"
Action icon	
For a record of this table	Recettes
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Aller vers Recettes

Action name	Aller vers Recettes
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Overlay
Action order	18
With these properties	{ "NavigateTarget": "=LINKTOVIEW(\"Recettes\")", "Prominence": "Display_Overlay", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": false, "BulkApplicable": false }
Do this	NAVIGATE_APP
Only if this condition is true	true
Disable automatic updates?	No
Display name	= "Recettes"
Action icon	
For a record of this table	Liste de courses
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Repas aléatoire

Action name	Repas aléatoire
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Prominently

Action order	17
With these properties	<code>{"NavigateTarget": "=LINKTOVIEW(\"Repas aléatoire\")", "Prominence": "Display_Prominently", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": false, "BulkApplicable": false}</code>
Do this	NAVIGATE_APP
Only if this condition is true	<code>=[Recette complète dans le frigo] = "Recette complète"</code>
Disable automatic updates?	No
Action icon	
For a record of this table	Recettes
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Do_Not_Display
Action order	2
With these properties	<code>{"InputParametersUsed": null, "Prominence": "Do_Not_Display", "NeedsConfirmation": true, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": true}</code>
Do this	DELETE_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Jeux
Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Edit

Action name	Edit
-------------	------

Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Prominently
Action order	7
With these properties	{ "DesktopBehavior": "Open a form", "DesktopEditBehavior": "Edit in place", "Prominence": "Display_Prominently", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": false }
Do this	EDIT_RECORD
Disable automatic updates?	No
Display name	Modifier
Action icon	
For a record of this table	Jeux
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	8
With these properties	{ "Prominence": "Display_Overlay", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": true }
Do this	ADD_RECORD
Disable automatic updates?	No
Display name	Ajout
Action icon	
For a record of this table	Jeux
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name Calculer cette partie

Action name	Calculer cette partie
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Inline
Action order	3
With these properties	<pre>{ "Assignments": [{ "ColumnToEdit": "Calculer cette partie", "NewColumnValue": "= \"Oui\" ", "ColumnToEdit": "Calculer cette partie", "NewColumnValue": "= \"Oui\" ", "InputParametersUsed": null, "Prominence": "Display_Inline", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": true }] }</pre>
Do this	SET_COLUMN_VALUE
Attach to column	Calculer cette partie
Set this column	Calculer cette partie
Only if this condition is true	true
Disable automatic updates?	No
Action icon	☑
For a record of this table	Jeux
Does this action apply to the whole table?	No
To this value	= "Oui"
Visible?	ALWAYS

Action name Ne pas calculer cette partie

Action name	Ne pas calculer cette partie
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Inline
Action order	4
With these properties	<pre>{ "Assignments": [{ "ColumnToEdit": "Calculer cette partie", "NewColumnValue": "= \"\" ", "ColumnToEdit": "Calculer cette partie", "NewColumnValue": "= \"\" " }] }</pre>

	<pre>partie","NewColumnValue":="\\"","InputParametersUsed":null,"Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}</pre>
Do this	SET_COLUMN_VALUE
Attach to column	Calculer cette partie
Set this column	Calculer cette partie
Only if this condition is true	true
Disable automatic updates?	No
Action icon	⊗
For a record of this table	Jeux
Does this action apply to the whole table?	No
To this value	=""
Visible?	ALWAYS

Action name Ajouter un tour

Action name	Ajouter un tour
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Prominently
Action order	5
With these properties	<pre>{ "ReferencedTable": "Jeux", "Assignments": [{ "ColumnToEdit": "ID", "NewColumnValue": "=UNIQUEID()" }, { "ColumnToEdit": "Date", "NewColumnValue": "=NOW()" }, { "ColumnToEdit": "Jeux", "NewColumnValue": "[Jeux]" }, { "ColumnToEdit": "Nombre de joueurs", "NewColumnValue": " [Nombre de joueurs]" }, { "ColumnToEdit": "Joueur 1", "NewColumnValue": "[Joueur 1]" }, { "ColumnToEdit": "Joueur 2", "NewColumnValue": "[Joueur 2]" }, { "ColumnToEdit": "Joueur 3", "NewColumnValue": "[Joueur 3]" }, { "ColumnToEdit": "Joueur 4", "NewColumnValue": "[Joueur 4]" }, { "ColumnToEdit": "Joueur 5", "NewColumnValue": "[Joueur 5]" }, { "ColumnToEdit": "Joueur 6", "NewColumnValue": "[Joueur 6]" }, { "ColumnToEdit": "Joueur 7", "NewColumnValue": "[Joueur 7]" }, { "ColumnToEdit": "Joueur 8", "NewColumnValue": "[Joueur 8]" }, { "ColumnToEdit": "Joueur 9", "NewColumnValue": "[Joueur 9]" }, { "ColumnToEdit": "Joueur</pre>

	10","NewColumnValue": "[Joueur 10]"}, {"ColumnToEdit": "Joueur 11","NewColumnValue": "[Joueur 11]"}, {"ColumnToEdit": "Joueur 12","NewColumnValue": "[Joueur 12]"}, {"ColumnToEdit": "Joueur 13","NewColumnValue": "[Joueur 13]"}, {"ColumnToEdit": "Joueur 14","NewColumnValue": "[Joueur 14]"}, {"ColumnToEdit": "Joueur 15","NewColumnValue": "[Joueur 15]"}, {"ColumnToEdit": "Tour","NewColumnValue": "\Tour\""}, {"ColumnToEdit": "Partie","NewColumnValue": "\\""}, {"InputParametersUsed": null, "Prominence": "Display_Prominently", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": true}
Do this	ADD_RECORD_TO
Attach to column	Calculer cette partie
Only if this condition is true	true
Disable automatic updates?	No
Action icon	
For a record of this table	Jeux
Does this action apply to the whole table?	No
To this value	= ""
Visible?	ALWAYS

Action name Ajouter une partie

Action name	Ajouter une partie
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Prominently
Action order	6
With these properties	{ "ReferencedTable": "Jeux", "Assignments": [{ "ColumnToEdit": "ID", "NewColumnValue": "=UNIQUEID()" }, { "ColumnToEdit": "Date", "NewColumnValue": "=NOW()" }, { "ColumnToEdit": "Jeux", "NewColumnValue": "[Jeux]" }, { "ColumnToEdit": "Nombre de joueurs", "NewColumnValue": "[Nombre de joueurs]" }, { "ColumnToEdit": "Joueur 1", "NewColumnValue": "[Joueur 1]" }, { "ColumnToEdit": "Joueur 2", "NewColumnValue": "[Joueur 2]" }, { "ColumnToEdit": "Joueur 3", "NewColumnValue": "[Joueur 3]" }, { "ColumnToEdit": "Joueur

```
4","NewColumnValue": "[Joueur 4]"}, {"ColumnToEdit": "Joueur
5","NewColumnValue": "[Joueur 5]"}, {"ColumnToEdit": "Joueur
6","NewColumnValue": "[Joueur 6]"}, {"ColumnToEdit": "Joueur
7","NewColumnValue": "[Joueur 7]"}, {"ColumnToEdit": "Joueur
8","NewColumnValue": "[Joueur 8]"}, {"ColumnToEdit": "Joueur
9","NewColumnValue": "[Joueur 9]"}, {"ColumnToEdit": "Joueur
10","NewColumnValue": "[Joueur 10]"}, {"ColumnToEdit": "Joueur
11","NewColumnValue": "[Joueur 11]"}, {"ColumnToEdit": "Joueur
12","NewColumnValue": "[Joueur 12]"}, {"ColumnToEdit": "Joueur
13","NewColumnValue": "[Joueur 13]"}, {"ColumnToEdit": "Joueur
14","NewColumnValue": "[Joueur 14]"}, {"ColumnToEdit": "Joueur
15","NewColumnValue": "[Joueur 15]"},
{"ColumnToEdit": "Tour", "NewColumnValue": "\Tour\""},
{"ColumnToEdit": "Partie", "NewColumnValue": "\Partie\""}, "Input
ParametersUsed": null, "Prominence": "Display_Prominently", "Nee
dsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": t
rue, "BulkApplicable": true}
```

Do this	ADD_RECORD_TO
Attach to column	Calculer cette partie
Only if this condition is true	true
Disable automatic updates?	No
Action icon	
For a record of this table	Jeux
Does this action apply to the whole table?	No
To this value	= ""
Visible?	ALWAYS

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Do_Not_Display
Action order	1
With these properties	{ "InputParametersUsed": null, "Prominence": "Do_Not_Display", "NeedsConfirmation": true, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": true }

Do this	DELETE_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	MenusRecette
Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Prominently
Action order	1
With these properties	<pre>{ "DesktopBehavior": "Open a form", "DesktopEditBehavior": "Edit in place", "Prominence": "Display_Prominently", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": false }</pre>
Do this	EDIT_RECORD
Disable automatic updates?	No
Display name	Modifier
Action icon	
For a record of this table	MenusRecette
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1

With these properties	{"Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	ADD_RECORD
Disable automatic updates?	No
Display name	Ajout
Action icon	
For a record of this table	MenusRecette
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name View Ref (ID Menus)

Action name	View Ref (ID Menus)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{"NavigateTarget":"CONCATENATE(\"#page=detail&table=Recettes&row=\", ENCODEURL([ID Menus]))","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_APP
Attach to column	ID Menus
Set this column	ID Menus
Only if this condition is true	NOT(ISBLANK([ID Menus]))
Disable automatic updates?	No
Action icon	
For a record of this table	MenusRecette
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Prominently
Action order	1
With these properties	<code>{"InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}</code>
Do this	DELETE_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	DataBeerSecond
Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	<code>{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}</code>
Do this	EDIT_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	DataBeerSecond
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name View Map (Coordonnées GPS)

Action name	View Map (Coordonnées GPS)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{ "NavigateTarget": "CONCATENATE(\"#page=map&table=DataBeerSecond&mapcolumn=Coordonn%C3%A9es%20GPS&row=\", ENCODEURL([_THISROW]))", "Prominence": "Display_Inline", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": false, "BulkApplicable": false }
Do this	NAVIGATE_APP
Attach to column	Coordonnées GPS
Set this column	Coordonnées GPS
Only if this condition is true	NOT(ISBLANK([Coordonnées GPS]))
Disable automatic updates?	No
Action icon	
For a record of this table	DataBeerSecond
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{ "Prominence": "Display_Overlay", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": true }
Do this	ADD_RECORD
Disable automatic updates?	No

Action icon	
For a record of this table	DataBeerSecond
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name View Ref (IDDataBeerRef)

Action name	View Ref (IDDataBeerRef)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	<code>{"NavigateTarget":"CONCATENATE(\"#page=detail&table=Slide%20DatabaseBeer&row=\", ENCODEURL([IDDataBeerRef]))","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}</code>
Do this	NAVIGATE_APP
Attach to column	IDDataBeerRef
Set this column	IDDataBeerRef
Only if this condition is true	<code>NOT(ISBLANK([IDDataBeerRef]))</code>
Disable automatic updates?	No
Action icon	
For a record of this table	DataBeerSecond
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Prominently
Action order	1

With these properties	<pre>{"InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}</pre>
Do this	DELETE_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Commande
Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	<pre>{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}</pre>
Do this	EDIT_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	Commande
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes

Prominence	Display_Prominently
Action order	1
With these properties	{"InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	DELETE_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	DetailsCommande
Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}
Do this	EDIT_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	DetailsCommande
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes

Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	ADD_RECORD
Disable automatic updates?	No
Action icon	+
For a record of this table	Commande
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	ADD_RECORD
Disable automatic updates?	No
Action icon	+
For a record of this table	DetailsCommande
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name View Ref (IDCommandeRef)

Action name	View Ref (IDCommandeRef)
Bulk action?	No
Modifies data?	No

Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{ "NavigateTarget": "CONCATENATE(\"#page=detail&table=Slide %20Commande&row=\", ENCODEURL([IDCommandeRef]))", "Prominence": "Display_Inline", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": false, "BulkApplicable": false }
Do this	NAVIGATE_APP
Attach to column	IDCommandeRef
Set this column	IDCommandeRef
Only if this condition is true	NOT(ISBLANK([IDCommandeRef]))
Disable automatic updates?	No
Action icon	
For a record of this table	DetailsCommande
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Ajouter

Action name	Ajouter
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{ "Assignments": [{ "ColumnToEdit": "Nombre", "NewColumnValue": "[Nombre]+1" }], "ColumnToEdit": "Nombre", "NewColumnValue": "[Nombre]+1", "InputParametersUsed": null, "Prominence": "Display_Inline", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": true }
Do this	SET_COLUMN_VALUE
Attach to column	Nombre
Set this column	Nombre
Only if this condition is true	true

Disable automatic updates?	No
Action icon	⊕
For a record of this table	DetailsCommande
Does this action apply to the whole table?	No
To this value	=[Nombre]+1
Visible?	ALWAYS

Action name Retirer

Action name	Retirer
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	<pre> {"Assignments": [{"ColumnToEdit":"Nombre","NewColumnValue":"= [Nombre]-1"}],"ColumnToEdit":"Nombre","NewColumnValue":"= [Nombre]-1","InputParametersUsed":null,"Prominence":"Display_I nline","NeedsConfirmation":false,"ConfirmationMessage":"","Mod ifiesData":true,"BulkApplicable":true} </pre>
Do this	SET_COLUMN_VALUE
Attach to column	Nombre
Set this column	Nombre
Only if this condition is true	true
Disable automatic updates?	No
Action icon	⊖
For a record of this table	DetailsCommande
Does this action apply to the whole table?	No
To this value	=[Nombre]-1
Visible?	ALWAYS

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Prominently
Action order	1
With these properties	<code>{"InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}</code>
Do this	DELETE_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	DatabaseBeer
Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	<code>{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}</code>
Do this	EDIT_RECORD
Disable automatic updates?	No
Action icon	
For a record of this table	DatabaseBeer
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name View Map (Coordonnées GPS)

Action name	View Map (Coordonnées GPS)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{ "NavigateTarget": "CONCATENATE(\"#page=map&table=DatabaseBeer&mapcolumn=Coordonn%C3%A9es%20GPS&row=\", ENCODEURL([_THISROW]))", "Prominence": "Display_Inline", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": false, "BulkApplicable": false }
Do this	NAVIGATE_APP
Attach to column	Coordonnées GPS
Set this column	Coordonnées GPS
Only if this condition is true	NOT(ISBLANK([Coordonnées GPS]))
Disable automatic updates?	No
Action icon	
For a record of this table	DatabaseBeer
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{ "Prominence": "Display_Overlay", "NeedsConfirmation": false, "ConfirmationMessage": "", "ModifiesData": true, "BulkApplicable": true }
Do this	ADD_RECORD
Disable automatic updates?	No

Action icon	+
For a record of this table	DatabaseBeer
Does this action apply to the whole table?	Yes
Visible?	ALWAYS
