

AGENT API DOCUMENTS

[Authenticatin](#) - [Permissions](#) - [Agent endpoints](#) - [Player Endpoints 2026](#)

CONTENT

1. Authentication

(signIn, refreshToken, invalid access token handling)

2. Permissions and authorization

(HTTP 403)

3. Common response envelope

and HTTP status codes

4. Agent endpoints:

getAgentAllWallets, depositToAgent, withdrawFromAgent, getChildren

5. Player endpoints

registerPlayer, getPlayersForCurrentAgent, depositToPlayer,
withdrawFromPlayer, getPlayerBalanceById1

This document describes the Agent API endpoints and required client behavior for authentication and token refresh. All request/response examples are taken from the provided endpoint files

KEY RULES

- Only one accessToken + refreshToken pair is valid per agent.
- Access token TTL: 1 hour.
- Refresh token TTL: 7 days.
- Refresh token rotation: after a successful refreshToken call, the old refresh token becomes invalid and a new token pair is issued
- If an agent performs a duplicate signIn via the API, the previous tokens become invalid (access and refresh).

post

/global/api/UserApi/signin

DESCRIPTION

This is to let you get your Access & Refresh Tokens.

EXPECTED REQUEST BODY

```
{
  "username": "YOUR AGENT EMAIL",
  "password": "YOUT AGENT PASSWORD"
}
```

RESPONSES (2)

200 OK

```
{
  "status": true,
  "html": "",
  "result": {
    "accessToken": "YOUR ACCESS TOKEN",
    "refreshToken": "YOUR REFRESH TOKEN"
  },
  "notification": []
}
```

201 UNAUTHORIZED

```
{
  "status": true,
  "html": "",
  "result": false,
  "notification": [
    {
      "code": 1,
      "content": "Invalid username or password.",
      "title": "signIn",
      "autoHideAfter": 5000,
      "list": [],
      "status": "error"
    }
  ]
}
```

post

/global/api/UserApi/refreshToken

DESCRIPTION

This is to let you refresh your Access Token when it is expired.

EXPECTED REQUEST BODY

```
{
  "refreshToken": "YOUR REFRESH TOKEN"
}
```

RESPONSES (2)

200 OK

```
{
  "status": true,
  "html": "",
  "result": {
    "accessToken": "YOUR ACCESS TOKEN",
    "refreshToken": "YOUR REFRESH TOKEN"
  },
  "notification": []
}
```

201 UNAUTHORIZED

```
{
  "status": true,
  "html": "",
  "result": [],
  "notification": [
    {
      "code": 1,
      "content": "Invalid or expired refresh token",
      "title": "",
      "autoHideAfter": 5000,
      "list": [],
      "status": "error"
    }
  ]
}
```

ANY

RESPONSES (1)

201 UNAUTHORIZED

```
{  
  "status": true,  
  "html": "",  
  "result": "ex",  
  "notification": []  
}
```

post

/global/api/UserApi/getAgentAllWallets

DESCRIPTION

This will give you information about your logged in Agent.

EXPECTED REQUEST BODY

```
{}
```

RESPONSES (2)

200 OK

```
{
  "status": true,
  "html": "",
  "result": [
    {
      "currencyName": "New Syrian Pound",
      "currencyCode": "NSP",
      "availableWallet": "####",
      "mainCurrency": "NSP",
      "creditLine": "####",
      "credit": "####",
      "availability": "####",
      "balance": "YOUR BALANCE",
      "bonus": "0",
      "frozenBalance": "####",
      "withAmount": "####",
      "currentWallet": "####"
    }
  ],
  "notification": []
}
```

post

/global/api/UserApi/depositToAgent

DESCRIPTION

This is to make a deposit to an agent within your agent tree.

EXPECTED REQUEST BODY

```
{
  "amount": THE AMOUNT TO DEPOSIT, // Float
  "comment": "COMMENT IF NEEDED",
  "affiliateId": "AGENT ID",
  "moneyStatus": 3,
  "currencyCode": "NSP"
}
```

RESPONSES (5)

200 OK

```
{
  "status": true,
  "html": "",
  "result": false,
  "notification": [
    {
      "code": 1,
      "content": "You don't have AMD wallet",
      "title": "",
      "autoHideAfter": 5000,
      "list": [],
      "status": "error"
    }
  ]
}
```


422 UNPROCESSABLE ENTITY

```
{
  "status": true,
  "html": "",
  "result": false,
  "notification": [
    {
      "code": 1,
      "content": "You don't have AMD wallet",
      "title": "",
      "autoHideAfter": 5000,
      "list": [],
      "status": "error"
    }
  ]
}
```

422 UNPROCESSABLE ENTITY

```
{
  "status": true,
  "html": "",
  "result": false,
  "notification": [
    {
      "code": 1,
      "content": "Wrong arguments",
      "title": "",
      "autoHideAfter": 5000,
      "list": [],
      "status": "error"
    }
  ]
}
```

422 UNPROCESSABLE ENTITY

```
{
  "status": true,
  "html": "",
  "result": false,
  "notification": [
    {
      "code": 1,
      "content": "Sum is not valid.",
      "title": "",
      "autoHideAfter": 5000,
      "list": [],
      "status": "error"
    }
  ]
}
```

422 UNPROCESSABLE ENTITY

```
{
  "status": true,
  "html": "",
  "result": false,
  "notification": [
    {
      "code": 1,
      "content": "The amount is greater than you have in Total Available(FROM)",
      "title": "",
      "autoHideAfter": 5000,
      "list": [],
      "status": "error"
    }
  ]
}
```

post

/global/api/UserApi/withdrawFromAgent

DESCRIPTION

This is to make a withdraw from an agent within your agent tree.

EXPECTED REQUEST BODY

```
{
  "amount": THE NEGATIVE AMOUNT TO DEPOSIT, // Float
  "comment": "COMMENT IF NEEDED",
  "affiliatId": "AGENT ID",
  "moneyStatus": 3,
  "currencyCode": "NSP"
}
```

RESPONSES (5)

200 OK

```
{
  "status": true,
  "html": "",
  "result": {
    "balance": "###",
    "creditLine": "###",
    "credit": "###",
    "availability": "###",
    "bonus": "###",
    "currencyCode": "NSP"
  },
  "notification": []
}
```

422 UNPROCESSABLE ENTITY

```
{
  "status": true,
  "html": "",
  "result": false,
  "notification": [
    {
      "code": 1,
      "content": "You don't have AMD wallet",
      "title": "",
      "autoHideAfter": 5000,
      "list": [],
      "status": "error"
    }
  ]
}
```

422 UNPROCESSABLE ENTITY

```
{
  "status": true,
  "html": "",
  "result": false,
  "notification": [
    {
      "code": 1,
      "content": "Wrong arguments",
      "title": "",
      "autoHideAfter": 5000,
      "list": [],
      "status": "error"
    }
  ]
}
```

422 UNPROCESSABLE ENTITY

```
{
  "status": true,
  "html": "",
  "result": false,
  "notification": [
    {
      "code": 1,
      "content": "Sum is not valid.",
      "title": "",
      "autoHideAfter": 5000,
      "list": [],
      "status": "error"
    }
  ]
}
```

422 UNPROCESSABLE ENTITY

```
{
  "status": true,
  "html": "",
  "result": false,
  "notification": [
    {
      "code": 1,
      "content": "The user does not have sufficient balance.",
      "title": "",
      "autoHideAfter": 5000,
      "list": [],
      "status": "error"
    }
  ]
}
```

post

/global/api/UserApi/getChildren

DESCRIPTION

This is to get information about Children Agents

EXPECTED REQUEST BODY

```
{
  "start": 0,
  "limit": 20,
  "filter": {
    "affiliatId": {
      "action": "=",
      "value": "AGENT ID",
      "valueLabel": "AGENT ID"
    }
  }
}
```

RESPONSES (2)

200 OK

```
{
  "status": true,
  "html": "",
  "result": {
    "records": [
      {
        "affiliatId": "AGENT ID",
        "username": "AGENT USERNAME",
        "role": "2",
        "mainCurrency": "NSP",
        "status": "2",
        "address": null,
        "email": "AGENT EMAIL",
        "parentAffiliatId": "PARENT ID",
        "promoCode": null
      }
    ],
    "totalRecordsCount": "1",
    "titles": null,
    "total": null
  },
  "notification": []
}
```

200 OK

```
{
  "status": true,
  "html": "",
  "result": [],
  "notification": []
}
```

post

/global/api/UserApi/registerPlayer

DESCRIPTION

This is to get information about Children Agents

EXPECTED REQUEST BODY

```
{
  "player": {
    "email": "EMAIL HERE",
    "password": "PASSWORD HERE@",
    "parentId": "AGENT ID HERE",
    "login": "USERNAME HERE"
  }
}
```

RESPONSES (7)

200 OK

```
{
  "status": true,
  "html": "",
  "result": 1,
  "notification": []
}
```

200 OK

```
{
  "status": false,
  "html": "",
  "result": null,
  "notification": [
    {
      "code": 1,
      "content": "ParentId property is required",
      "title": "",
      "autoHideAfter": 5000,
      "list": [],
      "status": "error"
    }
  ]
}
```

200 OK

```
{
  "status": false,
  "html": "",
  "result": null,
  "notification": [
    {
      "code": 1,
      "content": "Password should contain at least 3 characters.",
      "title": "",
      "autoHideAfter": 5000,
      "list": [],
      "status": "error"
    }
  ]
}
```

200 OK

```
{
  "status": false,
  "html": "",
  "result": null,
  "notification": [
    {
      "code": 1,
      "content": "Email property is required",
      "title": "",
      "autoHideAfter": 5000,
      "list": [],
      "status": "error"
    }
  ]
}
```

200 OK

```
{
  "status": false,
  "html": "",
  "result": null,
  "notification": [
    {
      "code": 1,
      "content": "Login property is required",
      "title": "",
      "autoHideAfter": 5000,
      "list": [],
      "status": "error"
    }
  ]
}
```

422 UNPROCESSABLE ENTITY

```
{
  "status": true,
  "html": "",
  "result": false,
  "notification": [
    {
      "code": 1,
      "content": "Duplicate login",
      "title": "",
      "autoHideAfter": 5000,
      "list": [],
      "status": "error"
    }
  ]
}
```

422 UNPROCESSABLE ENTITY

```
{
  "status": true,
  "html": "",
  "result": false,
  "notification": [
    {
      "code": 1,
      "content": "Duplicate email",
      "title": "",
      "autoHideAfter": 5000,
      "list": [],
      "status": "error"
    }
  ]
}
```

post

/global/api/UserApi/getPlayersForCurrentAgent

DESCRIPTION

This is to get information about Players

EXPECTED REQUEST BODY

```
{
  "start": 0,
  "limit": 20,
  "filter": {
    "playerId": {
      "action": "=",
      "value": "PLAYER ID",
      "valueLabel": "PLAYER ID"
    }
  }
}
OR
{
  "start": 0,
  "limit": 20,
  "filter": {
    "userName": {
      "action": "=",
      "value": "PLAYER USERNAME",
      "valueLabel": "PLAYER USERNAME"
    }
  }
}
```

RESPONSES (2)

200 OK

```
{
  "status": true,
  "html": "",
  "result": {
    "records": [
      {
        "playerId": "PLAYER ID",
        "affiliateId": "AGENT ID",
        "username": "USERNAME",
        "registerDate": "###",
        "firstname": "FIRST NAME",
        "lastname": "LAST NAME",
        "currency": "NSP",
        "phoneNumber": "PHONE NUMBER"
      }
    ],
    "totalRecordsCount": "1",
    "titles": null,
    "total": null
  },
  "notification": []
}
```

200 OK

```
{
  "status": true,
  "html": "",
  "result": {
    "records": [],
    "totalRecordsCount": null,
    "titles": null,
    "total": null
  },
  "notification": []
}
```


post

/global/api/UserApi/depositToPlayer

DESCRIPTION

This is to deposit to a Player

EXPECTED REQUEST BODY

```
{
  "amount": AMOUNT, // Float
  "comment": "COMMENT IF NEEDED",
  "playerId": "PLAYER ID HERE",
  "currencyCode": "NSP",
  "currency": "NSP",
  "moneyStatus": 5
}
```

RESPONSES (4)

200 OK

```
{
  "status": true,
  "html": "",
  "result": {
    "balance": "###",
    "creditLine": "###",
    "credit": "###",
    "availability": "###",
    "bonus": "###",
    "currencyCode": "NSP"
  },
  "notification": []
}
```

422 UNPROCESSABLE ENTITY

```
{
  "status": true,
  "html": "",
  "result": false,
  "notification": [
    {
      "code": 1,
      "content": "The amount is greater than you have in Total Available(FROM)",
      "title": "",
      "autoHideAfter": 5000,
      "list": [],
      "status": "error"
    }
  ]
}
```

422 UNPROCESSABLE ENTITY

```
{
  "status": true,
  "html": "",
  "result": false,
  "notification": [
    {
      "code": 1,
      "content": "Wrong arguments",
      "title": "",
      "autoHideAfter": 5000,
      "list": [],
      "status": "error"
    }
  ]
}
```

200 OK

```
{
  "status": true,
  "html": "",
  "result": [],
  "notification": []
}
```

post

/global/api/UserApi/withdrawFromPlayer

DESCRIPTION

This is to withdraw to a Player

EXPECTED REQUEST BODY

```
{
  "amount": AMOUNT NIGATIVE, // Float
  "comment": "COMMENT IF NEEDED",
  "playerId": "PLAYER ID HERE",
  "currencyCode": "NSP",
  "currency": "NSP",
  "moneyStatus": 5
}
```

RESPONSES (3)

200 OK

```
{
  "status": true,
  "html": "",
  "result": {
    "balance": "###",
    "creditLine": "###",
    "credit": "###",
    "availability": "###",
    "bonus": "###",
    "currencyCode": "NSP"
  },
  "notification": []
}
```

422 UNPROCESSABLE ENTITY

```
{
  "status": true,
  "html": "",
  "result": false,
  "notification": [
    {
      "code": 1,
      "content": "Amount is greater than account balance",
      "title": "",
      "autoHideAfter": 5000,
      "list": [],
      "status": "error"
    }
  ]
}
```

422 UNPROCESSABLE ENTITY

```
{
  "status": true,
  "html": "",
  "result": false,
  "notification": [
    {
      "code": 1,
      "content": "Wrong arguments",
      "title": "",
      "autoHideAfter": 5000,
      "list": [],
      "status": "error"
    }
  ]
}
```

post

/global/api/UserApi/getPlayerBalanceById

DESCRIPTION

Get Player Balance By ID

EXPECTED REQUEST BODY

```
{
  "playerId": "PLAYER ID"
}
```

RESPONSES (2)

200 OK

```
{
  "status": true,
  "html": "",
  "result": [
    {
      "balance": 0,
      "currencyCode": "NSP",
      "main": true
    }
  ],
  "notification": []
}
```

200 OK

```
{
  "status": true,
  "html": "",
  "result": [],
  "notification": []
}
```