

● **LINUX ASSIGNMENT -2**

1. Explain the use of pwd, whoami, and hostname commands.

pwd → Stands for “print working directory”. It shows the current folder path where we are working.

whoami → Displays the name of the logged-in user.

hostname → Shows the name of the computer in the network.

2. Command to create a folder and add three text files into it.

Steps:

```
mkdir /home/student/project # create project folder  
cd /home/student/project    # move inside the folder  
touch a.txt b.txt c.txt      # make 3 text files
```

Now a folder project is created inside /home/student and three empty text files are kept in it.

3. Difference between Absolute Path and Relative Path.

Absolute Path → Full address of the file from the root /.

Example: /home/student/project/a.txt

Relative Path → Address written from the current working folder.

Example: If I am already in /home/student, then simply writing project/a.txt is enough.

4. Command to see already typed commands.

The command is:

history

It shows the list of previously executed commands with serial numbers.

5. Difference between find and locate. Which is faster?

find → Searches directly in the file system. Accurate but takes more time.

locate → Searches in a stored database. Very quick, but may not show the latest files until the database is updated.

👉 locate is faster because it doesn't scan the whole disk each time.

6. Command to change file permissions.

Command: chmod

Example:

```
chmod 755 test.sh
```

Now, the owner can read, write, run the file. Group and others can only read and run.

7. Meaning of file permission -rw-r--r--.

Owner → Can read and write.

Group → Can only read.

Others → Can only read.

So, only the owner can edit the file, everyone else can just view it.

8. Difference between chown and chgrp.

chown → Changes the owner of a file.

chgrp → Changes the group of a file.

Example:

```
chown rahul notes.txt # Owner becomes rahul  
chgrp staff notes.txt # Group becomes staff
```

9. A file should be readable by everyone but writable only by the owner.

Use this:

```
chmod 644 filename
```

Now → Owner = read + write, Group = read only, Others = read only.

10. How to check manual page of a command?

Use the man command.

Example:

```
man ls
```

This opens the manual for ls.

Submitted by:
KISHORE VARMA
ENG24CY0127
SECTION:B,ROLL NO:21