

Native Sparse Attention: Hardware-Aligned and Natively Trainable Sparse Attention

Jingyang Yuan^{1,2}, Huazuo Gao², Damai Dai², Junyu Luo¹, Liang Zhao², Zhengyan Zhang², Zhenda Xie², Y. X. Wei², Lean Wang², Zhiping Xiao³, Yuqing Wang², Chong Ruan², Ming Zhang¹, Wenfeng Liang², Wangding Zeng²



北京大学
PEKING UNIVERSITY



deepseek



Full Paper



Personal Page

¹Peking University ²DeepSeek-AI ³University of Washington

Correspondence to: Ming Zhang <mzhang_cs@pku.edu.cn>, Wenfeng Liang <wenfeng.liang@deepseek.com> and Wangding Zeng <zengwangding@deepseek.com>

The Challenges of Long-Context LLMs

Softmax Attention Faces...


- High Computational Cost
- Latency Bottleneck

Existing Sparse Attention Faces ...


- Unable to Speedup Training
- Illusion of Inference Efficiency

The NSA Solution: A Natively Trainable Sparse Attention

High Performance



High Speed




Native Sparse Attention: Trainability & High Efficiency


NSA =

Trainable, Sparse Architecture


Native Sparse Attention Mechanism



Compressed Attention Mask




Selected Attention Mask




Sliding Attention Mask



Hardware-aligned System Design




Key Innovation: Natively Trainable Design



NSA Architecture: Enable End-to-end Training

FlashAttention



Group Query Attention





Figure 2: Overview of grouped-query method. Multi-head attention has H query, key, and value heads. Multi-query attention shares single key and value heads across all query heads. Grouped-query attention instead shares single key and value heads for each *group* of query heads, interpolating between multi-head and multi-query attention.

Key Innovation: Hardware-Aligned System

- Hardware-Friendly Blockwise Loading
- Customized Head-wise Vectorized Kernel
- Balanced Arithmetic Intensity



Evaluating Performance


Outperforming Full Attention!

Model	MMLU	MMLU-PRO	CMMLU	BBH	GSM8K	MATH	DROP	MBPP	HumanEval	Avg.
	Acc. 5-shot	Acc. 5-shot	Acc. 5-shot	Acc. 3-shot	Acc. 8-shot	Acc. 4-shot	F1 1-shot	Pass@1 3-shot	Pass@1 0-shot	
Full Attn	0.567	0.279	0.576	0.497	0.486	0.263	0.503	0.482	0.335	0.443
NSA	0.565	0.286	0.587	0.521	0.520	0.264	0.545	0.466	0.348	0.456

Superior General Performance

Model	SQA			MQA				Synthetic		Code	Avg.
	MFQA-en	MFQA-zh	Qasper	HPQ	2Wiki	GovRpt	Dur	PassR-en	PassR-zh	LCC	
H2O	0.428	0.429	0.308	0.112	0.101	0.231	0.208	0.704	0.421	0.092	0.303
InfLLM	0.474	0.517	0.356	0.306	0.250	0.277	0.257	0.766	0.486	0.143	0.383
Quest	0.495	0.561	0.365	0.295	0.245	0.293	0.257	0.792	0.478	0.135	0.392
Exact-Top	0.502	0.605	0.397	0.321	0.288	<u>0.316</u>	0.291	0.810	0.548	0.156	0.423
Full Attn	0.512	<u>0.623</u>	<u>0.409</u>	<u>0.350</u>	<u>0.305</u>	0.324	<u>0.294</u>	<u>0.830</u>	0.560	<u>0.163</u>	<u>0.437</u>
NSA	<u>0.503</u>	0.624	0.432	0.437	0.356	0.307	0.341	0.905	<u>0.550</u>	0.232	0.469

Long-Context Capability: LongBench




Generation Token Limit	8192	16384
Full Attention-R	0.046	0.092
NSA-R	0.121	0.146


Reasoning Ability

Efficiency: Substantial Speedups

Forward/Prefill Speedup



Backward Speedup



Speedup in
All Phases

Decoding Speedup

Context Length	8192	16384	32768	65536
Full Attention	8192	16384	32768	65536
NSA	2048	2560	3584	5632
Expected Speedup	4×	6.4×	9.1×	11.6×

Future Work

- ✓ Investigate Attention Score Patterns
- ✓ Improve Alternative Selection Strategies
- ✓ Overcome Key-Clustering Bottlenecks
- ✓ Extend Natively Sparse Training

The future is **Sparse**. NSA provides a efficient foundation for the **next generation of long-context LLMs**.

Conclusion of Our NSA

A Dedicate Hardware-Aligned System

Breaking the Performance-Cost Trade-Off

Catalyzing the next frontier of efficient LLM