

a
weight decay
CDDM, floors at 17-34k, budget 200k
none
default 10^{-6}
10×10^{-5}
100×10^{-4}
b
recurrent noise
CDDM, floors at 14-35k, budget 200k
none $\sigma = 0$
0.01
default 0.05
0.1
c
metabolic penalty
CDDM, floors at 14-30k, budget 75k
none $\lambda = 0$
0.01
0.1
1.0
10.0
d
initial spectral radius
CDDM, floors at 21-26k, budget 75k
0.5
default 1.2
2.0
e
recurrent weight-magnitude penalty
CDDM, floors at 16-25k, budget 75k
none $\lambda = 0$
0.05
0.2
f
rate and sparsity penalties
CDDM, floors at 19-31k, budget 75k
none
rate 0.2
sparsity 0.05 (0/5)
both (0/5)
g
activation function
CDDM, floors at 26-96k, budget 200k
ReLU (default)
leaky ReLU
softplus
sigmoid
h
input weight scale
CDDM, floors at 4-26k, budget 50k
default
0.5 (2/3)
2
5
20
i
input weight scale
flip-flop, floors at 9-60k, budget 150k
rungs as in h
j
reviving inactive units
CDDM, floors at 16-29k, budget 75k
none
input-weight cap 0.3
re-initialise inactive units
k
reviving inactive units
flip-flop, floors at 57-73k, budget 200k
none
zero-out inactive units
random redraw
l
all ladders: mean at own floor (open)
and at common budget (filled)
weight decay, 200k
recurrent noise, 200k
metabolic penalty, 75k
spectral radius, 75k
W_{rec} penalty, 75k
rate / sparsity pen., 75k
activation, 200k
input scale, 50k
input scale (FF), 150k
revival, 75k
revival (FF), 200k
active units (of 1000)
R^2 at floor
training iteration