



MTA
Application No.:
*NATT No:

KIDNEY AND BLADDER STONE ANALYSIS APPLICATION FORM

CUSTOMER INFORMATION

Information for Analysis/Test Report (The patient's information)

Name Surname :
Identity No :
Address :

Telephone : Fax :
e-mail :

Analysis/Test Report Delivery Information

Report Delivery : ☐ By Hand ☐ By Mail ☐ By e-mail

Address Information For Mail Delivery

Tick if it is the same as the Customer Information. ☐

Fill in the section below for the new address.

Name Surname :

Address :

Additional Information to be Specified, if Any

ISSUES TO BE CONSIDERED IN THE APPLICATION

Acceptance Conditions :

- Kidney and bladder bowl (s) should be free of any body fluids, secretions and tissues and if possible should be washed and cleaned with water and dried at room temperature .
- Kidney and bladder bowl (s); should be placed in a clean, small box or a sealed plastic bag
- The kidney and bladder bowl (s) which will be analyzed should be submitted to the Sample Acceptance Unit with with the Application Form and bank receipt or should be sent to MTA General Directorate Mineral Analysis and Technology Department Sample Acceptance Unit by any courier or via e-mail. (There is no need to send the Application Form for applications from e-Government.)
- Analysis fee for kidney and bladder bowl (s) is 30.00 TL. Payment; At the Sample Receiving Unit, at the bank office or at the cash machine can be done. (Bank account numbers are given in the last section of the Application Form.)

Descriptions :

- Analysis / Test Report is sent by registered mail or e-mail. For this reason, it is important that the addresses are read and written correctly.
- In the analysis of the kidney and bladder stone (s), only the mineral type of the stone (s) is determined. For detailed information, a doctor should be consulted..
- Kidney and bladder bowl (s) are destroyed by the relevant Unit after the analysis is completed.

SAMPLE INFORMATION

SampleDescription : ☐ Kidney Stone ☐ Bladder Stone ☐ Other

Sample Delivery : ☐ By Hand ☐ By Cargo ☐ By Mail

(When sending samples by cargo or mail, the receipt and application form must be sent with it.)

I hereby declare and undertake that the analysis / tests requested in the sample (s) delivered to your institution will be made according to the operation / conditions in the Analysis / Test and Calibration Service Catalog published on the MTA website, and I submit the necessary requirements.

Application Date : SIGNATURE

Applicant : (NAME SURNAME/COMPANY STAMP)

SAMPLE ACCEPTANCE AND PATIENT INFORMATION

SAMPLE REGISTRATION NO. (To be filled by the MTA)	SAMPLE SIGN (To be filled by the MTA)	THE PATIENT			REQUESTED ANALYSIS/TEST CODE/NAME (Filled in by MTA)
		Age	Gender	City of residence	
					Kidney Bladder Stone Analyses(XRD Method) / 35-30-MP-21

SAMPLE ACCEPTANCE INFORMATION (To be filled by the MTA)

Sample(s) Acceptance Status: ☐ Accepted ☐ Conditionally Accepted

Conditional Reason for Admission :

Price :

Payment Document Number :

Project Code/Name :

Sent to Laboratory Code :

Acceptance Date :

Sample Acceptance Officer :

SIGNATURE

BANK ACCOUNTS OF MTA GENERAL DIRECTORATE

HALK BANK

Bahçelievler Branch Code: 0210 Paid Jobs Account No.: 0210
0500 0606 IBAN No: TR25 0001 2009 2100 0005 0006 06

ZİRAAT BANK

Public Corporate Bank Branch Code: 1745 Paid Jobs Account No.:
3771 1957 5001 IBAN No: TR55 0001 0017 4537 7119 5750 01

Sample Acceptance Unit Contact: Telephone: 0 312 201 16 95 / 201 17 53 Fax: 0 312 287 54 09 e-mail: numune@mta.gov.tr