
Reporter
+ printOrder(Order): void
+ printProduct(Product): void
+ printPerson(Person): void
+ printOrders(OrderCatalogue): void
+ printPeople(PersonCatalogue): void
+printWarehouseContents(Warehouse):
+printProductsOffered(PersonCatalogue): void
FileManager
+ FILE_NAME: String
+ warehouse: Warehouse
+ orderCatalogue: OrderCatalogue
+ personCatalogue: PersonCatalogue
+ saveEverything(): void
+ loadEverything(): Object[]
Order
- orderID: int
- products: ProductCatalogue
- orderStatus: DeliveryStatus
- orderer: Person
- staff: Staff
- date: String
+ Order(int, ProductCatalogue, Person, Staff, String)
+ getOrderID(): int
+ getProducts(): ProductCatalogue
+ getOrderer(): Person
+ getStaff(): Staff
+ getOrderStatus(): DeliveryStatus
+ getOrderType(): String
+ getOrderDate(): String
+ setOrder(int): void
+ setProducts(ProductCatalogue): void
+ setProducts(Product): void
+ setOrderer(Person): void
+ setStaff(Staff): void
+ setOrderStatus(DeliveryStatus): void
+ setOrderDate(String): void
+ addProductsToWarehouse(Warehouse): void
+ toString(): String
OutboundOrder
- address: String
- orderer: Customer
+ OutboundOrder(String, Customer)
+ getAddress(): String
+ getOrderer(): Customer
+ setAddress(String): void
+ setOrderer(Customer): void
+ removeProductsFromWarehouse(Warehouse): void
OrderCatalogue
- orders: ArrayList<Order>
+ OrderCatalogue()
+ getCatalogue: ArrayList<Order>
+ addOrder(Order): void
+ removeOrderByID(int): void
+ searchForOrderByID(int): Order
+ toString(): String
InboundOrder
- orderer: Supplier
+ InboundOrder(Supplier)
+ getSupplier(): Supplier
+ setSupplier(Supplier): void
+ addProductsToWarehouse(Warehouse): void
SeedInformation
+seed(Warehouse,
OrderCatalogue,
PersonCatalogue): void
Main
+ warehouse: Warehouse
+ orderCatalogue: OrderCatalogue
+ personCatalogue: PersonCatalogue
+ in: Scanner
+ userName: String
+ userID: int
+ password: String
+ main(String[] args): void
+signIn(): void
SignIn
+ signIn (Staff, String, String): boolean
Menu
+ in: Scanner
+ reporter: Reporter
+ warehouse: Warehouse
+ orderCatalogue: OrderCatalogue
+ personCatalogue: PersonCatalogue
+ holdOrder: Order
+ menuUser: Staff
+ SAVE_EVERYTHING: String
+ MENU_STRINGS: String[]
+ ORDER_MENU_STRINGS: String[]
+ WAREHOUSE_MENU_STRINGS: String[]
+ PERSON_MENU_STRINGS: String[]
+ SET_ORDER_STATUS_STRINGS: String[]
+ MENU_RUNNABLES: Runnable[]
+ ORDER_MENU_RUNNABLES: Runnable[]
+ WAREHOUSE_MENU_RUNNABLES: Runnable[]
+ PERSON_MENU_RUNNABLES: Runnable[]
+ SET_ORDER_STATUS_RUNNABLES: Runnable[]
+ menu(): void
+ orderMenu(): void
+ warehouseMenu(): void
+ personMenu(): void
+ printOrders(): void
+ addOrder(): void
+ updateOrderStatus(): void
+ setOrderToDelivered(): void
+ setOrderToBeingDelivered(): void
+ findProduct(): void
+ addProduct(): void
+ removeProducts(): void
+ printProductsOffered(): void
+ printPerson(): void
+ addPerson(): void
+ removePerson(): void
+ changePersonInfo(): void
+ changeSupplierInfo(): void
+ changeCustomerInfo(): void
+ changeStaffInfo(): void
- capitaliseName(String): String
- getBoolean(): boolean
- getProduct(): Product
- getProductCatalogue(): ProductCatalogue
- genericMenu(String, String[], Runnable[]): void
Warehouse
- products: ProductCatalogue
+ Warehouse()
+ getProducts(): ProductCatalogue
+ addProduct(Product): void
+ addProducts(ProductCatalogue): void
+ removeProduct(Product): void
+ removeProducts(ProductCatalogue): void
+ removeProductByID(int): void
+ removeProductByName(String): void
+ searchForProductByID(int): Product
+ searchForProductByName(String): Product
+ printProductByID(int): void
+ printProductByName(String): void
+ toString(): String
DataInit
+ initializeData(): void
ProductCatalogue
- products: ArrayList<Product>
+ ProductCatalogue()
+ addProduct(product: Product): void
+ getCatalogue(): ArrayList<Product>
+ searchForProductByID(productID: int): Product
+ searchForProductByName(name: String): Product
+ printProductByID(productID: int): void
+ printProductByName(name: String): void
+ removeProductByID(productID: int): void
+ removeProductByName(name: String): void
Product
- name: String
- price: double
- productID: int
+ Product(String, double, int)
+ getName(): String
+ getPrice(): double
+ getProductID(): int
+ setName(String): void
+ setPrice(double): void
+ setProductID(int): void
PersonCatalogue
- persons: ArrayList<Person>
+ PersonCatalogue()
+ getCatalogue(): ArrayList<Person>
+ searchForPersonByName(String): Person
+ searchForPersonByID(int): Person
+ printPersonByName(String): void
+ printPersonByID(int): void
+ addPerson(Person): void
+ removePersonByID(int): void
+ removePersonByName(String): void
+ size(): int
+ get(int): Person
Person
- name: String
- personId: int
- phoneNumber: String
+ Person(String, int, String)
+ getName(): String
+ getPersonId(): int
+ getPhoneNumber(): String
+ setName(String): void
+ setPersonId(int): void
+ setPhoneNumber(String): void
+ toString(): String
Supplier
-products: ProductCatalogue
- address: String
+ Supplier(String, int, String, String, ProductCatalogue)
+ getAddress(): String
+ setAddress(String): void
+ getProducts(): ProductCatalogue
+ setProducts(ProductCatalogue): void
+ addProduct(Product): void
+ toString(): String
Customer
- address: String
+ Customer(String, int, String, String)
+ getAddress(): String
+ setAddress(): String
+ toString(): String
Staff
- jobTitle: String
- isAdmin: bool
- password: String
+Staff(String, int, String, String, boolean, String)
+getJobTitle(): String
+setJobTitle(String): void
+isAdmin(): boolean
+addAdminStatus(boolean admin): void
+removeAdminStatus():void
+getPassword(): String
+setPassword(String): void
+verifyPassword(String): boolean
+verifyName(String): boolean
+toString(): String