

Restaurant Discovery System

Data Tables, Relationships & Dependencies

Team Oreo McFlurry | CSCI 275

Team Members

- Borigas, Edrien Gappi
- Kaur, Rajvir
- Ngwira, Vitumbiko
- Singh, Gursharn Sangha
- Kaur, Ramanjeet

Overview

As part of coordinating data ownership across all four modules, we have discussed with the other groups to determine which team would own each shared table. As a result of this discussion, the User table is owned by the User & Authentication System (**404Error**) and the Restaurant table is owned by the Vendor Restaurant Management System (**Team C**). Our Restaurant Discovery System is responsible for one table: Favorite.


The Discovery module's core responsibilities — search, filtering, sorting, and map display — are read/query operations performed against the Restaurant table owned by another group. The only new data our module needs to persist is which restaurants a user has saved, which is exactly what the Favorite table represents.

Table We Own: Favorite

The Favorite table is a join table that connects a User to a Restaurant they have saved. It supports FR-DS-UI-028 through FR-DS-UI-032 (Save to Favorites) from our SRS.

Column	Type	Description
id	Int (PK)	Primary key, auto-incremented unique identifier for the favorite entry.
userId	Int (FK)	Foreign key referencing the id field of the User table owned by the authentication module.
restaurantId	Int (FK)	Foreign key referencing the id field of the Restaurant table owned by the listings module.
createdAt	DateTime	Timestamp recording when the restaurant was saved to favorites.

Relationships



- One User can have zero or many Favorites.
- One Restaurant can be saved as zero or many Favorites (by different users).
- Favorite is the join table connecting User and Restaurant — it has no meaning on its own, only as a link between the two.

Notation: User ||--o{ Favorite and Restaurant ||--o{ Favorite

("||" = exactly one, "o{" = zero or many)

Shared vs. Needed From Other Groups

Owned by Our Module

- Favorite — fully owned and maintained by the Discovery module.

Needed From Other Groups

- User — owned by the authentication module. We depend on their User.id as the foreign key target in Favorite.userId.
- Restaurant — owned by the listings/discovery-data module. We depend on their Restaurant.id as the foreign key target in Favorite.restaurantId, and we query this table directly for all search, filter, and sort features.

Dependency Note

Because Favorite references both User and Restaurant by their primary keys, our module cannot be fully implemented or tested until the owning groups finalize and share their schemas. We have flagged this dependency to both groups so that any changes to the User or Restaurant table structure are communicated before our Favorite table or API routes are finalized.