

```
sh -c "echo /usr/lib/oracle/11.2/client64/lib/ > /etc/ld.so.conf.d/oracle-instantclient.conf"
```

```
ldconfig
```

```
mkdir -p /usr/lib/oracle/11.2/client64/lib/network/admin
```

```
vim /usr/lib/oracle/11.2/client64/lib/network/admin/tnsnames.ora
```

```
...
```

```
vim /etc/profile.d/oracle_path.sh
```

```
LD_LIBRARY_PATH=/usr/lib/oracle/11.2/client64/lib:$LD_LIBRARY_PATH
```

```
export LD_LIBRARY_PATH
```

```
yum install epel-release
```

```
yum install gcc
```

```
yum install perl-CPAN
```

```
yum install perl-String-Random
```

```
yum install perl-Net-SSLeay
```

```
yum install perl-IO-Socket-SSL
```

```
perl -MCPAN -e shell
```

```
install YAML
```

```
install DBD::Oracle
```

```
install String::Random
```

```
install Time::HiRes
```

```
wget https://yum.postgresql.org/testing/11/redhat/rhel-7.5-x86_64/ora2pg-20.0-1.rhel7.noarch.rpm
```

```
rpm -Uvh --nodeps ora2pg-20.0-1.rhel7.noarch.rpm
```

-----

```
bash-4.2$ cat /etc/profile.d/oracle_path.sh
```

```
LD_LIBRARY_PATH=/usr/lib/oracle/11.2/client64/lib:$LD_LIBRARY_PATH
```

```
export LD_LIBRARY_PATH
```

```
ORACLE_HOME=/usr/lib/oracle/11.2/client64/lib
```

```
export ORACLE_HOME
```

-----

```
bash-4.2$ cat /usr/lib/oracle/11.2/client64/lib/network/admin/tnsnames.ora
```

```
CKYS_TEST=
```

```
(DESCRIPTION=
```

```
(ADDRESS=
```

```
(PROTOCOL=TCP)
```

```
(HOST=oradb-scan.saglik.lokal)
```

```
(PORT=1521)
```

```
)
```

```
(CONNECT_DATA=
```

```
(SERVER=dedicated)
```

```
(SERVICE_NAME=SB2DB)
```

```
)
```

```
)
```

```
CKYS_PROD=
```

```
(DESCRIPTION=
```

```
(ADDRESS=
```

```
(PROTOCOL=TCP)
```

```
(HOST=sba7-scan.saglik.lokal)
```

```
(PORT=1521)
```

```
)  
(CONNECT_DATA=  
  (SERVER=dedicated)  
  (SERVICE_NAME=SB2DB.saglik.lokal)  
)  
)
```

```
-----  
/usr/lib/oracle/11.2/client64/bin/sqlplus eyilmaz/wxr2pIR.Tf121234@CKYS_PROD
```

```
-----  
/db/ora2pg
```

```
NLS_LANGUAGE      TURKISH  
NLS_TERRITORY      TURKEY  
NLS_CHARACTERSET   WE8ISO8859P9  
NLS_NCHAR_CHARACTERSET AL16UTF16
```

```
database: test_iksis_db_aktarim
```

```
Username:ekim_db_user
```

```
Sifre:TeSt01!AngArA
```

```
-----  
root
```

```
vim ~/.pgpass
```

```
*:*:*:ekim_db_user:TeSt01!AngArA
```

```
chmod 600 ~/.pgpass
```

```
ora2pg -c ora2pg_schema_only.conf
```

```
ora2pg -c ora2pg.conf --namespace IKYS --allow HT_SON_DURUM_BILGI --out  
ht_son_durum_bilgi.sql
```

```
psql --username=ekim_db_user test_iksis_db_aktarim
```

```
nohup ./export_table.sh IKYS HT_STD_SAYILARI_SON_TARİHLİ 32 10000 &>  
log/ht_std_sayilari_son_tarihli_export.log &
```