Engineering Computing for Design

Engineering Computing for Design

An Introduction in Python

Rico A. R. Picone

© 2024 Rico A. R. Picone

All rights reserved. No part of this book may be reproduced in any form by any electronic or mechanical means (including photocopying, recording, or information storage and retrieval) without permission in writing from the author.

Contents

L	Intr	oduction	1
	1.1	Engineering Computing	1
	1.2	Computer Architecture [Outlined]	1 2
	1.3	Programming Computers [Outlined]	7
	1.4	The Development System	11
	1.5	Basic Elements of a Program	14
	1.6	Lists	21
	1.7	Tuples and Ranges	24
	1.8	Dictionaries	25
	1.9	Functions	28
	1.10	Branching	29
	1.11	Looping	32
	1.12	Summary [Outlined]	33
	1.13	Problems	35
2	The	Structure, Style, and Design of Programs	39
	2.1	Python Interpreters and Interactive Sessions	39
	2.2	Scripts, Modules, and Imports	41
	2.3	The Python Standard Library and Packages	42
	2.4	Namespaces, Scopes, and Contexts	44
	2.5	Defining Classes	47
	2.6	Style Conventions	50
	2.7	The Design of Programs	54
	2.8	Problems	58
3	Nur	nerical Representations, Input and Output, and Graphics	63
	3.1	Arrays	64
	3.2	Manipulating, Operating On, and Mapping Over Arrays	69

vi Contents

	3.3	Input and Output	75
	3.4	Introducing Graphics	82
	3.5	Problems	91
4	Syn	nbolic Analysis and Design	101
	4.1	Symbolic Expressions, Variables, and Functions	102
	4.2	Manipulating Symbolic Expressions	105
	4.3	Solving Equations Algebraically	117
	4.4	From Symbolics to Numerics	127
	4.5	Vectors and Matrices	132
	4.6	Calculus	136
	4.7	Solving Ordinary Differential Equations	140
	4.8	Problems	146
5	Nui	nerical Analysis and Design Techniques [Outlined]	151
	5.1	Sets of Linear Algebraic Equations	153
	5.2	Nonlinear Sets of Algebraic Equations via Newton-Raphson	161
	5.3	Nonlinear Sets of Algebraic Equations via Packages	169
	5.4	Integration	177
	5.5	Sets of Differential Equations	185
	5.6	Optimization via Gradient Descent	194
	5.7	Summary [Outlined]	202
	5.8	Problems	205
6	Eng	ineering Computing for Design [Incomplete]	207
	6.1	Design as Optimization	207
	6.2	Representing Design Constraints	218
	6.3	Representing Design Problems	219
	6.4	Solving Design Problems	219
	6.5	Problems	220
A	Not	ebooks [Outlined]	221
В	Doc	rumenting and Presenting Programs [Outlined]	227
C	Ver	sion Control [Outlined]	233
D		s of Figures and Tables	239
	D.1	List of Figures	239
	D.2	List of Tables	240

vii

Bibliography 241



In this chapter, we will get started with engineering computing by introducing the topic and setting up our tools to apply it throughout the rest of this book. Furthermore, the primary elements of the Python programming language are introduced.

1.1 Engineering Computing



Engineering computing is the type of computing engineers use to design and analyze engineering systems. It is similar to **scientific**

computing, and engineering and scientific computing share many tools, but the techniques and objectives of engineers differ from those of scientists. The computing tools of an engineer have become essential to the profession, and this has become increasingly true over the past few decades. Although the field can be considered inclusive of spreadsheet software and computer-aided design (CAD), we choose to focus on **computer programming**, writing text instructions called **programs** for a computer to perform calculations and store the results. We leave aside the important topic of **real-time computing** in which the computer becomes part of the engineering system; although it is increasingly important for engineers, it comes with a host of considerations that are a distraction from engineering computing.

There are many **computer languages**, but **programming languages** are those that are easiest for humans to use. Low-level programming languages give more control over the computer hardware and can be more compact; high-level languages have libraries and features that make programming easier. The most common programming languages used for engineering computing are the open-source **Python** language and the proprietary **MATLAB** language. Both are powerful languages with large userbases, but Python has been gaining in popularity in recent years. MATLAB has many built-in tools for engineering computation and "toolboxes" that extend its functionality beyond the base language. Python, on the other hand, does not have many built-in tools for engineering computation; however, it has

code libraries called **packages** that can be used for engineering computing. We will use a few key packages in this book, and there are many more available on the Internet, especially at https://engcom.org (Python Community 2024b).

There are several classes of engineering analysis performed with engineering computing. The following list captures the majority of problems, but it is far from exhaustive.

Numerical Analysis Many engineering problems can be approached by performing numerical calculations. These can be challenging or even intractable to perform manually when the problem requires many such calculations. **Numerical analysis** use systematic procedures called **algorithms** to perform the calculations with a computer. These techniques use the computer to perform, store, and organize these calculations. This class of problems, sometimes called **simulation**, comprise the majority of engineering computing problems.

Symbolic Analysis Sometimes called "analytic" as opposed to "numerical," **symbolic analysis** is closely related to mathematics. Mathematical variables can be directly manipulated via algebraic methods (including those of calculus). Computer programs that treat these variables symbolically are called **computer algebra systems (CASs)**. Although these systems can be somewhat cumbersome, for complex problems they provide distinct advantages.

Graphical Analysis Visualization techniques are an important aspect of engineering analysis. **Graphics**—often graphs, plots, and charts—can be generated by programs much more quickly and accurately than they can be created manually. The result of an engineering computing program is often a graphic.

In this book, we will introduce all three classes of analysis. Also introduced are the ways in which these types of analysis are used for engineering design.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Ut purus elit,

1.2 Computer Architecture [Outlined]

PK PE PA

vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetuer id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.

Quisque ullamcorper placerat ipsum. Cras nibh. Morbi vel justo vitae lacus tincidunt ultrices. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. In hac habitasse platea dictumst. Integer tempus convallis augue. Etiam facilisis. Nunc elementum fermentum wisi. Aenean placerat. Ut imperdiet, enim sed gravida sollicitudin, felis odio placerat quam, ac pulvinar elit purus eget enim. Nunc vitae tortor. Proin tempus nibh sit amet nisl. Vivamus quis tortor vitae risus porta vehicula.

Fusce mauris. Vestibulum luctus nibh at lectus. Sed bibendum, nulla a faucibus semper, leo velit ultricies tellus, ac venenatis arcu wisi vel nisl. Vestibulum diam. Aliquam pellentesque, augue quis sagittis posuere, turpis lacus congue quam, in hendrerit risus eros eget felis. Maecenas eget erat in sapien mattis porttitor. Vestibulum porttitor. Nulla facilisi. Sed a turpis eu lacus commodo facilisis. Morbi fringilla, wisi in dignissim interdum, justo lectus sagittis dui, et vehicula libero dui cursus dui. Mauris tempor ligula sed lacus. Duis cursus enim ut augue. Cras ac magna. Cras nulla. Nulla egestas. Curabitur a leo. Quisque egestas wisi eget nunc. Nam feugiat lacus vel est. Curabitur consectetuer.

Suspendisse vel felis. Ut lorem lorem, interdum eu, tincidunt sit amet, laoreet vitae, arcu. Aenean faucibus pede eu ante. Praesent enim elit, rutrum at, molestie non, nonummy vel, nisl. Ut lectus eros, malesuada sit amet, fermentum eu, sodales cursus, magna. Donec eu purus. Quisque vehicula, urna sed ultricies auctor, pede lorem egestas dui, et convallis elit erat sed nulla. Donec luctus. Curabitur et nunc. Aliquam dolor odio, commodo pretium, ultricies non, pharetra in, velit. Integer arcu est, nonummy in, fermentum faucibus, egestas vel, odio.

Sed commodo posuere pede. Mauris ut est. Ut quis purus. Sed ac odio. Sed vehicula hendrerit sem. Duis non odio. Morbi ut dui. Sed accumsan risus eget odio.

In hac habitasse platea dictumst. Pellentesque non elit. Fusce sed justo eu urna porta tincidunt. Mauris felis odio, sollicitudin sed, volutpat a, ornare ac, erat. Morbi quis dolor. Donec pellentesque, erat ac sagittis semper, nunc dui lobortis purus, quis congue purus metus ultricies tellus. Proin et quam. Class aptent taciti sociosqu ad litora torquent per conubia nostra, per inceptos hymenaeos. Praesent sapien turpis, fermentum vel, eleifend faucibus, vehicula eu, lacus.

Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Donec odio elit, dictum in, hendrerit sit amet, egestas sed, leo. Praesent feugiat sapien aliquet odio. Integer vitae justo. Aliquam vestibulum fringilla lorem. Sed neque lectus, consectetuer at, consectetuer sed, eleifend ac, lectus. Nulla facilisi. Pellentesque eget lectus. Proin eu metus. Sed porttitor. In hac habitasse platea dictumst. Suspendisse eu lectus. Ut mi mi, lacinia sit amet, placerat et, mollis vitae, dui. Sed ante tellus, tristique ut, iaculis eu, malesuada ac, dui. Mauris nibh leo, facilisis non, adipiscing quis, ultrices a, dui.

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetuer a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetuer. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

Suspendisse vitae elit. Aliquam arcu neque, ornare in, ullamcorper quis, commodo eu, libero. Fusce sagittis erat at erat tristique mollis. Maecenas sapien libero, molestie et, lobortis in, sodales eget, dui. Morbi ultrices rutrum lorem. Nam elementum ullamcorper leo. Morbi dui. Aliquam sagittis. Nunc placerat. Pellentesque tristique sodales est. Maecenas imperdiet lacinia velit. Cras non urna. Morbi eros pede, suscipit ac, varius vel, egestas non, eros. Praesent malesuada, diam id pretium elementum, eros sem dictum tortor, vel consectetuer odio sem sed wisi.

Sed feugiat. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Ut pellentesque augue sed urna. Vestibulum diam eros, fringilla et, consectetuer eu, nonummy id, sapien. Nullam at lectus. In sagittis ultrices mauris. Curabitur malesuada erat sit amet massa. Fusce blandit. Aliquam erat volutpat. Aliquam euismod. Aenean vel lectus. Nunc imperdiet justo nec dolor.

Etiam euismod. Fusce facilisis lacinia dui. Suspendisse potenti. In mi erat, cursus id, nonummy sed, ullamcorper eget, sapien. Praesent pretium, magna in eleifend egestas, pede pede pretium lorem, quis consectetuer tortor sapien facilisis magna.

Mauris quis magna varius nulla scelerisque imperdiet. Aliquam non quam. Aliquam porttitor quam a lacus. Praesent vel arcu ut tortor cursus volutpat. In vitae pede quis diam bibendum placerat. Fusce elementum convallis neque. Sed dolor orci, scelerisque ac, dapibus nec, ultricies ut, mi. Duis nec dui quis leo sagittis commodo.

Aliquam lectus. Vivamus leo. Quisque ornare tellus ullamcorper nulla. Mauris porttitor pharetra tortor. Sed fringilla justo sed mauris. Mauris tellus. Sed non leo. Nullam elementum, magna in cursus sodales, augue est scelerisque sapien, venenatis congue nulla arcu et pede. Ut suscipit enim vel sapien. Donec congue. Maecenas urna mi, suscipit in, placerat ut, vestibulum ut, massa. Fusce ultrices nulla et nisl.

Etiam ac leo a risus tristique nonummy. Donec dignissim tincidunt nulla. Vestibulum rhoncus molestie odio. Sed lobortis, justo et pretium lobortis, mauris turpis condimentum augue, nec ultricies nibh arcu pretium enim. Nunc purus neque, placerat id, imperdiet sed, pellentesque nec, nisl. Vestibulum imperdiet neque non sem accumsan laoreet. In hac habitasse platea dictumst. Etiam condimentum facilisis libero. Suspendisse in elit quis nisl aliquam dapibus. Pellentesque auctor sapien. Sed egestas sapien nec lectus. Pellentesque vel dui vel neque bibendum viverra. Aliquam porttitor nisl nec pede. Proin mattis libero vel turpis. Donec rutrum mauris et libero. Proin euismod porta felis. Nam lobortis, metus quis elementum commodo, nunc lectus elementum mauris, eget vulputate ligula tellus eu neque. Vivamus eu dolor.

Nulla in ipsum. Praesent eros nulla, congue vitae, euismod ut, commodo a, wisi. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Aenean nonummy magna non leo. Sed felis erat, ullamcorper in, dictum non, ultricies ut, lectus. Proin vel arcu a odio lobortis euismod. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Proin ut est. Aliquam odio. Pellentesque massa turpis, cursus eu, euismod nec, tempor congue, nulla. Duis viverra gravida mauris. Cras tincidunt. Curabitur eros ligula, varius ut, pulvinar in, cursus faucibus, augue.

Nulla mattis luctus nulla. Duis commodo velit at leo. Aliquam vulputate magna et leo. Nam vestibulum ullamcorper leo. Vestibulum condimentum rutrum mauris. Donec id mauris. Morbi molestie justo et pede. Vivamus eget turpis sed nisl cursus tempor. Curabitur mollis sapien condimentum nunc. In wisi nisl, malesuada at, dignissim sit amet, lobortis in, odio. Aenean consequat arcu a ante. Pellentesque porta elit sit amet orci. Etiam at turpis nec elit ultricies imperdiet. Nulla facilisi. In hac habitasse platea dictumst. Suspendisse viverra aliquam risus. Nullam pede justo, molestie nonummy, scelerisque eu, facilisis vel, arcu.

Curabitur tellus magna, porttitor a, commodo a, commodo in, tortor. Donec interdum. Praesent scelerisque. Maecenas posuere sodales odio. Vivamus metus lacus, varius quis, imperdiet quis, rhoncus a, turpis. Etiam ligula arcu, elementum

a, venenatis quis, sollicitudin sed, metus. Donec nunc pede, tincidunt in, venenatis vitae, faucibus vel, nibh. Pellentesque wisi. Nullam malesuada. Morbi ut tellus ut pede tincidunt porta. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam congue neque id dolor.

Donec et nisl at wisi luctus bibendum. Nam interdum tellus ac libero. Sed sem justo, laoreet vitae, fringilla at, adipiscing ut, nibh. Maecenas non sem quis tortor eleifend fermentum. Etiam id tortor ac mauris porta vulputate. Integer porta neque vitae massa. Maecenas tempus libero a libero posuere dictum. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Aenean quis mauris sed elit commodo placerat. Class aptent taciti sociosqu ad litora torquent per conubia nostra, per inceptos hymenaeos. Vivamus rhoncus tincidunt libero. Etiam elementum pretium justo. Vivamus est. Morbi a tellus eget pede tristique commodo. Nulla nisl. Vestibulum sed nisl eu sapien cursus rutrum.

Nulla non mauris vitae wisi posuere convallis. Sed eu nulla nec eros scelerisque pharetra. Nullam varius. Etiam dignissim elementum metus. Vestibulum faucibus, metus sit amet mattis rhoncus, sapien dui laoreet odio, nec ultricies nibh augue a enim. Fusce in ligula. Quisque at magna et nulla commodo consequat. Proin accumsan imperdiet sem. Nunc porta. Donec feugiat mi at justo. Phasellus facilisis ipsum quis ante. In ac elit eget ipsum pharetra faucibus. Maecenas viverra nulla in massa.

Nulla ac nisl. Nullam urna nulla, ullamcorper in, interdum sit amet, gravida ut, risus. Aenean ac enim. In luctus. Phasellus eu quam vitae turpis viverra pellentesque. Duis feugiat felis ut enim. Phasellus pharetra, sem id porttitor sodales, magna nunc aliquet nibh, nec blandit nisl mauris at pede. Suspendisse risus risus, lobortis eget, semper at, imperdiet sit amet, quam. Quisque scelerisque dapibus nibh. Nam enim. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Nunc ut metus. Ut metus justo, auctor at, ultrices eu, sagittis ut, purus. Aliquam aliquam.

1.3 Programming Computers [Outlined]



Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetuer id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.

Quisque ullamcorper placerat ipsum. Cras nibh. Morbi vel justo vitae lacus tincidunt ultrices. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. In hac habitasse platea dictumst. Integer tempus convallis augue. Etiam facilisis. Nunc elementum fermentum wisi. Aenean placerat. Ut imperdiet, enim sed gravida sollicitudin, felis odio placerat quam, ac pulvinar elit purus eget enim. Nunc vitae tortor. Proin tempus nibh sit amet nisl. Vivamus quis tortor vitae risus porta vehicula.

Fusce mauris. Vestibulum luctus nibh at lectus. Sed bibendum, nulla a faucibus semper, leo velit ultricies tellus, ac venenatis arcu wisi vel nisl. Vestibulum diam. Aliquam pellentesque, augue quis sagittis posuere, turpis lacus congue quam, in hendrerit risus eros eget felis. Maecenas eget erat in sapien mattis porttitor. Vestibulum porttitor. Nulla facilisi. Sed a turpis eu lacus commodo facilisis. Morbi

fringilla, wisi in dignissim interdum, justo lectus sagittis dui, et vehicula libero dui cursus dui. Mauris tempor ligula sed lacus. Duis cursus enim ut augue. Cras ac magna. Cras nulla. Nulla egestas. Curabitur a leo. Quisque egestas wisi eget nunc. Nam feugiat lacus vel est. Curabitur consectetuer.

Suspendisse vel felis. Ut lorem lorem, interdum eu, tincidunt sit amet, laoreet vitae, arcu. Aenean faucibus pede eu ante. Praesent enim elit, rutrum at, molestie non, nonummy vel, nisl. Ut lectus eros, malesuada sit amet, fermentum eu, sodales cursus, magna. Donec eu purus. Quisque vehicula, urna sed ultricies auctor, pede lorem egestas dui, et convallis elit erat sed nulla. Donec luctus. Curabitur et nunc. Aliquam dolor odio, commodo pretium, ultricies non, pharetra in, velit. Integer arcu est, nonummy in, fermentum faucibus, egestas vel, odio.

Sed commodo posuere pede. Mauris ut est. Ut quis purus. Sed ac odio. Sed vehicula hendrerit sem. Duis non odio. Morbi ut dui. Sed accumsan risus eget odio. In hac habitasse platea dictumst. Pellentesque non elit. Fusce sed justo eu urna porta tincidunt. Mauris felis odio, sollicitudin sed, volutpat a, ornare ac, erat. Morbi quis dolor. Donec pellentesque, erat ac sagittis semper, nunc dui lobortis purus, quis congue purus metus ultricies tellus. Proin et quam. Class aptent taciti sociosqu ad litora torquent per conubia nostra, per inceptos hymenaeos. Praesent sapien turpis, fermentum vel, eleifend faucibus, vehicula eu, lacus.

Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Donec odio elit, dictum in, hendrerit sit amet, egestas sed, leo. Praesent feugiat sapien aliquet odio. Integer vitae justo. Aliquam vestibulum fringilla lorem. Sed neque lectus, consectetuer at, consectetuer sed, eleifend ac, lectus. Nulla facilisi. Pellentesque eget lectus. Proin eu metus. Sed porttitor. In hac habitasse platea dictumst. Suspendisse eu lectus. Ut mi mi, lacinia sit amet, placerat et, mollis vitae, dui. Sed ante tellus, tristique ut, iaculis eu, malesuada ac, dui. Mauris nibh leo, facilisis non, adipiscing quis, ultrices a, dui.

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetuer a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetuer. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

Suspendisse vitae elit. Aliquam arcu neque, ornare in, ullamcorper quis, commodo eu, libero. Fusce sagittis erat at erat tristique mollis. Maecenas sapien libero,

molestie et, lobortis in, sodales eget, dui. Morbi ultrices rutrum lorem. Nam elementum ullamcorper leo. Morbi dui. Aliquam sagittis. Nunc placerat. Pellentesque tristique sodales est. Maecenas imperdiet lacinia velit. Cras non urna. Morbi eros pede, suscipit ac, varius vel, egestas non, eros. Praesent malesuada, diam id pretium elementum, eros sem dictum tortor, vel consectetuer odio sem sed wisi.

Sed feugiat. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Ut pellentesque augue sed urna. Vestibulum diam eros, fringilla et, consectetuer eu, nonummy id, sapien. Nullam at lectus. In sagittis ultrices mauris. Curabitur malesuada erat sit amet massa. Fusce blandit. Aliquam erat volutpat. Aliquam euismod. Aenean vel lectus. Nunc imperdiet justo nec dolor.

Etiam euismod. Fusce facilisis lacinia dui. Suspendisse potenti. In mi erat, cursus id, nonummy sed, ullamcorper eget, sapien. Praesent pretium, magna in eleifend egestas, pede pede pretium lorem, quis consectetuer tortor sapien facilisis magna. Mauris quis magna varius nulla scelerisque imperdiet. Aliquam non quam. Aliquam porttitor quam a lacus. Praesent vel arcu ut tortor cursus volutpat. In vitae pede quis diam bibendum placerat. Fusce elementum convallis neque. Sed dolor orci, scelerisque ac, dapibus nec, ultricies ut, mi. Duis nec dui quis leo sagittis commodo.

Aliquam lectus. Vivamus leo. Quisque ornare tellus ullamcorper nulla. Mauris porttitor pharetra tortor. Sed fringilla justo sed mauris. Mauris tellus. Sed non leo. Nullam elementum, magna in cursus sodales, augue est scelerisque sapien, venenatis congue nulla arcu et pede. Ut suscipit enim vel sapien. Donec congue. Maecenas urna mi, suscipit in, placerat ut, vestibulum ut, massa. Fusce ultrices nulla et nisl.

Etiam ac leo a risus tristique nonummy. Donec dignissim tincidunt nulla. Vestibulum rhoncus molestie odio. Sed lobortis, justo et pretium lobortis, mauris turpis condimentum augue, nec ultricies nibh arcu pretium enim. Nunc purus neque, placerat id, imperdiet sed, pellentesque nec, nisl. Vestibulum imperdiet neque non sem accumsan laoreet. In hac habitasse platea dictumst. Etiam condimentum facilisis libero. Suspendisse in elit quis nisl aliquam dapibus. Pellentesque auctor sapien. Sed egestas sapien nec lectus. Pellentesque vel dui vel neque bibendum viverra. Aliquam porttitor nisl nec pede. Proin mattis libero vel turpis. Donec rutrum mauris et libero. Proin euismod porta felis. Nam lobortis, metus quis elementum commodo, nunc lectus elementum mauris, eget vulputate ligula tellus eu neque. Vivamus eu dolor.

Nulla in ipsum. Praesent eros nulla, congue vitae, euismod ut, commodo a, wisi. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Aenean nonummy magna non leo. Sed felis erat, ullamcorper in, dictum non, ultricies ut, lectus. Proin vel arcu a odio lobortis euismod. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Proin ut est. Aliquam odio. Pellentesque massa turpis, cursus eu, euismod nec, tempor congue,

nulla. Duis viverra gravida mauris. Cras tincidunt. Curabitur eros ligula, varius ut, pulvinar in, cursus faucibus, augue.

Nulla mattis luctus nulla. Duis commodo velit at leo. Aliquam vulputate magna et leo. Nam vestibulum ullamcorper leo. Vestibulum condimentum rutrum mauris. Donec id mauris. Morbi molestie justo et pede. Vivamus eget turpis sed nisl cursus tempor. Curabitur mollis sapien condimentum nunc. In wisi nisl, malesuada at, dignissim sit amet, lobortis in, odio. Aenean consequat arcu a ante. Pellentesque porta elit sit amet orci. Etiam at turpis nec elit ultricies imperdiet. Nulla facilisi. In hac habitasse platea dictumst. Suspendisse viverra aliquam risus. Nullam pede justo, molestie nonummy, scelerisque eu, facilisis vel, arcu.

Curabitur tellus magna, porttitor a, commodo a, commodo in, tortor. Donec interdum. Praesent scelerisque. Maecenas posuere sodales odio. Vivamus metus lacus, varius quis, imperdiet quis, rhoncus a, turpis. Etiam ligula arcu, elementum a, venenatis quis, sollicitudin sed, metus. Donec nunc pede, tincidunt in, venenatis vitae, faucibus vel, nibh. Pellentesque wisi. Nullam malesuada. Morbi ut tellus ut pede tincidunt porta. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam congue neque id dolor.

Donec et nisl at wisi luctus bibendum. Nam interdum tellus ac libero. Sed sem justo, laoreet vitae, fringilla at, adipiscing ut, nibh. Maecenas non sem quis tortor eleifend fermentum. Etiam id tortor ac mauris porta vulputate. Integer porta neque vitae massa. Maecenas tempus libero a libero posuere dictum. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Aenean quis mauris sed elit commodo placerat. Class aptent taciti sociosqu ad litora torquent per conubia nostra, per inceptos hymenaeos. Vivamus rhoncus tincidunt libero. Etiam elementum pretium justo. Vivamus est. Morbi a tellus eget pede tristique commodo. Nulla nisl. Vestibulum sed nisl eu sapien cursus rutrum.

Nulla non mauris vitae wisi posuere convallis. Sed eu nulla nec eros scelerisque pharetra. Nullam varius. Etiam dignissim elementum metus. Vestibulum faucibus, metus sit amet mattis rhoncus, sapien dui laoreet odio, nec ultricies nibh augue a enim. Fusce in ligula. Quisque at magna et nulla commodo consequat. Proin accumsan imperdiet sem. Nunc porta. Donec feugiat mi at justo. Phasellus facilisis ipsum quis ante. In ac elit eget ipsum pharetra faucibus. Maecenas viverra nulla in massa.

Nulla ac nisl. Nullam urna nulla, ullamcorper in, interdum sit amet, gravida ut, risus. Aenean ac enim. In luctus. Phasellus eu quam vitae turpis viverra pellentesque. Duis feugiat felis ut enim. Phasellus pharetra, sem id porttitor sodales, magna nunc aliquet nibh, nec blandit nisl mauris at pede. Suspendisse risus risus, lobortis eget, semper at, imperdiet sit amet, quam. Quisque scelerisque dapibus nibh. Nam enim. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Nunc ut metus. Ut metus justo, auctor at, ultrices eu, sagittis ut, purus. Aliquam aliquam.

1.4 The Development System



In general, a computer **development system** is one that is used to write, execute, debug, and deploy computer programs. Our development system is comprised of the following components:

- A personal computer (PC) (e.g., one running the Windows, macOS, or Linux operating system)
- The Anaconda distribution of the Python 3 software
- The VS Code integrated development environment (IDE)

An IDE is a software application in which a programmer can write, execute, and debug their programs.

On your PC, set up your development system with the following steps:

 Download the Anaconda distribution of the Python software from the following URL:

www.anaconda.com/download

Open the installer and follow the instructions for installation.

Download and install the VS Code IDE from the following URL: https://code.visualstudio.comOpen the installer and follow the instructions for installation.

1.4.1 The Anaconda Distribution of Python

Anaconda provides a way of managing multiple **Python environments**; a Python environment is a specific version of Python with a set of packages. For a given project, it is best practice to maintain a separate environment; this allows us to specify a Python version and set of packages required to run the programs in the project. Anaconda provides a framework in which we can create an environment, called a **conda environment**.

1.4.2 Configuring VS Code with Anaconda

To configure VS Code to use the Anaconda distribution of Python, follow these steps:

Install the Python and Jupyter extensions After installing VS Code, open the application. Choose the menu item View Extensions and install the Python extension by Microsoft. This extension provides Python language support, debugging, and additional tools for Python programming. Also install the Jupyter extension, which provides notebook support in VS Code.

Open a working directory Open a directory in which to save your Python programs by selecting the menu item File Open Folder..... Navigate to a convenient location and create a new directory, such as engineering_computing. Select

this directory and click Open. You will save your Python programs in subdirectories of this directory.

Create a conda environment Open a terminal in VS Code by selecting the menu item Terminal New Terminal. In the terminal, enter the following command to create a new conda environment named ec:

```
conda create --name ec python=3.12 jupyter numpy matplotlib sympy
```

The python=3.12 argument specifies the Python version, and the packages jupyter, numpy, matplotlib, and sympy are installed in the environment.

Select the Python interpreter Open the Command Palette by selecting the menu item View Command Palette.... Type Python: Select Interpreter and select the corresponding command that appears. Select the Python interpreter that corresponds to the ec environment of Anaconda created in the previous step. This will allow VS Code to use the Anaconda distribution of Python, and this interpreter will be used for all Python programs in the open directory (i.e., you will not need to select the interpreter for each program).

1.4.3 Hello World and VS Code

Create a new Python file by selecting the menu item $\boxed{\text{File}}\$ New Text File. Save this file $\boxed{\text{File}}\$ Save) as hello_world.py in a dedicated directory.

Add the following statement:

```
| print("Hello World!")
```

Save the file and run it with the menu selection Run Run or the key F5.

A new terminal will open in the lower pane of the VS Code window and displayed will be the output

```
Hello World!
```

Now let's edit the program as follows:

```
greeting = "Hello World!"
print(greeting)
```

This should yield the same result in the terminal. Now right-click anywhere in the editor pane and select Run in Interactive Window Run Current File in Interactive Window. This will open an interactive window that will execute the program and display the output. This is different from the terminal in that it allows us to interact with the program after it has run.

^{1.} In programming, file names should not include spaces, periods (other than for the extension), or most special characters. As a word separator, the hyphen – is usually fine, but the underscore _ is typically safer. For Python files, the underscore is preferable.

In the interactive window, select the Jupyter Variables button. This shows variable names, types, and values in the current **kernel**. A kernel is a computing process that runs programs. In most environments, when a program runs, a kernel is created at the start and destroyed at the end of execution. However, the interactive window maintains the same kernel between runs. This is convenient for debugging purposes.

A prompt appears at the bottom of the interactive window, where we can enter Python commands that are executed in the context of the program that was run. For instance, we can interact with the program(s) run in the current kernel by entering commands in the prompt; try entering

```
greeting
```

This will return the value of the variable greeting. The console is a convenient place to try out statements as we work on our program. For instance, we may want to append some text to the greeting string. In the console, try

```
greeting + "It's a beautiful day"
```

This returns, Hello World!It's a beautiful day, which is close but not quite what we wanted. We should add a space character to the beginning of our addendum. So, trying it out in the console allowed us to quickly debug our code.

The persistent kernel can also cause problems. Sometimes we may want to create a new kernel by clicking the button [Restart], which clears all variables and unloads any packages. Similarly, to clear all variables in the kernel, we can execute the **magic command**

```
| %reset
```

We will be asked to confirm, which we can do by entering y. Note that magic commands like this are only available in the interactive window, and cannot be used in Python programs. The interactive window is a great place to test out code snippets and debug programs. It is, in fact, a form of a **Jupyter notebook**, which is a powerful tool for data analysis and visualization. See appendix A for more information on Jupyter notebooks.

1.5 Basic Elements of a Program



Every programming language has a **syntax**: rules that describe the structure of valid combinations of characters and words in a program.

When one first begins writing in a programming language, it is common to generate **syntax errors**, improper combinations of characters and words. Every programming language also has a **semantics**: a meaning associated with a syntactically valid program. A program's semantics describe what a program does.

In Python and in other programming languages, programs are composed of a sequence of smaller elements called **statements**. Statements do something, like perform a calculation or store a value in memory. For instance, x = 3*5 is a statement that computes a product and stores the result under the variable name x. Many statements contain **expressions**, each of which produces a value. For instance, 3*5 in the previous statement is an expression that produces the value 15.

An expression contains smaller elements called **operands** and **operators**. Common operands include **identifiers**—names like variables, functions, and modules that refer to objects—and **literals**—notations for constant values of a built-in type. For instance, in the previous expression x is a variable identifier and 3 and 5 are literals that evaluate to objects of the built-in integer class. The * character in the previous expression is the multiplication operator. Python includes operators for arithmetic (e.g., +), assignment (e.g., +), comparison (e.g., +), logic (e.g., +), identification (e.g., +), membership (e.g., +), and other operations.

Example 1.1

Create a Python program that computes the following arithmetic expressions:

$$x = 4069 \cdot 0.002$$
, $y = 100/1.5$, and $z = (-3)^2 + 15 - 3.01 \cdot 10$.

Multiply these together (xyz) and print the product, along with x, y, and z to the console.

Consider the following program:

The console should print

Note that although we have multiplied and divided integer literals (4096 and 100) by floating-point literals (0.002 and 1.5), Python has automatically assumed we would like floating-point multiplication and division.

We used the exponent operator **, which may have been unfamiliar. If you tried the more common character ^ for the exponent, you received the error

```
| TypeError: unsupported operand type(s) for ^: 'int' and 'float'
```

In Python, the ^ is the bitwise logical XOR operator.

1.5.1 Classes, Objects, and Methods

Everything that is expressed in a Python statement is an **object**, and every object is an **instance** of a **class**. For instance, 7 is a literal that evaluates to an object that is an instance of the integer class. Similarly, "foo" is a literal that evaluates to an object that is an instance of the string class. A class can be thought of as a definition of the kind of objects that belong to it, how they are structured, and the kinds of things that can be done with it.

Python includes built-in classes such as the numeric integer, floating-point number, and complex number. It is common to refer to a class, especially a built-in class, as a **type**.

Classes are more than types of data, however. Classes can include one or more **method**, which is a kind of function that operates on inputs called **arguments** and returns outputs. Something special about methods is that they can operate on instances of the class. For example,

```
3.5.as_integer_ratio()
```

The literal 3.5 yields an instance of the float class, which has method as_integer_ratio(). Placing the . character before the method name is the syntax to apply the object's as_integer_ratio() method. This method returns a tuple object with the form (<numerator>, <denominator>), where <numerator> and <denominator> denote the numerator and denominator of the integer ratio corresponding to the floating-point number. The expression yields the output

```
(7, 2)
```

which signifies the fraction 7/2.

We can and often do create our own classes with their own methods. We will return to this topic in a later chapter.

Example 1.2

Create a Python program that starts with the three word strings "veni", "vedi", "vici" and concatenates and prints them with the following caveats:

- Between each word string, insert a comma and a space.
- Capitalize each word string using the capitalize() method.

Consider the following program:

The console should print

```
Veni, Vedi, Vici
```

Note that we have used linebreaks to improve code readability. Python syntax allows expressions enclosed in parentheses to be broken after operators.

1.5.2 Basic Built-In Types

Python has several built-in types (classes) that provide a foundation from which many of our programs can be written. We have seen some examples of these types already, and in this section they will be described in greater detail.

1.5.2.1 Boolean The simple bool (i.e., Boolean) type can have one of two values, **True** or **False**. This type is used extensively for logical reasoning in programs, and will be especially important for branching (see section 1.10). Expressions containing the **Boolean operators not**, and, and or evaluate to Boolean values. For instance,

```
not True  # => False
not False  # => True
True and False  # => False
True or False  # => True
```

Similarly, expressions with the **comparison operators** == (equality), != (inequality), < (less than), > (greater than), <= (less than or equal), >= (greater than or equal), **is** (identity), **is not** (nonidentity), and **in** (membership). evaluate to Boolean values. A **truth table** for the Boolean operators and some comparison operators is given in table 1.1.

x	у	bool(x) not x	x and	yx or y	x==y	x!=y	x <y< th=""><th>$x \le y$</th><th>x>=y</th><th>x>y</th></y<>	$x \le y$	x>=y	x>y
False False True	False True False	False False True	True True	False False False	False True True	True False False	False True True	False True False	True True	True False True	False False True
True	True	True False	False	True	True	True	False False	False False	True	True	False False
0	1 0	False True		0	1	False	True True	True False	True False	False True	False True
1	1	True	False	1	1	True	False	False	True	True	False

Table 1.1. Boolean and comparison operators on Boolean and integer inputs x and y

Note that non-Boolean inputs can be given to the Boolean operators. Non-Boolean objects can be given Boolean values with the bool() function, included in the table. For instance, bool(0) and bool(0.0) evaluate to **False**; conversely, bool(1) and bool(1.0) evaluate to **True**. In fact, for all numeric types (i.e., int, float, and complex), every value evaluates to **True** except those equivalent to 0.

1.5.2.2 Integer The int (i.e., integer) type can be used to represent the mathematical integers, positive and negative (and 0). As we have already seen, several built-in operators can be applied to integer inputs, including + (summation), - (difference), * (product), and / (quotient). More operators will be introduced in later chapters.

The built-in int() function returns an integer representation of its input, which can be either a number, a string, or empty, in which case int() returns 0. Although it does not round in the most elegant manner, int() can be used to convert a floating-point number to an integer, as in

```
int(3.2) # => 3
int(3.9) # => 3
int(-3.9) # => -3
```

We see that int() rounds toward zero.

1.5.2.3 Floating-Point Number Like scientific notation, **floating-point numbers** represent potentially very large or very small numbers in a compact form. This form has three parts: a **sign** s, a **significand** x, and an **exponent** n. These combine as

$$s \times x \times 2^n$$
.

Floating-point numbers can be represented with the Python float type and are often used to represent decimal numbers, such as 1.4 and -0.33. The built-in float () function returns a float from a number or string argument. For instance,

```
float(5) # => 5.0
float("5") # => 5.0
```

Floating-point numbers can be entered with scientific notation via the letter e, as in the following examples:

```
291e-6 # => 0.000291
1e3 # => 1000.0
```

1.5.2.4 Complex Number Complex numbers, which have a real part *a* and imaginary part *b*, represented mathematically as

$$a + jb$$
,

where j is the imaginary number $\sqrt{-1}$, can be represented in Python with the complex type. For numbers a and b, we can construct a complex type with complex(a, b). For instance,

```
| complex(1, 2) # => (1+2j)
```

A complex object has attributes real and imag that return the real and imaginary parts, respectively. For instance,

```
s = complex(3, -5)
s.real # => 3
s.imag # => -5
```

1.5.2.5 String Strings are series of characters and have built-in Python type str. String literals can be written with either single quotes (e.g., 'foo') or double quotes (e.g., "bar"). Within one variety, the other is treated as a regular quote, as in "A 'friend' wants to know" and 'I am "big boned"'. It is generally recommended to use just one variety or the other for string literals in a given project (mixing the two is seen as bad form).

The str() function returns a string representation of the object it is given as input. For instance, str(4) returns "4" and str(True) returns "True". This is especially helpful when joining strings as in the following example:

```
x = 3.14159
print("x = " + str(x) + " m")
```

A convenient way to construct nice strings is the **formatted string (f-string)** literals. A simple f-string that has the same value as what is printed in the example above is $f''x = \{x\}$ m''. Executable expressions are inserted in braces $\{\}$ within the f-string. Note that the str() function is automatically called, which makes for a nicer syntax.

A **format specifier** can also be applied to expressions in an f-string. These have the general form

```
:[[fill]align][sign][z][#][0][width][group][.prec][type]
```

Each of these terms is described in table 1.2 and table 1.3. In the example above, we could format the printing of x in fixed-point format (f) with a precision (.prec) of 3 decimal places with

```
| print(f''x = \{x:.3f\} m'')  # => x = 3.142
```

In the following example, we use scientific notation (e) with precision (.prec) of 4:

Note that the number of **significant digits** is 1 greater than the precision in this format. In the following example, we use binary (b) with 0-padding:

```
x = 3
print(f"x = {x:04b} (in binary)") # => x = 0011 (in binary)
```

Term	Values (if any)	Default	Effect
:			Separates the format specifier from the expression
fill	Any character	space	Character to pad with when value doesn't use the entire field width
align	< (left) > (right) ^ (center)	<	How to justify when value doesn't occupy the entire field width
sign	+ (explicit +) - (no plus) space (space but no plus)	-	How a sign appears for numeric values
z	z		Coerces -0.0 to 0.0
#	#		Use the alternate output form for numeric values
0	0		Pad on the left with zeros instead of spaces
width	Positive integers		Minimum width of (number of characters in) the field
group	, _		Grouping character (thousands separator) for numeric output
.prec	Nonnegative integers	varies with type	Digits after the decimal point for floating-points, maximum width for strings
type	See table 1.3	s (strings) or d (numbers)	Specifies the presentation type, which is the type of conversion performed on the corresponding argument

Table 1.3. Format specifier types.

Input Class	Format Type	Meaning
String	s	String
String	None	String (same as s)
Integer	b	Binary

Input Class	Format Type	Meaning
Integer	С	Character
Integer	d	Decimal integer
Integer	0	Octal
Integer	x or X	Hex (lowercase or uppercase)
Integer	n	Local decimal number (similar to d)
Integer	None	Same as d
Floating-point	e or E	Scientific notation (lowercase or uppercase)
Floating-point	f or F	Fixed-point notation (lowercase or uppercase)
Floating-point	g or G	General format (lowercase or uppercase)
Floating-point	n	Local general format
Floating-point	%	Percentage
Floating-point	None	Same as g

The str class has several methods. We have already seen the capitalize() method applied in section 2.3.2. Table 1.4 describes several frequently used string methods.

Table 1.4. Some particularly useful string methods.

Method	Description
capitalize()	Convert the first character to uppercase
count()	Return the count of the specified value occurrences
endswith()	If the string ends with the specified value, return True
find()	Return the position where the specified value is found
index()	Return the position where the specified value is found
isalpha()	If all characters are alphabetic, return True
isdecimal()	If all characters are decimals, return True
isdigit()	If all characters are digits, return True
isnumeric()	If all characters are numeric, return True
join()	Convert iterable elements into a single string
lower()	Convert the string to lowercase
replace()	Return a string with the specified value replaced
rindex()	Return the last position where the specified value is found
rsplit()	Split at the specified separator, return a list
split()	Split at the specified separator, return a list
splitlines()	Split at line breaks, return a list
startswith()	If the string starts with the specified value, return True
strip()	Return a trimmed version of the string

1.5.3 Iterable Objects and Dictionaries

In Python, an **iterable object** is one that contains a collection of **elements** and defines, for each element, which element is next. In the following sections, we will consider some built-in iterable classes (types).

Box 1.1 Further Reading

• Python Community (2024a; § The Python Tutorial: 9 Classes), on classes, objects, and methods

• Python Community (2024a; § Python Standard Library: Built-in Types), on the basic built-in types

1.6 Lists

The **list** class defines an ordered set of elements. These elements can be of any class, and do not need to match within a list. Lists can be nested to create a list of lists. The basic syntax for creating a list of elements ex is [e1, e2, ..., en]. Consider the following list assignments:

```
int_list = [3, 9, 3, -4, 0]  # Duplication allowed
str_list = ["foo", "bar", "baz"]
com_list = [int_list, str_list]  # List of lists
mix_list = [8.41, "foo", [7]]  # Mixing element types
```

1.6.1 Accessing List Elements

Because the elements of a list have an order, they can be referred to via an **index**, a mapping of integers to elements. In Python, the first element in the list has index 0 and subsequent elements have indices of increasing values, 1, 2, 3, and so on. The syntax for accessing the element with index i of a list 1 is 1 [i]. For instance, elements from the previously defined lists can be accessed as follows:

```
int_list[0]  # => 3
int_list[3]  # => -4
str_list[2]  # => "baz"
mix_list[2]  # => [7]
```

Negative indices are used to access elements from the end of a list. For instance, for int_list above,

This is particularly useful when we want to access the last element of a list, which we see has index -1.

A selection of elements from a list can be accessed via **slicing**, which has the syntax l[start:stop] or l[start:stop:step]. For instance,

```
      1 = [0, 1, 2, 3, 4]

      1[0:3]
      # => [0, 1, 2]

      1[2:4]
      # => [2, 3]

      1[0:-1]
      # => [0, 1, 2, 3] (no last item!)

      1[0:]
      # => [0, 1, 2, 3, 4]

      1[0::2]
      # => [0, 2, 4] (every two elements)
```

It is important to note that the slice does not include the stop index; rather, the slice's last value is from index stop-1. As we see in the third slice example, this means the normal syntax for slicing through the final element (i.e., the element with index -1) does not include that element. To include the final element, leave off an index for stop, as shown in the fourth and fifth examples.

1.6.2 Mutability

Lists are **mutable**; that is, they can be mutated (changed). This is unlike most built-in types, which are **immutable** and cannot be changed. The mutability for frequently used built-in types is shown in table 1.5.

Data Type	Built-in Class	Mutability
Numbers	int, float, complex	Immutable
Strings	str	Immutable
Tuples	tuple	Immutable
Booleans	bool	Immutable
Lists	list	Mutable
Dictionaries	dict	Mutable
Sets	set	Mutable

Table 1.5. Mutability of commonly used built-in types.

The mutability of lists allows us to change their elements. The syntax for assigning a new value v to an element with index i of a list l is l[i] = v. For instance,

Note that although strings are immutable, a list of strings is mutable. This means "Stranger" is not at the same location in memory as was "World".

1.6.3 Methods

Lists have several methods for mutating themselves, which are given in table 1.6.

Method	Description
<pre>l.append(item) l.clear() l.extend(iterable) l.index(x[, start[, end]]) l.insert(index, item) l.pop(index) l.pop()</pre>	Append item to the end of 1 Remove all items from 1 Concatenate 1 with the contents of iterable Return the index of the first instance of x in 1[start:end] Insert item into 1 at index Return and remove the item at index Return and remove the last item
<pre>1.remove(item) 1.reverse() 1.sort(key=None, reverse=False)</pre>	Remove item's first occurrence Reverse the items of 1 Sort the items of 1

For example, an element can be inserted into a list as follows:

```
1 = ["zero", "one", "three"]
1.insert(2, "two")
print(1)
which returns
['zero', 'one', 'two', 'three']
```

When using most list methods, we often do not assign the returned value from the expression. This is because most of these expressions return a value of **None**. For instance, from the previous example,

```
| print(1.insert(2, "two"))
returns
| None
```

Such methods are simply operating on the original list object and do not return that object. This is a common idiom in Python programming, and many mutable classes behave similarly.

Example 1.3

Write a program that removes the second occurrence of the element 3 from the following list:

```
1 = [1, 2, 3, 0, 3, 4, 3]
```

The remove() method might seem promising, but it only removes the first occurrence of the element. Instead, let's identify the index of the second occurrence. The index(x[, start[, end]]) method allows us to identify the index of the first occurrence or the first occurrence between start and start and start is to find the index start if irst occurrence with start index(), then narrow

our search to the rest of the list after i_first to the end of the list, identifying the second index i_second. Finally, we can remove the element at i_second with the pop method.

The following program implements this strategy.

1.7 Tuples and Ranges



Python has a built-in **tuple** class tuple is very similar to a list in that it is an ordered collection of elements. The term "tuple" is a generalization of the terms "single," "double," "triple," "quadruple," and so on. The primary difference between a tuple and a list is that a tuple is immutable, so its elements can't be changed. The syntax for a tuple literal of elements ex is (e1, e2, ..., en). The elements can each be of any type, including tuples. For example, the following statements return tuples:

```
(0, 1, 2, 4, 5)

("foo", "bar", "baz")

([0, 1], [2, 3])

((0, 1), (2, 3))

(0, "foo", [1, 2], (3, 4))
```

Elements of a tuple can be accessed via the same syntax as is used for lists, including slicing. For instance,

```
t = (0, 1, 2)

t[1] # => 1

t[0:2] # => (0, 1)

t[1:] # => (1, 2)
```

Because tuples are immutable, there are only two built-in tuple methods, count() and index(). The count() method returns the number of times its argument occurs in the tuple. For instance,

```
t = (-7, 0, 7, -7, 0, 0)

t.count(-7) # => 2
```

The index() method returns the index of the first occurrence of its argument. For instance,

```
t = ("foo", "bar", "baz", "foo", "bar", "baz", "baz")
t.index("baz") # => 2
```

The range built-in type is a compact way or representing sequences of integers. A range can be constructed with the range(start, stop, step) constructor function, as in the following examples:

```
list(range(0, 3, 1)) # => [0, 1, 2]
list(range(2, 6, 1)) # => [2, 3, 4, 5]
list(range(0, 3)) # => [0, 1, 2] (step=1 by default)
list(range(3)) # => [0, 1, 2] (start=0 by default)
```

Note that we have wrapped the ranges in list() functions, which converted each range to a list. This was only so we can see the values it represents; alone, an expression like range(0, 3) returns itself. This is why a range is such a compact data point—all that needs to be stored in memory are the start, stop, and step arguments because the intermediate values are implicit.

1.8 Dictionaries



The built-in Python **dictionary** class dict is an unordered collection of elements, each of which has a unique **key** and a **value**. A key can be any immutable object, but a string is most common. A value can be any object. The basic syntax to create a dict object with keys kx and values vx is $\{k1: v1, k2: v2, \ldots\}$. For instance, we can define a dict as follows:

```
| d = {"foo": 5, "bar": 1, "baz": -3}
```

Accessing a value requires its key. To access a value in dictionary d with key k, use the syntax d[k]. For example,

```
d = { # It is often useful to break lines at each key-value pair
    "name": "Spiff",
    "age": 33,
    "occupation": "spaceman",
    "enemies": ["Zorgs", "Zargs", "Zogs"]
}
print(f"{d['name']} is a {d['age']} year old"
    f"{d['occupation']} who fights {d['enemies'][0]}.")
```

This returns

```
Spiff is a 33 year old spaceman who fights Zorgs.
```

A value v with key k can be added to an existing dictionary d with the syntax d[k] = v. For instance, (Filik et al. 2019)

```
d = {} # Empty dictionary
d["irony"] = "The use of a word to mean its opposite."
d["sarcasm"] = "Irony intended to criticize."
```

Dictionaries are mutable; therefore, we can change their contents, as in the following example:

```
d = {}
d["age"] = 33  # d is {"age": 33}
d["age"] = 31  # d is {"age": 31}
```

Dictionaries have several handy methods; these are listed in table 1.7.

Table 1.7. Dictionary instance methods for dictionary instance d and class method for class dict.

Methods	Descriptions
d.clear()	Clears all items from d
d.copy()	Returns a shallow copy of d
dict.fromkeys(s[, v])Returns a new dict with keys from sequence s, each with optional value v	
d.get(k)	Returns the value for key k in d
d.items()	Returns a view object of key-value pairs in d
d.keys()	Returns a view object of keys in d
d.pop(k)	Removes and returns the value for key k in d
d.popitem()	Removes and returns the last-inserted key-value pair from d
d.setdefault(k, v)	Returns the value for the key k in d; inserts v if absent
d.update(d_)	Updates d with key-value pairs from another dictionary d_
d.values()	Returns a view object of values in d

Note that most of these methods apply to dictionary instance d, either mutating d or returning something from d. However, the fromkeys() method is called from the class dict because it has nothing to do with an instance. Such methods are called class methods; the other methods we've considered thus far are instance methods.

Dictionary **view objects**—returned by items(), keys(), and values()—are dynamically updating objects that change with their dictionary. For instance,

```
d = {"a": 1, "b": 2}
d_keys = d.keys()
print(f"View object before: {d_keys}")
d["c"] = 3
print(f"View object after: {d_keys}")
```

This returns

```
View object before: dict_keys(['a', 'b'])
View object after: dict_keys(['a', 'b', 'c'])
```

View objects can be converted to lists with the list() function, as in list(d_keys).

Example 1.4

Write a program that meets the following requirements:

- 1. It defines a list of strings names = ["Mo", "Jo", "Flo"]
- 2. It constructs a dict instance data with keys from the list names
- 3. It creates and populates a sub-dict with the follow properties for each name:
 - a. Mo—year: sophomore, major: Mechanical Engineering, GPA: 3.44
 - b. Jo—year: junior, major: Computer Science, GPA: 3.96
 - c. Flo—year: sophomore, major: Philosophy, GPA: 3.12
- 4. It prints each of the students' name and year
- 5. It replaces Jo's GPA with 3.98 and prints this new value
- 6. It removes the entry for Mo and prints a list of remaining keys in data

The following program meets the given requirements:

```
names = ["Mo", "Jo", "Flo"]
data = dict.fromkeys(names) # => {"Mo": None, "Jo": None, "Flo": None}
#%% Populate Data
data["Mo"] = {}
data["Mo"]["year"] = "sophomore"
data["Mo"]["major"] = "Mechanical Engineering"
data["Mo"]["GPA"] = 3.44
data["Jo"] = {}
data["Jo"]["year"] = "junior"
data["Jo"]["major"] = "Computer Science"
data["Jo"]["GPA"] = 3.96
data["Flo"] = {}
data["Flo"]["year"] = "sophomore"
data["Flo"]["major"] = "Philosophy"
data["Flo"]["GPA"] = 3.12
#%% Data Operations and Printing
print(f"Mo is a {data['Mo']['year']}. "
      f"Jo is a {data['Jo']['year']}. "
      f"Flo is a {data['Flo']['year']}.")
data["Jo"]["GPA"] = 3.98
print(f"Jo's new GPA is {data['Jo']['GPA']}")
data.pop("Mo")
print(f"Names sans Mo: {list(data.keys())}")
```

This prints the following in the console:

```
Mo is a sophomore. Jo is a junior. Flo is a sophomore. Jo's new GPA is 3.98
Names sans Mo: ['Jo', 'Flo']
```

1.9 Functions



In Python, **functions** are reusable blocks of code that accept input arguments and return one or more values. As we have seen, a method

is a special type of function that is contained within an object. We typically do not refer to methods as "functions," instead reserving the term for functions that are not methods. A function that computes the square root of the sum of the squares of two arguments can be defined as:

```
def root_sum_squared(arg1, arg2):
    sum_squared = arg1**2 + arg2**2
    return sum_squared**(1/2)
```

The syntax requires the block of code following the **def** line to be indented. A block ends where the indent ends. The indent should, by convention, be 4 space characters. The function ends with a **return statement**, which begins with the keyword **return** followed by an expression, the value of which is returned to the caller code. The variable sum_squared is created inside the function, so it is local to the function and cannot be accessed from outside. **Calling** (using) this function could look like

```
| root_sum_squared(3, 4)
```

This call returns the value 5.0.

The arguments arg1 and arg2 in the previous example are called **positional arguments** because they are identified in the function call by their position; that is, 3 is identified as arg1 and 4 is identified as arg2 based on their positions in the argument list. There is another type of argument, called a **keyword argument** (sometimes called a "named" argument), that can follow positional arguments and have the syntax <key>=<value>. For instance, we could augment the previous function as follows:

```
def root_sum_squared(arg1, arg2, pre="RSS ="):
    sum_squared = arg1**2 + arg2**2
    rss = sum_squared**(1/2)
    print(pre, rss)
    return rss
```

The pre positional argument is given a default value of "RSS =", and the function now prints the root sum square with pre prepended. Calling this function with

Introduction 29

```
| sum_squared(4, 6)
prints the following to the console:
    | RSS = 7.211102550927978
    Alternatively, we could pass a value to pre with the call
| sum_squared(4, 6, pre="Root sum square =")
which prints
    | Root sum square = 7.211102550927978
```

1.10 Branching

There are special statements in all programming languages that allow the programmer to control which portions are to be executed next (or at all); that is, the **control flow**. The primary forms of control flow statements are **branching** and **looping**, and we introduce branching in this section and looping in section 1.11.

1.10.1 Branching with if/elif/else Statements

Branching control flow statements are based on logical conditions that are tested by the statement. The primary branching statements in Python are the **if/elif/else** statements. For instance, consider the following statements:

```
if x < 0:
    print("negative")
elif x == 0:
    print("zero")
else:
    print("positive")</pre>
```

If x is less than 0, it will print negative; if x is equal to 0, it will print zero, and otherwise (when x is positive) it will print positive. Note that the blocks of code that follow the branching statements must be indented. The elif (i.e., else if) and else statements are optional, and there can be multiple elif statements. Once a condition is met and the corresponding block executed, the rest of the control statements in the block are skipped.

The conditional expression is evaluated to a bool type (class). A boolean object can have one of two possible values, **True** and **False**. If the conditional expression of a branching statement evaluates to **True**, its corresponding block of code is executed. Note that Python will evaluate non-boolean conditional expression value with the built-in bool() function. For instance, if the conditional expression evaluates to a

string "foo", it will be evaluated as bool ("foo"), which, like all nonempty strings, evaluates to **True**. However, an empty string "" evaluates to **False**.

Example 1.5

Write and test a Python program that prints a string variable if it is nonempty, and prints Empty string otherwise.

We will want to test our program on a nonempty and an empty string, so we will want to reuse our code; this indicates the use of a function definition. Consider the following program:

```
def print_nonempty(s):
    if s:
        print(s)
    else:
        print("Empty string")

print_nonempty("This should print")
print_nonempty("")  # This should print "Empty string"
```

The **if** statement has conditional expression **s**, which should be a string. Therefore, if it is nonempty, print(**s**) will evaluate. Otherwise (i.e., if **s** is an empty string), the statement print("Empty string") will evaluate. As we expect, the program prints the following to the console:

```
This should print Empty string
```

1.10.2 Branching with match/case Statements

In Python 3.10, a new kind of branching statement was introduced: match/case. Its use is never strictly necessary, but it can make a program more readable. For example,

```
if s == "red":
    print("red")
elif s == "blue":
    print("blue")
else:
    print("other")
```

can be written alternatively as

Introduction 31

```
match s:
    case "red":
        print("red")
    case "blue":
        print("blue")
    case _:
        print("other")
```

In the third case _ matches when there is no other match. Once there is a match, no other cases are tested. If there is no match (and _ is not given as a case), none of the code blocks are evaluated.

There are more advanced uses of **match**/**case** statements in which patterns can be matched. See Python Community (2024a; § 4.6) for more details.

1.10.3 Branching with try/except/finally Statements

Sometimes a statement can yield an **exception**, which is not a syntax error, but has a similar effect in that it can stop the execution of the program. Common exceptions include **ZeroDivisionError**, **NameError** and **TypeError**.

In general, an exception stops the execution of a program; however, certain exceptions can be anticipated and dealt with accordingly, which is called exception handling. One of the primary ways to handle exceptions is to use the try/except/finally statements. We can think of these statements as branching statements that branch based on exceptions. For instance consider the following function definition:

```
def plus_7(x):
    try:
        y = x + 7
    except:
        y = x
    return y
```

If we can add 7 to x, which is the case when x is a number, the **try** statement will execute, the **except** statement will be skipped, and the sum will be returned. If, however, we cannot add 7 to x, which is the case when x is nonnumeric, the **try** statement will raise an exception, so the **except** statement will be executed; this returns the input without change.

We will later return to exception handling to consider more advanced usage, including the **finally** statement.

1.11 Looping



Repeating blocks of code by calling a function more than once, as in example 1.5, can get cumbersome when it needs to be repeated many times. A **loop** repeats a block until some stopping condition is met. One type of loop in Python is a **while** loop, which repeats a block of code while its conditional expression evaluates to **True**. For instance,

The loop evaluates the conditional expression n < 5 and, if in fact n < 5, executes the block of code. After the block finishes, the test is repeated and potentially the block of code. This will repeat indefinitely, until the conditional expression evaluates to **False**, in which case the loop exits and execution resumes after the code block. The block will be executed 5 times, printing 0 through 4 to the console.

Another type of Python loop is a **for** loop, which has no explicit conditional expression, instead iterating through an iterable object like a list, , until it reaches the end. For example,

```
| l = ["foo", "bar", "baz"]
| for s in l:
| print(f"Say {s}")
```

This prints

```
Say foo
Say bar
Say baz
```

It is common to loop through a range with a **for** loop, as in the following:

```
for k in range(2, 8):
    print(k, end=" ") # Prints on the same line
```

This prints the following to the console:

```
2 3 4 5 6 7
```

Often, a loop index is required inside a **for** loop. The syntax for this requires an identifier for the index and an enumerate type object to be iterated through. The constructor function enumerate() assigns an index to each element of its iterable argument (e.g., a list). For instance,

Introduction 33

```
names = ["Manny", "Bella", "Amadeus"]
signs = ["Libra", "Virgo", "Sagittarius"]
for i, name in enumerate(names):
    print(f"{name} is a {signs[i]}")
```

This prints the following to the console:

```
Manny is a Libra
Bella is a Virgo
Amadeus is a Sagittarius
```

Looping through a dictionary is similar, but we need the items() of the dictionary for the key-value pair, as follows:

```
sounds = {"dog": "woof", "cat": "meow", "fox": "ring-ding-ding"}
for k, v in sounds.items():
    print(f"The {k} says '{v}'")
```

This prints the following to the console:

```
The dog says 'woof'
The cat says 'meow'
The fox says 'ring-ding-ding'
```

1.12 Summary [Outlined]



Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetuer id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.

Quisque ullamcorper placerat ipsum. Cras nibh. Morbi vel justo vitae lacus tincidunt ultrices. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. In hac habitasse platea dictumst. Integer tempus convallis augue. Etiam facilisis. Nunc elementum fermentum wisi. Aenean placerat. Ut imperdiet, enim sed gravida sollicitudin, felis odio placerat quam, ac pulvinar elit purus eget enim. Nunc vitae tortor. Proin tempus nibh sit amet nisl. Vivamus quis tortor vitae risus porta vehicula.

Fusce mauris. Vestibulum luctus nibh at lectus. Sed bibendum, nulla a faucibus semper, leo velit ultricies tellus, ac venenatis arcu wisi vel nisl. Vestibulum diam. Aliquam pellentesque, augue quis sagittis posuere, turpis lacus congue quam, in hendrerit risus eros eget felis. Maecenas eget erat in sapien mattis porttitor. Vestibulum porttitor. Nulla facilisi. Sed a turpis eu lacus commodo facilisis. Morbi fringilla, wisi in dignissim interdum, justo lectus sagittis dui, et vehicula libero dui cursus dui. Mauris tempor ligula sed lacus. Duis cursus enim ut augue. Cras ac magna. Cras nulla. Nulla egestas. Curabitur a leo. Quisque egestas wisi eget nunc. Nam feugiat lacus vel est. Curabitur consectetuer.

Suspendisse vel felis. Ut lorem lorem, interdum eu, tincidunt sit amet, laoreet vitae, arcu. Aenean faucibus pede eu ante. Praesent enim elit, rutrum at, molestie non, nonummy vel, nisl. Ut lectus eros, malesuada sit amet, fermentum eu, sodales cursus, magna. Donec eu purus. Quisque vehicula, urna sed ultricies auctor, pede lorem egestas dui, et convallis elit erat sed nulla. Donec luctus. Curabitur et nunc. Aliquam dolor odio, commodo pretium, ultricies non, pharetra in, velit. Integer arcu est, nonummy in, fermentum faucibus, egestas vel, odio.

Introduction 35

1.13 Problems



Problem 1.1 Write a program with the following requirements:

a. It defines variables for the following quantities:

$$x = 5.2 + j3.4$$
, $y = -17$, and $z = 0.02$,

where *j* is the imaginary number $\sqrt{-1}$.

b. It computes and prints the following quantities:

$$x + y$$
, xyz , and $4x^3 - 8xy + 6y^2$.

c. It further computes and prints the following quantities:

$$|x|$$
, \overline{xy} , and $\Re(x)$,

where $|\cdot|$ is the absolute value, $\overline{\ \cdot\ }$ is the complex conjugate, and $\Re(\cdot)$ is the real part.

Problem 1.2 Write a program with the following requirements:

a. It defines a variable for a list with the following elements:

- b. It prints the first and last elements of the list
- c. Using list slicing, it prints the first three elements of the list
- d. Using list slicing, it prints the last three elements of the list
- e. Using list slicing, it prints every other element, starting with the first element
- f. It computes and prints the length of the list (consider using the built-in function len())
- g. It computes and prints the sum of the list elements (consider using the built-in function sum())

Problem 1.3 Write a program with the following requirements:

a. It defines a variable for a list with the following elements:

- b. It computes and prints the mean of the list items (consider using the built-in sum() and len() functions)
- c. It finds and prints the maximum and minimum values in the list (consider using the built-in max() and min() functions)

d. It finds and prints the indices of the maximum and minimum values in the list (consider using the index() method)

e. It sorts and prints the sorted list (minimum to maximum; consider using the sort () method)

Problem 1.4 WVZ Write a program with the following requirements:

- a. It defines a function which_number() that takes a single argument and, if it is an int, float, or complex object, returns the strings "int", "float", or "complex". If the argument is not a number, it returns None.
- b. It tests the function and prints its return value on the following inputs:

```
i. 42ii. 3.92iii. complex(2, -3)iv. "3.92"v. [2, 0]
```

Problem 1.5 Write a function capital_only(1) with the following requirements:

- a. It accepts as input a list 1
- b. It checks that all elements are strings; it raises an exception, otherwise, with

```
raise ValueError(
    "All elements must be strings"
)
```

- c. It returns a list (not the same list²) with only the strings that begin with a capital letter
- d. It returns the proper output for the following inputs (demonstrate this in the program):

```
i. ["Foo", "Bar", "Baz"]ii. ["Foo", "bar", "Baz"]iii. ["Foo", 0, 1, "Bar", 2]
```

Problem 1.6 Write a program with the following requirements:

- a. It defines a function float_list() that takes a single list argument and returns a new list with all elements converted to floats
- b. If the input is not a list, it returns an empty list
- c. If an element is an int, it should be converted to a float
- d. If an element is a string, the program should attempt to convert it to a float

^{2.} Because a list is mutable, we must take care not to mutate a list inside a function (except in rare cases when this behavior is desired).

Introduction 37

- i. For strings like "3.24", the float () function will work
- ii. For strings like "foo", the float () function will throw a ValueError; consider using try and except statements
- e. If an element cannot be converted to a float, it should be left out of the returned list
- f. If an element is complex, it should remain so
- g. Test and print the returned list for the following inputs:

```
i. [1.1, 0.2, 4.2, -30.2]ii. [3, 42, -32, 0, 3]
```

vi. 3.4



With the development environment and basic elements of a Python program described in chapter 1, we can write a great many interesting programs. In this chapter, we consider how these programs should be structured and styled.

2.1 Python Interpreters and Interactive Sessions

When we execute (i.e., run) a Python program, an **interpreter** translates the program code into an efficient intermediate representation and carries out the corresponding instructions, which are ultimately represented in the lowest-level computer language called **machine code**. Instructions in machine code can be given directly to the processor and thereby executed.

An interpreter is a program that translates another program line-by-line. There is another way of translating a program (written in a programming language) to machine code—compiling. A compiler takes the entire program at once and translates it into a highly optimized machine code program, ready for execution. An interpreter cannot optimize a program as much as can a compiler, but there are advantages to using an interpreter, including that programs can be run interactively.

The official Python interpreter CPython was installed to our development environment in section 1.4. The basic way to run a Python program hello.py is in a terminal window with the command

python hello.py

Here the interpreter program python is called to interpret hello. py and the results are printed to the terminal. Programs written in a file like hello. py are called scripts.

Another way to run a Python script is within an **interactive session** (i.e., interactive shell, read-evaluate-print loop (REPL), or kernel) that runs lines of code as they are entered by the programmer. There are multiple programs that provide interactive Python sessions, including the standard one provided by the CPython distribution and invoked in a termal window with the command python (without

a script given). This command causes the terminal to start an interactive session with a prompt that appears similar to the following:

```
$ python
Python 3.<specific version number> | <additional information>
Type "help", "copyright", "credits" or "license" for more information.
>>> _
```

Python statements can be entered here and executed by pressing the key . For instance, a list can be created and sorted:

```
>>> 1 = [1.3, 0.8, 6.1, 3.9]
>>> 1.sort()
>>> 1
[0.8, 1.3, 3.9, 6.1]
```

Note that no explicit print() function call is necessary for objects to be printed in the interactive session. When a statement returns a value of probable interest, the session automatically prints it.

A more richly featured program for interactive Python sessions is **IPython**. The Spyder IDE in our development environment provides an IPython console (like a terminal) in the lower-right corner in the default layout.

```
In[1]: x = 4.29
In[2]: y = -38.1
In[3]: x**2 + x*y + y**2
Out[3]: 1306.5651
```

Within an IPython interactive session, a script can be run with the runfile() function. This is precisely what Spyder does when a script in the editor is run via the Run Run menu item, the button, or the F5 key. An advantage to this technique is that the variables defined in the script now enter the existing IPython interactive session, which allows us to play with them for further analytic exploration or for debugging purposes. Note however that the reverse is not the case: variables from the interactive session are not available to the script run within that session. This allows us to have confidence that a script developed with the use of runfile() in an interactive session can be run outside that session. Therefore, in this book, we need not be concerned about which method—direct calling of the interpreter via python or the use of runfile() within an interactive session—was used to run a Python script.

2.2 Scripts, Modules, and Imports



As we have seen, the main code for a Python program is written in a file called a script. There are a few reasons we often want to use multiple files for a single program:

- 1. For large programs, a single file becomes unwieldy or difficult to navigate.
- 2. Portions of our program, like function and class definitions, are self-contained and potentially useful for other programs.
- 3. A code library (with its own files) is available to perform certain tasks without writing that code ourselves (see section 2.3).

In these cases, files containing definitions and statements (usually constants, functions, and classes) called **modules** can be **imported** to a main script. We often write our own modules for the first two cases above; that is, when our script gets long or certain definitions may be useful for other programs. For example, if we have defined a function do_something() in a module file a_module.py placed in the same directory as our main script, we can import the module and use that function in the main script with the following statements:

Note that the function is available as an attribute of a_module (sans .py); that is, to access the function do_something(), we must call a_module.do_something(). This keeps us from accidentally overwriting names in the main main script or from other modules. Occasionally, we may want a specific definition from a module to be directly available in the script. This can be achieved with the following statements:

```
from a_module import do_something # Import function from the module
do_something() # Call the imported function
```

Occasionally, the name of a module is longer than is convenient to use within a script. In this case, we can give the module a nickname, as in

```
import a_module as am  # Import the module
am.do_something()  # Call the imported function
```

For a project with several modules, it is best to move modules into subdirectories with names that clearly indicate their functionality. For instance, with a module in one subdirectory blue_things/cyanotype.py and another module in another subdirectory red_things/redscale.py, importing these modules requires the following statements:

```
import blue_things.cyanotype
import red_things.redscale
```

Note that the dot "." indicates that a directory contains the module that follows.

2.3 The Python Standard Library and Packages



This section introduces the importing of modules from the Python standard library and the importing of external code libraries (packages).

2.3.1 The Standard Library

Like many programming languages, Python has an extensive **standard library** with many built-in data types, constants, functions, and modules included. We have encountered some of these already, and this section gives a very short introduction to some additional aspects of the library.

Some of the standard library is available in the built-in namespace, such as the constants **True**, **False**, and **None** and the functions print(), len(), and type(). However, much of the standard library requires the **import**ing of modules. A list of modules of particular interest to the engineer is given in table 2.1.

Table 2.1. Python standard library modules of particular interest to the engineer.

Module	Description
math cmath random os pathlib json pickle	Math constants and functions for integers and real numbers. Math constants and functions for integers, real numbers, and complex numbers. Functions for generating pseudorandom numbers. Functions for interacting with the computer's operating system and file system. Classes for representing file paths in an operating-system independent way. Functions for importing and exporting data in the universal JSON format. Functions for saving and loading objects to files in serialized (compact) form.

Just as with our own modules, we can **import** a module from the standard library with

import math

and the related variations of **import**. The standard library modules are always in the Python **search path**, which is a list of directories in which Python searches for modules. The search path begins locally, so if you create a module math.py, the search path will find it before the standard library version.

2.3.2 Packages

In addition to the standard library modules, a vast collection of Python **packages** can be installed and **import**ed. A package is a collection of modules. Packages are created to organize code into reusable units and distribute them to others.

The official source for Python packages is the Python Package Index (PyPI) (Python Community 2024b). The pip program distributed with Python is the most popular tool for installing and managing packages. Packages can be installed in Anaconda environments with pip, but the use of its own package manager called conda is preferred. The base Anaconda environment comes with many preinstalled packages useful for engineering computing. The installation process for installing a package includes adding the package to the Python path so that it is available to all your Python programs.

Once a package is installed, it can be **import**ed in a script. Most packages import by default one or more modules; this allows us to **import** the package in our script without individually importing each module. For instance, if we would like to use a function do_something() in the foo.py module of the pkg package, we could write the following:

If the module is not loaded by default, or if we would only like to load a specific module, we can manually **import** the module in the usual way:

Often, packages will import some important functions into its top-level namespace such that they can be called with a shorter name. In the example above, the package could elevate do_something() to its top-level namespace such that it can be called via pkg.do_something().

Packages can contain packages, called **subpackages**. Simple packages do not require this nesting feature, but large and complex packages may.

You may one day create a package of your own. All that is required is to place your modules into a directory. If you place a special file named <code>__init__.py</code> in the directory <code>my_pkg</code>, it will be executed whenever the package is loaded. Often, we want to load certain (or all) modules in this file such that they are imported by default when the package is loaded.

Your package can be distributed via PyPI or another means.

^{1.} For earlier versions of Python, the <code>__init__.py</code> file was obligatory for a package. Now it is optional but advisable.

Box 2.1 Further Reading

• Python Community (2024a; § The Python Standard Library)

- Python Community (2024a; § The Python Tutorial, 10. Brief Tour of the Standard Library)
- Python Community (2024b), to browse PyPI packages
- Python Community (2024c), for information about creating and distributing packages

2.4 Namespaces, Scopes, and Contexts



A namespace is a binding of (i.e., a map from) names (identifiers) to objects. Each name is unique within a namespace. For instance, there can be only one variable x. In Python, as in many programming languages, namespaces are created and destroyed throughout the execution of a program. When a main script is run, the Python interpreter creates (and never destroys) the built-in namespace that includes mappings for several built-in objects such as the

As we saw in section 2.2, the names in a namespace for an imported module a_module begin with the name of the module, as in a_module.do_something(). Or, if the module was imported with an alias, as in **import a_module** as am, the names in its namespace begin with am.

functions print(), len(), and abs() and the constants True, False, and None.

The main script or a module has a top-level namespace called the **global namespace**. Names defined in the script or module and outside of any function or class definition go into this top-level namespace. The execution of a function or class creates a new namespace for it. This is true for nested function and class definitions, as well. Therefore, a hierarchy of namespaces is created with nested function and class definitions. At the bottom of this hierarchy is an innermost **local namespace**. Levels below the global namespace and above a local namespace are called **non-local namespaces** (i.e., enclosing namespaces).

The **scope** of a name binding (to an object) is the portion of the code of a program in which the name is bound (i.e., where it can be used).² The scope of x = 3 is the part of the code in which the use of x will return that 3. The **context** for a given portion of a program is the collection of all bound names and the ordering of namespaces searched when a name is used. The context of a scope of names in a local namespace has the following search priority:

1. Local namespace

^{2.} Sometimes the term "scope" is used to mean what we call a "context of a scope." We will try to avoid this usage, but it is quite common.

- 2. Non-local namespaces
- 3. Global namespace
- 4. Built-in namespace

For instance, consider the namespaces, scopes, and contexts for the following script:

```
x = 3
print(f"Global x: {x}")
def plus_7(y):
    x = y + 7
    print(f"Local x: {x}")
    return x
plus_7(x)
print(f"Global x: {x}")
```

This prints the following to the console:

```
Global x: 3
Local x: 10
Global x: 3
```

To interpret these results, we see that the statement x = 3 binds the name x in the global namespace such that Global x: 3 is printed. The context for this portion of code is the collection of bindings for the names in the global and built-in namespaces and the search priority (1) global namespace and (2) built-in namespace. The plus_7() function definition creates a new local namespace in which x is bound with the assignment x = y + 7. The context for the function code block is the set of bindings for the names in the local, global, and built-in namespaces and the search priority (1) local namespace, (2) global namespace, and (3) built-in namespace. Therefore, the use of x here searches the local namespace first; finding one upon the function being called, it prints (in this case) Local x: 10. Finally, we see that the global namespace x has been unchanged by the local assignment.

Example 2.1

In the previous example, if we remove the local assignment x = y + 7, what happens?

Because there is no binding of x in the local namespace of the function, x is not found here. Therefore, the global namespace is searched; the global namespace x is found and used within the function. This results in the program printing

```
Global x: 3
Local x: 3
Global x: 3
```

Note that if x had not been found in the global namespace, the built-in namespace would have been searched. Because this namespace also lacks a binding for x, a NameError would be raised.

The use of global or non-local names within a function or class definition is generally discouraged. It is difficult to read and debug code that refers to names outside of its local namespace. We prefer to pass necessary objects through input arguments. Even worse than the use of global names within a function or class definition is their reassignment or their bound object's mutation. Rarely necessary and nearly always a bad idea, this can be achieved with the use of the <code>global</code> and <code>nonlocal</code> keywords. Without these keywords, global and non-local names are read-only. With their use, global and non-local names can be reassigned and bound objects mutated, as in the following example:

```
x = 3
print(f"Global x: {x}")
def plus_7(y):
    global x
    x = y + 7
    print(f"Local x: {x}")
    return x
plus_7(x)
print(f"Global x: {x}")
```

This prints the following to the console:

```
Global x: 3
Local x: 10
Global x: 10
```

So we have altered x in the global namespace. Again, it is inadvisable to use this unless absolutely necessary.

2.5 Defining Classes

Defining a custom class is an extremely useful way to use Python. A class object has two kinds of **class attributes**: **data attributes** that store data and **methods**, which, as we have already seen, are functions that belong to and often operate on instances of an object.

A custom class is a convenient way to represent many kinds of objects in engineering. Here are some examples with potential data attributes and methods included:

- A time-varying signal class with data attributes periodic, period, amplitude, and frequency and methods rms(), abs(), and plot()
- An experiment simulation class with data attributes time, executed, input, and output and methods execute(), plot(), and save()
- A truss class with data attributes members, connections, pin_angles, member_forces, and reactions and methods analyze(), max_compression(), max_tension(), and max_reaction()

The basic syntax for a class definition is as follows:

```
class ClassName:
    """Docsting description"""
    <Statement 1>
    <Statement 2>
    <etc.>
```

Data attributes can be defined via the usual variable assignment syntax and generally follow the docstring. Method definitions follow data attributes. Consider the following class definition to represent a screwdriver tool (perhaps in the context of a robot's inventory of available tools):

```
class Screwdriver:
    """Represents a screwdriver tool"""
    operates_on = "Screw"  # Class data attributes
    operated_by = "Hand"

def drive(self, screw, angle): # Method definition
    """Returns a screw object turned by the given angle"""
    return screw.turn(angle)
```

Any object that is an instance of the class Screwdriver will have the class attributes defined above. To create an instance (i.e., instantiate), call the class name as if it were a function with no arguments, as follows:

```
sd1 = Screwdriver() # Create an instance of the Screwdriver class
sd2 = Screwdriver() # Another instance
sd1.operates_on # Access class attributes
sd1.operated_by
'Screw'
'Hand'
```

In many cases, we will define a special **constructor method** named __init__(), which will be called at instatiation and passed any arguments provided as follows (we remove docstrings for brevity):

```
class Screwdriver:
    operates_on = "Screw"  # Class data attributes
    operated_by = "Hand"

def __init__(self, head, length):
        self.head = head  # Instance data attributes
        self.length = length

def drive(self, screw, angle):  # Method definition
    return screw.turn(angle)
```

The attributes assigned to self in the __init__() method are called **instance data attributes**. The arguments head and length are required positional arguments that are assigned to the instance data attributes head and length.

Consider the following instances:

```
sd1 = Screwdriver(head="Phillips", length=7)
sd2 = Screwdriver(head="Flat", length=8)
print(f"sd1 is a {sd1.head}head operated by {sd1.operated_by}")
print(f"sd2 is a {sd2.head}head operated by {sd2.operated_by}")
sd1 is a Phillipshead operated by Hand
sd2 is a Flathead operated by Hand
```

So we see that instances can have different instance data attributes but they share the same class data attributes.

Note that every method has as its first argument self, which is the conventional name given to the first argument, which is always the instance object that includes the method. When calling a method of an instance, we do not provide the self argument because it is provided automatically. Before we can call the Screwdriver method drive(), we should define a Screw class as follows:

```
class Screw:
    """Represents a screw fastener"""
    def __init__(self, head, angle=0, handed="Right"):
        self.head = head
        self.angle = angle
        self.handed = handed

def turn(self, angle):
    """Mutates angle attribute by adding angle"""
        self.angle += angle
```

Instances of the Screw class have 3 instance attributes, head, angle, and handed. Let's instantiate a screw and give it a turn as follows:

```
s1 = Screw(head="Phillips")
print(f"Initial angle: {s1.angle}")
sd1.drive(screw=s1, angle=3) # Turn the screw 3 units
print(f"Mutated angle: {s1.angle}")
sd1.drive(screw=s1, angle=6) # Turn the screw 6 units
print(f"Mutated angle: {s1.angle}")

Initial angle: 0
Mutated angle: 3
Mutated angle: 9
```

As we have seen in this example, instance data attributes can represent the **state** of an object and methods can mutate or **transition** that state. This opens up a vast number of possibilities for the engineer, for we often need to keep track of the states and state transitions of objects in engineering systems.

2.5.1 Derived Classes

A **derived class** (also called a subclass) is a class that uses another class as its basis. A class that is a derived class's basis is called a **base class** for the derived class. A derived class **inherits** all of the class data attributes and methods of its base class, and it typically has additional class data attributes or methods of its own.

Continuing the screw and screwdriver example from above, let's define a derived class for representing set screws³ as follows:

```
class SetScrew(Screw):
    """Represents a set screw fastener"""
    def __init__(self, head, tip, angle=0, handed="Right"):
        self.tip = tip # Add instance attribute
        super().__init__(head, angle, handed) # Call base constructor
```

3. A set screw is a screw that holds an object in place via a force applied by its tip.

The base class was specified by placing it in parentheses in SetScrew(Screw). It is not necessary to define a new constructor, but to we did so to add the instance attribute tip. Rather than duplicating the rest of the base class's constructor, the base constructor was called via super().__init__(), to which its relevant arguments were passed straight through. Trying out the subclass,

```
sd3 = Screwdriver(head="Hex", length=5)
ss1 = SetScrew(head="Hex", tip="Nylon")
sd3.drive(ss1, 2) # Drive the set screw
print(f"Set screw angle: {ss1.angle}")
| Set screw angle: 2
```

Note what has occurred: the Screwdriver instance sd3 used its drive() method to call the turn() method of SetScrew instance ss1. This turn() method was inherited from the Screw class, so we didn't have to repeat the definition of turn() in the subclass definition of SetScrew.

2.6 Style Conventions



As we have seen, the syntax and semantics of Python leave open many semantically equivalent choices to be made for a given program. For instance, a list can be defined with

Semantically, these are equivalent. Which is better? This is the question of **style**: what is a good way to make these decisions?

A **style guide** is a collection of rules to be applied consistently to a program, a software suite, or even all programs in a given language. Consistency is crucial; without it, a program will be harder to read, maintain, and improve. The Python standard library style guide by Rossum, Warsaw, and Coghlan (2024) (often called simply "PEP 8") has become the de facto official Python style guide. Most professionally written programs will follow this guide with more or less variation (e.g., there might be a "house" style for certain cases). However, as Emerson tells us and PEP 8 reminds us,

A foolish consistency is the hobgoblin of little minds

A common paraphrase of this leaves off the qualifier "foolish," suggesting that any consistency should be dispatched, which would be ... inconsistent ... with so much wisdom that embraces the value of consistency. However, a *foolish* consistency is, indeed, a hobgoblin; a style guide is most effective when its wielder knows when and how to break from it.

Rather than presenting the PEP 8 style guide in detail, we will learn it through experience. Most of the code in this book uses the PEP 8 style, with some variation for succinct presentation. Furthermore, the reader should turn on autoformatting in their VS Code editor to follow the PEP 8 style guide and the Black code formatter with the following steps:

- Install the Ruff extension: https://marketplace.visualstudio.com/items?item-Name=charliermarsh.ruff.
- 2. Follow the instructions at the link above to configure the extension to autoformat your Python code each time you save a file.

Now, whenever you save a file, it will be autoformatted in conformance with the PEP 8 style guide.

The Black code formatter (Langa and contributors to Black 2024) necessarily goes beyond the PEP 8 guide, which still has some flexibility, to enforce a strict style. It is used extensively in the software development community, so beginning with this as a baseline should help you develop well in your own style.

There are some important aspects of style that are not enforced by PEP 8 or Black, including some aspects of docstrings and type hints. For these, we will follow another popular style guide from Google (2024), as described in the following sections.

2.6.1 Docstrings

A **docstring** is a string literal that is the first statement of a function definition, class definition, or module (i.e., a .py file). By convention, it is surrounded with three double-quotation marks, like

```
"""Here is a docstring."""
```

For simple functions, classes, and modules, this can be a single line of 88 characters or less. For instance,

```
def foo(x):
    """Return a fun string that ends with x."""
    return f"This string is fun {x}"
```

For complex functions, a multiline docstring is necessary and should be formatted as follows:

```
"""A succinct description or imperative.
A longer description or imperative.

Args:
    arg1: A description of the first argument.
    arg2: A description of the second argument. This one is going to be
    longer to show the hanging indent.

Returns:
    A description of the return value(s).

Raises:
    IOError: An error occurred doing X.
    ValueError: An error occurred doing Y.
"""
```

For complex classes, a multiline docstring should be formatted as follows:

```
"""A succinct description or imperative.

A longer description or imperative.

Attributes:
   attr1: A description of the first attribute.
   attr2: A description of the second attribute.

"""
```

For complex modules, a multiline docstring should be formatted as follows:

```
"""A succinct description or imperative.
A longer description or imperative.

Typical usage example:
    x = FooClass()
    y = x.BarFunction()
"""
```

The "typical usage example" idiom can also be added to function and class docstrings.

2.6.2 Type Hints

Unlike programming languages like C, Python is dynamically typed, meaning we can replace an object a given name refers to with an object of another type. For instance, the following is fine (but inadvisable):

```
x = 4  # An int type
x = "foo"  # A str type
```

In a statically typed language like C, a name's type is explicitly declared with a statement like int x. This makes it clear to the compiler, interpreter, or (human) programmer the type of objects to which it can refer.

In Python, type declarations are not required; however, **type hints** have been introduced to the language to serve a similar purpose. A type hint is an annotation of a name (variable or return value of a function) that indicates the type (i.e., class) of objects that should be stored in it. For instance, we can indicate that variable x should be of type int with the statement

```
x: int # A type hint for variable x, stating x should be an int x = 3 # Actually assign x
```

Similarly, a type hint can be included in an assignment statement, as in

```
x: int = 3 # An assignment of variable x with a type hint
```

The Python interpreter does not check these hints. However, a separate **type-checker** like mypy or pytype can be applied. We will not use a type checker, but we will still find value in type hints as hints to programmers, ourselves most of all. Before the introduction of these hints to Python, it was common to annotate types via comments. Now we can reserve comments for more semantic descriptions.

For function definitions, it is very useful to use type checking, as follows:

```
def foo(x: int, y: complex, z: str) -> str:
    """An operation that returns the score."""
    return str(x + y) + z
```

As we can see, each argument can be annotated, as can the return value via the syntax ->. Note that for numbers, a type annotation of complex indicates that the value can have type complex, float, or int (Rossum, Lehtosalo, and Langa 2024). Similarly, a type annotation of float indicates that the value can have type float or int. This is an interpretation of Python's "numeric tower" (Yasskin 2024).

4. At this point, unlike some other IDEs, Spyder doesn't have type-checking integration.

Box 2.2 Further Reading

• Rossum, Warsaw, and Coghlan (2024), the general Python style guide

- Rossum, Lehtosalo, and Langa (2024), the original type hint style guide
- Gonzalez et al. (2024), the variable annotation style guide
- Google (2024), the Google Python style guide

2.7 The Design of Programs



A program should be designed. Engineers are designers, so we should make excellent programmers. Unfortunately, many engineers fail to carefully consider the design of their programs, at least when it comes to those programs used for analysis and design. This often leads to programs that function poorly and are difficult to maintain. The costs associated with this are usually much greater than those accrued by a systematic design process.⁵

How should a program be designed? Software design methods abound; however, they are similar to the (many) design methods used for more conventional engineering products. Our familiarity with these, as engineers, may allow a cursory introduction to suffice.

A design typically begins with a **design problem**: a product (i.e., solution) is desired, one that does something (i.e., produces an output) for someone (i.e., a customer). For engineering computing programs, we engineers are often the customers, and the output is usually information for an analysis or design problem. The product or solution is the program itself. The design problem is often rather ill-defined at first, and we must question the customer about their goals throughout the design process. Often, the problem we thought we were solving at the beginning changes throughout the design process. Similarly, the program (solution) undergoes several iterations.

Two of the most important ways to think about program design are introduced in the rest of this section: (1) the functional analysis design method and (2) the pseudocode algorithm representation.

^{5.} It should be noted, however, that for back-of-the-envolope calculations, we need not spend the time on a systematic design process. A paradigm I like to use is to create an exploratory play. py file in a project or simply use an interactive session. In this type of environment, we can explore without concern for structure, style, and careful design processes.

2.7.1 The Functional Analysis Design Method

One way to organize our thinking about the program (solution) is to begin at the highest level and ask the question:

What will the program start with and what will it need to produce?

This amounts to the question: What are its **inputs** and **outputs**? Figure 2.1a illustrates this high-level conception of the program as a block that transforms inputs into outputs.



Figure 2.1. The functional design method (a) at the highest level and (b) in general, for any level.

This is the beginning of the **functional analysis design method**. We have treated the program as a **function**, which, like a mathematical function, maps inputs to ouputs. The next step is to consider the question:

How can the program achieve this transformation of its inputs to its outputs?

Many techniques may be explored, but often they can be separated into **subfunctions**. The subfunctions can themselves have subfunctions. This way of breaking down the problem into functions and subfunctions is the key to the power of the functional analysis design method. We see that, at all levels, the paradigm of mapping of inputs to outputs through functions applies, as illustrated in figure 2.1b. Drawing these functional blocks and connecting their inputs and outputs is a crucial step in a program design process.

In Python program design, we have Python functions (section 1.9) and methods (section 1.5) to perform the role of the function blocks in the functional analysis design method. Inputs are passed as input arguments (or objects) and outputs are the returned values (or mutated objects). If we begin by sketching a functional diagram of inputs, outputs, and functional blocks from the highest level to the lowest, the programming of the corresponding Python functions and methods becomes a matter of implementing a structure we have already thoroughly considered. This technique is a great way to overcome the anxiety of the "blank page."

2.7.2 Algorithm Representation via Pseudocode

At a certain depth, the functional blocks of section 2.7.1 have reached a level that is best treated as indivisible. It is not always obvious when this point is reached, but we can always iterate later. From here, simple functional blocks can be implemented directly in Python functions. For complex functions, a more complex sequence of steps may be necessary. We call a sequence of steps like this an **algorithm**.⁶

It is often useful to outline an algorithm schematically in a language we call **pseudocode**. This is a loose but programming-like language used to describe the algorithm without concern for syntax and implementation details. That is, pseudocode is used to express in structured natural language the semantics of a program without concern for its syntax in any specific programming language. The term "structured" here means some familiar programming structures—such as assignments, branches, loops, and functions—appear in pseudocode.

A **sorting algorithm** is an algorithm for sorting the elements of a list (e.g., numbers) by some metric (e.g., magnitude) such that the input list is returned ordered. There are many sorting algorithms with different efficiencies, but a relatively simple one is called **bubble sort**. For the sake of simplicity, we consider a list of n distinct numbers to be ordered such that they have increasing value. This algorithm repeatedly passes through the list, comparing adjacent elements and swapping their positions if they are out of order. After a single pass through the list, the greatest element will be in the last position because in every pairing, it is the greater. After the second pass, the second-greatest element will be in the penultimate position. After n-1 passes, the list should be sorted.

In pseudocode, we can describe the algorithm more precisely, as shown in algorithm 1.

```
Algorithm 1 bubble_sort_basic pseudocode

function bubble_sort_basic(list)

for i \leftarrow 0, n - 1 do

pass through potentially unsorted elements

if list[j] > list[j + 1] then

Swap list[j] and list[j + 1]

return list
```

Can you think of a way to improve this algorithm? Often, when we write out the algorithm in pseudocode, it becomes more clear and improvements suggest themselves.

Once the algorithm for all complex functions are written in pseudocode, it is time to implement them as Python functions or methods. The functional analysis design

6. The term "algorithm" is actually quite broad, encompassing any technique for solving a problem.

diagrams of section 2.7.1 and the pseudocode algorithms from this section will help us rationalize this process and greatly improve our programs.

Box 2.3 Further Reading

- Abelson and Sussman (2016), a classic that teaches us how to think about computer programs
- Cross (2021), an engineering design methods (not specific to software) book with formal methods and useful case examples; see especially chapter 7 on the functional design method
- Hunt and Thomas (1999), a practical approach to designing programs, filled with nuggets of wisdom

2.8 Problems



Problem 2.1 Write a program in a single script that meets the following requirements:

- a. It imports the standard library random module.
- b. It defines a function rand_sub() that defines a list of grammatical subjects (e.g., Jim, I, you, skeletons, a tiger, etc.) and returns a random subject; consider using random.choice() function.
- c. It defines a function rand_verb() that defines a list of verbs in past tense (e.g., opened, smashed, ate, became, etc.) and returns a random verb.
- d. It defines a function rand_obj() that defines a list of grammatical objects (e.g., the closet, her, crumbs, organs) and returns a random object.
- e. It defines a function rand_sen() that returns a random subject-verb-object sentence as a string beginning with a capital letter and ending with a period.
- f. It defines a function rand_par() that returns a random paragraph as a string composed of 3 to 5 sentences (the number of sentences should be random—consider using the random.randint(a, b) function that generates an int between a and b, inclusively). Sentences should be separated by a space " "character.
- g. It calls rand_par() three times and prints the results.

Problem 2.2 OSK Rewrite the program from problem 2.1 such that it meets the following requirements:

- a. It defines the functions in a separate module with the file name rand_speech _parts.py.
- b. Instead of defining the lists of subjects, verbs, and objects inside the functions, it assigns a variable to each list in the module's global namespace and accesses them from within the functions. Why is this preferable?
- c. It imports the module into the main script.
- d. It print three random paragraphs, as before.

Problem 2.3 Write a program in a single script that meets the following requirements:

- a. It imports the standard library random module.
- b. It defines a function rand_step(x, d, ymax, wrap=True) that returns a float that is the sum of x and a uniformly distributed random float between -d and d. Consider using the random uniform(a, b) function that

- returns a random float between a and b. If wrap is **True**, it maps a stepped value y > ymax to y ymax and a stepped value y < 0 to ymax + y. If wrap is **False**, it maps a stepped value y > ymax to ymax and a stepped value y < 0 to 0.
- c. It defines a function rand_steps(x0, d, ymax, n, wrap=True) that returns a list of n floats that are sequentially stepped from x0. It passes wrap to its call to rand_step().
- d. It defines a function print_slider(k, x) that prints k characters, all of which are except that which has index closest to x, for which it prints |. For instance, print_slider(17, 6.8) should print

|--|

Consider using the built-in round() function.

- e. It defines a function rand_sliders(n, k, x0=None, d=3, wrap=True) that prints n random sliders of k characters and max step d starting at the index closest to x0, if provided, and otherwise at the index closest k/2.
- f. It prints 25 random wrapped sliders of 44 characters with the default step range and starting point 2.
- g. It prints 20 random nonwrapped sliders of 44 characters with the step range 5 and starting point 42.

Problem 2.4 ©8G Rewrite the program from problem 2.3 such that it meets the following requirements:

- a. It defines the functions in a separate module with the file name rand _sliding.py.
- b. It imports the module into the main script.
- c. It prints 25 random wrapped sliders of 44 characters with the default step range and starting point 42.
- d. It prints 20 random nonwrapped sliders of 44 characters with the step range 5 and starting point 2.

Problem 2.5 QUZ Begin with the Screwdriver, Screw, and SetScrew class definitions of section 2.5. Add the following features:

- Improve the Screwdriver.drive() method to check that its head matches the screw head and raise a TypeError exception if they do not
- Improve the Screw class by adding instance attributes pitch that stores the thread pitch in mm and depth that stores the depth of the screw in its hole

• Improve the Screw.turn() method to mutate the depth based on the angle it is turned, its handing, and its thread pitch⁷

• Create a subclass MetricScrew from the base class Screw with the additional class data attribute kind = "Metric"

Test the new features of the Screwdriver, Screw, and MetricScrew classes with the following steps:

- a. Create an instance ms1 of MetricScrew with right-handedness, a flat head, initial angle 0 rad, and thread pitch 2 mm (corresponding to an M14 metric screw)
- b. Create an instance sd1 of Screwdriver with a flat head
- c. Turn the ms1 screw 5 complete *clockwise* revolutions with the sd1 screwdriver and print the resulting angle and depth of ms1
- d. Turn the ms1 screw 3 complete *counterclockwise* revolutions with the sd1 screwdriver and print the resulting angle and depth of ms1
- e. Create an instance ms2 of MetricScrew that is the same as ms1, but with *left*-handedness
- f. Turn the ms2 screw 4 complete *counterclockwise* revolutions with the sd1 screwdriver and print the resulting angle and depth of ms2
- g. Turn the ms2 screw 2 complete *clockwise* revolutions with the sd1 screwdriver and print the resulting angle and depth of ms2
- h. Create an instance sd2 of Screwdriver with a hex head and try to turn the sd1 screw and catch and print the exception

Problem 2.6 QVX Improve the bubble sort algorithm of algorithm 1 by adding a test that can return the list if it is sorted before completing all the loops. Implement the improved bubble sort algorithm in a program that it meets the following requirements:

- a. It defines a function bubble_sort(1: list) -> list that implements the bubble sort algorithm.
- b. It demonstrates the bubble_sort() function works on three different lists of numbers.
- c. It demonstrates that the early return functionality, in fact, saves us from making extra passes through the list.

Problem 2.7 OYS **Preprogramming work**: In this problem, *before* writing the program specified, (1) draw a functional design method diagram (see section 2.7.1) and (2) write a pseudocode for each function (see section 2.7.2).

^{7.} A right-handed screw with thread pitch p (mm), turned clockwise an angle α (rad), advances forward $\ell = p\alpha/(2\pi)$ mm. A full turn (i.e., $\alpha = 2\pi$) advances the screw $\ell = p$ mm. Treat clockwise turns as positive angles.

Restrictions: In this problem, most of the functions you will write already exist in the standard libary module statistics. You may *not* use this module for this problem, but you may use others, such as the math module. You may also use list methods such as sort(). Furthermore, you may not use any external packages.

Programming: Write a program in a single script that meets the following requirements:

- a. It defines a function stats(x: list) -> dict that computes the following basic statistics for input list x of real numbers:
 - i. The sample mean; for a list x of n values, the sample mean m is

$$m(x) = \frac{1}{n} \sum_{i=0}^{n-1} x_i.$$

ii. The sample variance; the sample variance s^2 is

$$s^{2}(x) = \frac{1}{n-1} \sum_{i=0}^{n-1} (x_{i} - m(x))^{2}.$$

iii. The sample standard deviation; the sample standard deviation *s* is

$$s(x) = \sqrt{s^2(x)}.$$

iv. The median; the median M of a *sorted* list x of n numbers is value of the list at index $i_M = (n-1)/2$ (i.e., the middle index); more precisely,

$$M(x) = \begin{cases} x_{i_M} & i_M \text{ is an integer} \\ \frac{1}{2} \left(x_{\lfloor i_M \rfloor} + x_{\lceil i_M \rceil} \right) & \text{otherwise} \end{cases}$$

where $\lfloor \cdot \rfloor$ is the floor function that rounds down and $\lceil \cdot \rceil$ is the ceiling function that rounds up. So in the case that there is no middle index, the mode is the mean of the two middle values.

The stats() function should return a dict with the keys "mean", "var", "std", and "median" correspond to values for the computed sample mean, variance, standard deviation, and median.

b. It demonstrates the stats() function works on three different lists of numbers.



Engineering design is usually heavily supported by numerical calculations. One of the first and enduring uses of computers is to automatically perform these calculations for engineers; in fact, the first "computers" were humans who performed numerical calculations by hand, as shown in figure 3.1.



Figure 3.1. A "computer room" at the NACA (precursor to NASA) high-speed flight station in 1949 (NASA 2002).

We call engineering numerical calculations **numerical analysis**. Many programming languages and software packages have been used for numerical analysis, but by far the most popular these days are MATLAB and Python. Python's built-in data types (e.g., list) and functions (e.g., sum) can be used directly for numerical

analysis; however, for most engineering problems it is advantageous to use the ubiquitous package NumPy (Harris et al. 2020). The primary reasons this is preferred are that NumPy provides data types, functions, and methods optimized for numerical calculations, which go far beyond Python's built-in modules. In the first several sections of this chapter, we will explore NumPy's data types (most notably the array) and some of its basic functions and methods.

The numerical data represented in NumPy often originates as data from outside the program (e.g., from sensor data gathered via an experiment). Stored in files of various formats, the data must be read from computer memory¹ into the program. This is the most common kind of a program's **inputs**. On the other end, a program can have **outputs**, frequently data files written to computer memory. In this chapter, we will learn how to load input data from files and write output data to files.

Another important kind of program output is a **graphic**—usually a graph, a plot, or a chart. A graphic is often a very important result of a numerical analysis, data visualization being a key component of engineering decision making. In this chapter, we will learn how to use the Python package Matplotlib (Hunter 2007) to generate graphics from data.

3.1 Arrays



NumPy arrays are ubiquitous for representing numerical data. Like lists, arrays are mutable and can represent collections of objects. Unlike for lists, the elements of an array must all be of the same (typically numeric) type. In this section, we learn how to create and manipulate basic arrays. Throughout this book, we will assume that the NumPy package is loaded with the following statement:

```
import numpy as np
```

3.1.1 Creating Arrays

To construct a basic array (i.e., class np.ndarray), we often use the function np.array(). Although many types of objects can be passed, a list will often do, as follows:

```
x = \text{np.array}([0.29, 0.55, -0.31, -0.84, 0.97])
```

The shape attribute of the np.ndarray object is an integer tuple representing the size (i.e., length) of each of its **dimensions**. For instance, the shape of the 1-dimensional (1D) array of five elements given the name x above is printed with

^{1.} The program typically reads a file stored in "secondary" (i.e., long-term) memory and loads it into "main" memory, which is faster to access for calculations. Similarly, when a program writes to a file, it stores data that is in main memory in secondary memory.

```
print(x.shape)
```

This returns (5,), which indicates the array has a single dimension, called an **axis** in NumPy, with size 5.

In NumPy, 1D arrays are called **vectors**, 2D arrays are called **matrices**, and higher-dimensional arrays are called **tensors**. The mathematical objects with the same names (i.e., vectors, matrices, and tensors) are usually represented with arrays with corresponding names. A matrix can be created as follows:

```
A = np.array([
        [0, 1, 2, 3], # First row
        [4, 5, 6, 7], # Second row
        [8, 9, 10, 11], # Third row
])
```

So A. shape is (3, 4) and it represents a 3×4 mathematical matrix.

We often need to create an array with a specific shape and populate it later. Perhaps the best way to do so is a function call like

```
T = np.full(shape=(5, 3), fill_value=np.nan)
```

This creates a (5, 3) matrix with the special nan (i.e., not a number) float as each element. Related functions np.zeros() and np.ones() can also be used to create arrays of arbitrary shape filled with 0 and 1 values, respectively. However, for an array that is to be populated subsequently, we prefer np.full() with nan elements because it is easier to notice if parts of the array have been mistakenly left unpopulated.

The np.arange() function is similar to the built-in range() function. An array of sequential numbers with integer spacing can be easily created with the np.arange() function. For instance,

```
np.arange(start=0, stop=10)
np.arange(0, 10)
np.arange(stop=10)
np.arange(10)
```

All these statements yield an array that prints as follows (printed arrays look like lists):

```
[0, 1, 2, 3, 4, 5, 6, 7, 8, 9]
```

Of course, the start argument is necessary for an array that starts at a value other than 0. There is a step argument for np.arange(), and it is useful for integer steps other than the default 1. However, for non-integer steps, we prefer a different function altogether: np.linspace(). For instance, the following creates a 1D array of 31 elements from 0 to 3:

```
np.linspace(start=0, stop=3, num=11)
```

This array can be printed to show the following:

```
[0., 0.3, 0.6, 0.9, 1.2, 1.5, 1.8, 2.1, 2.4, 2.7, 3.]
```

Note that by default stop is the last sample; endpoint=False would exclude it.

We make extensive use of np.linspace() and regular use of the similar np.logspace(), which creates a 1D array logarithmically spaced between two powers of the base provided. For instance, in the default base 10, we can generate 6 values from 10^0 to 10^3 with

```
| np.logspace(start=0, stop=3, num=6)
```

This array can be printed to show the following:

```
[1., 3.98107171, 15.84893192, 63.09573445, 251.18864315, 1000.]
```

Most of the time, we use numeric values (i.e., dtypes of int, float, complex, and bool types) in Python arrays. It is also possible to create a Python **object array** with dtype "0" for object; for instance:

```
| A = np.array([{"foo": "bar"}, {"bar": "baz"}])  # An object array
```

Printing the A. dtype attribute reveals that it is type object. It is occasionally advantageous to use object arrays instead of lists, primarily for the convenience of NumPy's array manipulation capabilities.

3.1.2 Accessing, Slicing, and Assigning Elements

Array elements can be accessed via indices in the same way as with lists. For instance,

```
A = np.array([[0, 1, 2, 3], [4, 5, 6, 7], [8, 9, 10, 11]]) # 3x4
A[0, 0] # => 0
A[0, 3] # => 3
A[1, 0] # => 4
A[2, 3] # => 11
A[1] #=> [4, 5, 6, 7]
```

Similarly, array slicing has the same syntax as list slicing. For instance,

```
A[0:2] # => [[0, 1, 2, 3], [4, 5, 6, 7]] (view)
A[:-1] # => [[0, 1, 2, 3], [4, 5, 6, 7]] (view)
A[:, 1] # => [1, 5, 9] (view)
A[:, 0:2] # => [[0, 1], [4, 5], [8, 9]] (view)
```

An important difference between list and array slicing is that, whereas in list slicing the returned list is a *copy* of a portion of the original list, in array slicing, the returned value is a **view** of a portion of the original array. An array view object, just as with dict view objects (see section 1.8), uses the same data as the original

object. Therefore, mutating a view object mutates its original object and vice versa. For instance, using the same A matrix from above,

```
a = A[:, 0] # => [0, 4, 8] (first column view)
a[1] = 6 # Assign a new value to view element (second row)
A[0, 0] = 2 # Assign a new value to the original array
print(a)
print(A)
```

This prints

```
[2 6 8]
[[ 2 1 2 3]
[ 6 5 6 7]
[ 8 9 10 11]]
```

In other words, the data in A and a are the same data. To create a copy instead of a view from a slice, simply append the copy () method. For instance, the following array b is a copy of a portion of A, so its data are independent:

```
| b = A[:, 0].copy() # => [0, 4, 8] (first column copy)
```

It is often useful to find the indices of an array that meet some condition. Placing an array in a conditional statement returns Boolean an array of Boolean values for each element that can be used as an index for the array. For instance,

```
A = np.array([[0, 1, 2, 3], [4, 5, 6, 7], [8, 9, 10, 11]]) # 3x4 | print(A > 4)
```

prints

```
[[False, False, False, False]
[False, True, True, True]
[True, True, True, True]]
```

This can be used as an index to select those elements that meet the condition. For instance,

```
A[A > 4]
```

returns those elements greater than 4, as follows:

```
[5, 6, 7, 8, 9, 10, 11]
```

The use of the Boolean-valued array resulting from the expression A > 4 as an index is a type of **advanced indexing** (i.e., slicing), which uses an array with data type Boolean or integer, a non-tuple sequence, or a tuple with at least one sequence object. Unlike basic slicing, which returns a view of the original array, advanced indexing always returns a copy.

Because arrays are mutable, elements can be replaced just as with lists. For instance, the statements

```
A[0, 0] = 2
A[:, 2] = 2
```

mutate A such that it now prints as

```
[[ 2, 1, 2, 3], [ 4, 5, 2, 7], [ 8, 9, 2, 11]]
```

Combining the conditional indexing from above with assignment, we can make assignments based on a condition. For instance, working with the same A array, we can coerce values above 5 to 5 as follows:

```
|A[A > 5] = 5
```

Now A prints as

```
[[2, 1, 2, 3], [4, 5, 2, 5], [5, 5, 2, 5]]
```

3.1.3 Appending To and Concatenating Arrays

Appending an element to an array is possible with the np.append() function (there is no append() method), but its use in loops is discouraged due to the fact that it creates a new copy of the array at every call. However, in some cases it is just the right function, and it works as shown in the following code:

```
a = np.array([0, 1, 2])
np.append(a, 3) # => [0, 1, 2, 3]
```

When needing to construct the elements of an array in a loop, it is vastly more efficient to initialize the array with np.full() or similar function (see section 3.1.1) before beginning the loop, using index assignment. For instance,

```
a = np.full((5,), np.nan) # Initialize with nans
for i in range(0, len(a)):
    if i == 0:
        a[i] = 1
    else:
        a[i] = (a[i - 1] + 1) ** 2
print(f"It is {np.any(np.isnan(a))} there are nans in a:\n{a}")
prints

It is False there are nans in a:
    [1.00000e+00 4.00000e+00 2.50000e+01 6.76000e+02 4.58329e+05]
```

The statement np.any(np.isnan(a)) is a nice idiom for detecting if any nans remain in the array. This is a good check that we have in fact replaced all elements of the initialized array with numbers.

Array **concatenation** is the ordered collection of arrays. The np.concatenate() function returns a concatenation of arrays given as a tuple to its first argument. For instance,

```
| a = np.array([[0, 1], [2, 3]])  # 2x2
| b = np.array([[4, 5]])  # 1x2
| np.concatenate((a, b))  # => [[0, 1], [2, 3], [4, 5]] (3x2)
```

The axis optional argument, 0 by default, determines the dimension along which the array concatenates. For instance, with the same a and b from above,

```
np.concatenate((a, b), axis=0) # => [[0, 1], [2, 3], [4, 5]] (3x2)
np.concatenate((a, b.T), axis=1) # => [[0, 1, 4], [2, 3, 5]] (2x3)
```

Here we have used the **transpose** array attribute, which returns a view of the array with its axes swapped (see section 3.2.1). The arrays to be concatenated must have matching dimensions except in the axis dimension.

Box 3.1 Further Reading

• NumPy Developers (2024c), for a basic and short introduction to NumPy

3.2 Manipulating, Operating On, and Mapping Over Arrays



In this section, we learn to manipulate, operate on, and map over NumPy arrays.

3.2.1 Array Manipulation Functions and Methods

NumPy has many powerful functions and methods for manipulating arrays. We cover only those most frequently useful to us, here; for a full list and documentation, see (NumPy Developers 2024a).

3.2.1.1 Sorting To sort an array, the np.sort(a) function returns a sorted copy of a and the a.sort() method will sort (mutate) a itself. For instance,

```
a = np.array([6, -3, 0, 9, -6])
np.sort(a) # => [-6, -3, 0, 6, 9] (copy)
a.sort() # a: [-6, -3, 0, 6, 9]
```

The function and the method have the same optional arguments, the most useful of which is axis: int, the axis along which to sort. The default is -1 (i.e., the last dimension).

3.2.1.2 Transposing The mathematical matrix transpose (i.e., swapping dimensions by flipping the matrix along its diagonal) can be obtained for a Python matrix via a few different techniques. The following three techniques neither mutate the original matrix nor return transposed copies; rather, they return a transposed view of the original matrix:

```
A = np.array([[0, 1, 2, 3], [4, 5, 6, 7], [8, 9, 10, 11]]) # 3x4
A.T # Transpose attribute (view)
A.transpose() # Transpose method (view)
np.transpose(A) # Transpose function (view)
```

All three transpose statements return a 4×3 array view that prints as follows:

```
[[ 0, 4, 8],
[ 1, 5, 9],
[ 2, 6, 10],
[ 3, 7, 11]]
```

The original array A remains the same and is linked to the transposed view objects. To get a transposed copy, append the copy() method to any of these statements.

Unlike for matrices, a vector transpose view is no different than the original vector. However, a **row vector** (i.e., 2D array with first axis of length 1) or a **column vector** (i.e., 2D array with second axis of length 1) can be created by adding an axis to a vector. For instance,

```
a = np.array([0, 1, 2, 3]) # A vector
a.T # => [0, 1, 2, 3] (same vector view)
a[np.newaxis, :] # => [[0, 1, 2, 3]] (1x4 row vector view)
a[:, np.newaxis] # => [[0], [1], [2], [3]] (4x1 column vector view)
```

The following are the shapes of these objects:

- a. shape returns (4,) (i.e., a 1D array of size 4)
- a[np.newaxis, :].shape returns (1, 4) (i.e., a 2D view of shape 1×4)
- a[:, np.newaxis]. shape returns (4, 1) (i.e., a 2D view of shape 4×1)

Constructing row and column vectors will be important for computing mathematical matrix-vector multiplication. They can also be properly transposed back-and-forth between row and column vectors.

3.2.1.3 Reshaping Transposing, as we have seen, is one way to reshape an array. Another way is to use the np.reshape(a: np.ndarray, newshape: tuple) function or the equivalent method for array a, a.reshape(newshape: tuple). Both return a view of the original array with its elements filling the newly shaped array. The argument newshape may be an int, in which case the array is flattened 1D array, or a tuple following the usual pattern of an array shape. The number of elements in the new view must equal that of the original array. For instance,

```
A = np.array([[0, 1, 2], [3, 4, 5]]) # A 2x3 matrix
Ar = A.reshape((3,2)) # => [[0, 1], [2, 3], [4, 5]] (3x2 view)
```

This also provides a second way of forming a row or column vector view from a 1D array; for example,

```
a = np.array([0, 1, 2])
a_row = np.reshape((1, len(a))) # 1x3 row vector view
a_col = np.reshape((len(a), 1)) # 3x1 column vector view
```

3.2.2 Operations on Arrays and Broadcasting

The basic arithmetic operators +, -, \times , and / can be applied to NumPy arrays with the operators +, -, *, and /, respectively. These operations are applied **element-wise** as the following example demonstrates:

```
a = np.array([0, 1, 2])
b = np.array([3, 4, 5])
a + b # => [3, 4, 7]
a - b # => [-3, -3, -3]
a * b # => [0, 4, 10]
a / b # => [0, 0.25, 0.4]
```

3.2.2.1 Broadcasting In the cases above, the array shapes matched exactly. However, it is convenient to be able to perform these types of operations on arrays of different size such that the smaller array dimensions are **broadcast** (i.e., stretched or copied) to fill in the portions of the array it is missing. The simplest case is for an operation between a 0D array (i.e., a scalar) and another array, as in the following cases:

```
a = np.array([0, 1, 2])

a + 4 # = a + [4, 4, 4] => [4, 5, 6]

a - 4 # = a - [4, 4, 4] => [-4, -3, -2]

a * 4 # = a * [4, 4, 4] => [0, 4, 8]

a / 4 # = a / [4, 4, 4] => [0, 0.25, 0.5]
```

Here the scalar 4 was broadcast to match the (larger) a array with shape (3,) and added element-wise.

Broadcasting is quite general and works for operations between arrays of many dimensions. Dimensions of two arrays are compatible if they are of equal size or if one has size 1, in which case it can be broadcast. The dimensions are compared from last to first. If one array runs out of dimensions, the rest are treated as 1. Here are some examples of compatible array dimensions in each column:

$$3 \times 3$$
 $7 \times 1 \times 4$ $9 \times 7 \times 4$
 1×3 4×4 7×1
 3×1 $7 \times 4 \times 1$ $500 \times 1 \times 1 \times 4$
 $4 \times 3 \times 1$ 1×4 $9 \times 1 \times 1$

Operations on arrays with compatible dimensions will be broadcast automatically. This is not only convenient, in most cases it is also much more efficient (in terms of memory usage and computation time) than constructing the arrays or executing loops.² Therefore, we usually prefer broadcasting.

3.2.2.2 Matrix Multiplication Matrix multiplication can be performed with the @ operator. For instance, consider the matrices and column vector

$$A = \begin{bmatrix} 0 & 1 & 2 \\ 3 & 4 & 5 \\ 6 & 7 & 8 \end{bmatrix}, \quad B = \begin{bmatrix} 0 & 1 \\ 2 & 3 \\ 4 & 5 \end{bmatrix}, \text{ and } x = \begin{bmatrix} 0 \\ 1 \\ 2 \end{bmatrix}.$$

Further consider the following matrix products:

$$AB$$
, Ax , and $B^{T}Ax$.

The following code computes these products:

```
A = np.array([[0, 1, 2], [3, 4, 5], [6, 7, 8]]) # 3x3

B = np.array([[0, 1], [2, 3], [4, 5]]) # 3x2

x = np.array([[0], [1], [2]]) # 3x1

A @ B # => [[10, 13], [28, 40], [46, 67]] (3x2 matrix)

A @ x # => [[5], [14], [23]] (3x1 column vector)

B.T @ A @ x # => [[120], [162]] (2x1 column vector)
```

The @ operator is equivalent to the use of the np.matmul() function. A related function is np.dot(a, b), which takes the dot product of a and b. If a and b are matrices, this is equivalent to a @ b. However, in this case np.matmul() and a @ b are preferred.

3.2.2.3 Other Matrix Operations We have considered matrix transposes and multiplication. Other common mathematical matrix operations include addition, subtraction, and scalar multiplication. These are element-wise operations, so we can simply use NumPy's usual +, -, and * operators, respectively.

The multiplicative inverse A^{-1} of a matrix A can be computed with the np.linalg.inv() function from the linalg module. For example,

```
A = np.array([[1, 0, 0], [0, 2, 0], [0, 0, 4]]) # 3x3
np.linalg.inv(A) # => [[1., 0., 0.], [0., 0.5, 0.], [0., 0., 0.25]]
```

2. Loops are executed in broadcasting, but these are loops in the more-efficient C programming language (in which Python is written), not in Python.

If the matrix is not invertible, the exception LinAlgError: Singular matrix is raised.

3.2.2.4 Element-Wise Mathematical Functions NumPy has mathematical functions that automatically operate element-wise on arrays. Trigonometric functions include np.sin(), np.cos(), and np.tan(); exponential and logarithmic functions include np.exp(), np.log(), and np.log10(); hyperbolic functions include np.sinh(), np.cosh(), and np.tanh(); complex-number functions include np.real(), np.imag(), and np.angle(); rounding functions include np.round(), np.ceil(), and np.floor(). All these functions operate element-wise, as shown in the following example:

```
x = np.linspace(0, 2*np.pi, 5)
np.round(np.sin(x), 10) # => [0., 1., 0., -1., -0.] (round to 10 dec.)
np.round(np.cos(x), 10) # => [1., 0., -1., -0., 1.] (round to 10 dec.)
```

This element-wise operation is not only convenient, it is highly optimized. NumPy takes advantage of precompiled C functions for performing these operations, so they execute much faster than would a Python loop through each element. The element-wise operation is called **vectorization** (n.b., sometimes this is the term given to the sometimes-attendant optimization), and NumPy takes great advantage of this, which is one of its key features.

3.2.3 Mapping Over Arrays and Lambda Functions

As we have seen, NumPy includes many built-in functions that are vectorized (i.e., applied element-wise). Our own custom function and method definitions can (and often should) also be vectorized. Usually, nothing special is required because we can take advantage of NumPy's built-in functions and broadcasting. For instance, consider the following example, which defines a Python function corresponding to $x \mapsto \sqrt{x} - 1$:

```
def sqrt_m1(x: np.ndarray) -> np.ndaray:
    return np.sqrt(x) - 1
```

Here np.sqrt(x) is already vectorized and the subtraction is automatically broadcast, so our sqrt_m1 is vectorized. Note that this will be much faster than a **for** loop through the elements of x.

In general, the application of a function to each element of an array (or iterable) object is called **mapping**. In plain Python, we can apply a function f to each element of a list 1 with the built-in function map(f, 1). This is effectively just a **for** loop, which is not particularly performant. Vectorization in NumPy allows us to usually avoid **for** loops or equivalent calls to map().

3.2.3.1 Lambda Functions At times, it is convenient to write an **anonymous function**, often called a **lambda function**, which is a function that need not be given a name (although it can be). Mathematically, a lambda function can be expressed as, for instance,

$$x \mapsto (x+2)^3$$
.

The Python syntax for a corresponding lambda function is

```
lambda x: (x + 2) ** 3
```

A lambda function can be applied directy to an argument. For instance,

```
(lambda x: (x + 2) ** 3)(1) ## => 27
```

It can also be given a name, as in

```
f = lambda x: (x + 2) ** 3
f(1) # => 27
```

In some ways, this defeats the purpose of the lambda function. The PEP 8 style guide discourages this use.

So when is a lambda function actually useful? One case is for applying a non-vectorized function to a list. For instance,

However, in this and most cases where numerical computation, it is better to use the vectorization of NumPy. In the case of a non-numerical function mapping over a list of strings, the lambda function is a good choice, as in the following case:

3.2.3.2 Conditional Functions There are some more complex custom functions that are difficult to vectorize. An example is a function with conditions. Consider the following function:

```
def square_positive(x):
    if x > 0:
        return x ** 2
    else:
        return x
```

This function can be applied to a single number x, but it cannot take an array argument. One solution would be to write a **for** loop over the elements of x, but this would be inefficient.

The function np.where(condition, a_true, a_false) returns an array chosen from a_true and a_false based on the condition. Consider the following version of square_positive():

```
def square_positive(x: np.ndarray) -> np.ndarray:
    return np.where(x > 0, x ** 2, x)
```

This is vectorized so it can be applied to arrays and it is much more performant than a **for**-loop solution.

Box 3.2 Further Reading

- NumPy Developers (2024b), for a thorough introduction to NumPy
- NumPy Developers (2024a), for the API reference that describes NumPy classes, functions, and methods in detail

3.3 Input and Output



A program's **input** and **output** refer to the information provided to a program from without and the information the program produces.

We have already seen examples of Python programs' output in the form of text printed to a console. Thus far, our programs have had no input because they have contained all the information they need.

In this section, we consider a few important types of Python input and output. In section 3.4, graphical output will be introduced.

3.3.1 User Input

A user can interact directly with a Python program via the built-in function input(prompt). The prompt argument is printed to the console and the user can type in a response, finishing with the key. For instance, consider the following program:

```
import fractions # Built-in module
response = input( # Solicit user input
    "What are my chances? (Enter a fraction): " # Prompt
)
if float(fractions.Fraction(response)) > 0.:
    print("So you're tellin' me there's a chance. YEAH!")
```

Running this program prints the following prompt:

```
| What are my chances? (Enter a fraction): |
```

Suppose the user enters 1/1_000_000. This is read by the input function and stored as a str in the variable response. A string can be cast to a fraction using

the fractions module's fractions. Fraction() function. The fraction can be converted to a float with the float() function. In the case that the user enters $1/1_000_000$, the following would print to the console:

```
So you're tellin' me there's a chance. YEAH!
```

3.3.2 Text Files

A **text file** is a common type of input and output. Text files contain information in the form of lines of text. They are typically readable by a human, such that a text file can be viewed in a text file viewer or editor (e.g., Windows Notepad and TextEdit). While some text files have extension .txt, most do not. In fact, a Python script (with extension .py) is a text file.

3.3.2.1 Reading a Text File In Python, a text file can be opened and read with the following pattern:

```
with open("filename") as f: # Open a file for reading
contents = f.read() # Read and assign the entire contents
```

The built-in open() function takes the optional argument mode, which can have one of the following values:

- "r": Read only (default)
- "w": Write only (will overwrite an existing file)
- "a": Append to an existing file
- "r+": Read and write

For instance, suppose a file named hamlet.txt in the working directory has the following contents:

```
To die, to sleep;
To sleep: perchance to dream: ay, there's the rub;
For in that sleep of death what dreams may come
```

The following program reads the file and prints a line every 3 seconds:

```
import time # Built-in module
with open("hamlet.txt", mode="r") as f:
    contents = f.read().splitlines() # List of lines
for line in contents:
    print(line)
    time.sleep(3) # Delays for at least 3 seconds
```

At the end of the with block, the file is closed automatically, but the contents variable lives on.

Other methods for reading text files include readline() and readlines().

3.3.2.2 Writing a Text File A text file can be written to a file opened in modes "w" (i.e., overwrite), "a" (i.e., append), and "r+" (i.e., read and write). Suppose one wanted to append the text "—Hamlet, act III, scene I" as a new line to hamlet.txt. The following would achieve this aim:

```
attribution = "\n---Hamlet, act III, scene I"
with open("hamlet.txt", mode="a"):
    f.write(attribution)
```

Another useful method for writing to a file is the writelines() method, which writes a list of strings to the file.

3.3.3 JSON Files

JavaScript Object Notation (JSON) is a text file data format that is often used to store and share data in a form that is not specific to any programming language. JSON data types include:

- Numbers: signed decimal numbers (e.g., 4, 8.0, and 5e-3)
- Strings: sequences of Unicode characters in double quotation marks (e.g., "A string")
- Booleans: values of true and false
- Arrays: ordered collections of elements between brackets [], commaseparated (e.g., [3.1, 9, "foo"])
- Objects: unordered collections of key-value pairs between braces {}, commaseparated; for instance,

```
"name": "Rick Sanchez",
    "occupation": "Scientist",
    "minimum age": 70,
    "grandchildren": ["Morty", "Summer"]
}
```

A JSON file name conventionally ends with a . json extension.

The reading and writing of JSON files with Python can be done with the standard library json module, which can be loaded with the following statement:

```
import json
```

3.3.3.1 Reading Python reads JSON types and converts them into similar Python types. The conversions are summarized in table 3.1.

Table 3.1: JSON to Python reading conversion.

From JSON	object	array	string	number (int)	number (real)	true	false	null
To Python	dict	list	str	int	float	True	False	None

Let's say a JSON file rick.json has the JSON object describing Rick Sanchez from above. We can load it in with the following code:

```
with open("rick.json", "r") as f:
   data = json.load(f)
```

The base object is converted to a dict and assigned to the variable data. If we print data it will appear as follows:

```
{"grandchildren": ["Morty", "Summer"],
    "minimum age": 70,
    "name": "Rick Sanchez",
    "occupation": "Scientist"}
```

Here "Rick Sanchez" is a Python str, 70 is a Python int, and ["Morty", "Summer"] is a Python list of strings.

3.3.3.2 Writing When writing a JSON file, Python converts its own types to similar JSON types. The conversions are summarized in table 3.2.

Table 3.2: Python to JSON writing conversion.

From Python	dict	list, tuple	str	int, float	True	False	None
To JSON							

Suppose we would like to write the following data dict to a JSON file:

```
acceleration = 9.81
time = np.linspace(0, 1, 11)
velocity = acceleration * time
position = acceleration/2 * time ** 2
data = {
    "time": time.tolist(),
    "acceleration": acceleration,
    "velocity": velocity.tolist(),
    "position": position.tolist()
}
```

Note that we have used the np.ndarray method tolist() to convert the arrays to lists. This is necessary because Python cannot convert arrays directly to JSON. The following pattern will write the JSON file kinematics.json:

```
with open("kinematics.json", "w") as f:
    json.dump(data, f)
```

The JSON file can now be shared or read into another program at a later time.

3.3.4 CSV Files

Another common format for sharing data is the venerable comma-separated value (CSV) text file. There are several flavors of CSV files, but most have a 2D tabular form with commas separating values (and columns) in a record (i.e., row) and newline characters separating records. There are similar delimiter-separated value text files that use delimiters other than commas to separate values; common delimeters include the tab character \t and the colon:

Python has the standard library module csv for reading and writing such files. It is imported with the statement

```
import csv
```

3.3.4.1 Reading Reading a CSV file data.csv to a list of lists can be achieved with the following code:

```
with open("data.csv", 'r') as f:
   data = list(csv.reader(f, delimiter=","))
```

For files with other delimeters, the delimiter argument can be used to pass the appropriate delimiter. To convert the list data to a NumPy array, the usual np.array() function can be used.

3.3.4.2 Writing Although we usually prefer to write arrays to JSON files (section 3.3.3) or NumPy files (section 3.3.5),³ occasionally we need to write a CSV file. The following code will write a list of lists to a CSV file:

```
data = [[0, 1, 2], [3, 4, 5], [6, 7, 8]] # Data to save
with open("data.csv", "w") as f:
    writer = csv.writer(f, delimiter=",")
    writer.writerows(data)
```

To write a NumPy array A to a CSV file, first convert it to a list with A.tolist().

3.3.5 NumPy Input and Output

NumPy has its own file reading and writing capabilities. We consider only its array reading and writing capabilities because we find them the most useful.

3.3.5.1 The .npy File A NumPy array can be stored in a .npy file, which is a **binary file**, a file that is encoded and decoded differently than text files. A .npy file is usually more compact than a text file (e.g., JSON) storing the same array. Similarly, the time it takes to save and load a .npy file is usually much less than for

^{3.} JSON is preferred for its capability of storing more complex data structures (e.g., dictionaries and deeply nested lists) and strict standardization. NumPy .npy and .npz files are preferred for their capability of storing multidimensional arrays, stricter standardization, and potential for compression.

a text file storing the same array. Furthermore, unlike for text files, no additional processing (e.g., converting to and from lists) is required for the reading and writing of .npy files. Therefore, it is often best to save and load arrays to .npy files instead of to text files. However, a text file, especially a JSON file, is the best choice for compatibility.

The following statements save a NumPy array A to a .npy file:

```
with open("A.npy", "wb") as f:
    np.save(f, A, allow_pickle=True)
```

The file was opened in "wb" or "write binary" mode; here the b is required to write binary files.

The allow_pickle argument, by default **True**, toggles the use of Python pickling (see section 3.3.6) for object arrays (i.e., NumPy arrays with nonnumeric objects). An object array cannot be saved without pickling.

The following statements load a NumPy array from a .npy file:

```
with open("A.npy", "rb") as f:
    A = np.load(f, allow_pickle=False)
```

The allow_pickle argument is by default False due to security and compatibility issues with loading pickled object arrays. Passing allow_pickle=False allows the loading of trusted object array .npy files.

3.3.5.2 The .npz File Multiple NumPy arrays can be saved to and loaded from a .npz file. The following statements save NumPy arrays A and B to a .npz file:

```
with open("data.npz", "wb") as f:
    np.savez(f, A=A, B=B)
```

The arguments following the file f of the np.savez() do not have to be named, but if they are the name is saved in the .npz file. Otherwise, default names are used.

The following statements load NumPy arrays A and B from a .npz file:

```
with np.load("data.npz", allow_pickle=False) as data:
    A = data["A"]
    B = data["B"]
```

Here we have temporarily loaded the data and accessed each array with dictionary syntax, assigning it to variables A and B that survive the with block.

In addition to np.savez(), there is the similar np.savez_compressed() function that attempts to compress the .npz file. For certain types of data, this can reduce the file size significantly at the cost of the compression time elapsed during saving and the decompression time elapsed during loading.

3.3.6 Pickle Files

The standard library module pickle can be used to save and load binary pickle files, conventionally with the extension .pickle. There are a few disadvantages to using pickle files instead of other methods described in this section for storing data:

- Pickle files are Python-specific
- Pickle files can depend on the version of Python used to create them
- Pickle files are a security risk, so do not load an untrusted pickle file
- Pickle files are not human-readable because they are binary
- Saving and loading pickle files is usually slower than NumPy for arrays

However, there are some distinct advantages as well:

- Many custom class objects can be pickled
- Pickle files are compact
- No external packages are required to save and load pickle files

We prefer to use them only when other methods will not work or are clumsy (e.g., when the object to be saved is an instance of a custom class).

The pickle module can be loaded with the following statement:

```
import pickle
```

3.3.6.1 Reading A pickle file data.pickle can be loaded with the following code:

```
with open("data.pickle", "rb") as f:
   data = pickle.load(f)
```

If multiple objects were stored in the pickle file, additional calls to pickle.load() will load them in the order they were pickled. Often, we will assemble all objects to be pickled into a single object like a tuple or a dict, in which case each object can be given a name (key).

3.3.6.2 Writing Objects foo and bar can be written to a pickle file data.pickle with the following code:

```
with open("data.pickle", "wb") as f:
    pickle.dump((foo, bar), f) # Bundled into a tuple
```

Here we have bundled foo and bar into a single tuple so a single pickle.load() call returns all the data. Alternatively, we could have bundled them in a dict like {"foo": foo, "bar": bar), or we could have simply called pickle.dump() multiple times to save multiple objects in the same file.

3.4 Introducing Graphics



The graphical presentation of numerical data is perhaps the most important output of an engineering computing program. We must begin by understanding the purpose of graphics:

Graphics reveal data. (Tufte 2001; p. 13)

Data can, of course, be presented in other ways. Small sets of data are sometimes best presented in table format. However, most data is best presented visually.

Good graphics require careful design. The following list characterizes some aspects of a quality graphic (p. 13):

- It shows the data
- It draws the viewer to the data, not its presentation
- It presents the truth of the data with minimal distortion
- It presents lots of data in a small space
- It makes understandable large data sets
- It draws the viewer to compare pieces of the data set
- It presents the data in important levels of detail (broad and fine)
- It has a clear purpose: description, exploration, tabulation, or decoration
- It is closely integrated with accompanying descriptions of the data set

A good graphic is an explanation. For instance, it explains how one variable is related to another. In some cases, a causal explanation is suggested, as in figure 3.2, which suggests economic elites have much greater influence on policy adoption than do average citizens.




Figure 3.2. Percent predicted probability of public policy adoption for economic elites and average citizens. Study, results, and statistical model by Gilens and Page (2014).

A powerful Python package for creating graphics is Matplotlib (Hunter 2007). It is included in the base Anaconda environment and its most important module can be loaded with the following statement:

```
| import matplotlib.pyplot as plt
```

In this book, we will use plt as the name for this module.

The rest of this section introduces the three fundamental types of graphics: function graphs, plots, and charts. Several important Matplotlib functions and methods are presented for generating each fundamental type of graphic.

3.4.1 Function Graphs

A **function graph** is a graphic that displays the relationship between a function and one or more of its arguments. A single 2D function graph can display the relationship between a function and a single argument. For instance, consider the polynomial function

$$f(x) = a_4 x^4 + a_3 x^3 + a_2 x^2 + a_1 x + a_0,$$

for real constant coefficients a_0, \dots, a_4 . To visualize the function for a given set of coefficients,

$$a_0, \dots, a_4 = 10, 10, -20, -1, 1,$$

we could write a Python program that begins by defining the function f as a Python function as follows:

```
def f(x):
    a0, a1, a2, a3, a4 = 10, 10, -20, -1, 1
    return a4 * x ** 4 + a3 * x ** 3 + a2 * x ** 2 + a1 * x + a0
```

Our strategy is to create two NumPy arrays, one for values of x and another for corresponding values of y = f(x). These values should cover the domain of interest; for instance,

```
x = \text{np.linspace}(-5, 5, 101)
y = f(x)
```

The following code will create a figure and an axis, plot x and y on the axis, set the x-axis and y-axis labels, and display the figure:

```
fig, ax = plt.subplots() # Create a figure and an axis
ax.plot(x, y)
ax.set_xlabel("x") # Label the x axis
ax.set_ylabel("f(x)") # Label the y axis
plt.show() # Display the figure
```

Consider each of the lines and what it does:

• fig, ax = plt.subplots() This function returns two objects with fundamental Matplotlib classes: the figure class matplotlib.figure.Figure and the axes class matplotlib.axes.Axes. Figures are the top-level containers for all elements in a Matplotlib graphic. Axes are the containers for individual plots and subplots, multiple of which can be contained in a single figure.

- ax.plot(x, y) This axes method plots y versus x, drawing a continuous curve connecting the points (x_i, y_i) . There are many optional arguments we will later explore, but the defaults will suffice for this example.
- ax.set_xlabel("x") This axes method sets the *x*-axis label to the string argument.
- ax.set_ylabel("f(x)") This sets the y-axis label.
- plt.show() This function displays all open figures. In an IPython session (e.g., one in Spyder), this is superfluous because figures are automatically displayed in this environment.

The execution of this code displays a figure similar to the stylized version shown in figure 3.3.⁴ Note that although Matplotlib connects the individual points (x_i, y_i) on the curve with straight lines, with enough points the curve appears smooth.




Figure 3.3. A graph of polynomial f(x).

A Matplotlib figure can contain multiple axes objects and each axes object can contain multiple plots. We will explore the former in a later section and the latter in section 3.4.2.

^{4.} We will later explore how to style and save figures. The stylization of book figures will be minimal but necessary to demonstate the aesthetic cohesion with the text for which we should strive.

3.4.2 Plots

A **plot** is a graphic that displays discrete data in relation to one or more coordinates in a coordinate system. Consider a **data set**, a set of **data points**, n-tuples (x_{0i}, \dots, x_{ni}) , in a **coordinate system** (x_0, \dots, x_n) . A plot of the data set would display each of the data points in the data set. For instance, a plot of a data set in a Cartesian coordinate system (x_i, y_i) would display each of the data points (x_i, y_i) in the data set.

You may have observed that to create a function graph in section 3.4.1 we generated a data set of Cartesian data points (x_i, y_i) and actually created a *plot* of that data set. It turns out that a function graph is really just a plot that tries to minimize the appearance of individual data points to emphasize the continuously varying nature of the function it is presenting. On the other hand, plots that are not function graphs should usually emphasize its data points.

Experimental data are frequently presented in plots. For example, consider a data set collected in an experiment exploring the relationship among the pressure P, volume V, and temperature T of a noble gas. You may recall that noble gases are good approximations of an ideal gas, which obeys the ideal gas law

$$PV = nRT$$
.

where n is the (molar) amount of gas and R is the ideal gas constant (approximately 8.314 J/(K·mol)). Our Engcom package data module simulates this data set; the module can be imported with the following statement:

```
| import engcom.data
```

A data set can be generated for values of volume V and temperature T with the following function call:

```
d = engcom.data.ideal_gas(
   V=np.linspace(1, 2, 16), # (m^3) Volume values
   T=np.linspace(273, 573, 4), # (K) Temperature values
)
```

Now d is a dictionary with the following key-value pairs:

- "volume"- $V_{16\times 1}$ (m³)
- "temperature"- $T_{1\times4}$ (K)
- "pressure"-*P*_{16×4} (Pa)

We would like to plot P versus V for each of the 4 temperatures T; that is, plot a sequence of pairs (P_i, V_i) for each T_j . The following code loops through the temperatures and plots to the same axes object:

```
fig, ax = plt.subplots()
for j, Tj in enumerate(d["temperature"].flatten()):
    x = d["volume"] # (m^3)
    y = d["pressure"][:,j] / 1e6 # (MPa)
    ax.plot(x, y, marker="o", color="dodgerblue") # Circle markers
    ax.text(x=x[-1], y=y[-1], s=f"$T = {Tj}$ K") # Label last point
```

Finally, we label the axes and display the figure with the following code:

```
ax.set_xlabel("Volume (m$^3$)")
ax.set_ylabel("Pressure (MPa)")
plt.show()
```

The figure should appear as shown in figure 3.4.




Figure 3.4. Ideal gas pressure versus volume for different temperatures.

Note the practice of labeling the individual data plots instead of creating a separate legend. At times a legend is necessary, but often it is better to simply label the data so the viewer needn't perform unnecessary work moving back-and-forth between the legend and the plot.

3.4.3 Charts

The third fundamental type of graphic is the **chart**: a data set presentation in which **signs** (i.e., icons, indices, and symbols)⁵ represent data. Some signs have become commonplace for representing data:

- The **dot** represents a data point
- The **curve** represents a continuously varying quantity or a connection between sequential data points
- The bar represents a quantity via its length

A function graph (section 3.4.1) represents a continuously varying quantity with a curve. A plot (section 3.4.2) represents data points with dots and connections among sequential data points with curves. The chart can use dots, curves, bars, or any other sign to represent data. Therefore, "chart" is the most general term: a function graph is a type of plot, which is a type of chart.

There are many flavors of chart in addition to the function graph and plot. Perhaps the most important are variations on the bar chart and the related histogram, covered here.

3.4.3.1 Bar Charts A **bar chart** represents and compares quantities of some type (e.g., density) for a collection of discrete **categories** (e.g., liquids). The categories may have a natural progression, in which case they should be ordered accordingly; otherwise, they should be ordered by quantity.

Consider the bar chart of thermal conductivity for various metals shown in figure 3.5. The quantity charted is thermal conductivity and the categories are types of metal. Note that not only can we easily see the conductivity of each metal, we can easily compare conductivities in this graphic. A simple table of data would be much less informative in this regard.

5. The field of **semiotics** (the study of signs) defines a sign as something that communicates a meaning. Charles Sanders Peirce distinguished three types of signs in terms of a sign's relation to its object: an **icon** has a topographical similarity with its object (e.g., \supset is an icon representing a waxing moon), an **index** indicates something else (e.g., \uparrow points to something), and a **symbol** is a sign for an object only by convention (e.g., \not is the biohazard symbol). The type of a given sign can be ambiguous (e.g., \neg is an icon insofar as its object is a hand, but is an index insofar as it indicates the direction *left*).




Figure 3.5. A bar chart of thermal conductivity for metals (data from Carvill (1994)).

We can produce the bar chart of figure 3.5 as follows. Begin by loading packages:

```
import numpy as np
import matplotlib.pyplot as plt
import engcom.data
```

The data can be loaded from the engcom. data module as follows:

```
d = engcom.data.thermal_conductivity(category="Metals", paired=False)
y = np.arange(len(d["labels"]))
x_alpha = d["conductivity"]  # Alphabetically sorted
labels_alpha = np.array(d["labels"])  # Alphabetically sorted
```

The data is here sorted alphabetically. However, we prefer to sort it by quantity, which can be achieved with the use of the np.lexsort() function as follows:

```
ix = np.lexsort((labels_alpha, x_alpha)) # Sort indices
x = x_alpha[ix]
labels = labels_alpha[ix].tolist()
```

Now we can use Matplotlib's ax.barh() axes method (for a vertical bar chart, use ax.bar()) as follows:

```
fig, ax = plt.subplots()
ax.barh(y, x, color="dodgerblue")
ax.set_yticks(y, labels=labels)
ax.set_xlabel("Thermal conductivity (W/(m$\\cdot$K))")
```

In some cases we present a group of subcategories for each category, in which case a tuple of subcategories can be passed to ax.barh() or ax.bar().

There are other ways to present this type of information (i.e., quantities for a collection of categories), but it is difficult to do better than the bar chart.

3.4.3.2 Histogram A **histogram** is a chart that presents a distribution of a variable. Its use of bars makes it closely related to the bar chart, but it represents the frequency a variable falls in each **bin**: an interval of values treated as a category.

Consider the histogram of my movie ratings on a 0–10 scale shown in figure 3.6. Ratings most frequently fall in the [6, 7) bin. Only two movies are in the [9, 10] bin. With the histogram we can easily compare the relative frequencies of values.




Figure 3.6. A histogram of my movie ratings on a 0–10 scale.

We can produce the histogram chart of figure 3.6 as follows. After loading the same packages as we did for the bar chart, the data can be loaded from the engcom.data module as follows:

```
d = engcom.data.movie_ratings_binned()
x = list(range(0,len(d["rating_freq"])))
```

Now we can use Matplotlib's ax.bar() axes method (for a horizontal histogram, use ax.barh()) as follows:

```
fig, ax = plt.subplots()
ax.bar(x, d["rating_freq"], color="dodgerblue", width=.9)
ax.set_xticks(x)
ax.set_xticklabels(d["labels"])
ax.set_xlabel("Rating out of $10$")
ax.set_ylabel("Frequency")
```

Note that Matplotlib does have a hist() function that can make generating histograms slightly easier. However, we prefer the flexibility of the bar() method.

3.4.3.3 Other Types of Charts

3.5 Problems



Problem 3.1 Write a program that meets the following requirements:

a. It constructs a NumPy matrix A to represent the following mathematical matrix:

$$A = \begin{bmatrix} 0 & 1 & 2 & 3 & 4 & 5 & 6 & 7 & 8 & 9 \\ 10 & 11 & 12 & 13 & 14 & 15 & 16 & 17 & 18 & 19 \end{bmatrix}.$$

- b. It defines a function left_up_sum(A: np.ndarray) -> np.ndarray that adds the component (element) to the left and the component above (wrapping, if necessary) to each component. The function should pass through the array once, row-by-row, and return a new array. The function should be able to handle any size of matrix.
- c. It defines a function left_up_sums(A: np.ndarray, n: int) -> np.ndarray that executes left_up_sum() n times and returns a new array.
- d. It calls left_up_sums() on A and prints the returned array for the following values of n: 0, 1, 4.

Problem 3.2 QZF The inner product of two real *n*-vectors x and y is defined as

$$\langle x, y \rangle = \sum_{i=0}^{n-1} x_i y_i.$$

The result is a scalar. The np.inner() and np.dot() functions can be used in NumPy to find the inner product of two vectors of the same size. In this problem, we will write our own function that computes the real inner product even if they are of different sizes. Write a program that meets the following requirements:

a. It defines a function

that returns the truncated inner product of vectors a and b even if the sizes of the vectors do not match by using a truncated version of the one that is too long. The function should handle any shape of input arrays by using the flatten() method before truncating and taking the inner product. If both input arrays do not have dtype attribute np.dtype('float') or np.dtype('int'), the function should raise a TypeError exception.

- b. It calls inner_flat_trunc() on the following arrays:
 - i. A pair of arrays from the lists:

ii. An array of the integers from 0 through 13 and an array of the integers from 3 through 12

- iii. An array of 21 linearly spaced elements from 0 through 10 and an array of 11 linearly spaced elements from 5 through 25.
- iv. A pair of arrays of elements from the lists [True, False, True] and [0, 1, 2] (handle the exception in the main script so it runs without raising the exception)

Problem 3.3 \@3 H Consider the following mathematical matrices and vectors:

$$A = \begin{bmatrix} 2 & 1 & 9 & 0 \\ 0 & -1 & -2 & 3 \\ -3 & 0 & 8 & -4 \end{bmatrix} \quad B = \begin{bmatrix} 0 & 9 & -1 \\ 1 & 0 & 3 \\ 0 & -1 & 1 \end{bmatrix} \quad \mathbf{x} = \begin{bmatrix} 1 \\ 0 \\ -1 \end{bmatrix} \quad \mathbf{y} = \begin{bmatrix} 3 & 0 & -1 \end{bmatrix}. \quad (3.1)$$

Write a program that meets the following requirements:

- a. It defines NumPy arrays to represent A, B, (column vector) x, and (row vector) y.
- b. It computes and prints the following quantities:
 - i. BA
 - ii. $A^TB 6J_{4\times3}$, where $J_{4\times3}$ is the 4×3 matrix of all 1 components
 - iii. $Bx + y^{\top}$
 - iv. xy + B
 - v. yx
 - vi. $yB^{-1}x$
 - vii. *CB*, where *C* is the 3×3 submatrix of the first three columns of *A*

Problem 3.4 Consider the array:

Write a program that performs and prints the results of the following operations on a *without* using **for** loops:

- a. Adds 1 to all elements
- b. Adds 1 to the last column
- c. Flattens a to a vector
- d. Reshapes a into a 3×4 matrix
- e. Adds the vector [1, 2, 3] to each row
- f. Adds the vector [1, 2, 3, 4] to each column
- g. Reshapes a to a column vector
- h. Reshapes a to a row vector

Problem 3.5 QX Write vectorized Python functions that operate element-wise on array arguments for the following mathematical functions:

a.
$$f(x) = x^2 + 3x + 9$$

b.
$$g(x) = 1 + \sin^2 x$$

c.
$$h(x, y) = e^{-3x} + \ln y$$

d.
$$F(x, y) = \lfloor x/y \rfloor$$

e.
$$G(x,y) = \begin{cases} x^2 + y^2 & \text{if } x > y \\ 2x & \text{otherwise} \end{cases}$$

Problem 3.6 ODN Write a program that graphs each of the following functions over the specified domain:

- a. $f(x) = \tanh(4 \sin x)$ for $x \in [-5, 8]$
- b. $g(x) = \sin \sqrt{x} \text{ for } x \in [0, 100]$

c.
$$h(x) = \begin{cases} 0 & \text{if } x < 0 \\ e^{-x} \sin(2\pi x) & \text{otherwise} \end{cases}$$
 for $x \in [-2, 6]$

Problem 3.7 Write a program that loads and plots ideal gas data with the engcom.data.ideal_gas() function in the following way:

- a. The data it loads is over the volume domain: $V \in [0.1, 2.1] \text{ m}^3$
- b. The data it loads has 3 temperatures: V = 300, 400, 500 K
- c. It plots in a single graphic P versus V for each of the three temperatures
- d. Each data point should be marked with a dot •
- e. Sequential data points should be connected by straight lines
- f. Each plot should be labeled with its corresponding temperature, either next to the plot or in a legend

Problem 3.8 QY1 Use the data from problem 3.7 to write a program that meets the following requirements:

- a. It loads the pressure-volume-temperature data from problem 3.7.
- b. It estimates the work *W* done by the gas for each of the three values of temperatures via the integral equation

$$W = -\int_{0.1}^{2.1} P(V) \ dV.$$

Note: An integral can be estimated from discrete data via the trapezoidal rule, which can be executed with NumPy's np.trapz() function.

c. It generates a bar chart comparing the three values of work (one for each temperature).

Problem 3.9 Write a program to bin data and create histogram charts that meets the following requirements:

a. It defines a function

```
| binner(A: np.ndarray, nbins: int) -> (np.ndarray, np.ndarray)
```

that accepts an array A of data and returns an array for the frequency of the data in each bin and an array of the bin edges. Consider the following details:

- i. The bin edges should include the left edge and not the right edge, except the rightmost, which should include the right edge ("left" and "right" here mean lesser and greater).
- ii. The bins should be of equal width.
- iii. Give a default value (e.g., 10) for the nbins argument.
- iv. Do not use the (nice) functions np.histogram() or plt.hist() for this exercise.
- b. It defines a function histogram(A: np.ndarray, nbins: int) that calls binner() and plt.bar() to generate a histogram chart.
- c. It loads all of the thermal conductivity data from the engcom.data module with the engcom.data.thermal_conductivity() function.
- d. It generates 3 histograms, one for each of the following material categories (key): "Metals", "Liquids", and "Gases". Be sure to properly label the axes.

Problem 3.10 Wy You will now create life. John Conway's Game of Life is a cellular automata game that explores the notion of life. In this problem, you will write a program for the game, which is played on a 2D grid. The grid is composed of elements called cells, each of which can be either alive or dead at a given moment. The rules of the game are simple (Johnston and Greene 2022):

- If a cell is alive, it survives to the next generation if it has 2 or 3 live neighbors; otherwise it dies.
- If a cell is dead, it comes to life in the next generation if it has exactly 3 live neighbors; otherwise it stays dead.

The neighbors of a cell are those eight cells adjacent to it (including diagonals). Write a program for playing the game of life that meets the following requirements:

a. It defines a function

```
game_of_life(A: np.ndarray)
```

that accepts a matrix A that encodes the starting state for the game. Use 1 to signify an alive cell and 0 to signify a dead cell. Consider the following details:

i. The game is traditionally played on an infinite grid. However, your program should play the game of life on a torus (doughnut) made from sewing the opposite edges of the starting state A grid. For

- instance, the neighbors above a cell in the top row are on the bottom row (i.e., neighbors wrap).
- ii. A visualization is required. A very useful Matplotlib function here is plt.matshow(A), which will display the numerical values of a matrix in a grid. For instance, try the following:

```
| plt.matshow([[0,1,1],[1,0,1],[0,0,1]])
```

- iii. Strongly consider using additional functions to define operations like "evolve one generation," "kill," "animate," and "visualize."
- b. It calls game_of_life() on matrices corresponding to the following starting states:
 - i. A 5×5 grid of cells with the following pattern (blinker):

ii. A 20×20 grid of cells, all dead (0) except a group near the center with the following pattern (glider):

$$\begin{bmatrix} 0 & 1 & 0 \\ 0 & 0 & 1 \\ 1 & 1 & 1 \end{bmatrix}$$

iii. A 40×40 grid of cells, all dead (0) except a group near the center with the pattern that can be loaded as a list from the engcom. data module with the function call

Problem 3.11 QR9 In robotic path planning, it is often important to know if a given point (e.g., a potential location of the robot) is inside of a given polygon (e.g., a shape representing an obstacle). On a plane, a polygon can be defined by a list of n points (x_i, y_i) representing the vertices of the polygon P. One algorithm for determining if a given point R is in P is called the **winding number algorithm**, which computes the winding number ω as the sum of the angles θ_i between the vectors from R to consecutive vertices P_i and P_{i+1} of the polygon, denoted r_i and r_{i+1} , as shown in figure 3.7. In other words,

$$\omega = \frac{1}{2\pi} \sum_{i=0}^{n-1} \theta_i.$$
 (3.2)




Figure 3.7. A polygon and vectors from *R* to two consecutive vertices.

It can be shown that if the winding number is 0, then *R* is outside the polygon; otherwise, it is inside. The angle ϕ_i of vector $\mathbf{r}_i = [r_{i_x}, r_{i_y}]$ is

$$\phi_i = \arctan(r_{i_y}/r_{i_x}),$$

where we should use np.atan2(riy, rix) for computation. The difference between the angles of two consecutive vectors is

$$\theta_i = \phi_{i+1} - \phi_i$$
 where $|\theta_i| \le \pi$.

The bound $|\theta_i| \le \pi$ must be enforced because the acute angle is used in equation (3.2), so if $\phi_{i+1} - \phi_i < -\pi$, we should add 2π and if $\phi_{i+1} - \phi_i > \pi$, we should subtract 2π . Write a program that meets the following requirements:

- a. It defines a Polygon class that is constructed with instance attribute vertices, a list of (x_i, y_i) coordinate tuples defining the vertices of the polygon.
- b. The Polygon class has a method plot() that plots the polygon as a closed curve. If a point R is passed to the plot() method, it should appear as a single point on the plot.
- c. The Polygon class has a method is_inside(R) that checks if the point R (a tuple) is inside the polygon using a winding number algorithm. The method should return True if R is inside the polygon and False otherwise. Additional methods can be added to help with the computation of angles and other intermediate quantities.

- d. It tests the Polygon class with the following polygons and points, testing if the points are inside the polygon and plotting the polygon with the points:
 - i. P = [(5,1), (2,3), (-2,3.5), (-4,1), (-2,1.5), (-2,-2), (-5,-3), (2,-2.5), (5.5,-1)] and the points $R_1 = (0,0)$ and $R_2 = (-4,0)$
 - ii. P = [(4, 1), (1, 2), (-1, 1), (-4, 2), (-5, -2), (-3, -2), (-5, -3), (2, -2), (5, -2)] and the points $R_1 = (0, 0)$ and $R_2 = (-4, 0)$

Restriction: Use only the NumPy and Matplotlib packages.

Problem 3.12 OFX Create and test the Polygon class described in problem 3.11 with the following augmentation: instead of using the tangent function to compute the angle θ_i between consecutive vectors, use vector products.

The magnitude of the angle can be found from the dot product (np.dot()) expression

$$\cos \theta_i = \frac{\mathbf{r}_i \cdot \mathbf{r}_{i+1}}{|\mathbf{r}_i| |\mathbf{r}_{i+1}|},$$

where $|\cdot|$ is the vector length and \cdot is the dot product. To determine the sign of the angle, the cross product (np.cross()) can be used because $r_i \times r_{i+1} = -r_{i+1} \times r_i$. In other words, the direction of rotation between r_i and r_{i+1} can be found from the sign of their cross product.

Problem 3.13 • INERTIA In this problem, we will develop a model of a mass's trajectory on a 2D rectangular region of space with walls off which the mass bounces elastically (i.e., with no loss of kinetic energy). We divide time into discrete moments t_0, t_1, \dots, t_{n-1} with equal intervals Δt . The mass's position at time t_i is given by the vector $\mathbf{r}_i = \begin{bmatrix} x_i & y_i \end{bmatrix}^{\mathsf{T}}$. In discrete time, the mass's velocity at time t_i is given by the vector

$$v_i = \frac{r_i - r_{i-1}}{\Delta t},$$

which approximates the derivative of the position vector with respect to time.

We will model the trajectories of several masses. In this problem, there will be no forces acting on the masses, so they will move at constant speed. (See problem 3.14 for an extension with force fields.)

Write a program that meets the following requirements:

- a. Define a class State that represents the state of a mass at a given time. The class should have the following attributes:
 - i. position, an array representing the position at the current time
 - ii. velocity, an array representing the velocity at the current time
- b. Define a class Region that represents the 2D rectangle in which the mass moves. Use Cartesian coordinates with the origin at the lower-left corner

of the rectangle, the *x*-axis increasing to the right, and the *y*-axis increasing upwards. The class should have the following attributes:

- i. width, the width of the region
- ii. height, the height of the region
- c. Define a class Trajectory that represents the trajectory of a mass through time. The class should have the following attributes:
 - i. initial_state, a State instance representing the mass's initial state (required to initialize)
 - ii. time, an array representing the corresponding times (required to initialize)
 - iii. region, a Region instance representing the region in which the mass moves (required to initialize)
 - iv. states, a list of State instances representing the mass's states at each time step
- d. Define an instance method bounce(s: State) -> State for the Trajectory class that updates the mass's position and velocity when it bounces off a wall. (The angle of incidence equals the angle of reflection, but no trigonometry is needed.)
- e. Define an instance method step_state() for the Trajectory class that advances the mass's state by one time step. Wall bouncing should be handled here by calling bounce().
- f. Define an instance method compute() for the Trajectory class that advances the mass's state through time until a specified end time. This method should call step_state() repeatedly and populate the states attribute.
- g. Define class instance methods $get_x()$ and $get_y()$ for the Trajectory class that return arrays of the x and y components of the mass's positions at each time step.
- h. Define a class Trajectories that represents a collection of Trajectory instances. The class should have the attribute trajectories, a list of Trajectory instances. It should be initialized with a list of initial states, a time array, and a region, from which it constructs the Trajectory instances.
- i. Define an instance method plot() for the Trajectories class that plots the trajectories of all masses in the collection. The method should plot the trajectories as differently colored lines and the initial positions as points.
- j. Test the classes and methods with the following parameters:
 - i. A time interval of [0, 10] s with 101 time steps
 - ii. A region with width 10 and height 5. (Use units of meters.)
 - iii. A collection of 3 trajectories with the following initial states:

- i. Mass 0 at (1,1) m with velocity (1,0) m/s
- ii. Mass 1 at (2,2) m with velocity (0,1) m/s
- iii. Mass 2 at (3,3) m with velocity (1,-1) m/s
- iv. Mass 3 at (4,4) m with velocity (0.2,0.6) m/s

Problem 3.14 © FORCEFIELDS In this problem, we will extend the model of a mass's trajectory on a 2D rectangular region of space with walls from problem 3.13 to include force fields acting on the masses. A force field is a vector field F(r) that gives the force acting on the mass at position r. If F is the only force, the acceleration of the mass at position r is given by Newton's second law:

$$a(r) = F(r)/m,$$

where m is the mass of the object. In discrete time, the mass's velocity at time t_i is given by the vector

$$v_i = v_{i-1} + a_i \Delta t,$$

where $a_i = \mathbf{F}(\mathbf{r}_i)/m$.

A force field can be represented by a function that takes a position vector as input and returns a force vector. Consider the following force fields:

$$F_0(r) = c_0 \frac{r - r_0}{|r - r_0|^2}$$
 and (3.3)

$$F_1(r) = c_1 \frac{r_1 - r}{|r_1 - r|^2},\tag{3.4}$$

where r_0 , r_1 are fixed positions vectors, $|\cdot|$ is the vector length, and c_0 , c_1 are positive constants with units N·m that determine the strength of the force fields. F_0 points radially outward from r_0 so it is a "repeller," and F_1 points radially inward toward r_1 so it is an "attractor."

Write a program that meets the following requirements, starting with the classes from problem 3.13:

- a. Extend the Trajectory class to include a mass attribute that represents the mass of the object.
- b. Extend the Trajectory class to include a list of force fields as an attribute. The force fields should be functions that take a position vector as input and return a force vector.
- c. Extend the step_state() method of the Trajectory class to include a damping force given by

$$F_{\text{damp}} = -0.3|v|v$$
.

d. Extend the step_state() method of the Trajectory class to include the acceleration due to the sum of the force fields acting on the mass and the damping force.

e. Extend the Trajectories class constructor to accept a list of mass values and a list of force fields for each trajectory.

- f. Define the force fields F_0 and F_1 as functions and test the program with the following parameters:
 - i. Force field vectors $r_0 = (10, 6)$ and $r_1 = (10, 4)$ and strength constants $c_0 = c_1 = 0.1 \text{ N} \cdot \text{m}$
 - ii. A time interval of [0, 700] s with 701 time steps
 - iii. A region with width 20 and height 10. (Use units of meters.)
 - iv. A collection of trajectories with the following masses and initial states:
 - i. Mass $m_0 = 1 \text{ kg at } (3, 4.98) \text{ m}$ and at rest
 - ii. Mass $m_1 = 1$ kg at (3, 4.99) m and at rest
 - iii. Mass $m_2 = 1$ kg at (3, 5.01) m and at rest
 - iv. Mass $m_3 = 1$ kg at (3, 5.02) m and at rest



A **symbolic analysis**, sometimes called "analytic" as opposed to "numerical," is one that manipulates symbols called **symbolic variables**, which represent quantities. In symbolic analysis, variables of interest are solved for by means of techniques from all branches of mathematics. For engineering symbolic analysis, of particular importance are the mathematical techniques of geometry, algebra, calculus, analysis, discrete mathematics, logic, set theory, probability, and statistics.

Applied to an engineering problem, the techniques of these branches of mathematics often yield **symbolic solutions** (also called "analytic" solutions), exact solutions for symbolic variables. However, there are many problems for which symbolic solutions do not exist, are unknown, are difficult to obtain, or would yield little insight into the problem (e.g., when the solution cannot be expressed simply). In such cases, the techniques of numerical analysis (chapter 5) are indicated. For those problems with nice symbolic solutions (i.e., those that can be expressed simply and can be obtained without exorbitant work), there are distinct advantages to finding symbolic solutions:

- 1. Symbolic solutions have provable properties (e.g., stability and bounds)
- 2. Symbolic solutions give designers insight into the ways design parameters affect performance (e.g., increasing the mass of this component will reduce a vibration output)
- 3. Symbolic solutions are much more general than numerical solutions, which are only valid for a specific set of parameters, initial conditions, boundary conditions, etc.

Computers have the ability to manipulate symbolic variables and the expressions and functions associated with them. Software designed for this purpose is called a **computer algebra system (CAS)**. Many of the techniques from the mathematics curriculum of an engineering degree are available in CASs. Popular CASs include

^{1.} The mathematical field of analysis includes real analysis, complex analysis, differential equations, and vector analysis. Analysis developed from calculus.


Mathematica, Maple, the Symbolic Math Toolbox of MATLAB, SageMath, and the SymPy package of Python. Although most of these have an application programming interface (API) for Python, the only one that is exclusively written in and for Python is the SymPy package, and therefore we will use this as our CAS.

The SymPy package is available in the base Anaconda environment. It can be imported in a program with the following statement:

```
import sympy as sp
```

We use the alias sp throughout the text.

4.1 Symbolic Expressions, Variables, and Functions



point approximation of about 0.866. However, in SymPy, something else happens:²

```
| sp.sqrt(3) / 2 
\frac{\sqrt{3}}{2}
```

This is an *exact* representation of the mathematical expression, as opposed to the approximation obtained previously.

A symbolic expression can be represented as an **expression tree**:

```
sp.srepr(sp.sqrt(3) / 2) # Show expression tree representation 'Mul(Rational(1, 2), Pow(Integer(3), Rational(1, 2)))'
```

This can be visualized as a tree graph like that shown in figure 4.1.

2. We are pretty printing results that are mathematical expressions.




Figure 4.1. A symbolic expression tree for sp.sqrt(3)/2.

4.1.1 Symbolic Variables

Mathematical variables can be represented as **symbolic variables** that stand in for an unspecified number. In SymPy, symbolic variables can be created as follows:

```
x, y = sp.symbols("x, y", real=True) # Create two real variables
```

The string passed to sp.symbols() can separate variables with commas and/or whitespace. The type of unspecified number being represented by the symbolic variables listed is assumed to be complex unless an optional argument is passed declaring otherwise. Here we have declared that x and y are real with the **predicate** real. Other common predicates include the following:

- Integers: integer, noninteger, even, and odd
- Real numbers: real, positive, nonnegative, nonzero, nonpositive, and negative
- Complex numbers: complex (default) and imaginary

The predicate of a symbolic variable determines the assumptions SymPy will make about it when it appears in a symbolic expression. For instance, consider the following symbolic expressions:

We see that the expression automatically simplifies based on the predicates provided for each variable. This will prove especially useful once we begin using the symbolic expression manipulation techniques described in the following sections.

4.1.2 Symbolic Functions

A mathematical function can be represented in SymPy by a **symbolic function**. There are a few different ways to create these, and we will consider only the simplest and most common cases here. An **undefined function** f that should be treated as monolithic and as having no special properties can be defined as follows:

```
f = sp.Function("f") # Type: sp.core.function.UndefinedFunction f(x) + 3 * f(x) # Using x from above \hookrightarrow 4f(x)
```

Predicates can be applied to functions, as well; for instance,

```
g = \text{sp.Function("g", real=True)}
f(x) + g(x, y) * g(3, -3)
f(x) + g(3, -3)g(x, y)
```

An **applied undefined function** is an undefined function that has been given an argument. For instance,

```
h = sp.Function("h")(x) # Types: h, sp.core.function.AppliedUndef 3 * h ## Leave off the argument \Rightarrow 3h(x)
```

Undefined functions are never evaluated. At times we want to define a function that is always to be evaluated; in SymPy such a function is called a **fully evaluated function**. A fully evaluated function can be created as a regular Python function, as in the following case:

```
| def F(x):
return x**2 - 4
F(x)**2
| (x^2-4)^2
```

For **piecewise functions**, regular Python functions with **if** statements will work, but it is preferable to use the sp.Piecewise() function. For instance,

```
G = sp.Piecewise(

(x**2, x <= 0), # x^2 for x \le 0

(3*x, True) # 3x for x > 0
```

Many common mathematical functions are built in to SymPy, including those shown in table 4.1.

Kind	SymPy Functions (sp. prefix suppressed)
Complex Trigonmetric Inverse Trigonometric Hyperbolic Inverse Hyperbolic Integer Exponential Miscellaneous	Abs(), arg(), conjugate(), im(), re(), sign() sin(), cos(), tan(), sec(), csc(), cot() asin(), acos(), atan(), atan2(), asec(), acot() sinh(), cosh(), tanh(), coth(), sech(), csch() asinh(), acosh(), atanh(), acoth(), asech() ceiling(), floor(), frac() get_integer_part() exp(), log() Min(), Max(), root(), sqrt()

Table 4.1: Elementary mathematical functions in SymPy.

In rare cases, we must define a **custom function**; that is, a subclass of the sp.Function class. Such a function needs to have its behavior thoroughly defined. Once it is completed, it should behave just as built-in functions like sp.sin(). For a tutorial on writing custom functions, see SymPy Development Team (2023d).

4.2 Manipulating Symbolic Expressions



In engineering symbolic analysis, the need to manipulate, often algebraically, mathematical expressions arises constantly. SymPy has several powerful tools for manipulating symbolic expressions, the most useful of which we will consider here.

4.2.1 The simplify() Function and Method

A built-in Sympy function and method, <code>sp.simplify()</code>, is a common SymPy tool for manipulation because simplification is often what we want. Recall that some basic simplification occurs automatically; however, in many cases this automatic simplification is insufficient. Applying <code>sp.simplify()</code> typically results in an expression as simple as or simpler than its input; however, the precise meaning of "simpler" is quite vague, which can lead to frustrating cases in which a version of an expression we consider to be simpler is not chosen by the <code>sp.simplify()</code> algorithm. In such cases, we will often use the more manual techniques considered later in this section.

The predicates (i.e., assumptions) used to define the symbolic variables and functions that appear in a symbolic expression are respected by sp.simplify(). Consider the following example:

```
x = \text{sp.symbols}("x", \text{real=True})

e0 = (x**2 + 2*x + 3*x)/(x**2 + 2*x); e0  # \text{ For display}

e0.\text{simplify}()  # Returns simplified expression, leaves e0 unchanged

x^2 + 5x

x^2 + 2x
```



Note that e0 was slightly simplified automatically. The simplify() method further simplified by canceling an x. The use of the method does not affect the object, so it the same as the use of the function.

There are a few "knobs" to turn in the form of optional arguments to sp.simplify():

- measure (default: sp.count_ops()): A function that serves as a heuristic complexity metric. The default sp.count_ops() counts the operations in the expression.
- ratio (default: 1.7): The maximum ratio of the measures, output out over input inp, measure(out)/measure(inp). Anything over 1 allows the output to be potentially more complex than the input, but it may still be simpler because the metric is just a heuristic.
- rational (default: False): By default (False), floating-point numbers are left alone. If rational=True, floating-point numbers are recast as rational numbers. If rational=None, floating-point numbers are recast as rational numbers during simplification, but recast to floating-point numbers in the result.
- inverse (default: False): If True, allows inverse functions to be cancelled in any order without knowing if the inner argument falls in the domain for which the inverse holds.³ For instance, this allows $\arccos(\cos x) \to x$ without knowing if $x \in [0, \pi]$.
- force (default: **False**): If **True**, predicates (assumptions) of the variables will be ignored.

4.2.2 Polynomial and Rational Expression Manipulation

Here we consider a few SymPy functions and methods that manipulate polynomials and rational expressions.

4.2.2.1 The expand() Function and Method The expand() function and method expresses a polynomial in the canonical form of a sum of monomials. A monomial is a polynomial with exactly one additive term. For instance,

| sp.expand((x + 3)**2) ## Using the real x from above
$$x^2 + 6x + 9$$

^{3.} The usual way of defining the inverse $y = \arccos x$ is to retrict y in $x = \cos y$ to $[0, \pi]$. This is because cos is not one-to-one (e.g., $\cos 0 = \cos 2\pi = 1$), so its domain must be restricted for a proper inverse to exist. The conventional choice of domain restriction to $[0, \pi]$ is called the selection of a principal branch.

We can also expand a numerator or denominator without expanding the entire expression, as follows for $(x + 3)^2/(x - 2)^2$:

frac =
$$(x + 3)**2/(x - 2)**2$$

frac.expand()
frac.expand(numer=True)
frac.expand(denom=True)
frac.expand(numer=True).expand(denom=True)

$$\frac{x^2}{x^2 - 4x + 4} + \frac{6x}{x^2 - 4x + 4} + \frac{9}{x^2 - 4x + 4}$$

$$\frac{x^2 + 6x + 9}{(x - 2)^2}$$

$$\frac{(x + 3)^2}{x^2 - 4x + 4}$$

$$\frac{x^2 + 6x + 9}{x^2 - 4x + 4}$$

There are several additional options for expand(), including:

- mul (default: **True**): If **True**, distributes multiplication over addition (e.g., $5(x+1) \rightarrow 5x + 5$.
- multinomial (default: **True**): If **True**, expands multinomial (polynomial that is not a monomial) terms into sums of monomials (e.g., $(x + y)^2 \rightarrow x^2 + 2xy + y^2$).
- power_exp (default: **True**): If **True**, expands sums in exponents to products of exponentials (e.g., $e^{3+x} \rightarrow e^3 e^x$).
- log (default: **True**): If **True**, split log products into sums and extract log exponents to multiplicative constants (e.g., for x, y > 0, $\ln(x^3 y) \rightarrow 3 \ln x + \ln y$).
- deep (default: **True**): If **True**, expands all levels of the expression tree; if **False**, expands only the top level (e.g., $x(x + (y + 1)^2) \rightarrow x^2 + x(y + 1)^2$).
- complex (default: **False**): If **True**, collect real and imaginary parts (e.g., $x + y \rightarrow \Re(x) + \Re(y) + j(\Im(x) + \Im(y))$).
- func (default: **False**): If **True**, expand nonpolynomial functions (e.g., for the gamma function Γ , $\Gamma(x+2) \rightarrow x^2\Gamma(x) + x\Gamma(x)$).
- trig (default: **False**): If **True**, expand trigonometric functions (e.g., $\sin(x + y) \rightarrow \sin x \cos y \sin y \cos x$).

4.2.2.2 The factor() Function and Method The factor() function and method returns a factorization into irreducibles factors. For polynomials, this is the reverse of expand(). Irreducibility of the factors is guaranteed for polynomials. Consider the following polynomial example:

Factorization can also be performed over nonpolynomial expressions, as in the following example:

```
e1 = \operatorname{sp.sin}(x) * (\operatorname{sp.cos}(x) + \operatorname{sp.sin}(x))**2; e1 # Using above real x e1.expand()
e1.expand().factor()
 (\sin(x) + \cos(x))^2 \sin(x)  \sin^3(x) + 2\sin^2(x)\cos(x) + \sin(x)\cos^2(x)  (\sin(x) + \cos(x))^2 \sin(x)
```

There are two options of note:

- deep (default: **False**): If **True**, inner expression tree elements will also be factored (e.g., $\exp(x^2 + 4x + 4) \rightarrow \exp((x + 2)^2)$).
- fraction (default: **True**): If **True**, rational expressions will be combined.

An example of the latter option is given here:

4.2.2.3 The collect() Function and Method The collect() function and method returns an expression with specific terms collected. For instance,

```
| x, y, a, b = sp.symbols("x, y, a, b", real=True)

| e3 = a * x + b * x * y + a**2 * x**2 + 3 * y**2 + x * y + 8; e3

| e3.collect(x)

| a^2x^2 + ax + bxy + xy + 3y^2 + 8

| a^2x^2 + x(a + by + y) + 3y^2 + 8
```

More complicated expressions can be collected as well, as in the following example:

Derivatives of an undefined symbolic function, as would appear in a differential equation, can be collected. If the function is passed to collect(), as in the following example, it and its derivatives are collected:

The rcollect() function (not available as a method) recursively applies collect(). For instance,

$$\begin{array}{l} \texttt{e6} = (\texttt{a} * \texttt{x} * * * 2 + \texttt{b} * \texttt{x} * \texttt{y} + \texttt{a} * \texttt{b} * \texttt{x}) / (\texttt{a} * \texttt{x} * * 2 + \texttt{b} * \texttt{x} * * 2); \ \texttt{e6} \\ \texttt{sp.rcollect(e6, x)} & \# \ \texttt{Collects in numerator and denominator} \\ \\ & \xrightarrow{abx + ax^2 + bxy} \\ \\ & \xrightarrow{ax^2 + bx^2} \\ \\ & \xrightarrow{x^2 (a + b)} \\ \end{array}$$

Before collection, an expression may need to be expanded via expand().

4.2.2.4 The cancel() Function and Method The cancel() function and method will return an expression in the form p/q, where p and q are polynomials that have been expanded and have integer leading coefficients. This is typically used to cancel terms that can be factored from the numerator and denominator of a rational expression, as in the following example:

Note that there is an implicit assumption here that $x \neq a$. However, the cancelation is still valid for the limit as $x \rightarrow a$.

4.2.2.5 The apart() and together() Functions and Methods The apart() function and method returns a partial fraction expansion of a rational expression. A partial fraction expansion rewrites a ratio as a sum of a polynomial and one or

more ratios with irreducible denominators. It is of particular use for computing the inverse Laplace transform. The together() function is the complement of apart(). Here is an example of a partial fraction expansion:

```
s = sp.symbols("s")

e8 = (s**3 + 6*s**2 + 16*s + 16)/(s**3 + 4*s**2 + 10*s + 7); e8

e8.apart() # Partial fraction expansion

e8.apart().together().cancel() # Putting it back together

s^3 + 6s^2 + 16s + 16
s^3 + 4s^2 + 10s + 7
s+2
s^2 + 3s + 7 + 1 + \frac{1}{s+1}
s^3 + 6s^2 + 16s + 16
s^3 + 4s^2 + 10s + 7
```

4.2.3 Trigonometric Expression Manipulation

As we saw in section 4.2.2, expressions including trigonometric terms can be manipulated with the SymPy functions and methods that are nominally for polynomial and rational expressions. In addition to these, considered here are two important SymPy functions and methods for manipulating expressions including trigonometric terms, with a focus on the trigonometric terms themselves.

4.2.3.1 The trigsimp() Function and Method The trigsimp() function and method attempts to simplify a symbolic expression via trigonometric identities. For instance, it will apply the double-angle formulas, as follows:

```
x = sp.symbols("x", real=True)

e9 = 2 * sp.sin(x) * sp.cos(x); e9

e9.trigsimp()

\Rightarrow 2 sin(x) cos(x)

\Rightarrow sin(2x)
```

Here is a more involved expression:

```
e10 = sp.cos(x)**4 - 2*sp.sin(x)**2*sp.cos(x)**2 + sp.sin(x)**4; e10 e10.trigsimp() 

\Rightarrow \sin^4(x) - 2\sin^2(x)\cos^2(x) + \cos^4(x)
\Rightarrow \frac{\cos(4x)}{2} + \frac{1}{2}
```

The hyperbolic trignometric functions are also handled by trigsimp(), as in the following example:

```
e11 = sp.cosh(x) * sp.tanh(x); e11
e11.trigsimp()
```

```
\begin{array}{c} \hookrightarrow \cosh(x) \tanh(x) \\ \hookrightarrow \sinh(x) \end{array}
```

4.2.3.2 The expand_trig() Function The sp.expand_trig() function applies the double-angle or sum identity in the expansive direction, opposite the direction of trig_simp(); that is,

```
 \begin{vmatrix} e12 = sp.cos(x + y); & e12 \\ sp.expand\_trig(e12) \end{vmatrix} 
 \Rightarrow cos(x + y) \\  \Rightarrow -sin(x)sin(y) + cos(x)cos(y)
```

4.2.4 Power Expression Manipulation

There are three important power identities:

$$x^a x^b = x^{a+b}$$
 for $x \neq 0$, $a, b \in \mathbb{C}$ (4.1)

$$u^{c}v^{c} = (uv)^{c} \text{ for } u, v \ge 0 \text{ and } c \in \mathbb{R}$$
 (4.2)

$$(z^d)^n = z^{dn} \text{ for } z, d \in \mathbb{C} \text{ and } n \in \mathbb{Z}.$$
 (4.3)

Equations (4.1) to (4.3) are applied in several power expression simplification functions and methods considered here.

4.2.4.1 The powsimp() Function and Method The powsimp() function and method applies the identities of equations (4.1) and (4.2) from left-to-right (replacing the left pattern with the right). It will only apply the identity if it holds. Consider the following, applying equation (4.1):

Under certain conditions (i.e., $c \in \mathbb{Q}$, a literal rational exponent), equation (4.2) is applied right-to-left automatically, so powsimp() appears to have no effect. For instance,

```
 \begin{array}{l} \texttt{e15} = \texttt{u**3} * \texttt{v**3}; \ \texttt{e15} \\ \texttt{e15.powsimp()} \\ & \hookrightarrow u^3 v^3 \\ & \hookrightarrow u^3 v^3 \end{array}
```

For expressions for which the conditions for an identity does not hold, it can still be applied (at your own risk) via the force=**True** argument.

4.2.4.2 The expand_power_exp() and expand_power_base() Functions The expand_power_exp() function applies equation (4.1) from right-to-left (opposite of powsimp()), as follows:

```
| e16 = x**(a + b); e16
| sp.expand_power_exp(e16)
| x^{a+b}
| x^a x^b
```

Similarly, expand_power_base() applies equation (4.2) from right-to-left (opposite of powsimp(), as follows:

```
| e17 = (u * v)**c; e17
| sp.expand_power_base(e17)
| (uv)^c
| u^cv^c
```

Again, the identity will not be applied if its conditions do not hold for the expression; however, with the parameter force=True, it will be applied in any case.

4.2.4.3 The powdenest() Function The powdenest() function applies equation (4.3) from left-to-right. For instance,

```
z, d = sp.symbols("z, d", complex=True)
n = sp.symbols("n", integer=True)
e18 = (z**d)**n; e18
sp.powdenest(e18)

\[ \sum_{z^{dn}} \]
\[ z^{dn} \]
\[ z^{dn} \]
```

However, as we see from e18, the denesting is automatically applied. There may be situations in which powdenest() must still be applied manually.

4.2.5 Exponential and Logarithmic Expression Manipulation

For $x, y \ge 0$ and $n \in \mathbb{R}$, the following identities hold:

$$\log(xy) = \log(x) + \log(y) \tag{4.4}$$

$$\log(x^n) = n\log(x) \tag{4.5}$$

These can be applied with the expand_log() and logcombine() functions.

4.2.5.1 The expand_log() Function The expand_log() function applies equations (4.4) and (4.5) from left-to-right. In the following example, it applies equation (4.4):

```
x, y = sp.symbols("x, y", positive=True)
n = sp.symbols("n", real=True)
e19 = sp.log(x * y); e19
sp.expand_log(e19)

log(xy)
log(xy)
```

In the following example, it applies equation (4.4):

```
\begin{array}{c} \texttt{e20} = \texttt{sp.log(x**n); e20} \\ \texttt{sp.expand\_log(e20)} \\ & \hookrightarrow \log(x^n) \\ & \hookrightarrow n\log(x) \end{array}
```

4.2.5.2 The logcombine() Function The logcombine() function applies equations (4.4) and (4.5) from right-to-left. In the following example, it applies equation (4.4):

```
\begin{array}{l} \texttt{e21} = \texttt{sp.log(x)} + \texttt{sp.log(y)}; \ \texttt{e21} \\ \texttt{sp.logcombine(e21)} \\ & \hookrightarrow \log(x) + \log(y) \\ & \hookrightarrow \log(xy) \end{array}
```

In the following example, it applies equation (4.4):

```
e22 = n * sp.log(x); e22

sp.logcombine(e22)

\mapsto n \log(x)

\mapsto \log(x^n)
```

4.2.6 Rewriting Expressions in Terms of Other Functions

At times, there are identities that can translate an expression in terms of one function (or set of functions) into an expression in terms of another function (or set of functions). In SymPy, the rewrite() method can perform this translation. For instance, Euler's formula, $e^{jx} = \cos x + j \sin x$ can be applied:

Here is an example with a hyperbolic trigonometric function:

```
| e25 = sp.tanh(x); e25
| e25.rewrite(sp.exp)
| tanh(x)
| \frac{e^x - e^{-x}}{e^x + e^{-x}}
```

Finally, consider the following example with trigonometric functions:

```
| x, y = sp.symbols("x, y", real=True)

| e26 = sp.tan(x + y)**2; e26

| e26.rewrite(sp.cos)

| tan<sup>2</sup>(x + y)

| \frac{\cos^2(x + y - \frac{\pi}{2})}{\cos^2(x + y)}
```

4.2.7 Substituting and Replacing Expressions

One expression can be substituted for another via a few different methods, the two most useful of which are considered here.

- **4.2.7.1 The subs () Method** The subs () method returns a copy of an expression with specific subexpressions replaced. There are three ways to specify substitutions for an expression expr:
 - expr.subs(old, new), in which old is replaced with new
 - expr.subs(iterable), in which iterable (e.g., a list) contains old/new pairs like [(old0, new0), (old1, new1), ...]
 - expr.subs(dictionary), in which dictionary contains old/new pairs like {old0: new0, old1: new1, ...}

Consider the following simple examples:

```
| x, y, z = sp.symbols("x, y, z")

sp.sqrt(x + y).subs(x, 5)

(x + y**2 + z).subs({x: z, y: 2*z})

\sqrt{y+5}

4z^2+2z
```

By default, when an ordered iterable like a list or tuple is provided, substitutions are performed in the order given, as in the following example:

```
\begin{array}{c} (x + y).subs(((x, y), (y, z))) \\ \longrightarrow 2z \end{array}
```

We see that the second substitution $y \rightarrow z$ is applied after the first, $x \rightarrow y$. The parameter simultaneous, by default **False**, can be passed as **True** so that new subexpressions are ignored by later substitutions, as in the following example:

```
| (x + y).subs(((x, y), (y, z)), simultaneous=True)

\longrightarrow y + z
```

For dictionary substitutions, which are unordered, a canonical ordering based on the number of operations is used for reproducibility. We do not recommend relying on this canonical ordering, so if the order of substitutions is important, we recommend using an ordered iterable.

If the substitutions result in a numerical value, it will by default remain a symbolic expression:

To get a numeric type from the result, the evalf() method can be used:

Note that passing the substitutions to through evalf() can result in a more accurate representation, so this technique is preferred. We will later [TODO: ref] return to more powerful techniques for numerical evaluation that convert SymPy expressions to numerically evaluable functions.

4.2.7.2 The replace() Method The replace() method is similar to subs(), but it has matching capabilities. Common usage of the replace() method uses wildcard variables of class sp. core.symbol.Wild that match anything in a pattern. For instance,

```
| w = sp.symbols("w", cls=sp.Wild)

| expr = sp.sin(x) + sp.sin(3*x)**2; expr

| expr.replace(sp.sin(w), sp.cos(w)/w)

| \Rightarrow \sin(x) + \sin^2(3x)

| \Rightarrow \frac{\cos(x)}{x} + \frac{\cos^2(3x)}{9x^2}
```

Note that the wildcard variable w was able to match both x and 3*x, and that the the wildcard could be used in the new expression as well. In this example, and in general, these replacement rules are applied without head to their validity, so they must be used with caution. For more advanced usage, see the documentation on wildcard matching, SymPy Development Team (2023b; § 6 Symbol (sympy.core.symbol, Wild class)) and the documentation for replacement, SymPy Development Team (2023b; § Basic (sympy.core.basic.Basic, replace() method)).

Box 4.1 Further Reading

- SymPy Development Team (2023c), A tutorial introduction to simplification in SymPy
- SymPy Development Team (2023a), A tutorial on advanced SymPy expression manipulation, including information about expression trees
- SymPy Development Team (2023b; § Basic (sympy.core.basic.Basic, subs() method)), SymPy documentation on the subs() method
- SymPy Development Team (2023b; § Basic (sympy.core.basic.Basic, replace() method)), SymPy documentation on the replace() method, including more advanced usage
- SymPy Development Team (2023b; 6 Symbol (sympy.core.symbol, Wild class)), SymPy documentation on the Wild class, including more advanced pattern matching

4.3 Solving Equations Algebraically



Virtually every engineering analysis requires the algebraic solution of an equation or a, more generally, a **system of equations** (i.e., a set of equations) to be solved simultaneously. For the engineer, this set of equations typically encodes a set of design constraints, design heuristics, and physical laws. In general, a system S of m equations in n unknown variables $x_0, \dots, x_{n-1} \in \mathbb{C}$ and with m functions f_0, \dots, f_{m-1} can be represented as the set

$$S = \begin{cases} f_0(x_0, \dots, x_n) = 0 \\ \vdots \\ f_m(x_0, \dots, x_n) = 0 \end{cases}$$

A **solution** for S is an n-tuple of values for x_i that satisfies every equation in S. There are three possible cases for a given system S of equations:

- 1. The system *S* has no solutions.
- 2. The system *S* has exactly one solution, said to be **unique**.
- 3. The system *S* has more than one solution (potentially infinitely many).

For some systems, a solution exists, but cannot be expressed in a closed-form or symbolic ("analytic") way. For such systems, a numerical solution is appropriate (see chapter 5). In some cases (e.g., n linear, independent equations and n unknown variables), a unique solution is guaranteed to exist.

There are two high-level SymPy function for solving equations algebraically, sp.solve() and sp.solveset(). The former is older, but remains the more useful for us; the latter has a simpler interface and is somewhat more mathematically rigorous, but it is often difficult to use its results programmatically. We will focus on sp.solve(). Neither function guarantees that it will find a solution, even if it exists, except in special cases.

Representing an equation in SymPy can be done explicitly or an expression can be treated as one side of an equation, with the other side implicitly 0. In other words, the following are equivalent ways of defining the equation $x^2 - y^2 = 2$:

4.3.1 The sp.solve() Function

The sp.solve() function has the capability of solving a large class of systems of equations algebraically. The function has many optional arguments, but its basic usage is

```
sp.solve(f, *symbols, **flags)
```

Here is a basic interpretation of each argument:

- f: An equation or expression that is implicitly equal to zero or an iterable of equations or expressions.
- symbols: A symbol (e.g., variable) to solve for or an iterable of symbols.
- flags: Optional arguments, of which there are many. We recommend always using the dict=True option because it guarantees a consistent output: a list of dictionaries, one for each solution.

Consider the linear system of 3 equations and 3 unknown variables:

$$3x - 2y + 6z = -9 \tag{4.6a}$$

$$8y + 4z = -1 \tag{4.6b}$$

$$-x + 4y = 0. ag{4.6c}$$

The sp.solve() function can be deployed to solve this system as follows:

Now consider a simpler system of a single equation that includes a symbolic parameter a:

$$x^2 + 3x + a.$$

Applying sp.solve(),

The quadratic formula has been applied, which yields two solutions, given in the sol list. Note that the solver was alerted to which symbolic variable was to be treated as an unknown variable (i.e., x) and which was to be treated as a known parameter (i.e., a) by the second argument [x] (i.e., symbols).

Suppose the solutions for x were to be substituted into an expression containing x. The dict object returned (here assigned to sol) can be used with the subs() method. For instance,

$$\begin{array}{c} (x + 5). \operatorname{subs}(\operatorname{sol}[0]) \\ (x + 5). \operatorname{subs}(\operatorname{sol}[1]) \\ & \rightarrow 4 - \sqrt{1 - a} \\ & \rightarrow \sqrt{1 - a} + 4 \end{array}$$

The sp.solve() function can solve for expressions and undefined functions, as well. Here we solve for an undefined function:

| f = sp.Function("f")
| eq = sp.Eq(f(x)**2 + 2*sp.diff(f(x), x), f(x))
| sol = sp.solve(eq, f(x), dict=True)
|
$$f^{2}(x) + 2\frac{d}{dx}f(x) = f(x)$$
|
$$f(x) = \frac{1}{2} - \frac{\sqrt{1 - 8\frac{d}{dx}f(x)}}{2}$$

$$f(x) = \frac{\sqrt{1 - 8\frac{d}{dx}f(x)}}{2} + \frac{1}{2}$$

It can solve for the derivative term, too, as follows:

| sol = sp.solve(eq, sp.diff(f(x), x), dict=True)

$$\frac{d}{dx}f(x) = \frac{(1-f(x))f(x)}{2}$$

Example 4.1

You are designing the truss structure shown in figure 4.2. The external load of $f_F = -f_F \hat{j}$ (we use the standard unit vectors \hat{i} , \hat{j} , \hat{k}), where $f_F > 0$, is given. As the designer, you are to make the w dimension as long as possible under the following constraints:

- Minimize the dimension *h*
- The tension in all members is no more than a given *T*
- The compression in all members is no more than a given *C*
- The magnitude of the support force at pin A is no more than a given P_A
- The magnitude of the support force at pin C is no more than a given P_C

Use a static analysis and the method of joints to develop a solution for the force in each member F_{AB} , F_{AC} , etc., and the reaction forces using the sign convention that tension is positive and compression is negative. Create a function that determines

design feasibility for a given set of design parameters $\{f_F, T, C, P_A, P_C\}$ and test the function.




Figure 4.2. A truss with pinned joints, supported by a hinge and a floating support, with an applied force f_F .

Using the method of joints, we proceed through the joints, summing forces in the x- and y-directions. We will assume all members are in tension, and their sign will be positive if this is the case and negative, otherwise. Beginning with joint A, which includes two reaction forces R_{Ax} and R_{Ay} from the support,

$$\Sigma F_r = 0; \qquad R_{Ar} + F_{AB} + F_{AC} \cos \theta = 0 \tag{4.7}$$

$$\Sigma F_y = 0; R_{Ay} - F_{AC} \sin \theta = 0. (4.8)$$

The angle θ is known in terms of the dimensions w and h as

$$\theta = \arctan \frac{h}{\tau v}$$
.

These equations can be encode symbolically as follows:

```
RAx, RAy, FAB, FAC, theta= sp.symbols(
   "RAx, RAy, FAB, FAC, theta", real=True)
)
h, w = sp.symbols("h, w", positive=True)
eqAx = RAx + FAB + FAC*sp.cos(theta)
eqAy = RAy - FAC*sp.sin(theta)
theta_wh = sp.atan(h/w)
```

Proceeding to joint B,

$$\Sigma F_x = 0; \qquad -F_{AB} + F_{BD} + F_{BE} \cos \theta = 0 \qquad (4.9)$$

$$\Sigma F_{y} = 0; \qquad -F_{BC} - F_{BE} \sin \theta = 0. \tag{4.10}$$

Encoding these equations,

```
FBD, FBE, FBC = sp.symbols("FBD, FBE, FBC", real=True)
eqBx = -FAB + FBD + FBE*sp.cos(theta)
eqBy = -FBC - FBE*sp.sin(theta)
```

For joint C, the floating support has a vertical reaction force R_C , so the analysis proceeds as follows:

$$\Sigma F_x = 0; \qquad -F_{AC} \cos \theta + F_{CE} = 0 \tag{4.11}$$

$$\Sigma F_{\nu} = 0; \qquad F_{AC} \sin \theta + F_{BC} + R_C = 0. \tag{4.12}$$

Encoding these equations,

For joint D, we can recognize that DE is a zero-force member:

$$\Sigma F_x = 0;$$
 $-F_{BD} + F_{DF} = 0$ (4.13)

$$\Sigma F_{y} = 0; \qquad F_{DE} = 0. \tag{4.14}$$

Encoding these equations,

```
FDE, FDF = sp.symbols("FDE, FDF", real=True)
eqDx = -FBD + FDF
eqDy = FDE
```

Proceeding to joint E,

$$\Sigma F_x = 0; \qquad -F_{CE} - F_{BE} \cos \theta + F_{EF} \cos \theta = 0 \qquad (4.15)$$

$$\Sigma F_{y} = 0;$$
 $F_{BE} \sin \theta + F_{DE} + F_{EF} \sin \theta = 0.$ (4.16)

Encoding these equations,

```
FEF = sp.symbols("FEF", real=True)
eqEx = -FCE - FBE*sp.cos(theta) + FEF*sp.cos(theta)
eqEy = FBE*sp.sin(theta) + FDE + FEF*sp.sin(theta)
```

Finally, consider joint F, with the externally applied force f_F ,

$$\Sigma F_x = 0; \qquad -F_{DF} - F_{EF} \cos \theta = 0 \tag{4.17}$$

$$\Sigma F_{y} = 0; \qquad -f_{F} - F_{EF} \sin \theta = 0. \tag{4.18}$$

Encoding these equations,

```
fF = sp.symbols("fF", positive=True)
eqFx = -FDF - FEF*sp.cos(theta)
eqFy = -fF - FEF*sp.sin(theta)
```

In total, we have 12 force equations and 12 unknown forces (9 member forces and three reaction forces). Let's construct the system and solve it for the unknown forces, as follows:

```
S_forces = [
  eqAx, eqAy, eqBx, eqBy, eqCx, eqCy,
  eqDx, eqDy, eqEx, eqEy, eqFx, eqFy,
] # 12 force equations
forces_unknown = [
  FAB, FAC, FBC, FBD, FBE, FCE, FDF, FDE, FEF, # 9 member forces
  RAx, RAy, RC, # 3 reaction forces
] # 12 unkown forces
sol_forces = sp.solve(S_forces, forces_unknown, dict=True); sol_forces
  [{FAB: 2*fF*cos(theta)/sin(theta),
    FAC: -2*fF/sin(theta),
    FBC: -fF,
    FBD: fF*cos(theta)/sin(theta),
    FBE: fF/sin(theta),
    FCE: -2*fF*cos(theta)/sin(theta),
    FDE: 0,
    FDF: fF*cos(theta)/sin(theta),
    FEF: -fF/sin(theta),
    RAx: 0,
    RAy: -2*fF,
    RC: 3*fF}]
```

This solution is in terms of f_F , which is known, and θ . Because w and h are our design parameters, let's substitute eqtheta such that our solution is rewritten in terms of f_F , w, and h. Create a list of solutions as follows:

```
forces_wh = [] # Initialize
for force in forces_unknown:
  force_wh = force.subs(
    sol_forces[0]
).subs(
    theta, theta_wh
).simplify()
  forces_wh.append(force_wh)
  print(f"{force} = {force_wh}")
```

```
FAB = 2*fF*w/h

FAC = -2*fF*sqrt(h**2 + w**2)/h

FBC = -fF

FBD = fF*w/h

FBE = fF*sqrt(h**2 + w**2)/h

FCE = -2*fF*w/h

FDF = fF*w/h

FDE = 0

FEF = -fF*sqrt(h**2 + w**2)/h

RAx = 0

RAy = -2*fF

RC = 3*fF
```

This set of equations is excellent for design purposes. Because f_F , w, h > 0, the sign of each force indicates tension (+) or compression (–). For the forces with the factor w/h, clearly increasing w or decreasing h increases the force, proportionally. For the forces with the factor $\sqrt{h^2 + w^2}/h$, things are a bit more subtle. Introducing a new parameter r = w/h, we can rewrite these equations in a somewhat simpler manner, as follows:

```
r = sp.symbols("r", positive=True)
forces_r = [] # Initialize
force_r_subs = {} # For substitutions
for i, force in enumerate(forces_wh):
 force_r = force.subs(w, h*r).simplify()
  forces_r.append(force_r)
  force_r_subs[forces_unknown[i]] = force_r
  print(f"{forces_unknown[i]} = {force_r}")
  FAB = 2*fF*r
 FAC = -2*fF*sqrt(r**2 + 1)
  FBC = -fF
  FBD = fF*r
  FBE = fF*sqrt(r**2 + 1)
  FCE = -2*fF*r
  FDF = fF*r
  FDE = 0
  FEF = -fF*sqrt(r**2 + 1)
  RAx = 0
 RAy = -2*fF
 RC = 3*fF
```

It is worthwhile investigating the term $\sqrt{r^2 + 1}$. Generate a graph over a reasonable range of r = w/h and compare it to r and 2r, as follows:

```
r_a = np.linspace(0, 5, 51)
fig, ax = plt.subplots()
ax.plot(r_a, np.sqrt(r_a**2 + 1), label="$\\sqrt{r^2+1}$")
ax.plot(r_a, r_a, label="$r$")
ax.plot(r_a, 2*r_a, label="$2 r$")
ax.set_xlabel("$r = w/h$")
ax.grid()
ax.legend()
```




Figure 4.3. A graph of $\sqrt{r^2 + 1}$, where r = w/h.

So we see that $\sqrt{r^2+1} \to r$. That is, r=w/h is the defining parameter and the design requirements are to maximize w and minimize h, which is tantamount to maximizing r. Under the reasonable assumption that r>1, we can see the member with the most tension is AB, with its force $F_{AB}=2rf_F$, and the member with the most compression is AC, with its force $F_{AC}=-2\sqrt{r^2+1}f_F$. From our design requirements, then,

$$F_{AB} = 2rf_F \le T \tag{4.19}$$

$$-F_{AC} = 2\sqrt{r^2 + 1} f_F \le C. \tag{4.20}$$

This leads to two constraints on r, call them r^T and r C , both maxima, which can be solved for automatically as follows:

Another set of constraints apply to the supports. From the design requirements,

$$|\mathbf{R}_{A}| = \sqrt{R_{Ax}^{2} + R_{Ay}^{2}} \le P_{A} \tag{4.21}$$

$$|R_C| = |R_C| \le P_C \tag{4.22}$$

From our results above, the reaction forces don't depend on r (or w or h), so these constraints are merely to be checked to ensure that the design problem is feasible. Proceeding in a similar manner as above, we obtain two constraints on f_F , maxima f_A and f_C as follows:

```
PA, PC = sp.symbols("PA, PC", positive=True)
eqRA = sp.sqrt(RAx**2 + RAy**2).subs(force_r_subs) - PA # <= 0
eqRC = sp.Abs(RC).subs(force_r_subs) - PC # <= 0
sol_fFA = sp.solve(eqRA, fF, dict=True) # Solution for fA
sol_fFC = sp.solve(eqRC, fF, dict=True) # Solution for fC
load_maxima = {
    "Support A": sol_fFA[0],
    "Support C": sol_fFC[0],
}
print(load_maxima)
| {'Support A': {fF: PA/2}, 'Support C': {fF: PC/3}}
```

Finally, we can create a function to perform the design, given a set of design parameters. First, define an auxilliary function to check the support constraints:

```
def check_supports(load_maxima, design_params, report=""):
  for kLM, vLM in load_maxima.items():
    fF_design = fF.evalf(subs=design_params)
    fF_max = fF.subs(vLM).evalf(subs=design_params)
    if fF_design > fF_max:
      return False, f"Design infeasible due to {kLM} constraint: " \
        f"{fF_design:.4g} </= {fF_max:.4g}."
      report += f"{kLM} constraint satisfied: " \
        f"\{fF\_design:.4g\} \leftarrow \{fF\_max:.4g\}.\n"
  report += "Design feasible for supports."
  return True, report
 Now define an auxilliary function to maximize r:
def maximize_r(r_maxima, design_params, report=""):
  r maxima = [] # Initialize numerical maxima
  for k_max, r_max in r_maxima.items():
    r_max_ = r.subs(r_max).evalf(subs=design_params)
    if np.abs(np.imag(complex(r_max_))) > 0.: # Ensure real
      report += f"\nNo feasible r for {k_max} constraint."
      return False, None, report
    r_maxima_.append(r_max_)
    report += f"\nMax r for {k_max} constraint: {r_max_:.4g}."
  r_max = min(r_maxima_) # Min of the maxima if the feasible max
  report += f'' n0verall max r = w/h = {r_max}."
  return True, r_max, report
 Finally, define the function to design the truss:
def truss_designer(load_maxima, r_maxima, design_params):
  """Returns a dict of r=w/h ratio for the truss and a report"""
  satisfied, report = check supports(load maxima, design params)
  if not satisfied:
    return satisfied, report
  satisfied, r_max, report = maximize_r(
    r_maxima, design_params, report
  if not satisfied:
    return satisfied, report
  return r_max, report
 Define the three sets of design parameters in a dictionary:
design_parameters_dict = {
  "1": {fF: 1000, T: 3500, C: 3200, PA: 3500, PC: 3500},
  "2": {fF: 2000, T: 4500, C: 6000, PA: 3500, PC: 3500},
  "3": {fF: 2000, T: 3500, C: 3200, PA: 6500, PC: 6000}
} # Forces in N
```

Loop through the designs, run truss_designer(), and print each report: for design, design_params in design_parameters_dict.items(): r_max, rep = truss_designer(load_maxima, r_maxima, design_params) rep = f"Design {design} report:\n\t" + rep.replace("\n", "\n\t") print(rep) Design 1 report: Support A constraint satisfied: 1000 <= 1750. Support C constraint satisfied: 1000 <= 1167. Design feasible for supports. Max r for Tension constraint: 1.750. Max r for Compression constraint: 1.249. Overall max r = w/h = 1.24899959967968. Design 2 report: Design infeasible due to Support A constraint: 2000 </= 1750. Design 3 report: Support A constraint satisfied: 2000 <= 3250. Support C constraint satisfied: 2000 <= 2000. Design feasible for supports. Max r for Tension constraint: 0.8750.

4.4 From Symbolics to Numerics



An engineering analysis typically requires that a symbolic solution be applied via the substitution of numbers into a symbolic expression.

No feasible r for Compression constraint.

In section 4.2.7, we considered how to subsitute numerical values into expressions using SymPy's evalf() method. This is fine for a single value, but frequently an expression is to be evaluated at an array of numerical values. Looping through the array and applying evalf() is cumbersome and computationally slow. An easier and computationally efficient technique using the sp.lambdify() function is introduced in this section. The function sp.lambdify() creates an efficient, numerically evaluable function from a SymPy expression. The basic usage of the function is as follows:

```
x = sp.symbols("x", real=True)
expr = x**2 + 7
f = sp.lambdify(x, expr)
f(2)
11
```

By default, if NumPy is present, sp.lambdify() vectorizes the function such that the function can be provided with NumPy array arguments and return NumPy array values. However, it is best to avoid relying on the function's implicit behavior,

which can change when different modules are present, it is best to provide the numerical module explicitly, as follows:

```
f = sp.lambdify(x, expr, modules="numpy")
f(np.array([1, 2, 3.5]))
    array([8. , 11. , 19.25])
```

Multiple arguments are supported, as in the following example:

```
x, y = sp.symbols("x, y", real=True)
expr = sp.cos(x) * sp.sin(y)
f = sp.lambdify([x, y], expr, modules="numpy")
f(3, 4)
```

0.7492287917633428

All the usual NumPy broadcasting rules will apply for the function. For instance,

Example 4.2

You are designing the circuit shown in figure 4.4. Treat the source voltage V_S , the source resistance R_S , and the overall circuit topology as known constants. The circuit design requires the selection of resistances R_1 , R_2 , and R_3 such that the voltage across R_3 , $v_{R_3} = V_{R_3}$, and the current through R_1 , $i_{R_1} = I_{R_1}$, where V_{R_3} and I_{R_1} are known constants (i.e., design requirements). Proceed through the following steps:

- 1. Solve for all the resistor voltages v_{R_k} and currents i_{R_k} in terms of known constants and R_1 , R_2 , and R_3 using circuit laws
- 2. Apply the constraints $v_{R_3} = V_{R_3}$ and $i_{R_1} = I_{R_1}$ to obtain two equations relating R_1 , R_2 , and R_3
- 3. Solve for R_2 and R_3 as functions of R_1 and known constants
- 4. Create a design graph for the selection of R_1 , R_2 , and R_3 given the following design parameters: $V_S = 10 \text{ V}$, $R_S = 50 \Omega$, $V_{R_3} = 1 \text{ V}$, and $I_{R_1} = 20 \text{ mA}$.




Figure 4.4. A resistor circuit design for example 4.2.

Solve for the Resistor Voltages and Currents Each resistor has an unknown voltage and current. We will develop and solve a system of equations using circuit laws. Begin by defining symbolic variables as follows:

```
v_RS, i_RS, v_R1, i_R1, v_R2, i_R2, v_R3, i_R3 = sp.symbols(
   "v_RS, i_RS, v_R1, i_R1, v_R2, i_R2, v_R3, i_R3", real=True
)
viR_vars = [v_RS, i_RS, v_R1, i_R1, v_R2, i_R2, v_R3, i_R3]
R1, R2, R3 = sp.symbols("R1, R2, R3", positive=True)
V_S, R_S, V_R3, I_R1 = sp.symbols("V_S, R_S, V_R3, I_R1", real=True)
```

There are 4 resistors, so there are $2 \cdot 4 = 8$ unknown voltages and currents; therefore, we need 8 independent equations. The first circuit law we apply is Ohm's law, which states that the ratio of voltage over current for a resistor is approximately constant. Applying this to each resistor, we obtain the following 4 equations:

```
Ohms_law = [
    v_RS - R_S*i_RS, # == 0
    v_R1 - R1*i_R1, # == 0
    v_R2 - R2*i_R2, # == 0
    v_R3 - R3*i_R3, # == 0
]
```

The second circuit law we apply is Kirchhoff's current law (KCL), which states that the sum of the current into a node must equal 0. Applying this to the upper-middle and upper-right nodes, we obtain the following 2 equations:

```
KCL = [
  i_RS - i_R1 - i_R2, # == 0
  i_R2 - i_R3, # == 0
]
```

The third circuit law we apply is Kirchhoff's voltage law (KVL), which states that the sum of the voltage around a closed loop must equal 0. Applying this to the left and right inner loops, we obtain the following 2 equations:

Our collection of 8 equations are independent because none can be derived from another. They make a linear system of equations, which can be solved simultaneously as follows:

viR_sol = sp.solve(Ohms_law + KCL + KVL, viR_vars, dict=True)[0]
print(viR_sol)

Apply the Requirement Constraints The requirements that $v_{R_3} = V_{R_3}$ and $i_{R_1} = I_{R_1}$ can be encoded symbolically as two equations as follows:

```
constraints = {v_R3: V_R3, i_R1: I_R1} # Design constraints constraint_equations = [ sp.Eq(v_R3.subs(constraints), v_R3.subs(viR_sol)), sp.Eq(i_R1.subs(constraints), i_R1.subs(viR_sol)), ] print(constraint_equations) V_{R3} = \frac{R_1R_3V_S}{R_1R_2 + R_1R_3 + R_1R_S + R_2R_S + R_3R_S}
\rightarrow I_{R1} = \frac{R_2V_S + R_3V_S}{R_1R_2 + R_1R_3 + R_1R_S + R_2R_S + R_3R_S}
```

Solve for Resistances The system of 2 constraint equations and 3 unknowns $(R_1, R_2, \text{ and } R_3)$ is underdetermined, which means there are infinite solutions.

The two equations can be solved for R_1 and R_2 in terms of R_3 and parameters as follows:

```
constraints_sol = sp.solve(
    constraint_equations, [R1, R2], dict=True
)[0]
print(constraints_sol)

R_1 = -R_S + \frac{V_S}{I_{R1}} - \frac{R_S V_{R3}}{I_{R1} R_3}
R_2 = \frac{-R_3 (I_{R1} R_S + V_{R3} - V_S) - R_S V_{R3}}{V_{R3}}
```

Create a Design Graph Applying the design parameters and defining numerically evaluable functions for R_1 and R_2 as functions of R_3 ,

```
design_params = {V_S: 10, R_S: 50, V_R3: 1, I_R1: 0.02}
R1_fun = sp.lambdify(
   [R3],
   R1.subs(constraints_sol).subs(design_params),
   modules="numpy",
)
R2_fun = sp.lambdify(
   [R3],
   R2.subs(constraints_sol).subs(design_params),
   modules="numpy",
)
```

And now we are ready to create the design graph, as follows:




Figure 4.5. A design graph for resistors R_1 , R_2 , and R_3 .

4.5 Vectors and Matrices



Symbolic vectors and matrices can be constructed, manipulated, and operated on with SymPy. Basic vectors and matrices are represented with the mutable sp.matrices.dense.MutableDenseMatrix class and can be constructed with the sp.Matrix constructor, as follows:

```
u = sp.Matrix([[0], [1], [2]]) # 3×1 column vector
v = sp.Matrix([[3, 4, 5]]) # 1×3 row vector
A = sp.Matrix([[0, 1, 2], [3, 4, 5], [6, 7, 8]]) # 3×3 matrix
```

Without loss of generality, we can refer to vectors and matrices as matrices.

Symbolic variables can be elements of symbolic matrices; for instance, consider the following:

```
x1, x2, x3 = sp.symbols("x1, x2, x3")

x = sp.Matrix([[x1], [x2], [x3]]) # 3 \times 1 vector
```

Symbolic matrix elements can be accessed with the same slicing notation as lists and NumPy arrays; for insance:

```
A[:,0]
A[0,:]
A[1,1:]
x[0:,0]
```

As with lists and contrary to arrays, these slices return a copy and not a view of the original matrix. Elements and slices can be overwritten with the same notation as lists and arrays, as follows:

```
A[0,0] = 7; A # A is changed
A[:,1] = sp.Matrix([[8], [8], [8]]); A # A is changed

7 1 2
3 4 5
6 7 8

[7 8 2]
3 8 5
6 8 8]
```

Matrix row i or column j can be deleted with the row_del(i) or col_del(j) method. These methods operate in place. For instance,

```
 \begin{vmatrix} A.row\_del(2); & A \\ A.col\_del(1); & A \end{vmatrix} 
 \begin{vmatrix} 7 & 8 & 2 \\ 3 & 8 & 5 \end{vmatrix} 
 \begin{vmatrix} 7 & 2 \\ 3 & 5 \end{vmatrix}
```

Conversely, a row can be inserted at index i or a column can be inserted at index j with the method row_insert(i, row) or col_insert(j, col). These methods do not operate in place. For instance,

```
A.row_insert(2, sp.Matrix([[9, 9]])) # A is unchanged
A.col_insert(1, sp.Matrix([[9], [9]])) # A is unchanged

[7 2]
3 5
9 9]
```



Addition and subtraction works element-wise, in accordance with the matrix mathematics, as follows:

```
A = sp.Matrix([[0, 1], [2, 3]]) # 2 \times 2 matrix

B = sp.Matrix([[4, 5], [6, 7]]) # 2 \times 2 matrix

A + B

A - B

\begin{bmatrix} 4 & 6 \\ 8 & 10 \end{bmatrix}
\begin{bmatrix} -4 & -4 \\ -4 & -4 \end{bmatrix}
```

Matrix multiplication is in accordance with mathematical matrix multiplication (i.e., not element-wise), as follows:

$$\begin{array}{c|c}
 & A*B \\
 & B*A \\
\hline
 & \begin{bmatrix} 6 & 7 \\ 26 & 31 \end{bmatrix} \\
 & \begin{bmatrix} 10 & 19 \\ 14 & 27 \end{bmatrix}
\end{array}$$

The matrix inverse, if it exists, can be computed by raising the matrix to the power -1, as follows:

The matrix transpose can be accessed as an attribute T, which returns a transposed copy, as follows:

An n-by-n identity matrix can be constructed via the eye(n) function, as follows:

$$\Rightarrow \begin{bmatrix} sp.eye(3) \\ 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix}$$

An n-by-m matrix with all 0 compenents can be constructed via the zeros(n, m) function, as follows:

```
 \begin{vmatrix} \text{sp.zeros}(2,4) \\ \hline \\ \hline \\ 0 & 0 & 0 \\ 0 & 0 & 0 \end{vmatrix}
```

Similarly, an n-by-m matrix with all 1 compenents can be constructed via the ones(n, m) function, as follows:

A diagonal or block-diagonal matrix can be constructed by providing the diagonal elements to the diag() function, as follows:

$$D = \text{sp.diag}(1, 2, 3); D$$

$$\begin{bmatrix} 1 & 0 & 0 \\ 0 & 2 & 0 \\ 0 & 0 & 3 \end{bmatrix}$$

The determinant of a matrix can be computed via the det() method, as follows:

```
D.det()
```

The eigenvalues and eigenvectors of a matrix can be computed via the eigenvects() method, which returns a list of tuples, one for each eigenvalue, of the form (eval, m, evec), where eval is the eigenvalue, m is the corresponding algebraic multiplicity of the eigenvalue, and evec is the corresponding eigenvector. For instance,

```
A.eigenvects()
```

```
[(3/2 - sqrt(17)/2,

1,

[Matrix([

[-sqrt(17)/4 - 3/4],

[ 1]])]),

(3/2 + sqrt(17)/2,

1,

[Matrix([

[-3/4 + sqrt(17)/4],

[ 1]])])]
```

4.6 Calculus



Engineering analysis regularly includes calculus. Derivatives with respect to time and differential equations (i.e., equations including derivatives) are the key mathematical models of rigid-body mechanics (e.g., statics and dynamics), solid mechanics (e.g., mechanics of materials), fluid mechanics, heat transfer, and electromagnetism. Integration is necessary for solving differential equations and computing important quantities of interest. Limits and series expansions are frequently used to in the analytic process to simplify equations and to estimate unkown quantities. In other words, calculus is central to the enterprise of engineering analysis.

4.6.1 Derivatives

In SymPy, it is possible to compute the derivative of an expression using the diff() function and method, as follows:

```
| x, y = sp.symbols("x, y", real=True)

expr = x**2 + x*y + y**2

expr.diff(x) # Or sp.diff(expr, x)

expr.diff(y) # Or sp.diff(expr, y)

\Rightarrow 2x + y

\Rightarrow x + 2y
```

Higher-order derivatives can be computed by adding the corresponding integer, as in the following second derivative:

```
expr.diff(x, 2) # Or sp.diff(expr, x, 2)
```

We can see that the partial derivative is applied to a multivariate expression. The differentiation can be mixed, as well, as in the following example:

```
| expr = x * y**2/(x**2 + y**2)
| expr.diff(x, 1, y, 2).simplify() # \partial^3/\partial x \partial y^2
```

$$\frac{2x^2 \left(-x^4 + 14x^2 y^2 - 9y^4\right)}{x^8 + 4x^6 y^2 + 6x^4 y^4 + 4x^2 y^6 + y^8}$$

The option evaluate=**False** will leave the derivative unevaluated until the doit() method is called, as in the following example:

```
| expr = sp.sin(x)

expr2 = expr.diff(x, evaluate=False); expr2

| expr2.doit()

| \frac{d}{dx} \sin(x)

\cos(x)
```

The derivative of an undefined function is left unevaluated, as in the following case:

| f = sp.Function("f", real=True)
| expr = 3*f(x) + f(x)**2
| expr.diff(x)
|
$$2f(x)\frac{d}{dx}f(x) + 3\frac{d}{dx}f(x)$$

As we can see, the chain rule of differentiation was applied automatically.

Differentiation works element-wise on matrices and vectors, just as it works mathematically. For instance,

4.6.2 Integrals

To a symbolic integral in SymPy, use the integrate() function or method. For an indefinite integral, pass only the variable over which to integrate, as in

```
| x, y = sp.symbols("x, y", real=True)

| expr = x + y |

| expr.integrate(x) # Or sp.integrate(expr, x); \int x + y \, dx

| \frac{x^2}{2} + xy
```

Note that no constant of integration is added, so you may need to add your own.

The definite integral can be computed by providing a triple, as in the following example,

```
sp.integrate(expr, (x, 0, 3)) # \int_0^3 x + y \, dx
sp.integrate(expr, (x, 1, y)) # \int_1^y x + y \, dx
```

$$\begin{array}{c|c}
 & 3y + \frac{9}{2} \\
 & \frac{3y^2}{2} - y - \frac{1}{2}
\end{array}$$

Multiple integrals can be computed in a similar fashion, as in the following examples:

```
| sp.integrate(expr, (x, 0, 4), (y, 2, 3)) # \int_2^3 \int_0^4 x + y \, dx \, dy | 18
```

To create an unevaluated integral object, use the sp.Integral() constructor. To evaluate an unevaluated integral, use the doit() method, as follows:

Integration works over piecewise functions, as in the following example:

```
f = sp.Piecewise((0, x < 0), (1, x >= 0)); f

sp.integrate(f, (x, -5, 5))

\begin{cases}
0 & \text{for } x < 0 \\
1 & \text{otherwise} \\
5
\end{cases}
```

The integrate() function and method is very powerful, but it may not be able to integrate some functions. In such cases, it returns an unevaluated integral.

4.6.3 Limits

In SymPy, a limit can be computed via the limit() function and method. The $\lim_{x\to 0}$ can be computed as follows:

```
sp.limit(sp.tanh(x)/x, x, 0) # \lim_{x\to 0} \tanh(x)/x \rightarrow 1
```

The limit to infinity or negative infinity can be denoted using the sp.oo symbol, as follows:

```
| sp.limit(2 - x * sp.exp(-x), x, sp.oo) # \lim_{x\to\infty} (1-xe^{-x}) \longrightarrow 2
```

The limit can be left unevaluated using the sp.Limit() constructor, as follows:

```
lim = sp.Limit(2 - x * sp.exp(-x), x, sp.oo); expr # Unevaluated
lim.doit() # Evaluate
```

$$\begin{array}{c} \rightarrow & x+y \\ \rightarrow & 2 \end{array}$$

The limit can be taken from a direction using the optional fourth argument, as follows:

```
\begin{array}{l} \text{expr} = 1/x \\ \text{lim_neg} = \text{sp.Limit(expr, x, 0, "-"); lim_neg} \\ \text{lim_pos} = \text{sp.Limit(expr, x, 0, "+"); lim_pos} \\ \text{lim_neg.doit()} \\ \text{lim_pos.doit()} \\ \\ & \longrightarrow \lim_{x \to 0^-} \frac{1}{x} \\ \\ & \longrightarrow \lim_{x \to 0^+} \frac{1}{x} \\ \\ & \longrightarrow \infty \end{array}
```

4.6.4 Taylor Series

A Taylor series (i.e., Taylor expansion) is an infinite power series approximation of an infinitely differentiable function near some point. For a function f(x), the Taylor series at point x_0 is given by

$$\sum_{n=0}^{\infty} \frac{f^{(n)}}{n!} (x - x_0)^n = f(x_0) + f'(x_0)(x - x_0) + \frac{f''(x_0)}{2!} (x - x_0)^2 + \cdots$$

We often represent terms with power order m and greater with the **big-O notation** $O((x-x_0)^m)$. For instance, for an expansion about $x_0 = 0$,

$$\sum_{n=0}^{\infty} \frac{f^{(n)}}{n!} (x)^n = f(0) + f'(x_0)(x - x_0) + O(x^2).$$

In SymPy, the Taylor series can be found via the series() function or method. For instance,

The sp.O() function, which appears in this result, automatically absorbs higher-order terms. For instance,

$$| x**2 + x**4 + x** 5 + sp.0(x**4)$$

 $x^2 + O(x^4)$

To remove the sp.O() function from an expression, call the removeO() method, as follows:

$$-\frac{x^3}{6} + x$$

Removing the higher-order terms is frequently useful when we would like to use the *n*th-order **Taylor polynomial**, a truncated Taylor series, as an approximation of a function.

4.7 Solving Ordinary Differential Equations



Engineering analysis regularly includes the solution of differential equations. **Differential equations** are those equations that contain derivatives. An **ordinary differential equation (ODE)** is a differential equation that contains only ordinary, as opposed to partial, derivatives. A **linear ODE**—one for which constant multiples and sums of solutions are also solutions—is an important

which constant multiples and sums of solutions are also solutions—is an important type that represent **linear, time-varying (LTV) systems**. For this class of ODEs, it has been proven that for a set of initial conditions, a unique solution exists (Kreyszig 2010; p. 108).

A **constant-coefficient, linear ODE** can represent **linear, time-invariant (LTI) systems**. An LTV or LTI system model can be represented as a scalar nth-order ODE, or as a system of n 1st-order ODEs. As a scalar nth-order linear ODE, with independent time variable t, output function y(t), forcing function f(t), and constant coefficients a_i , has the form

$$y^{(n)}(t) + a_{n-1}y^{(n-1)}(t) + \dots + a_1y'(t) + a_0y(t) = f(t).$$
(4.23)

The forcing function f(t) can be written as a linear combination of derivatives of the input function u(t) with $m + 1 \le n + 1$ constant coefficients b_i , as follows:

$$f(t) = b_m u^{(m)}(t) + b_{m-1} u^{(m-1)}(t) + \dots + b_1 u'(t) + b_0 u(t).$$

Alternatively, the same LTI system model can be represented by a system of n 1st-order ODEs, which can be written in vector form as

$$x'(t) = Ax(t) + Bu(t)$$
(4.24a)

$$y(t) = Cx(t) + Du(t), \tag{4.24b}$$

where x(t) is called the state vector, u(t) is called the input vector, and y(t) is called the output vector (they are actually vector-valued functions of time), and A, B, C, and D are matrices containing constants derived from system parameters (e.g., a mass, a spring constant, a capacitance, etc.). Equation (4.24) is called an LTI **state-space model**, and it is used to model a great many engineering systems.

Solving ODEs and systems of ODEs is a major topic of mathematical engineering analysis. It is typically the primary topic of one required course and a secondary

topic of several others. Understanding when these solutions exist, whether they are unique, and how they can be found adds much to the understanding of engineering systems. However, it is also true that CASs such as SymPy offer the engineer excellent tools for making quick and adaptable work of this task.

Consider the ODE

$$3y'(t) + y(t) = f(t),$$

where the forcing function f(t) is defined piecewise as

$$f(t) = \begin{cases} 0 & t < 0 \\ 1 & t \ge 0. \end{cases}$$

The SymPy dsolve() function can find the **general solution** (i.e., a family of solutions for any initial conditions) with the following code:

```
t = sp.symbols("t", nonnegative=True)
y = sp.Function("y", real=True)
f = 1 # Or sp.Piecewise(), but t \ge 0 already restricts f(t)
ode = sp.Eq(3*y(t).diff(t) + y(t), f) # Define the ODE
sol = sp.dsolve(ode, y(t)); sol # Solve
y(t) = C_1 e^{-\frac{t}{3}} + 1
```

The solution is returned as an sp.Eq() equation object. Note the unknown constant C_1 in the solution. To find the **specific solution** (i.e., the general solution with the initial condition applied to determine C_1) for a given initial condition y(0) = 5,

```
sol = sp.dsolve(ode, y(t), ics={y(0): 5}); sol y(t) = 1 + 4e^{-\frac{t}{3}}
```

Now consider the ODE

$$y''(t) + 5y'(t) + 9y(t) = 0.$$

The SymPy dsolve() function can find the general solution with the following code:

```
| ode = sp.Eq(y(t).diff(t, 2) + 5*y(t).diff(t) + 9*y(t), 0)
| sol = sp.dsolve(ode, y(t)); sol
| y(t) = \left(C_1 \sin\left(\frac{\sqrt{11}t}{2}\right) + C_2 \cos\left(\frac{\sqrt{11}t}{2}\right)\right)e^{-\frac{5t}{2}}
```

This is a decaying sinusoid. Applying two initial conditions, y(0) = 4 and y'(0) = 0, we obtain the following:

```
| sol = sp.dsolve(
    ode, y(t),
    ics={y(0): 4, y(t).diff(t).subs(t, 0): 0}
); sol
```

$$y(t) = \left(\frac{20\sqrt{11}\sin\left(\frac{\sqrt{11}t}{2}\right)}{11} + 4\cos\left(\frac{\sqrt{11}t}{2}\right)\right)e^{-\frac{5t}{2}}$$

We see here that to apply the initial condition y'(0) = 0, the derivative must be applied before substituting $t \to 0$.

Solving sets (i.e., systems) of first-order differential equations is similar. Consider the set of differential equations

$$y'_1(t) = y_2(t) - y_1(t)$$
 and $y'_2(t) = y_1(t) - y_2(t)$.

To find the solution for initial conditions $y_1(0) = 1$ and $y_2(0) = -1$, we can use the following technique:

```
t = sp.symbols("t", nonnegative=True)
y1, y2 = sp.symbols("y1, y2", cls=sp.Function, real=True)
odes = [y1(t).diff(t) + y1(t) - y2(t), y2(t).diff(t) + y2(t) - y1(t)]
ics = {y1(0): 1, y2(0): -1}
sol = sp.dsolve(odes, [y1(t), y2(t)], ics=ics)
print(sol)

[Eq(y1(t), exp(-2*t)), Eq(y2(t), -exp(-2*t))]
```

In engineering, it is common to express a set of differential equations as a state-space model, as in equation (4.24). The following example demonstrates how to solve these with SymPy.

Example 4.3

Consider the electromechanical schematic of a direct current (DC) motor shown in figure 4.6. A voltage source $V_S(t)$ provides power, the armature winding loses some energy to heat through a resistance R and stores some energy in a magnetic field due to its inductance L, which arises from its coiled structure. An electromechanical interaction through the magnetic field, shown as M, has torque constant K_M and induces a torque on the motor shaft, which is supported by bearings that lose some energy to heat via a damping coefficient B. The rotor's mass has rotational moment of inertia J, which stores kinetic energy. We denote the voltage across an element with v, the current through an element with i, the angular velocity across an element with Ω , and the torque through an element with T.




Figure 4.6. An electromechanical schematic of a DC motor.

A state-space model state equation in the form of equation (4.24a) can be derived for this system, with the result as follows:

$$\underbrace{\frac{d}{dt} \begin{bmatrix} \Omega_J \\ i_L \end{bmatrix}}_{x'(t)} = \underbrace{\begin{bmatrix} -B/J & K_M/J \\ -K_M/L & -R/L \end{bmatrix}}_{A} \underbrace{\begin{bmatrix} \Omega_J \\ i_L \end{bmatrix}}_{x(t)} + \underbrace{\begin{bmatrix} 0 \\ 1/L \end{bmatrix}}_{B} \underbrace{\begin{bmatrix} V_S \end{bmatrix}}_{u(t)}.$$

We choose $y = [\Omega_J]$ as the output vector, which yields output equation (i.e., equation (4.24b))

$$\underbrace{\left[\Omega_{J}\right]}_{u(t)} = \underbrace{\left[1 \quad 0\right]}_{C} \underbrace{\left[\frac{\Omega_{J}}{i_{L}}\right]}_{x(t)} + \underbrace{\left[0\right]}_{D} \underbrace{\left[V_{S}\right]}_{u(t)}.$$

Together, these equations are a state-space model for the system. Solve the state equation for x(t) and the output equation for y(t) for the following case:

- The input voltage $V_S(t) = 1 \text{ V for } t \ge 0$
- The initial condition is x(0) = 0

We begin by defining the parameters and functions of time as SymPy symbolic variables and unspecified functions as follows:

```
R, L, K_M, B, J = sp.symbols("R, L, K_M, B, J", positive=True) W_J, i_L, V_S = sp.symbols( "W_J, i_L, V_S", cls=sp.Function, real=True ) # \Omega_J, i_L, V_S t = sp.symbols("t", real=True)
```

Now we can form the symbolic matrices and vectors:

```
A_{-} = sp.Matrix([[-B/J, K_M/J], [-K_M/L, -R/L]]) # A
 B_{-} = sp.Matrix([[0], [1/L]]) # B
 C_ = sp.Matrix([[1, 0]]) # C
 D_{-} = sp.Matrix([[0]]) # D
 x = sp.Matrix([[W_J(t)], [i_L(t)]]) # x
 u = sp.Matrix([[V_S(t)]]) # u
 y = sp.Matrix([[W_J(t)]]) # y
  The input and initial conditions can be encoded as follows:
 u_subs = \{V_s(t): 1\}
 ics = \{W_J(0): 0, i_L(0): 0\}
  The set of first-order ODEs comprising the state equation can be defined as
 odes = x.diff(t) - A_*x - B_*u
 print(odes)
     \begin{bmatrix} \frac{BW_{J}(t)}{J} + \frac{d}{dt}W_{J}(t) - \frac{K_{M}i_{L}(t)}{J} \\ \frac{K_{M}W_{J}(t)}{I} + \frac{d}{dt}i_{L}(t) + \frac{Ri_{L}(t)}{I} - \frac{V_{S}(t)}{I} \end{bmatrix}
| x_sol = sp.dsolve(list(odes.subs(u_subs)), list(x), ics=ics)
  The symbolic solutions for x(t) are lengthy expressions. Instead of printing
them, we will graph them for the following set of parameters:
 params = {
     R: 1, # (Ohms)
     L: 0.1e-6, # (H)
     K_M: 7, # (N \cdot m/A)
     B: 0.1e-6, # (N\cdot m/(rad/s))
      J: 2e-6. # (kg \cdot m^2)
 }
  Create a numerically evaluable version of each function as follows:
 W_J_ = sp.lambdify(t, x_sol[0].rhs.subs(params), modules="numpy")
 i_L_ = sp.lambdify(t, x_sol[1].rhs.subs(params), modules="numpy")
  Graph each solution as follows:
 t_{-} = np.linspace(0, 0.000002, 201)
 fig, axs = plt.subplots(2, sharex=True)
 axs[0].plot(t_, W_J_(t_))
```

axs[1].plot(t_, i_L_(t_))
axs[1].set_xlabel("Time (s)")

plt.show()

axs[0].set_ylabel("\$\\Omega_J(t)\$ (rad/s)")

axs[1].set_ylabel("\$i_L(t)\$ (A)")




Figure 4.7. The state response to a unit step voltage input.

The output equation is trivial in this case, yielding only the state variable $\Omega_{J}(t)$, for which we have already solved. Therefore, we have completed the analysis.

4.8 Problems



Problem 4.1 \bigcirc 52 Let $s \in \mathbb{C}$. Use SymPy to perform a partial fraction expansion on the following expression:

$$\frac{(s+2)(s+10)}{s^4+8s^3+117s^2+610s+500}.$$

Problem 4.2 Let x, a_1 , a_2 , a_3 , $a_4 \in \mathbb{R}$. Use SymPy to combine the cosine and sine terms that share arguments into single sinusoids with phase shifts in the following expression:

$$a_1 \sin(x) + a_2 \cos(x) + a_3 \sin(2x) + a_4 \cos(2x)$$

Problem 4.3 QKR Consider the following equation, where $x \in \mathbb{C}$ and $a, b, c \in \mathbb{R}_+$,

$$ax^2 + bx + \frac{c}{x} + b^2 = 0.$$

Use SymPy to solve for x.

Problem 4.4 QG9 Let $w, x, y, z \in \mathbb{R}$. Consider the following system of equations:

$$8w - 6x + 5y + 4z = -20$$
$$2y - 2z = 10$$
$$2w - x + 4y + z = 0$$
$$w + 4x - 2y + 8z = 4.$$

Use SymPy to solve the system for w, x, y, and z.

Problem 4.5 ©IV Consider the truss shown in figure 4.8. Use a static analysis and the method of joints to develop a solution for the force in each member F_{AC} , F_{AD} , etc., and the reaction forces using the sign convention that tension is positive and compression is negative. The forces should be expressed in terms of the applied force f_D and the dimensions w and h only. Write a program that solves for the forces symbolically and answers the following questions:

- a. Which members are in tension?
- b. Which members are in compression?
- c. Are there any members with 0 nominal force? If so, which?
- d. Which member (or members) has (or have) the maximum compression?
- e. Which member (or members) has (or have) the maximum tension?




Figure 4.8. A truss with pinned joints, supported by two hinges, with an applied load f_D .

Problem 4.6 Q49 You are designing the truss structure shown in figure 4.9, which is to support the hanging of an external load $f_C = -f_C \hat{j}$, where $f_C > 0$. Your organization plans to offer customers the following options:

- Any width (i.e., 2w)
- A selection of maximum load magnitudes $L = f_C/\alpha \in \Gamma$, where $\Gamma = \{1, 2, 4, 8, 16\}$ kN, and where α is the factor of safety

As the designer, you are to develop a design curve for the dimension h versus half-width w for each maximum load $L \in \Gamma$, under the following design constraints:

- Minimize the dimension *h*
- The tension in all members is no more than a given *T*
- The compression in all members is no more than a given *C*
- The magnitude of the support force at pin A is no more than a given P_A
- The magnitude of the support force at pin D is no more than a given P_D

Use a static analysis and the method of joints to develop a solution for the force in each member F_{AB} , F_{AC} , etc., and the reaction forces using the sign convention that tension is positive and compression is negative. Create a Python function that returns h as a function of w for a given set of design parameters $\{T, C, P_A, P_D, \alpha, L\}$. Use the function to create a design curve h versus 2w for each $L \in \Gamma$, maximum tension T = 81 kN, maximum compression C = 81 kN, maximum support A load $P_A = 50$ kN, maximum support D load $P_D = 50$ kN, and a factor of safety of $\alpha = 5$.




Figure 4.9. A truss with pinned joints, supported by a hinge and a floating support, with an applied load f_C .

Problem 4.7 Who Consider an LTI system modeled by the state equation of the state-space model, equation (4.24a). A **steady state** of a system is defined as the state vector x(t) after the effects of initial conditions have become relatively small. For a constant input $u(t) = \overline{u}$, the constant state \overline{x} toward which the system's response decays can be found by setting the time derivative vector $x'(t) = \mathbf{0}$.

Write a Python function steady_state() that accepts the following arguments:

- A: A symbolic matrix representing A
- B: A symbolic matrix representing B
- ullet u_const: A symbolic vector representing \overline{u}

The function should return x_const, a symbolic vector representing \overline{x} .

The steady-state output converges to \overline{y} the corresponding output equation of the state-space model, equation (4.24b). Write a second Python function steady_output() that accepts the following arguments:

- C: A symbolic matrix representing C
- D: A symbolic matrix representing *D*
- u_const: A symbolic vector representing \overline{u}
- x_const: A symbolic vector representing \bar{x}

This function should return y_const, a symbolic vector representing \overline{y} .

Apply steady_state() and steady_output() to the state-space model of the circuit shown in figure 4.10, which includes a resistor with resistance R, an inductor with inductance L, and capacitor with capacitance C. The LTI system is represented by equation (4.24) with state, input, and output vectors

$$x(t) = \begin{bmatrix} v_C(t) \\ i_L(t) \end{bmatrix}$$
, $u(t) = \begin{bmatrix} V_S \end{bmatrix}$, $y(t) = \begin{bmatrix} v_C(t) \\ v_L(t) \end{bmatrix}$

and the following matrices:

$$A = \begin{bmatrix} 0 & 1/C \\ -1/L & -R/L \end{bmatrix}, \ B = \begin{bmatrix} 0 \\ 1/L \end{bmatrix}, \ C = \begin{bmatrix} 1 & 0 \\ -1 & -R \end{bmatrix}, \ D = \begin{bmatrix} 0 \\ 1 \end{bmatrix}.$$

Furthermore, let the constant input vector be

$$\overline{u} = \left[\overline{V_S} \right]$$
,

for constant $\overline{V_S}$.




Figure 4.10. An RLC circuit with a voltage source $V_S(t)$.

Problem 4.8 ©8U Consider the electromechanical state-space model described in example 4.3. For a given set of parameters, input voltage, and initial conditions, the following vector-valued functions have been derived:

$$F = \begin{bmatrix} \int_0^t v_R(t) \, dt \\ \int_0^t v_L(t) \, dt \\ \int_0^t \Omega_B(t) \, dt \end{bmatrix} = \begin{bmatrix} \exp(-t) \\ \exp(-t) \\ 1 - \exp(-t) \\ 1 - \exp(-t) \end{bmatrix}, \quad G = \begin{bmatrix} \int_0^t i_R(t) \, dt \\ \int_0^t i_L(t) \, dt \\ \int_0^t T_B(t) \, dt \\ \int_0^t T_J(t) \, dt \end{bmatrix} = \begin{bmatrix} \exp(-t) \\ \exp(-t) \\ 1 - \exp(-t) \\ \exp(-t) \end{bmatrix}$$

The instantaneous power lossed or stored by each element is given by the following vector of products:

$$\mathcal{P}(t) = \begin{bmatrix} v_R(t)i_R(t) \\ v_L(t)i_L(t) \\ \Omega_B(t)T_B(t) \\ \Omega_J(t)T_J(t) \end{bmatrix}.$$

The energy $\mathcal{E}(t)$ of the elements, then, is

$$\mathcal{E}(t) = \int_0^t \mathcal{P}(t) dt.$$

Write a program that satisfies the following requirements:

a. It defines a function power (F, G) that returns the symbolic power vector $\mathcal{P}(t)$ from any inputs F and G

b. It defines a function energy (F, G) that returns the symbolic energy $\mathcal{E}(t)$ from any inputs F and G (energy () should call power ())

c. It tests the energy() on the specific *F* and *G* given above

Problem 4.9 For the circuit and state-space model given in problem 4.7, use SymPy to solve for x(t) and y(t) given the following:

- A constant input voltage $V_S(t) = \overline{V_S}$
- Initial condition x(0) = 0

Substitute the following parameters into the solution for y(t) and create numerically evaluable functions of time for each variable in y(t):

$$R = 50 \Omega$$
, $L = 10 \cdot 10^{-6} \text{ H}$, $C = 1 \cdot 10^{-9} \text{ F}$, $\overline{V_S} = 10 \text{ V}$.

Plot the outputs in y(t) as functions of time, making sure to choose a range of time over which the response is best presented. *Hint*: An appropriate amount of time is on the scale of microseconds.

Numerical Analysis and Design Techniques [Outlined]



Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetuer id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.

Quisque ullamcorper placerat ipsum. Cras nibh. Morbi vel justo vitae lacus tincidunt ultrices. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. In hac

habitasse platea dictumst. Integer tempus convallis augue. Etiam facilisis. Nunc elementum fermentum wisi. Aenean placerat. Ut imperdiet, enim sed gravida sollicitudin, felis odio placerat quam, ac pulvinar elit purus eget enim. Nunc vitae tortor. Proin tempus nibh sit amet nisl. Vivamus quis tortor vitae risus porta vehicula.

Fusce mauris. Vestibulum luctus nibh at lectus. Sed bibendum, nulla a faucibus semper, leo velit ultricies tellus, ac venenatis arcu wisi vel nisl. Vestibulum diam. Aliquam pellentesque, augue quis sagittis posuere, turpis lacus congue quam, in hendrerit risus eros eget felis. Maecenas eget erat in sapien mattis porttitor. Vestibulum porttitor. Nulla facilisi. Sed a turpis eu lacus commodo facilisis. Morbi fringilla, wisi in dignissim interdum, justo lectus sagittis dui, et vehicula libero dui cursus dui. Mauris tempor ligula sed lacus. Duis cursus enim ut augue. Cras ac magna. Cras nulla. Nulla egestas. Curabitur a leo. Quisque egestas wisi eget nunc. Nam feugiat lacus vel est. Curabitur consectetuer.

Suspendisse vel felis. Ut lorem lorem, interdum eu, tincidunt sit amet, laoreet vitae, arcu. Aenean faucibus pede eu ante. Praesent enim elit, rutrum at, molestie non, nonummy vel, nisl. Ut lectus eros, malesuada sit amet, fermentum eu, sodales cursus, magna. Donec eu purus. Quisque vehicula, urna sed ultricies auctor, pede lorem egestas dui, et convallis elit erat sed nulla. Donec luctus. Curabitur et nunc. Aliquam dolor odio, commodo pretium, ultricies non, pharetra in, velit. Integer arcu est, nonummy in, fermentum faucibus, egestas vel, odio.

Sed commodo posuere pede. Mauris ut est. Ut quis purus. Sed ac odio. Sed vehicula hendrerit sem. Duis non odio. Morbi ut dui. Sed accumsan risus eget odio. In hac habitasse platea dictumst. Pellentesque non elit. Fusce sed justo eu urna porta tincidunt. Mauris felis odio, sollicitudin sed, volutpat a, ornare ac, erat. Morbi quis dolor. Donec pellentesque, erat ac sagittis semper, nunc dui lobortis purus, quis congue purus metus ultricies tellus. Proin et quam. Class aptent taciti sociosqu ad litora torquent per conubia nostra, per inceptos hymenaeos. Praesent sapien turpis, fermentum vel, eleifend faucibus, vehicula eu, lacus.

Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Donec odio elit, dictum in, hendrerit sit amet, egestas sed, leo. Praesent feugiat sapien aliquet odio. Integer vitae justo. Aliquam vestibulum fringilla lorem. Sed neque lectus, consectetuer at, consectetuer sed, eleifend ac, lectus. Nulla facilisi. Pellentesque eget lectus. Proin eu metus. Sed porttitor. In hac habitasse platea dictumst. Suspendisse eu lectus. Ut mi mi, lacinia sit amet, placerat et, mollis vitae, dui. Sed ante tellus, tristique ut, iaculis eu, malesuada ac, dui. Mauris nibh leo, facilisis non, adipiscing quis, ultrices a, dui.

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetuer a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod.

Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetuer. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

Suspendisse vitae elit. Aliquam arcu neque, ornare in, ullamcorper quis, commodo eu, libero. Fusce sagittis erat at erat tristique mollis. Maecenas sapien libero, molestie et, lobortis in, sodales eget, dui. Morbi ultrices rutrum lorem. Nam elementum ullamcorper leo. Morbi dui. Aliquam sagittis. Nunc placerat. Pellentesque tristique sodales est. Maecenas imperdiet lacinia velit. Cras non urna. Morbi eros pede, suscipit ac, varius vel, egestas non, eros. Praesent malesuada, diam id pretium elementum, eros sem dictum tortor, vel consectetuer odio sem sed wisi.

5.1 Sets of Linear Algebraic Equations



Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetuer id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula

feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.

Quisque ullamcorper placerat ipsum. Cras nibh. Morbi vel justo vitae lacus tincidunt ultrices. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. In hac habitasse platea dictumst. Integer tempus convallis augue. Etiam facilisis. Nunc elementum fermentum wisi. Aenean placerat. Ut imperdiet, enim sed gravida sollicitudin, felis odio placerat quam, ac pulvinar elit purus eget enim. Nunc vitae tortor. Proin tempus nibh sit amet nisl. Vivamus quis tortor vitae risus porta vehicula.

Fusce mauris. Vestibulum luctus nibh at lectus. Sed bibendum, nulla a faucibus semper, leo velit ultricies tellus, ac venenatis arcu wisi vel nisl. Vestibulum diam. Aliquam pellentesque, augue quis sagittis posuere, turpis lacus congue quam, in hendrerit risus eros eget felis. Maecenas eget erat in sapien mattis porttitor. Vestibulum porttitor. Nulla facilisi. Sed a turpis eu lacus commodo facilisis. Morbi fringilla, wisi in dignissim interdum, justo lectus sagittis dui, et vehicula libero dui cursus dui. Mauris tempor ligula sed lacus. Duis cursus enim ut augue. Cras ac magna. Cras nulla. Nulla egestas. Curabitur a leo. Quisque egestas wisi eget nunc. Nam feugiat lacus vel est. Curabitur consectetuer.

Suspendisse vel felis. Ut lorem lorem, interdum eu, tincidunt sit amet, laoreet vitae, arcu. Aenean faucibus pede eu ante. Praesent enim elit, rutrum at, molestie non, nonummy vel, nisl. Ut lectus eros, malesuada sit amet, fermentum eu, sodales cursus, magna. Donec eu purus. Quisque vehicula, urna sed ultricies auctor, pede lorem egestas dui, et convallis elit erat sed nulla. Donec luctus. Curabitur et nunc. Aliquam dolor odio, commodo pretium, ultricies non, pharetra in, velit. Integer arcu est, nonummy in, fermentum faucibus, egestas vel, odio.

Sed commodo posuere pede. Mauris ut est. Ut quis purus. Sed ac odio. Sed vehicula hendrerit sem. Duis non odio. Morbi ut dui. Sed accumsan risus eget odio. In hac habitasse platea dictumst. Pellentesque non elit. Fusce sed justo eu urna porta tincidunt. Mauris felis odio, sollicitudin sed, volutpat a, ornare ac, erat. Morbi quis dolor. Donec pellentesque, erat ac sagittis semper, nunc dui lobortis purus, quis congue purus metus ultricies tellus. Proin et quam. Class aptent taciti sociosqu ad litora torquent per conubia nostra, per inceptos hymenaeos. Praesent sapien turpis, fermentum vel, eleifend faucibus, vehicula eu, lacus.

Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Donec odio elit, dictum in, hendrerit sit amet, egestas sed, leo. Praesent feugiat sapien aliquet odio. Integer vitae justo. Aliquam vestibulum fringilla lorem. Sed neque lectus, consectetuer at, consectetuer sed, eleifend ac, lectus. Nulla facilisi. Pellentesque eget lectus. Proin eu metus. Sed porttitor. In hac habitasse platea dictumst. Suspendisse eu lectus. Ut mi mi, lacinia sit amet, placerat et, mollis

vitae, dui. Sed ante tellus, tristique ut, iaculis eu, malesuada ac, dui. Mauris nibh leo, facilisis non, adipiscing quis, ultrices a, dui.

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetuer a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetuer. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

Suspendisse vitae elit. Aliquam arcu neque, ornare in, ullamcorper quis, commodo eu, libero. Fusce sagittis erat at erat tristique mollis. Maecenas sapien libero, molestie et, lobortis in, sodales eget, dui. Morbi ultrices rutrum lorem. Nam elementum ullamcorper leo. Morbi dui. Aliquam sagittis. Nunc placerat. Pellentesque tristique sodales est. Maecenas imperdiet lacinia velit. Cras non urna. Morbi eros pede, suscipit ac, varius vel, egestas non, eros. Praesent malesuada, diam id pretium elementum, eros sem dictum tortor, vel consectetuer odio sem sed wisi.

Sed feugiat. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Ut pellentesque augue sed urna. Vestibulum diam eros, fringilla et, consectetuer eu, nonummy id, sapien. Nullam at lectus. In sagittis ultrices mauris. Curabitur malesuada erat sit amet massa. Fusce blandit. Aliquam erat volutpat. Aliquam euismod. Aenean vel lectus. Nunc imperdiet justo nec dolor.

Etiam euismod. Fusce facilisis lacinia dui. Suspendisse potenti. In mi erat, cursus id, nonummy sed, ullamcorper eget, sapien. Praesent pretium, magna in eleifend egestas, pede pede pretium lorem, quis consectetuer tortor sapien facilisis magna. Mauris quis magna varius nulla scelerisque imperdiet. Aliquam non quam. Aliquam porttitor quam a lacus. Praesent vel arcu ut tortor cursus volutpat. In vitae pede quis diam bibendum placerat. Fusce elementum convallis neque. Sed dolor orci, scelerisque ac, dapibus nec, ultricies ut, mi. Duis nec dui quis leo sagittis commodo.

Aliquam lectus. Vivamus leo. Quisque ornare tellus ullamcorper nulla. Mauris porttitor pharetra tortor. Sed fringilla justo sed mauris. Mauris tellus. Sed non leo. Nullam elementum, magna in cursus sodales, augue est scelerisque sapien, venenatis congue nulla arcu et pede. Ut suscipit enim vel sapien. Donec congue. Maecenas urna mi, suscipit in, placerat ut, vestibulum ut, massa. Fusce ultrices nulla et nisl.

Etiam ac leo a risus tristique nonummy. Donec dignissim tincidunt nulla. Vestibulum rhoncus molestie odio. Sed lobortis, justo et pretium lobortis, mauris turpis

condimentum augue, nec ultricies nibh arcu pretium enim. Nunc purus neque, placerat id, imperdiet sed, pellentesque nec, nisl. Vestibulum imperdiet neque non sem accumsan laoreet. In hac habitasse platea dictumst. Etiam condimentum facilisis libero. Suspendisse in elit quis nisl aliquam dapibus. Pellentesque auctor sapien. Sed egestas sapien nec lectus. Pellentesque vel dui vel neque bibendum viverra. Aliquam porttitor nisl nec pede. Proin mattis libero vel turpis. Donec rutrum mauris et libero. Proin euismod porta felis. Nam lobortis, metus quis elementum commodo, nunc lectus elementum mauris, eget vulputate ligula tellus eu neque. Vivamus eu dolor.

Nulla in ipsum. Praesent eros nulla, congue vitae, euismod ut, commodo a, wisi. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Aenean nonummy magna non leo. Sed felis erat, ullamcorper in, dictum non, ultricies ut, lectus. Proin vel arcu a odio lobortis euismod. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Proin ut est. Aliquam odio. Pellentesque massa turpis, cursus eu, euismod nec, tempor congue, nulla. Duis viverra gravida mauris. Cras tincidunt. Curabitur eros ligula, varius ut, pulvinar in, cursus faucibus, augue.

Nulla mattis luctus nulla. Duis commodo velit at leo. Aliquam vulputate magna et leo. Nam vestibulum ullamcorper leo. Vestibulum condimentum rutrum mauris. Donec id mauris. Morbi molestie justo et pede. Vivamus eget turpis sed nisl cursus tempor. Curabitur mollis sapien condimentum nunc. In wisi nisl, malesuada at, dignissim sit amet, lobortis in, odio. Aenean consequat arcu a ante. Pellentesque porta elit sit amet orci. Etiam at turpis nec elit ultricies imperdiet. Nulla facilisi. In hac habitasse platea dictumst. Suspendisse viverra aliquam risus. Nullam pede justo, molestie nonummy, scelerisque eu, facilisis vel, arcu.

Curabitur tellus magna, porttitor a, commodo a, commodo in, tortor. Donec interdum. Praesent scelerisque. Maecenas posuere sodales odio. Vivamus metus lacus, varius quis, imperdiet quis, rhoncus a, turpis. Etiam ligula arcu, elementum a, venenatis quis, sollicitudin sed, metus. Donec nunc pede, tincidunt in, venenatis vitae, faucibus vel, nibh. Pellentesque wisi. Nullam malesuada. Morbi ut tellus ut pede tincidunt porta. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam congue neque id dolor.

Donec et nisl at wisi luctus bibendum. Nam interdum tellus ac libero. Sed sem justo, laoreet vitae, fringilla at, adipiscing ut, nibh. Maecenas non sem quis tortor eleifend fermentum. Etiam id tortor ac mauris porta vulputate. Integer porta neque vitae massa. Maecenas tempus libero a libero posuere dictum. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Aenean quis mauris sed elit commodo placerat. Class aptent taciti sociosqu ad litora torquent per conubia nostra, per inceptos hymenaeos. Vivamus rhoncus tincidunt libero.

Etiam elementum pretium justo. Vivamus est. Morbi a tellus eget pede tristique commodo. Nulla nisl. Vestibulum sed nisl eu sapien cursus rutrum.

Nulla non mauris vitae wisi posuere convallis. Sed eu nulla nec eros scelerisque pharetra. Nullam varius. Etiam dignissim elementum metus. Vestibulum faucibus, metus sit amet mattis rhoncus, sapien dui laoreet odio, nec ultricies nibh augue a enim. Fusce in ligula. Quisque at magna et nulla commodo consequat. Proin accumsan imperdiet sem. Nunc porta. Donec feugiat mi at justo. Phasellus facilisis ipsum quis ante. In ac elit eget ipsum pharetra faucibus. Maecenas viverra nulla in massa.

Nulla ac nisl. Nullam urna nulla, ullamcorper in, interdum sit amet, gravida ut, risus. Aenean ac enim. In luctus. Phasellus eu quam vitae turpis viverra pellentesque. Duis feugiat felis ut enim. Phasellus pharetra, sem id porttitor sodales, magna nunc aliquet nibh, nec blandit nisl mauris at pede. Suspendisse risus risus, lobortis eget, semper at, imperdiet sit amet, quam. Quisque scelerisque dapibus nibh. Nam enim. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Nunc ut metus. Ut metus justo, auctor at, ultrices eu, sagittis ut, purus. Aliquam aliquam.

Etiam pede massa, dapibus vitae, rhoncus in, placerat posuere, odio. Vestibulum luctus commodo lacus. Morbi lacus dui, tempor sed, euismod eget, condimentum at, tortor. Phasellus aliquet odio ac lacus tempor faucibus. Praesent sed sem. Praesent iaculis. Cras rhoncus tellus sed justo ullamcorper sagittis. Donec quis orci. Sed ut tortor quis tellus euismod tincidunt. Suspendisse congue nisl eu elit. Aliquam tortor diam, tempus id, tristique eget, sodales vel, nulla. Praesent tellus mi, condimentum sed, viverra at, consectetuer quis, lectus. In auctor vehicula orci. Sed pede sapien, euismod in, suscipit in, pharetra placerat, metus. Vivamus commodo dui non odio. Donec et felis.

Etiam suscipit aliquam arcu. Aliquam sit amet est ac purus bibendum congue. Sed in eros. Morbi non orci. Pellentesque mattis lacinia elit. Fusce molestie velit in ligula. Nullam et orci vitae nibh vulputate auctor. Aliquam eget purus. Nulla auctor wisi sed ipsum. Morbi porttitor tellus ac enim. Fusce ornare. Proin ipsum enim, tincidunt in, ornare venenatis, molestie a, augue. Donec vel pede in lacus sagittis porta. Sed hendrerit ipsum quis nisl. Suspendisse quis massa ac nibh pretium cursus. Sed sodales. Nam eu neque quis pede dignissim ornare. Maecenas eu purus ac urna tincidunt congue.

Donec et nisl id sapien blandit mattis. Aenean dictum odio sit amet risus. Morbi purus. Nulla a est sit amet purus venenatis iaculis. Vivamus viverra purus vel magna. Donec in justo sed odio malesuada dapibus. Nunc ultrices aliquam nunc. Vivamus facilisis pellentesque velit. Nulla nunc velit, vulputate dapibus, vulputate id, mattis ac, justo. Nam mattis elit dapibus purus. Quisque enim risus, congue non, elementum ut, mattis quis, sem. Quisque elit.

Maecenas non massa. Vestibulum pharetra nulla at lorem. Duis quis quam id lacus dapibus interdum. Nulla lorem. Donec ut ante quis dolor bibendum condimentum. Etiam egestas tortor vitae lacus. Praesent cursus. Mauris bibendum pede at elit. Morbi et felis a lectus interdum facilisis. Sed suscipit gravida turpis. Nulla at lectus. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Praesent nonummy luctus nibh. Proin turpis nunc, congue eu, egestas ut, fringilla at, tellus. In hac habitasse platea dictumst.

Vivamus eu tellus sed tellus consequat suscipit. Nam orci orci, malesuada id, gravida nec, ultricies vitae, erat. Donec risus turpis, luctus sit amet, interdum quis, porta sed, ipsum. Suspendisse condimentum, tortor at egestas posuere, neque metus tempor orci, et tincidunt urna nunc a purus. Sed facilisis blandit tellus. Nunc risus sem, suscipit nec, eleifend quis, cursus quis, libero. Curabitur et dolor. Sed vitae sem. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Maecenas ante. Duis ullamcorper enim. Donec tristique enim eu leo. Nullam molestie elit eu dolor. Nullam bibendum, turpis vitae tristique gravida, quam sapien tempor lectus, quis pretium tellus purus ac quam. Nulla facilisi.

Duis aliquet dui in est. Donec eget est. Nunc lectus odio, varius at, fermentum in, accumsan non, enim. Aliquam erat volutpat. Proin sit amet nulla ut eros consectetuer cursus. Phasellus dapibus aliquam justo. Nunc laoreet. Donec consequat placerat magna. Duis pretium tincidunt justo. Sed sollicitudin vestibulum quam. Nam quis ligula. Vivamus at metus. Etiam imperdiet imperdiet pede. Aenean turpis. Fusce augue velit, scelerisque sollicitudin, dictum vitae, tempor et, pede. Donec wisi sapien, feugiat in, fermentum ut, sollicitudin adipiscing, metus.

Donec vel nibh ut felis consectetuer laoreet. Donec pede. Sed id quam id wisi laoreet suscipit. Nulla lectus dolor, aliquam ac, fringilla eget, mollis ut, orci. In pellentesque justo in ligula. Maecenas turpis. Donec eleifend leo at felis tincidunt consequat. Aenean turpis metus, malesuada sed, condimentum sit amet, auctor a, wisi. Pellentesque sapien elit, bibendum ac, posuere et, congue eu, felis. Vestibulum mattis libero quis metus scelerisque ultrices. Sed purus.

Donec molestie, magna ut luctus ultrices, tellus arcu nonummy velit, sit amet pulvinar elit justo et mauris. In pede. Maecenas euismod elit eu erat. Aliquam augue wisi, facilisis congue, suscipit in, adipiscing et, ante. In justo. Cras lobortis neque ac ipsum. Nunc fermentum massa at ante. Donec orci tortor, egestas sit amet, ultrices eget, venenatis eget, mi. Maecenas vehicula leo semper est. Mauris vel metus. Aliquam erat volutpat. In rhoncus sapien ac tellus. Pellentesque ligula.

Cras dapibus, augue quis scelerisque ultricies, felis dolor placerat sem, id porta velit odio eu elit. Aenean interdum nibh sed wisi. Praesent sollicitudin vulputate dui. Praesent iaculis viverra augue. Quisque in libero. Aenean gravida lorem vitae sem ullamcorper cursus. Nunc adipiscing rutrum ante. Nunc ipsum massa, faucibus sit amet, viverra vel, elementum semper, orci. Cras eros sem, vulputate et, tincidunt

id, ultrices eget, magna. Nulla varius ornare odio. Donec accumsan mauris sit amet augue. Sed ligula lacus, laoreet non, aliquam sit amet, iaculis tempor, lorem. Suspendisse eros. Nam porta, leo sed congue tempor, felis est ultrices eros, id mattis velit felis non metus. Curabitur vitae elit non mauris varius pretium. Aenean lacus sem, tincidunt ut, consequat quis, porta vitae, turpis. Nullam laoreet fermentum urna. Proin iaculis lectus.

Sed mattis, erat sit amet gravida malesuada, elit augue egestas diam, tempus scelerisque nunc nisl vitae libero. Sed consequat feugiat massa. Nunc porta, eros in eleifend varius, erat leo rutrum dui, non convallis lectus orci ut nibh. Sed lorem massa, nonummy quis, egestas id, condimentum at, nisl. Maecenas at nibh. Aliquam et augue at nunc pellentesque ullamcorper. Duis nisl nibh, laoreet suscipit, convallis ut, rutrum id, enim. Phasellus odio. Nulla nulla elit, molestie non, scelerisque at, vestibulum eu, nulla. Ut odio nisl, facilisis id, mollis et, scelerisque nec, enim. Aenean sem leo, pellentesque sit amet, scelerisque sit amet, vehicula pellentesque, sapien.

Sed consequat tellus et tortor. Ut tempor laoreet quam. Nullam id wisi a libero tristique semper. Nullam nisl massa, rutrum ut, egestas semper, mollis id, leo. Nulla ac massa eu risus blandit mattis. Mauris ut nunc. In hac habitasse platea dictumst. Aliquam eget tortor. Quisque dapibus pede in erat. Nunc enim. In dui nulla, commodo at, consectetuer nec, malesuada nec, elit. Aliquam ornare tellus eu urna. Sed nec metus. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas.

Phasellus id magna. Duis malesuada interdum arcu. Integer metus. Morbi pulvinar pellentesque mi. Suspendisse sed est eu magna molestie egestas. Quisque mi lorem, pulvinar eget, egestas quis, luctus at, ante. Proin auctor vehicula purus. Fusce ac nisl aliquam ante hendrerit pellentesque. Class aptent taciti sociosqu ad litora torquent per conubia nostra, per inceptos hymenaeos. Morbi wisi. Etiam arcu mauris, facilisis sed, eleifend non, nonummy ut, pede. Cras ut lacus tempor metus mollis placerat. Vivamus eu tortor vel metus interdum malesuada.

Sed eleifend, eros sit amet faucibus elementum, urna sapien consectetuer mauris, quis egestas leo justo non risus. Morbi non felis ac libero vulputate fringilla. Mauris libero eros, lacinia non, sodales quis, dapibus porttitor, pede. Class aptent taciti sociosqu ad litora torquent per conubia nostra, per inceptos hymenaeos. Morbi dapibus mauris condimentum nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Etiam sit amet erat. Nulla varius. Etiam tincidunt dui vitae turpis. Donec leo. Morbi vulputate convallis est. Integer aliquet. Pellentesque aliquet sodales urna.

Nullam eleifend justo in nisl. In hac habitasse platea dictumst. Morbi nonummy. Aliquam ut felis. In velit leo, dictum vitae, posuere id, vulputate nec, ante. Maecenas

vitae pede nec dui dignissim suscipit. Morbi magna. Vestibulum id purus eget velit laoreet laoreet. Praesent sed leo vel nibh convallis blandit. Ut rutrum. Donec nibh. Donec interdum. Fusce sed pede sit amet elit rhoncus ultrices. Nullam at enim vitae pede vehicula iaculis.

Class aptent taciti sociosqu ad litora torquent per conubia nostra, per inceptos hymenaeos. Aenean nonummy turpis id odio. Integer euismod imperdiet turpis. Ut nec leo nec diam imperdiet lacinia. Etiam eget lacus eget mi ultricies posuere. In placerat tristique tortor. Sed porta vestibulum metus. Nulla iaculis sollicitudin pede. Fusce luctus tellus in dolor. Curabitur auctor velit a sem. Morbi sapien. Class aptent taciti sociosqu ad litora torquent per conubia nostra, per inceptos hymenaeos. Donec adipiscing urna vehicula nunc. Sed ornare leo in leo. In rhoncus leo ut dui. Aenean dolor quam, volutpat nec, fringilla id, consectetuer vel, pede.

Nulla malesuada risus ut urna. Aenean pretium velit sit amet metus. Duis iaculis. In hac habitasse platea dictumst. Nullam molestie turpis eget nisl. Duis a massa id pede dapibus ultricies. Sed eu leo. In at mauris sit amet tortor bibendum varius. Phasellus justo risus, posuere in, sagittis ac, varius vel, tortor. Quisque id enim. Phasellus consequat, libero pretium nonummy fringilla, tortor lacus vestibulum nunc, ut rhoncus ligula neque id justo. Nullam accumsan euismod nunc. Proin vitae ipsum ac metus dictum tempus. Nam ut wisi. Quisque tortor felis, interdum ac, sodales a, semper a, sem. Curabitur in velit sit amet dui tristique sodales. Vivamus mauris pede, lacinia eget, pellentesque quis, scelerisque eu, est. Aliquam risus. Quisque bibendum pede eu dolor.

Donec tempus neque vitae est. Aenean egestas odio sed risus ullamcorper ullamcorper. Sed in nulla a tortor tincidunt egestas. Nam sapien tortor, elementum sit amet, aliquam in, porttitor faucibus, enim. Nullam congue suscipit nibh. Quisque convallis. Praesent arcu nibh, vehicula eget, accumsan eu, tincidunt a, nibh. Suspendisse vulputate, tortor quis adipiscing viverra, lacus nibh dignissim tellus, eu suscipit risus ante fringilla diam. Quisque a libero vel pede imperdiet aliquet. Pellentesque nunc nibh, eleifend a, consequat consequat, hendrerit nec, diam. Sed urna. Maecenas laoreet eleifend neque. Vivamus purus odio, eleifend non, iaculis a, ultrices sit amet, urna. Mauris faucibus odio vitae risus. In nisl. Praesent purus. Integer iaculis, sem eu egestas lacinia, lacus pede scelerisque augue, in ullamcorper dolor eros ac lacus. Nunc in libero.

Fusce suscipit cursus sem. Vivamus risus mi, egestas ac, imperdiet varius, faucibus quis, leo. Aenean tincidunt. Donec suscipit. Cras id justo quis nibh scelerisque dignissim. Aliquam sagittis elementum dolor. Aenean consectetuer justo in pede. Curabitur ullamcorper ligula nec orci. Aliquam purus turpis, aliquam id, ornare vitae, porttitor non, wisi. Maecenas luctus porta lorem. Donec vitae ligula eu ante pretium varius. Proin tortor metus, convallis et, hendrerit non, scelerisque in, urna.

Cras quis libero eu ligula bibendum tempor. Vivamus tellus quam, malesuada eu, tempus sed, tempor sed, velit. Donec lacinia auctor libero.

Praesent sed neque id pede mollis rutrum. Vestibulum iaculis risus. Pellentesque lacus. Ut quis nunc sed odio malesuada egestas. Duis a magna sit amet ligula tristique pretium. Ut pharetra. Vestibulum imperdiet magna nec wisi. Mauris convallis. Sed accumsan sollicitudin massa. Sed id enim. Nunc pede enim, lacinia ut, pulvinar quis, suscipit semper, elit. Cras accumsan erat vitae enim. Cras sollicitudin. Vestibulum rutrum blandit massa.

Sed gravida lectus ut purus. Morbi laoreet magna. Pellentesque eu wisi. Proin turpis. Integer sollicitudin augue nec dui. Fusce lectus. Vivamus faucibus nulla nec lacus. Integer diam. Pellentesque sodales, enim feugiat cursus volutpat, sem mauris dignissim mauris, quis consequat sem est fermentum ligula. Nullam justo lectus, condimentum sit amet, posuere a, fringilla mollis, felis. Morbi nulla nibh, pellentesque at, nonummy eu, sollicitudin nec, ipsum. Cras neque. Nunc augue. Nullam vitae quam id quam pulvinar blandit. Nunc sit amet orci. Aliquam erat elit, pharetra nec, aliquet a, gravida in, mi. Quisque urna enim, viverra quis, suscipit quis, tincidunt ut, sapien. Cras placerat consequat sem. Curabitur ac diam. Curabitur diam tortor, mollis et, viverra ac, tempus vel, metus.

5.2 Nonlinear Sets of Algebraic Equations via Newton-Raphson



Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetuer id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.

Quisque ullamcorper placerat ipsum. Cras nibh. Morbi vel justo vitae lacus tincidunt ultrices. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. In hac habitasse platea dictumst. Integer tempus convallis augue. Etiam facilisis. Nunc elementum fermentum wisi. Aenean placerat. Ut imperdiet, enim sed gravida sollicitudin, felis odio placerat quam, ac pulvinar elit purus eget enim. Nunc vitae tortor. Proin tempus nibh sit amet nisl. Vivamus quis tortor vitae risus porta vehicula.

Fusce mauris. Vestibulum luctus nibh at lectus. Sed bibendum, nulla a faucibus semper, leo velit ultricies tellus, ac venenatis arcu wisi vel nisl. Vestibulum diam. Aliquam pellentesque, augue quis sagittis posuere, turpis lacus congue quam, in hendrerit risus eros eget felis. Maecenas eget erat in sapien mattis porttitor. Vestibulum porttitor. Nulla facilisi. Sed a turpis eu lacus commodo facilisis. Morbi fringilla, wisi in dignissim interdum, justo lectus sagittis dui, et vehicula libero dui cursus dui. Mauris tempor ligula sed lacus. Duis cursus enim ut augue. Cras ac magna. Cras nulla. Nulla egestas. Curabitur a leo. Quisque egestas wisi eget nunc. Nam feugiat lacus vel est. Curabitur consectetuer.

Suspendisse vel felis. Ut lorem lorem, interdum eu, tincidunt sit amet, laoreet vitae, arcu. Aenean faucibus pede eu ante. Praesent enim elit, rutrum at, molestie non, nonummy vel, nisl. Ut lectus eros, malesuada sit amet, fermentum eu, sodales cursus, magna. Donec eu purus. Quisque vehicula, urna sed ultricies auctor, pede lorem egestas dui, et convallis elit erat sed nulla. Donec luctus. Curabitur et nunc. Aliquam dolor odio, commodo pretium, ultricies non, pharetra in, velit. Integer arcu est, nonummy in, fermentum faucibus, egestas vel, odio.

Sed commodo posuere pede. Mauris ut est. Ut quis purus. Sed ac odio. Sed vehicula hendrerit sem. Duis non odio. Morbi ut dui. Sed accumsan risus eget odio. In hac habitasse platea dictumst. Pellentesque non elit. Fusce sed justo eu urna porta tincidunt. Mauris felis odio, sollicitudin sed, volutpat a, ornare ac, erat. Morbi quis dolor. Donec pellentesque, erat ac sagittis semper, nunc dui lobortis purus, quis congue purus metus ultricies tellus. Proin et quam. Class aptent taciti sociosqu ad litora torquent per conubia nostra, per inceptos hymenaeos. Praesent sapien turpis, fermentum vel, eleifend faucibus, vehicula eu, lacus.

Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Donec odio elit, dictum in, hendrerit sit amet, egestas sed, leo. Praesent feugiat sapien aliquet odio. Integer vitae justo. Aliquam vestibulum fringilla lorem. Sed neque lectus, consectetuer at, consectetuer sed, eleifend ac, lectus. Nulla facilisi. Pellentesque eget lectus. Proin eu metus. Sed porttitor. In hac habitasse platea dictumst. Suspendisse eu lectus. Ut mi mi, lacinia sit amet, placerat et, mollis vitae, dui. Sed ante tellus, tristique ut, iaculis eu, malesuada ac, dui. Mauris nibh leo, facilisis non, adipiscing quis, ultrices a, dui.

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetuer a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetuer. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

Suspendisse vitae elit. Aliquam arcu neque, ornare in, ullamcorper quis, commodo eu, libero. Fusce sagittis erat at erat tristique mollis. Maecenas sapien libero, molestie et, lobortis in, sodales eget, dui. Morbi ultrices rutrum lorem. Nam elementum ullamcorper leo. Morbi dui. Aliquam sagittis. Nunc placerat. Pellentesque tristique sodales est. Maecenas imperdiet lacinia velit. Cras non urna. Morbi eros pede, suscipit ac, varius vel, egestas non, eros. Praesent malesuada, diam id pretium elementum, eros sem dictum tortor, vel consectetuer odio sem sed wisi.

Sed feugiat. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Ut pellentesque augue sed urna. Vestibulum diam eros, fringilla et, consectetuer eu, nonummy id, sapien. Nullam at lectus. In sagittis ultrices mauris. Curabitur malesuada erat sit amet massa. Fusce blandit. Aliquam erat volutpat. Aliquam euismod. Aenean vel lectus. Nunc imperdiet justo nec dolor.

Etiam euismod. Fusce facilisis lacinia dui. Suspendisse potenti. In mi erat, cursus id, nonummy sed, ullamcorper eget, sapien. Praesent pretium, magna in eleifend egestas, pede pede pretium lorem, quis consectetuer tortor sapien facilisis magna. Mauris quis magna varius nulla scelerisque imperdiet. Aliquam non quam. Aliquam porttitor quam a lacus. Praesent vel arcu ut tortor cursus volutpat. In vitae pede quis diam bibendum placerat. Fusce elementum convallis neque. Sed dolor orci, scelerisque ac, dapibus nec, ultricies ut, mi. Duis nec dui quis leo sagittis commodo.

Aliquam lectus. Vivamus leo. Quisque ornare tellus ullamcorper nulla. Mauris porttitor pharetra tortor. Sed fringilla justo sed mauris. Mauris tellus. Sed non

leo. Nullam elementum, magna in cursus sodales, augue est scelerisque sapien, venenatis congue nulla arcu et pede. Ut suscipit enim vel sapien. Donec congue. Maecenas urna mi, suscipit in, placerat ut, vestibulum ut, massa. Fusce ultrices nulla et nisl.

Etiam ac leo a risus tristique nonummy. Donec dignissim tincidunt nulla. Vestibulum rhoncus molestie odio. Sed lobortis, justo et pretium lobortis, mauris turpis condimentum augue, nec ultricies nibh arcu pretium enim. Nunc purus neque, placerat id, imperdiet sed, pellentesque nec, nisl. Vestibulum imperdiet neque non sem accumsan laoreet. In hac habitasse platea dictumst. Etiam condimentum facilisis libero. Suspendisse in elit quis nisl aliquam dapibus. Pellentesque auctor sapien. Sed egestas sapien nec lectus. Pellentesque vel dui vel neque bibendum viverra. Aliquam porttitor nisl nec pede. Proin mattis libero vel turpis. Donec rutrum mauris et libero. Proin euismod porta felis. Nam lobortis, metus quis elementum commodo, nunc lectus elementum mauris, eget vulputate ligula tellus eu neque. Vivamus eu dolor.

Nulla in ipsum. Praesent eros nulla, congue vitae, euismod ut, commodo a, wisi. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Aenean nonummy magna non leo. Sed felis erat, ullamcorper in, dictum non, ultricies ut, lectus. Proin vel arcu a odio lobortis euismod. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Proin ut est. Aliquam odio. Pellentesque massa turpis, cursus eu, euismod nec, tempor congue, nulla. Duis viverra gravida mauris. Cras tincidunt. Curabitur eros ligula, varius ut, pulvinar in, cursus faucibus, augue.

Nulla mattis luctus nulla. Duis commodo velit at leo. Aliquam vulputate magna et leo. Nam vestibulum ullamcorper leo. Vestibulum condimentum rutrum mauris. Donec id mauris. Morbi molestie justo et pede. Vivamus eget turpis sed nisl cursus tempor. Curabitur mollis sapien condimentum nunc. In wisi nisl, malesuada at, dignissim sit amet, lobortis in, odio. Aenean consequat arcu a ante. Pellentesque porta elit sit amet orci. Etiam at turpis nec elit ultricies imperdiet. Nulla facilisi. In hac habitasse platea dictumst. Suspendisse viverra aliquam risus. Nullam pede justo, molestie nonummy, scelerisque eu, facilisis vel, arcu.

Curabitur tellus magna, porttitor a, commodo a, commodo in, tortor. Donec interdum. Praesent scelerisque. Maecenas posuere sodales odio. Vivamus metus lacus, varius quis, imperdiet quis, rhoncus a, turpis. Etiam ligula arcu, elementum a, venenatis quis, sollicitudin sed, metus. Donec nunc pede, tincidunt in, venenatis vitae, faucibus vel, nibh. Pellentesque wisi. Nullam malesuada. Morbi ut tellus ut pede tincidunt porta. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam congue neque id dolor.

Donec et nisl at wisi luctus bibendum. Nam interdum tellus ac libero. Sed sem justo, laoreet vitae, fringilla at, adipiscing ut, nibh. Maecenas non sem quis tortor

eleifend fermentum. Etiam id tortor ac mauris porta vulputate. Integer porta neque vitae massa. Maecenas tempus libero a libero posuere dictum. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Aenean quis mauris sed elit commodo placerat. Class aptent taciti sociosqu ad litora torquent per conubia nostra, per inceptos hymenaeos. Vivamus rhoncus tincidunt libero. Etiam elementum pretium justo. Vivamus est. Morbi a tellus eget pede tristique commodo. Nulla nisl. Vestibulum sed nisl eu sapien cursus rutrum.

Nulla non mauris vitae wisi posuere convallis. Sed eu nulla nec eros scelerisque pharetra. Nullam varius. Etiam dignissim elementum metus. Vestibulum faucibus, metus sit amet mattis rhoncus, sapien dui laoreet odio, nec ultricies nibh augue a enim. Fusce in ligula. Quisque at magna et nulla commodo consequat. Proin accumsan imperdiet sem. Nunc porta. Donec feugiat mi at justo. Phasellus facilisis ipsum quis ante. In ac elit eget ipsum pharetra faucibus. Maecenas viverra nulla in massa.

Nulla ac nisl. Nullam urna nulla, ullamcorper in, interdum sit amet, gravida ut, risus. Aenean ac enim. In luctus. Phasellus eu quam vitae turpis viverra pellentesque. Duis feugiat felis ut enim. Phasellus pharetra, sem id porttitor sodales, magna nunc aliquet nibh, nec blandit nisl mauris at pede. Suspendisse risus risus, lobortis eget, semper at, imperdiet sit amet, quam. Quisque scelerisque dapibus nibh. Nam enim. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Nunc ut metus. Ut metus justo, auctor at, ultrices eu, sagittis ut, purus. Aliquam aliquam.

Etiam pede massa, dapibus vitae, rhoncus in, placerat posuere, odio. Vestibulum luctus commodo lacus. Morbi lacus dui, tempor sed, euismod eget, condimentum at, tortor. Phasellus aliquet odio ac lacus tempor faucibus. Praesent sed sem. Praesent iaculis. Cras rhoncus tellus sed justo ullamcorper sagittis. Donec quis orci. Sed ut tortor quis tellus euismod tincidunt. Suspendisse congue nisl eu elit. Aliquam tortor diam, tempus id, tristique eget, sodales vel, nulla. Praesent tellus mi, condimentum sed, viverra at, consectetuer quis, lectus. In auctor vehicula orci. Sed pede sapien, euismod in, suscipit in, pharetra placerat, metus. Vivamus commodo dui non odio. Donec et felis.

Etiam suscipit aliquam arcu. Aliquam sit amet est ac purus bibendum congue. Sed in eros. Morbi non orci. Pellentesque mattis lacinia elit. Fusce molestie velit in ligula. Nullam et orci vitae nibh vulputate auctor. Aliquam eget purus. Nulla auctor wisi sed ipsum. Morbi porttitor tellus ac enim. Fusce ornare. Proin ipsum enim, tincidunt in, ornare venenatis, molestie a, augue. Donec vel pede in lacus sagittis porta. Sed hendrerit ipsum quis nisl. Suspendisse quis massa ac nibh pretium cursus. Sed sodales. Nam eu neque quis pede dignissim ornare. Maecenas eu purus ac urna tincidunt congue.

Donec et nisl id sapien blandit mattis. Aenean dictum odio sit amet risus. Morbi purus. Nulla a est sit amet purus venenatis iaculis. Vivamus viverra purus vel

magna. Donec in justo sed odio malesuada dapibus. Nunc ultrices aliquam nunc. Vivamus facilisis pellentesque velit. Nulla nunc velit, vulputate dapibus, vulputate id, mattis ac, justo. Nam mattis elit dapibus purus. Quisque enim risus, congue non, elementum ut, mattis quis, sem. Quisque elit.

Maecenas non massa. Vestibulum pharetra nulla at lorem. Duis quis quam id lacus dapibus interdum. Nulla lorem. Donec ut ante quis dolor bibendum condimentum. Etiam egestas tortor vitae lacus. Praesent cursus. Mauris bibendum pede at elit. Morbi et felis a lectus interdum facilisis. Sed suscipit gravida turpis. Nulla at lectus. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Praesent nonummy luctus nibh. Proin turpis nunc, congue eu, egestas ut, fringilla at, tellus. In hac habitasse platea dictumst.

Vivamus eu tellus sed tellus consequat suscipit. Nam orci orci, malesuada id, gravida nec, ultricies vitae, erat. Donec risus turpis, luctus sit amet, interdum quis, porta sed, ipsum. Suspendisse condimentum, tortor at egestas posuere, neque metus tempor orci, et tincidunt urna nunc a purus. Sed facilisis blandit tellus. Nunc risus sem, suscipit nec, eleifend quis, cursus quis, libero. Curabitur et dolor. Sed vitae sem. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Maecenas ante. Duis ullamcorper enim. Donec tristique enim eu leo. Nullam molestie elit eu dolor. Nullam bibendum, turpis vitae tristique gravida, quam sapien tempor lectus, quis pretium tellus purus ac quam. Nulla facilisi.

Duis aliquet dui in est. Donec eget est. Nunc lectus odio, varius at, fermentum in, accumsan non, enim. Aliquam erat volutpat. Proin sit amet nulla ut eros consectetuer cursus. Phasellus dapibus aliquam justo. Nunc laoreet. Donec consequat placerat magna. Duis pretium tincidunt justo. Sed sollicitudin vestibulum quam. Nam quis ligula. Vivamus at metus. Etiam imperdiet imperdiet pede. Aenean turpis. Fusce augue velit, scelerisque sollicitudin, dictum vitae, tempor et, pede. Donec wisi sapien, feugiat in, fermentum ut, sollicitudin adipiscing, metus.

Donec vel nibh ut felis consectetuer laoreet. Donec pede. Sed id quam id wisi laoreet suscipit. Nulla lectus dolor, aliquam ac, fringilla eget, mollis ut, orci. In pellentesque justo in ligula. Maecenas turpis. Donec eleifend leo at felis tincidunt consequat. Aenean turpis metus, malesuada sed, condimentum sit amet, auctor a, wisi. Pellentesque sapien elit, bibendum ac, posuere et, congue eu, felis. Vestibulum mattis libero quis metus scelerisque ultrices. Sed purus.

Donec molestie, magna ut luctus ultrices, tellus arcu nonummy velit, sit amet pulvinar elit justo et mauris. In pede. Maecenas euismod elit eu erat. Aliquam augue wisi, facilisis congue, suscipit in, adipiscing et, ante. In justo. Cras lobortis neque ac ipsum. Nunc fermentum massa at ante. Donec orci tortor, egestas sit amet, ultrices eget, venenatis eget, mi. Maecenas vehicula leo semper est. Mauris vel metus. Aliquam erat volutpat. In rhoncus sapien ac tellus. Pellentesque ligula.

Cras dapibus, augue quis scelerisque ultricies, felis dolor placerat sem, id porta velit odio eu elit. Aenean interdum nibh sed wisi. Praesent sollicitudin vulputate dui. Praesent iaculis viverra augue. Quisque in libero. Aenean gravida lorem vitae sem ullamcorper cursus. Nunc adipiscing rutrum ante. Nunc ipsum massa, faucibus sit amet, viverra vel, elementum semper, orci. Cras eros sem, vulputate et, tincidunt id, ultrices eget, magna. Nulla varius ornare odio. Donec accumsan mauris sit amet augue. Sed ligula lacus, laoreet non, aliquam sit amet, iaculis tempor, lorem. Suspendisse eros. Nam porta, leo sed congue tempor, felis est ultrices eros, id mattis velit felis non metus. Curabitur vitae elit non mauris varius pretium. Aenean lacus sem, tincidunt ut, consequat quis, porta vitae, turpis. Nullam laoreet fermentum urna. Proin iaculis lectus.

Sed mattis, erat sit amet gravida malesuada, elit augue egestas diam, tempus scelerisque nunc nisl vitae libero. Sed consequat feugiat massa. Nunc porta, eros in eleifend varius, erat leo rutrum dui, non convallis lectus orci ut nibh. Sed lorem massa, nonummy quis, egestas id, condimentum at, nisl. Maecenas at nibh. Aliquam et augue at nunc pellentesque ullamcorper. Duis nisl nibh, laoreet suscipit, convallis ut, rutrum id, enim. Phasellus odio. Nulla nulla elit, molestie non, scelerisque at, vestibulum eu, nulla. Ut odio nisl, facilisis id, mollis et, scelerisque nec, enim. Aenean sem leo, pellentesque sit amet, scelerisque sit amet, vehicula pellentesque, sapien.

Sed consequat tellus et tortor. Ut tempor laoreet quam. Nullam id wisi a libero tristique semper. Nullam nisl massa, rutrum ut, egestas semper, mollis id, leo. Nulla ac massa eu risus blandit mattis. Mauris ut nunc. In hac habitasse platea dictumst. Aliquam eget tortor. Quisque dapibus pede in erat. Nunc enim. In dui nulla, commodo at, consectetuer nec, malesuada nec, elit. Aliquam ornare tellus eu urna. Sed nec metus. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas.

Phasellus id magna. Duis malesuada interdum arcu. Integer metus. Morbi pulvinar pellentesque mi. Suspendisse sed est eu magna molestie egestas. Quisque mi lorem, pulvinar eget, egestas quis, luctus at, ante. Proin auctor vehicula purus. Fusce ac nisl aliquam ante hendrerit pellentesque. Class aptent taciti sociosqu ad litora torquent per conubia nostra, per inceptos hymenaeos. Morbi wisi. Etiam arcu mauris, facilisis sed, eleifend non, nonummy ut, pede. Cras ut lacus tempor metus mollis placerat. Vivamus eu tortor vel metus interdum malesuada.

Sed eleifend, eros sit amet faucibus elementum, urna sapien consectetuer mauris, quis egestas leo justo non risus. Morbi non felis ac libero vulputate fringilla. Mauris libero eros, lacinia non, sodales quis, dapibus porttitor, pede. Class aptent taciti sociosqu ad litora torquent per conubia nostra, per inceptos hymenaeos. Morbi dapibus mauris condimentum nulla. Cum sociis natoque penatibus et magnis dis

parturient montes, nascetur ridiculus mus. Etiam sit amet erat. Nulla varius. Etiam tincidunt dui vitae turpis. Donec leo. Morbi vulputate convallis est. Integer aliquet. Pellentesque aliquet sodales urna.

Nullam eleifend justo in nisl. In hac habitasse platea dictumst. Morbi nonummy. Aliquam ut felis. In velit leo, dictum vitae, posuere id, vulputate nec, ante. Maecenas vitae pede nec dui dignissim suscipit. Morbi magna. Vestibulum id purus eget velit laoreet laoreet. Praesent sed leo vel nibh convallis blandit. Ut rutrum. Donec nibh. Donec interdum. Fusce sed pede sit amet elit rhoncus ultrices. Nullam at enim vitae pede vehicula iaculis.

Class aptent taciti sociosqu ad litora torquent per conubia nostra, per inceptos hymenaeos. Aenean nonummy turpis id odio. Integer euismod imperdiet turpis. Ut nec leo nec diam imperdiet lacinia. Etiam eget lacus eget mi ultricies posuere. In placerat tristique tortor. Sed porta vestibulum metus. Nulla iaculis sollicitudin pede. Fusce luctus tellus in dolor. Curabitur auctor velit a sem. Morbi sapien. Class aptent taciti sociosqu ad litora torquent per conubia nostra, per inceptos hymenaeos. Donec adipiscing urna vehicula nunc. Sed ornare leo in leo. In rhoncus leo ut dui. Aenean dolor quam, volutpat nec, fringilla id, consectetuer vel, pede.

Nulla malesuada risus ut urna. Aenean pretium velit sit amet metus. Duis iaculis. In hac habitasse platea dictumst. Nullam molestie turpis eget nisl. Duis a massa id pede dapibus ultricies. Sed eu leo. In at mauris sit amet tortor bibendum varius. Phasellus justo risus, posuere in, sagittis ac, varius vel, tortor. Quisque id enim. Phasellus consequat, libero pretium nonummy fringilla, tortor lacus vestibulum nunc, ut rhoncus ligula neque id justo. Nullam accumsan euismod nunc. Proin vitae ipsum ac metus dictum tempus. Nam ut wisi. Quisque tortor felis, interdum ac, sodales a, semper a, sem. Curabitur in velit sit amet dui tristique sodales. Vivamus mauris pede, lacinia eget, pellentesque quis, scelerisque eu, est. Aliquam risus. Quisque bibendum pede eu dolor.

Donec tempus neque vitae est. Aenean egestas odio sed risus ullamcorper ullamcorper. Sed in nulla a tortor tincidunt egestas. Nam sapien tortor, elementum sit amet, aliquam in, porttitor faucibus, enim. Nullam congue suscipit nibh. Quisque convallis. Praesent arcu nibh, vehicula eget, accumsan eu, tincidunt a, nibh. Suspendisse vulputate, tortor quis adipiscing viverra, lacus nibh dignissim tellus, eu suscipit risus ante fringilla diam. Quisque a libero vel pede imperdiet aliquet. Pellentesque nunc nibh, eleifend a, consequat consequat, hendrerit nec, diam. Sed urna. Maecenas laoreet eleifend neque. Vivamus purus odio, eleifend non, iaculis a, ultrices sit amet, urna. Mauris faucibus odio vitae risus. In nisl. Praesent purus. Integer iaculis, sem eu egestas lacinia, lacus pede scelerisque augue, in ullamcorper dolor eros ac lacus. Nunc in libero.

Fusce suscipit cursus sem. Vivamus risus mi, egestas ac, imperdiet varius, faucibus quis, leo. Aenean tincidunt. Donec suscipit. Cras id justo quis nibh scelerisque

dignissim. Aliquam sagittis elementum dolor. Aenean consectetuer justo in pede. Curabitur ullamcorper ligula nec orci. Aliquam purus turpis, aliquam id, ornare vitae, porttitor non, wisi. Maecenas luctus porta lorem. Donec vitae ligula eu ante pretium varius. Proin tortor metus, convallis et, hendrerit non, scelerisque in, urna. Cras quis libero eu ligula bibendum tempor. Vivamus tellus quam, malesuada eu, tempus sed, tempor sed, velit. Donec lacinia auctor libero.

Praesent sed neque id pede mollis rutrum. Vestibulum iaculis risus. Pellentesque lacus. Ut quis nunc sed odio malesuada egestas. Duis a magna sit amet ligula tristique pretium. Ut pharetra. Vestibulum imperdiet magna nec wisi. Mauris convallis. Sed accumsan sollicitudin massa. Sed id enim. Nunc pede enim, lacinia ut, pulvinar quis, suscipit semper, elit. Cras accumsan erat vitae enim. Cras sollicitudin. Vestibulum rutrum blandit massa.

Sed gravida lectus ut purus. Morbi laoreet magna. Pellentesque eu wisi. Proin turpis. Integer sollicitudin augue nec dui. Fusce lectus. Vivamus faucibus nulla nec lacus. Integer diam. Pellentesque sodales, enim feugiat cursus volutpat, sem mauris dignissim mauris, quis consequat sem est fermentum ligula. Nullam justo lectus, condimentum sit amet, posuere a, fringilla mollis, felis. Morbi nulla nibh, pellentesque at, nonummy eu, sollicitudin nec, ipsum. Cras neque. Nunc augue. Nullam vitae quam id quam pulvinar blandit. Nunc sit amet orci. Aliquam erat elit, pharetra nec, aliquet a, gravida in, mi. Quisque urna enim, viverra quis, suscipit quis, tincidunt ut, sapien. Cras placerat consequat sem. Curabitur ac diam. Curabitur diam tortor, mollis et, viverra ac, tempus vel, metus.

5.3 Nonlinear Sets of Algebraic Equations via Packages

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Ut purus elit,



vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetuer id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa.

Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.

Quisque ullamcorper placerat ipsum. Cras nibh. Morbi vel justo vitae lacus tincidunt ultrices. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. In hac habitasse platea dictumst. Integer tempus convallis augue. Etiam facilisis. Nunc elementum fermentum wisi. Aenean placerat. Ut imperdiet, enim sed gravida sollicitudin, felis odio placerat quam, ac pulvinar elit purus eget enim. Nunc vitae tortor. Proin tempus nibh sit amet nisl. Vivamus quis tortor vitae risus porta vehicula.

Fusce mauris. Vestibulum luctus nibh at lectus. Sed bibendum, nulla a faucibus semper, leo velit ultricies tellus, ac venenatis arcu wisi vel nisl. Vestibulum diam. Aliquam pellentesque, augue quis sagittis posuere, turpis lacus congue quam, in hendrerit risus eros eget felis. Maecenas eget erat in sapien mattis porttitor. Vestibulum porttitor. Nulla facilisi. Sed a turpis eu lacus commodo facilisis. Morbi fringilla, wisi in dignissim interdum, justo lectus sagittis dui, et vehicula libero dui cursus dui. Mauris tempor ligula sed lacus. Duis cursus enim ut augue. Cras ac magna. Cras nulla. Nulla egestas. Curabitur a leo. Quisque egestas wisi eget nunc. Nam feugiat lacus vel est. Curabitur consectetuer.

Suspendisse vel felis. Ut lorem lorem, interdum eu, tincidunt sit amet, laoreet vitae, arcu. Aenean faucibus pede eu ante. Praesent enim elit, rutrum at, molestie non, nonummy vel, nisl. Ut lectus eros, malesuada sit amet, fermentum eu, sodales cursus, magna. Donec eu purus. Quisque vehicula, urna sed ultricies auctor, pede lorem egestas dui, et convallis elit erat sed nulla. Donec luctus. Curabitur et nunc. Aliquam dolor odio, commodo pretium, ultricies non, pharetra in, velit. Integer arcu est, nonummy in, fermentum faucibus, egestas vel, odio.

Sed commodo posuere pede. Mauris ut est. Ut quis purus. Sed ac odio. Sed vehicula hendrerit sem. Duis non odio. Morbi ut dui. Sed accumsan risus eget odio. In hac habitasse platea dictumst. Pellentesque non elit. Fusce sed justo eu urna porta tincidunt. Mauris felis odio, sollicitudin sed, volutpat a, ornare ac, erat. Morbi quis dolor. Donec pellentesque, erat ac sagittis semper, nunc dui lobortis purus, quis congue purus metus ultricies tellus. Proin et quam. Class aptent taciti sociosqu

ad litora torquent per conubia nostra, per inceptos hymenaeos. Praesent sapien turpis, fermentum vel, eleifend faucibus, vehicula eu, lacus.

Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Donec odio elit, dictum in, hendrerit sit amet, egestas sed, leo. Praesent feugiat sapien aliquet odio. Integer vitae justo. Aliquam vestibulum fringilla lorem. Sed neque lectus, consectetuer at, consectetuer sed, eleifend ac, lectus. Nulla facilisi. Pellentesque eget lectus. Proin eu metus. Sed porttitor. In hac habitasse platea dictumst. Suspendisse eu lectus. Ut mi mi, lacinia sit amet, placerat et, mollis vitae, dui. Sed ante tellus, tristique ut, iaculis eu, malesuada ac, dui. Mauris nibh leo, facilisis non, adipiscing quis, ultrices a, dui.

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetuer a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetuer. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

Suspendisse vitae elit. Aliquam arcu neque, ornare in, ullamcorper quis, commodo eu, libero. Fusce sagittis erat at erat tristique mollis. Maecenas sapien libero, molestie et, lobortis in, sodales eget, dui. Morbi ultrices rutrum lorem. Nam elementum ullamcorper leo. Morbi dui. Aliquam sagittis. Nunc placerat. Pellentesque tristique sodales est. Maecenas imperdiet lacinia velit. Cras non urna. Morbi eros pede, suscipit ac, varius vel, egestas non, eros. Praesent malesuada, diam id pretium elementum, eros sem dictum tortor, vel consectetuer odio sem sed wisi.

Sed feugiat. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Ut pellentesque augue sed urna. Vestibulum diam eros, fringilla et, consectetuer eu, nonummy id, sapien. Nullam at lectus. In sagittis ultrices mauris. Curabitur malesuada erat sit amet massa. Fusce blandit. Aliquam erat volutpat. Aliquam euismod. Aenean vel lectus. Nunc imperdiet justo nec dolor.

Etiam euismod. Fusce facilisis lacinia dui. Suspendisse potenti. In mi erat, cursus id, nonummy sed, ullamcorper eget, sapien. Praesent pretium, magna in eleifend egestas, pede pede pretium lorem, quis consectetuer tortor sapien facilisis magna. Mauris quis magna varius nulla scelerisque imperdiet. Aliquam non quam. Aliquam porttitor quam a lacus. Praesent vel arcu ut tortor cursus volutpat. In vitae pede quis diam bibendum placerat. Fusce elementum convallis neque. Sed dolor orci, scelerisque ac, dapibus nec, ultricies ut, mi. Duis nec dui quis leo sagittis commodo.

Aliquam lectus. Vivamus leo. Quisque ornare tellus ullamcorper nulla. Mauris porttitor pharetra tortor. Sed fringilla justo sed mauris. Mauris tellus. Sed non leo. Nullam elementum, magna in cursus sodales, augue est scelerisque sapien, venenatis congue nulla arcu et pede. Ut suscipit enim vel sapien. Donec congue. Maecenas urna mi, suscipit in, placerat ut, vestibulum ut, massa. Fusce ultrices nulla et nisl.

Etiam ac leo a risus tristique nonummy. Donec dignissim tincidunt nulla. Vestibulum rhoncus molestie odio. Sed lobortis, justo et pretium lobortis, mauris turpis condimentum augue, nec ultricies nibh arcu pretium enim. Nunc purus neque, placerat id, imperdiet sed, pellentesque nec, nisl. Vestibulum imperdiet neque non sem accumsan laoreet. In hac habitasse platea dictumst. Etiam condimentum facilisis libero. Suspendisse in elit quis nisl aliquam dapibus. Pellentesque auctor sapien. Sed egestas sapien nec lectus. Pellentesque vel dui vel neque bibendum viverra. Aliquam porttitor nisl nec pede. Proin mattis libero vel turpis. Donec rutrum mauris et libero. Proin euismod porta felis. Nam lobortis, metus quis elementum commodo, nunc lectus elementum mauris, eget vulputate ligula tellus eu neque. Vivamus eu dolor.

Nulla in ipsum. Praesent eros nulla, congue vitae, euismod ut, commodo a, wisi. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Aenean nonummy magna non leo. Sed felis erat, ullamcorper in, dictum non, ultricies ut, lectus. Proin vel arcu a odio lobortis euismod. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Proin ut est. Aliquam odio. Pellentesque massa turpis, cursus eu, euismod nec, tempor congue, nulla. Duis viverra gravida mauris. Cras tincidunt. Curabitur eros ligula, varius ut, pulvinar in, cursus faucibus, augue.

Nulla mattis luctus nulla. Duis commodo velit at leo. Aliquam vulputate magna et leo. Nam vestibulum ullamcorper leo. Vestibulum condimentum rutrum mauris. Donec id mauris. Morbi molestie justo et pede. Vivamus eget turpis sed nisl cursus tempor. Curabitur mollis sapien condimentum nunc. In wisi nisl, malesuada at, dignissim sit amet, lobortis in, odio. Aenean consequat arcu a ante. Pellentesque porta elit sit amet orci. Etiam at turpis nec elit ultricies imperdiet. Nulla facilisi. In hac habitasse platea dictumst. Suspendisse viverra aliquam risus. Nullam pede justo, molestie nonummy, scelerisque eu, facilisis vel, arcu.

Curabitur tellus magna, porttitor a, commodo a, commodo in, tortor. Donec interdum. Praesent scelerisque. Maecenas posuere sodales odio. Vivamus metus lacus, varius quis, imperdiet quis, rhoncus a, turpis. Etiam ligula arcu, elementum a, venenatis quis, sollicitudin sed, metus. Donec nunc pede, tincidunt in, venenatis vitae, faucibus vel, nibh. Pellentesque wisi. Nullam malesuada. Morbi ut tellus ut pede tincidunt porta. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam congue neque id dolor.

Donec et nisl at wisi luctus bibendum. Nam interdum tellus ac libero. Sed sem justo, laoreet vitae, fringilla at, adipiscing ut, nibh. Maecenas non sem quis tortor eleifend fermentum. Etiam id tortor ac mauris porta vulputate. Integer porta neque vitae massa. Maecenas tempus libero a libero posuere dictum. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Aenean quis mauris sed elit commodo placerat. Class aptent taciti sociosqu ad litora torquent per conubia nostra, per inceptos hymenaeos. Vivamus rhoncus tincidunt libero. Etiam elementum pretium justo. Vivamus est. Morbi a tellus eget pede tristique commodo. Nulla nisl. Vestibulum sed nisl eu sapien cursus rutrum.

Nulla non mauris vitae wisi posuere convallis. Sed eu nulla nec eros scelerisque pharetra. Nullam varius. Etiam dignissim elementum metus. Vestibulum faucibus, metus sit amet mattis rhoncus, sapien dui laoreet odio, nec ultricies nibh augue a enim. Fusce in ligula. Quisque at magna et nulla commodo consequat. Proin accumsan imperdiet sem. Nunc porta. Donec feugiat mi at justo. Phasellus facilisis ipsum quis ante. In ac elit eget ipsum pharetra faucibus. Maecenas viverra nulla in massa.

Nulla ac nisl. Nullam urna nulla, ullamcorper in, interdum sit amet, gravida ut, risus. Aenean ac enim. In luctus. Phasellus eu quam vitae turpis viverra pellentesque. Duis feugiat felis ut enim. Phasellus pharetra, sem id porttitor sodales, magna nunc aliquet nibh, nec blandit nisl mauris at pede. Suspendisse risus risus, lobortis eget, semper at, imperdiet sit amet, quam. Quisque scelerisque dapibus nibh. Nam enim. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Nunc ut metus. Ut metus justo, auctor at, ultrices eu, sagittis ut, purus. Aliquam aliquam.

Etiam pede massa, dapibus vitae, rhoncus in, placerat posuere, odio. Vestibulum luctus commodo lacus. Morbi lacus dui, tempor sed, euismod eget, condimentum at, tortor. Phasellus aliquet odio ac lacus tempor faucibus. Praesent sed sem. Praesent iaculis. Cras rhoncus tellus sed justo ullamcorper sagittis. Donec quis orci. Sed ut tortor quis tellus euismod tincidunt. Suspendisse congue nisl eu elit. Aliquam tortor diam, tempus id, tristique eget, sodales vel, nulla. Praesent tellus mi, condimentum sed, viverra at, consectetuer quis, lectus. In auctor vehicula orci. Sed pede sapien, euismod in, suscipit in, pharetra placerat, metus. Vivamus commodo dui non odio. Donec et felis.

Etiam suscipit aliquam arcu. Aliquam sit amet est ac purus bibendum congue. Sed in eros. Morbi non orci. Pellentesque mattis lacinia elit. Fusce molestie velit in ligula. Nullam et orci vitae nibh vulputate auctor. Aliquam eget purus. Nulla auctor wisi sed ipsum. Morbi porttitor tellus ac enim. Fusce ornare. Proin ipsum enim, tincidunt in, ornare venenatis, molestie a, augue. Donec vel pede in lacus sagittis porta. Sed hendrerit ipsum quis nisl. Suspendisse quis massa ac nibh pretium cursus. Sed sodales. Nam eu neque quis pede dignissim ornare. Maecenas eu purus ac urna tincidunt congue.

Donec et nisl id sapien blandit mattis. Aenean dictum odio sit amet risus. Morbi purus. Nulla a est sit amet purus venenatis iaculis. Vivamus viverra purus vel magna. Donec in justo sed odio malesuada dapibus. Nunc ultrices aliquam nunc. Vivamus facilisis pellentesque velit. Nulla nunc velit, vulputate dapibus, vulputate id, mattis ac, justo. Nam mattis elit dapibus purus. Quisque enim risus, congue non, elementum ut, mattis quis, sem. Quisque elit.

Maecenas non massa. Vestibulum pharetra nulla at lorem. Duis quis quam id lacus dapibus interdum. Nulla lorem. Donec ut ante quis dolor bibendum condimentum. Etiam egestas tortor vitae lacus. Praesent cursus. Mauris bibendum pede at elit. Morbi et felis a lectus interdum facilisis. Sed suscipit gravida turpis. Nulla at lectus. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Praesent nonummy luctus nibh. Proin turpis nunc, congue eu, egestas ut, fringilla at, tellus. In hac habitasse platea dictumst.

Vivamus eu tellus sed tellus consequat suscipit. Nam orci orci, malesuada id, gravida nec, ultricies vitae, erat. Donec risus turpis, luctus sit amet, interdum quis, porta sed, ipsum. Suspendisse condimentum, tortor at egestas posuere, neque metus tempor orci, et tincidunt urna nunc a purus. Sed facilisis blandit tellus. Nunc risus sem, suscipit nec, eleifend quis, cursus quis, libero. Curabitur et dolor. Sed vitae sem. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Maecenas ante. Duis ullamcorper enim. Donec tristique enim eu leo. Nullam molestie elit eu dolor. Nullam bibendum, turpis vitae tristique gravida, quam sapien tempor lectus, quis pretium tellus purus ac quam. Nulla facilisi.

Duis aliquet dui in est. Donec eget est. Nunc lectus odio, varius at, fermentum in, accumsan non, enim. Aliquam erat volutpat. Proin sit amet nulla ut eros consectetuer cursus. Phasellus dapibus aliquam justo. Nunc laoreet. Donec consequat placerat magna. Duis pretium tincidunt justo. Sed sollicitudin vestibulum quam. Nam quis ligula. Vivamus at metus. Etiam imperdiet imperdiet pede. Aenean turpis. Fusce augue velit, scelerisque sollicitudin, dictum vitae, tempor et, pede. Donec wisi sapien, feugiat in, fermentum ut, sollicitudin adipiscing, metus.

Donec vel nibh ut felis consectetuer laoreet. Donec pede. Sed id quam id wisi laoreet suscipit. Nulla lectus dolor, aliquam ac, fringilla eget, mollis ut, orci. In pellentesque justo in ligula. Maecenas turpis. Donec eleifend leo at felis tincidunt consequat. Aenean turpis metus, malesuada sed, condimentum sit amet, auctor a, wisi. Pellentesque sapien elit, bibendum ac, posuere et, congue eu, felis. Vestibulum mattis libero quis metus scelerisque ultrices. Sed purus.

Donec molestie, magna ut luctus ultrices, tellus arcu nonummy velit, sit amet pulvinar elit justo et mauris. In pede. Maecenas euismod elit eu erat. Aliquam augue wisi, facilisis congue, suscipit in, adipiscing et, ante. In justo. Cras lobortis neque ac ipsum. Nunc fermentum massa at ante. Donec orci tortor, egestas sit amet,

ultrices eget, venenatis eget, mi. Maecenas vehicula leo semper est. Mauris vel metus. Aliquam erat volutpat. In rhoncus sapien ac tellus. Pellentesque ligula.

Cras dapibus, augue quis scelerisque ultricies, felis dolor placerat sem, id porta velit odio eu elit. Aenean interdum nibh sed wisi. Praesent sollicitudin vulputate dui. Praesent iaculis viverra augue. Quisque in libero. Aenean gravida lorem vitae sem ullamcorper cursus. Nunc adipiscing rutrum ante. Nunc ipsum massa, faucibus sit amet, viverra vel, elementum semper, orci. Cras eros sem, vulputate et, tincidunt id, ultrices eget, magna. Nulla varius ornare odio. Donec accumsan mauris sit amet augue. Sed ligula lacus, laoreet non, aliquam sit amet, iaculis tempor, lorem. Suspendisse eros. Nam porta, leo sed congue tempor, felis est ultrices eros, id mattis velit felis non metus. Curabitur vitae elit non mauris varius pretium. Aenean lacus sem, tincidunt ut, consequat quis, porta vitae, turpis. Nullam laoreet fermentum urna. Proin iaculis lectus.

Sed mattis, erat sit amet gravida malesuada, elit augue egestas diam, tempus scelerisque nunc nisl vitae libero. Sed consequat feugiat massa. Nunc porta, eros in eleifend varius, erat leo rutrum dui, non convallis lectus orci ut nibh. Sed lorem massa, nonummy quis, egestas id, condimentum at, nisl. Maecenas at nibh. Aliquam et augue at nunc pellentesque ullamcorper. Duis nisl nibh, laoreet suscipit, convallis ut, rutrum id, enim. Phasellus odio. Nulla nulla elit, molestie non, scelerisque at, vestibulum eu, nulla. Ut odio nisl, facilisis id, mollis et, scelerisque nec, enim. Aenean sem leo, pellentesque sit amet, scelerisque sit amet, vehicula pellentesque, sapien.

Sed consequat tellus et tortor. Ut tempor laoreet quam. Nullam id wisi a libero tristique semper. Nullam nisl massa, rutrum ut, egestas semper, mollis id, leo. Nulla ac massa eu risus blandit mattis. Mauris ut nunc. In hac habitasse platea dictumst. Aliquam eget tortor. Quisque dapibus pede in erat. Nunc enim. In dui nulla, commodo at, consectetuer nec, malesuada nec, elit. Aliquam ornare tellus eu urna. Sed nec metus. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas.

Phasellus id magna. Duis malesuada interdum arcu. Integer metus. Morbi pulvinar pellentesque mi. Suspendisse sed est eu magna molestie egestas. Quisque mi lorem, pulvinar eget, egestas quis, luctus at, ante. Proin auctor vehicula purus. Fusce ac nisl aliquam ante hendrerit pellentesque. Class aptent taciti sociosqu ad litora torquent per conubia nostra, per inceptos hymenaeos. Morbi wisi. Etiam arcu mauris, facilisis sed, eleifend non, nonummy ut, pede. Cras ut lacus tempor metus mollis placerat. Vivamus eu tortor vel metus interdum malesuada.

Sed eleifend, eros sit amet faucibus elementum, urna sapien consectetuer mauris, quis egestas leo justo non risus. Morbi non felis ac libero vulputate fringilla. Mauris libero eros, lacinia non, sodales quis, dapibus porttitor, pede. Class aptent taciti

sociosqu ad litora torquent per conubia nostra, per inceptos hymenaeos. Morbi dapibus mauris condimentum nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Etiam sit amet erat. Nulla varius. Etiam tincidunt dui vitae turpis. Donec leo. Morbi vulputate convallis est. Integer aliquet. Pellentesque aliquet sodales urna.

Nullam eleifend justo in nisl. In hac habitasse platea dictumst. Morbi nonummy. Aliquam ut felis. In velit leo, dictum vitae, posuere id, vulputate nec, ante. Maecenas vitae pede nec dui dignissim suscipit. Morbi magna. Vestibulum id purus eget velit laoreet laoreet. Praesent sed leo vel nibh convallis blandit. Ut rutrum. Donec nibh. Donec interdum. Fusce sed pede sit amet elit rhoncus ultrices. Nullam at enim vitae pede vehicula iaculis.

Class aptent taciti sociosqu ad litora torquent per conubia nostra, per inceptos hymenaeos. Aenean nonummy turpis id odio. Integer euismod imperdiet turpis. Ut nec leo nec diam imperdiet lacinia. Etiam eget lacus eget mi ultricies posuere. In placerat tristique tortor. Sed porta vestibulum metus. Nulla iaculis sollicitudin pede. Fusce luctus tellus in dolor. Curabitur auctor velit a sem. Morbi sapien. Class aptent taciti sociosqu ad litora torquent per conubia nostra, per inceptos hymenaeos. Donec adipiscing urna vehicula nunc. Sed ornare leo in leo. In rhoncus leo ut dui. Aenean dolor quam, volutpat nec, fringilla id, consectetuer vel, pede.

Nulla malesuada risus ut urna. Aenean pretium velit sit amet metus. Duis iaculis. In hac habitasse platea dictumst. Nullam molestie turpis eget nisl. Duis a massa id pede dapibus ultricies. Sed eu leo. In at mauris sit amet tortor bibendum varius. Phasellus justo risus, posuere in, sagittis ac, varius vel, tortor. Quisque id enim. Phasellus consequat, libero pretium nonummy fringilla, tortor lacus vestibulum nunc, ut rhoncus ligula neque id justo. Nullam accumsan euismod nunc. Proin vitae ipsum ac metus dictum tempus. Nam ut wisi. Quisque tortor felis, interdum ac, sodales a, semper a, sem. Curabitur in velit sit amet dui tristique sodales. Vivamus mauris pede, lacinia eget, pellentesque quis, scelerisque eu, est. Aliquam risus. Quisque bibendum pede eu dolor.

Donec tempus neque vitae est. Aenean egestas odio sed risus ullamcorper ullamcorper. Sed in nulla a tortor tincidunt egestas. Nam sapien tortor, elementum sit amet, aliquam in, porttitor faucibus, enim. Nullam congue suscipit nibh. Quisque convallis. Praesent arcu nibh, vehicula eget, accumsan eu, tincidunt a, nibh. Suspendisse vulputate, tortor quis adipiscing viverra, lacus nibh dignissim tellus, eu suscipit risus ante fringilla diam. Quisque a libero vel pede imperdiet aliquet. Pellentesque nunc nibh, eleifend a, consequat consequat, hendrerit nec, diam. Sed urna. Maecenas laoreet eleifend neque. Vivamus purus odio, eleifend non, iaculis a, ultrices sit amet, urna. Mauris faucibus odio vitae risus. In nisl. Praesent purus. Integer iaculis, sem eu egestas lacinia, lacus pede scelerisque augue, in ullamcorper dolor eros ac lacus. Nunc in libero.

Fusce suscipit cursus sem. Vivamus risus mi, egestas ac, imperdiet varius, faucibus quis, leo. Aenean tincidunt. Donec suscipit. Cras id justo quis nibh scelerisque dignissim. Aliquam sagittis elementum dolor. Aenean consectetuer justo in pede. Curabitur ullamcorper ligula nec orci. Aliquam purus turpis, aliquam id, ornare vitae, porttitor non, wisi. Maecenas luctus porta lorem. Donec vitae ligula eu ante pretium varius. Proin tortor metus, convallis et, hendrerit non, scelerisque in, urna. Cras quis libero eu ligula bibendum tempor. Vivamus tellus quam, malesuada eu, tempus sed, tempor sed, velit. Donec lacinia auctor libero.

Praesent sed neque id pede mollis rutrum. Vestibulum iaculis risus. Pellentesque lacus. Ut quis nunc sed odio malesuada egestas. Duis a magna sit amet ligula tristique pretium. Ut pharetra. Vestibulum imperdiet magna nec wisi. Mauris convallis. Sed accumsan sollicitudin massa. Sed id enim. Nunc pede enim, lacinia ut, pulvinar quis, suscipit semper, elit. Cras accumsan erat vitae enim. Cras sollicitudin. Vestibulum rutrum blandit massa.

Sed gravida lectus ut purus. Morbi laoreet magna. Pellentesque eu wisi. Proin turpis. Integer sollicitudin augue nec dui. Fusce lectus. Vivamus faucibus nulla nec lacus. Integer diam. Pellentesque sodales, enim feugiat cursus volutpat, sem mauris dignissim mauris, quis consequat sem est fermentum ligula. Nullam justo lectus, condimentum sit amet, posuere a, fringilla mollis, felis. Morbi nulla nibh, pellentesque at, nonummy eu, sollicitudin nec, ipsum. Cras neque. Nunc augue. Nullam vitae quam id quam pulvinar blandit. Nunc sit amet orci. Aliquam erat elit, pharetra nec, aliquet a, gravida in, mi. Quisque urna enim, viverra quis, suscipit quis, tincidunt ut, sapien. Cras placerat consequat sem. Curabitur ac diam. Curabitur diam tortor, mollis et, viverra ac, tempus vel, metus.

5.4 Integration



Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetuer id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus.

Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.

Quisque ullamcorper placerat ipsum. Cras nibh. Morbi vel justo vitae lacus tincidunt ultrices. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. In hac habitasse platea dictumst. Integer tempus convallis augue. Etiam facilisis. Nunc elementum fermentum wisi. Aenean placerat. Ut imperdiet, enim sed gravida sollicitudin, felis odio placerat quam, ac pulvinar elit purus eget enim. Nunc vitae tortor. Proin tempus nibh sit amet nisl. Vivamus quis tortor vitae risus porta vehicula.

Fusce mauris. Vestibulum luctus nibh at lectus. Sed bibendum, nulla a faucibus semper, leo velit ultricies tellus, ac venenatis arcu wisi vel nisl. Vestibulum diam. Aliquam pellentesque, augue quis sagittis posuere, turpis lacus congue quam, in hendrerit risus eros eget felis. Maecenas eget erat in sapien mattis porttitor. Vestibulum porttitor. Nulla facilisi. Sed a turpis eu lacus commodo facilisis. Morbi fringilla, wisi in dignissim interdum, justo lectus sagittis dui, et vehicula libero dui cursus dui. Mauris tempor ligula sed lacus. Duis cursus enim ut augue. Cras ac magna. Cras nulla. Nulla egestas. Curabitur a leo. Quisque egestas wisi eget nunc. Nam feugiat lacus vel est. Curabitur consectetuer.

Suspendisse vel felis. Ut lorem lorem, interdum eu, tincidunt sit amet, laoreet vitae, arcu. Aenean faucibus pede eu ante. Praesent enim elit, rutrum at, molestie non, nonummy vel, nisl. Ut lectus eros, malesuada sit amet, fermentum eu, sodales cursus, magna. Donec eu purus. Quisque vehicula, urna sed ultricies auctor, pede lorem egestas dui, et convallis elit erat sed nulla. Donec luctus. Curabitur et nunc. Aliquam dolor odio, commodo pretium, ultricies non, pharetra in, velit. Integer arcu est, nonummy in, fermentum faucibus, egestas vel, odio.

Sed commodo posuere pede. Mauris ut est. Ut quis purus. Sed ac odio. Sed vehicula hendrerit sem. Duis non odio. Morbi ut dui. Sed accumsan risus eget odio. In hac habitasse platea dictumst. Pellentesque non elit. Fusce sed justo eu urna porta tincidunt. Mauris felis odio, sollicitudin sed, volutpat a, ornare ac, erat. Morbi

quis dolor. Donec pellentesque, erat ac sagittis semper, nunc dui lobortis purus, quis congue purus metus ultricies tellus. Proin et quam. Class aptent taciti sociosqu ad litora torquent per conubia nostra, per inceptos hymenaeos. Praesent sapien turpis, fermentum vel, eleifend faucibus, vehicula eu, lacus.

Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Donec odio elit, dictum in, hendrerit sit amet, egestas sed, leo. Praesent feugiat sapien aliquet odio. Integer vitae justo. Aliquam vestibulum fringilla lorem. Sed neque lectus, consectetuer at, consectetuer sed, eleifend ac, lectus. Nulla facilisi. Pellentesque eget lectus. Proin eu metus. Sed porttitor. In hac habitasse platea dictumst. Suspendisse eu lectus. Ut mi mi, lacinia sit amet, placerat et, mollis vitae, dui. Sed ante tellus, tristique ut, iaculis eu, malesuada ac, dui. Mauris nibh leo, facilisis non, adipiscing quis, ultrices a, dui.

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetuer a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetuer. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

Suspendisse vitae elit. Aliquam arcu neque, ornare in, ullamcorper quis, commodo eu, libero. Fusce sagittis erat at erat tristique mollis. Maecenas sapien libero, molestie et, lobortis in, sodales eget, dui. Morbi ultrices rutrum lorem. Nam elementum ullamcorper leo. Morbi dui. Aliquam sagittis. Nunc placerat. Pellentesque tristique sodales est. Maecenas imperdiet lacinia velit. Cras non urna. Morbi eros pede, suscipit ac, varius vel, egestas non, eros. Praesent malesuada, diam id pretium elementum, eros sem dictum tortor, vel consectetuer odio sem sed wisi.

Sed feugiat. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Ut pellentesque augue sed urna. Vestibulum diam eros, fringilla et, consectetuer eu, nonummy id, sapien. Nullam at lectus. In sagittis ultrices mauris. Curabitur malesuada erat sit amet massa. Fusce blandit. Aliquam erat volutpat. Aliquam euismod. Aenean vel lectus. Nunc imperdiet justo nec dolor.

Etiam euismod. Fusce facilisis lacinia dui. Suspendisse potenti. In mi erat, cursus id, nonummy sed, ullamcorper eget, sapien. Praesent pretium, magna in eleifend egestas, pede pede pretium lorem, quis consectetuer tortor sapien facilisis magna. Mauris quis magna varius nulla scelerisque imperdiet. Aliquam non quam. Aliquam porttitor quam a lacus. Praesent vel arcu ut tortor cursus volutpat. In vitae pede

quis diam bibendum placerat. Fusce elementum convallis neque. Sed dolor orci, scelerisque ac, dapibus nec, ultricies ut, mi. Duis nec dui quis leo sagittis commodo.

Aliquam lectus. Vivamus leo. Quisque ornare tellus ullamcorper nulla. Mauris porttitor pharetra tortor. Sed fringilla justo sed mauris. Mauris tellus. Sed non leo. Nullam elementum, magna in cursus sodales, augue est scelerisque sapien, venenatis congue nulla arcu et pede. Ut suscipit enim vel sapien. Donec congue. Maecenas urna mi, suscipit in, placerat ut, vestibulum ut, massa. Fusce ultrices nulla et nisl.

Etiam ac leo a risus tristique nonummy. Donec dignissim tincidunt nulla. Vestibulum rhoncus molestie odio. Sed lobortis, justo et pretium lobortis, mauris turpis condimentum augue, nec ultricies nibh arcu pretium enim. Nunc purus neque, placerat id, imperdiet sed, pellentesque nec, nisl. Vestibulum imperdiet neque non sem accumsan laoreet. In hac habitasse platea dictumst. Etiam condimentum facilisis libero. Suspendisse in elit quis nisl aliquam dapibus. Pellentesque auctor sapien. Sed egestas sapien nec lectus. Pellentesque vel dui vel neque bibendum viverra. Aliquam porttitor nisl nec pede. Proin mattis libero vel turpis. Donec rutrum mauris et libero. Proin euismod porta felis. Nam lobortis, metus quis elementum commodo, nunc lectus elementum mauris, eget vulputate ligula tellus eu neque. Vivamus eu dolor.

Nulla in ipsum. Praesent eros nulla, congue vitae, euismod ut, commodo a, wisi. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Aenean nonummy magna non leo. Sed felis erat, ullamcorper in, dictum non, ultricies ut, lectus. Proin vel arcu a odio lobortis euismod. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Proin ut est. Aliquam odio. Pellentesque massa turpis, cursus eu, euismod nec, tempor congue, nulla. Duis viverra gravida mauris. Cras tincidunt. Curabitur eros ligula, varius ut, pulvinar in, cursus faucibus, augue.

Nulla mattis luctus nulla. Duis commodo velit at leo. Aliquam vulputate magna et leo. Nam vestibulum ullamcorper leo. Vestibulum condimentum rutrum mauris. Donec id mauris. Morbi molestie justo et pede. Vivamus eget turpis sed nisl cursus tempor. Curabitur mollis sapien condimentum nunc. In wisi nisl, malesuada at, dignissim sit amet, lobortis in, odio. Aenean consequat arcu a ante. Pellentesque porta elit sit amet orci. Etiam at turpis nec elit ultricies imperdiet. Nulla facilisi. In hac habitasse platea dictumst. Suspendisse viverra aliquam risus. Nullam pede justo, molestie nonummy, scelerisque eu, facilisis vel, arcu.

Curabitur tellus magna, porttitor a, commodo a, commodo in, tortor. Donec interdum. Praesent scelerisque. Maecenas posuere sodales odio. Vivamus metus lacus, varius quis, imperdiet quis, rhoncus a, turpis. Etiam ligula arcu, elementum a, venenatis quis, sollicitudin sed, metus. Donec nunc pede, tincidunt in, venenatis vitae, faucibus vel, nibh. Pellentesque wisi. Nullam malesuada. Morbi ut tellus

ut pede tincidunt porta. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam congue neque id dolor.

Donec et nisl at wisi luctus bibendum. Nam interdum tellus ac libero. Sed sem justo, laoreet vitae, fringilla at, adipiscing ut, nibh. Maecenas non sem quis tortor eleifend fermentum. Etiam id tortor ac mauris porta vulputate. Integer porta neque vitae massa. Maecenas tempus libero a libero posuere dictum. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Aenean quis mauris sed elit commodo placerat. Class aptent taciti sociosqu ad litora torquent per conubia nostra, per inceptos hymenaeos. Vivamus rhoncus tincidunt libero. Etiam elementum pretium justo. Vivamus est. Morbi a tellus eget pede tristique commodo. Nulla nisl. Vestibulum sed nisl eu sapien cursus rutrum.

Nulla non mauris vitae wisi posuere convallis. Sed eu nulla nec eros scelerisque pharetra. Nullam varius. Etiam dignissim elementum metus. Vestibulum faucibus, metus sit amet mattis rhoncus, sapien dui laoreet odio, nec ultricies nibh augue a enim. Fusce in ligula. Quisque at magna et nulla commodo consequat. Proin accumsan imperdiet sem. Nunc porta. Donec feugiat mi at justo. Phasellus facilisis ipsum quis ante. In ac elit eget ipsum pharetra faucibus. Maecenas viverra nulla in massa.

Nulla ac nisl. Nullam urna nulla, ullamcorper in, interdum sit amet, gravida ut, risus. Aenean ac enim. In luctus. Phasellus eu quam vitae turpis viverra pellentesque. Duis feugiat felis ut enim. Phasellus pharetra, sem id porttitor sodales, magna nunc aliquet nibh, nec blandit nisl mauris at pede. Suspendisse risus risus, lobortis eget, semper at, imperdiet sit amet, quam. Quisque scelerisque dapibus nibh. Nam enim. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Nunc ut metus. Ut metus justo, auctor at, ultrices eu, sagittis ut, purus. Aliquam aliquam.

Etiam pede massa, dapibus vitae, rhoncus in, placerat posuere, odio. Vestibulum luctus commodo lacus. Morbi lacus dui, tempor sed, euismod eget, condimentum at, tortor. Phasellus aliquet odio ac lacus tempor faucibus. Praesent sed sem. Praesent iaculis. Cras rhoncus tellus sed justo ullamcorper sagittis. Donec quis orci. Sed ut tortor quis tellus euismod tincidunt. Suspendisse congue nisl eu elit. Aliquam tortor diam, tempus id, tristique eget, sodales vel, nulla. Praesent tellus mi, condimentum sed, viverra at, consectetuer quis, lectus. In auctor vehicula orci. Sed pede sapien, euismod in, suscipit in, pharetra placerat, metus. Vivamus commodo dui non odio. Donec et felis.

Etiam suscipit aliquam arcu. Aliquam sit amet est ac purus bibendum congue. Sed in eros. Morbi non orci. Pellentesque mattis lacinia elit. Fusce molestie velit in ligula. Nullam et orci vitae nibh vulputate auctor. Aliquam eget purus. Nulla auctor wisi sed ipsum. Morbi porttitor tellus ac enim. Fusce ornare. Proin ipsum enim, tincidunt in, ornare venenatis, molestie a, augue. Donec vel pede in lacus sagittis porta. Sed hendrerit ipsum quis nisl. Suspendisse quis massa ac nibh pretium cursus.

Sed sodales. Nam eu neque quis pede dignissim ornare. Maecenas eu purus ac urna tincidunt congue.

Donec et nisl id sapien blandit mattis. Aenean dictum odio sit amet risus. Morbi purus. Nulla a est sit amet purus venenatis iaculis. Vivamus viverra purus vel magna. Donec in justo sed odio malesuada dapibus. Nunc ultrices aliquam nunc. Vivamus facilisis pellentesque velit. Nulla nunc velit, vulputate dapibus, vulputate id, mattis ac, justo. Nam mattis elit dapibus purus. Quisque enim risus, congue non, elementum ut, mattis quis, sem. Quisque elit.

Maecenas non massa. Vestibulum pharetra nulla at lorem. Duis quis quam id lacus dapibus interdum. Nulla lorem. Donec ut ante quis dolor bibendum condimentum. Etiam egestas tortor vitae lacus. Praesent cursus. Mauris bibendum pede at elit. Morbi et felis a lectus interdum facilisis. Sed suscipit gravida turpis. Nulla at lectus. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Praesent nonummy luctus nibh. Proin turpis nunc, congue eu, egestas ut, fringilla at, tellus. In hac habitasse platea dictumst.

Vivamus eu tellus sed tellus consequat suscipit. Nam orci orci, malesuada id, gravida nec, ultricies vitae, erat. Donec risus turpis, luctus sit amet, interdum quis, porta sed, ipsum. Suspendisse condimentum, tortor at egestas posuere, neque metus tempor orci, et tincidunt urna nunc a purus. Sed facilisis blandit tellus. Nunc risus sem, suscipit nec, eleifend quis, cursus quis, libero. Curabitur et dolor. Sed vitae sem. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Maecenas ante. Duis ullamcorper enim. Donec tristique enim eu leo. Nullam molestie elit eu dolor. Nullam bibendum, turpis vitae tristique gravida, quam sapien tempor lectus, quis pretium tellus purus ac quam. Nulla facilisi.

Duis aliquet dui in est. Donec eget est. Nunc lectus odio, varius at, fermentum in, accumsan non, enim. Aliquam erat volutpat. Proin sit amet nulla ut eros consectetuer cursus. Phasellus dapibus aliquam justo. Nunc laoreet. Donec consequat placerat magna. Duis pretium tincidunt justo. Sed sollicitudin vestibulum quam. Nam quis ligula. Vivamus at metus. Etiam imperdiet imperdiet pede. Aenean turpis. Fusce augue velit, scelerisque sollicitudin, dictum vitae, tempor et, pede. Donec wisi sapien, feugiat in, fermentum ut, sollicitudin adipiscing, metus.

Donec vel nibh ut felis consectetuer laoreet. Donec pede. Sed id quam id wisi laoreet suscipit. Nulla lectus dolor, aliquam ac, fringilla eget, mollis ut, orci. In pellentesque justo in ligula. Maecenas turpis. Donec eleifend leo at felis tincidunt consequat. Aenean turpis metus, malesuada sed, condimentum sit amet, auctor a, wisi. Pellentesque sapien elit, bibendum ac, posuere et, congue eu, felis. Vestibulum mattis libero quis metus scelerisque ultrices. Sed purus.

Donec molestie, magna ut luctus ultrices, tellus arcu nonummy velit, sit amet pulvinar elit justo et mauris. In pede. Maecenas euismod elit eu erat. Aliquam augue wisi, facilisis congue, suscipit in, adipiscing et, ante. In justo. Cras lobortis neque ac ipsum. Nunc fermentum massa at ante. Donec orci tortor, egestas sit amet, ultrices eget, venenatis eget, mi. Maecenas vehicula leo semper est. Mauris vel metus. Aliquam erat volutpat. In rhoncus sapien ac tellus. Pellentesque ligula.

Cras dapibus, augue quis scelerisque ultricies, felis dolor placerat sem, id porta velit odio eu elit. Aenean interdum nibh sed wisi. Praesent sollicitudin vulputate dui. Praesent iaculis viverra augue. Quisque in libero. Aenean gravida lorem vitae sem ullamcorper cursus. Nunc adipiscing rutrum ante. Nunc ipsum massa, faucibus sit amet, viverra vel, elementum semper, orci. Cras eros sem, vulputate et, tincidunt id, ultrices eget, magna. Nulla varius ornare odio. Donec accumsan mauris sit amet augue. Sed ligula lacus, laoreet non, aliquam sit amet, iaculis tempor, lorem. Suspendisse eros. Nam porta, leo sed congue tempor, felis est ultrices eros, id mattis velit felis non metus. Curabitur vitae elit non mauris varius pretium. Aenean lacus sem, tincidunt ut, consequat quis, porta vitae, turpis. Nullam laoreet fermentum urna. Proin iaculis lectus.

Sed mattis, erat sit amet gravida malesuada, elit augue egestas diam, tempus scelerisque nunc nisl vitae libero. Sed consequat feugiat massa. Nunc porta, eros in eleifend varius, erat leo rutrum dui, non convallis lectus orci ut nibh. Sed lorem massa, nonummy quis, egestas id, condimentum at, nisl. Maecenas at nibh. Aliquam et augue at nunc pellentesque ullamcorper. Duis nisl nibh, laoreet suscipit, convallis ut, rutrum id, enim. Phasellus odio. Nulla nulla elit, molestie non, scelerisque at, vestibulum eu, nulla. Ut odio nisl, facilisis id, mollis et, scelerisque nec, enim. Aenean sem leo, pellentesque sit amet, scelerisque sit amet, vehicula pellentesque, sapien.

Sed consequat tellus et tortor. Ut tempor laoreet quam. Nullam id wisi a libero tristique semper. Nullam nisl massa, rutrum ut, egestas semper, mollis id, leo. Nulla ac massa eu risus blandit mattis. Mauris ut nunc. In hac habitasse platea dictumst. Aliquam eget tortor. Quisque dapibus pede in erat. Nunc enim. In dui nulla, commodo at, consectetuer nec, malesuada nec, elit. Aliquam ornare tellus eu urna. Sed nec metus. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas.

Phasellus id magna. Duis malesuada interdum arcu. Integer metus. Morbi pulvinar pellentesque mi. Suspendisse sed est eu magna molestie egestas. Quisque mi lorem, pulvinar eget, egestas quis, luctus at, ante. Proin auctor vehicula purus. Fusce ac nisl aliquam ante hendrerit pellentesque. Class aptent taciti sociosqu ad litora torquent per conubia nostra, per inceptos hymenaeos. Morbi wisi. Etiam arcu mauris, facilisis sed, eleifend non, nonummy ut, pede. Cras ut lacus tempor metus mollis placerat. Vivamus eu tortor vel metus interdum malesuada.

Sed eleifend, eros sit amet faucibus elementum, urna sapien consectetuer mauris, quis egestas leo justo non risus. Morbi non felis ac libero vulputate fringilla. Mauris

libero eros, lacinia non, sodales quis, dapibus porttitor, pede. Class aptent taciti sociosqu ad litora torquent per conubia nostra, per inceptos hymenaeos. Morbi dapibus mauris condimentum nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Etiam sit amet erat. Nulla varius. Etiam tincidunt dui vitae turpis. Donec leo. Morbi vulputate convallis est. Integer aliquet. Pellentesque aliquet sodales urna.

Nullam eleifend justo in nisl. In hac habitasse platea dictumst. Morbi nonummy. Aliquam ut felis. In velit leo, dictum vitae, posuere id, vulputate nec, ante. Maecenas vitae pede nec dui dignissim suscipit. Morbi magna. Vestibulum id purus eget velit laoreet laoreet. Praesent sed leo vel nibh convallis blandit. Ut rutrum. Donec nibh. Donec interdum. Fusce sed pede sit amet elit rhoncus ultrices. Nullam at enim vitae pede vehicula iaculis.

Class aptent taciti sociosqu ad litora torquent per conubia nostra, per inceptos hymenaeos. Aenean nonummy turpis id odio. Integer euismod imperdiet turpis. Ut nec leo nec diam imperdiet lacinia. Etiam eget lacus eget mi ultricies posuere. In placerat tristique tortor. Sed porta vestibulum metus. Nulla iaculis sollicitudin pede. Fusce luctus tellus in dolor. Curabitur auctor velit a sem. Morbi sapien. Class aptent taciti sociosqu ad litora torquent per conubia nostra, per inceptos hymenaeos. Donec adipiscing urna vehicula nunc. Sed ornare leo in leo. In rhoncus leo ut dui. Aenean dolor quam, volutpat nec, fringilla id, consectetuer vel, pede.

Nulla malesuada risus ut urna. Aenean pretium velit sit amet metus. Duis iaculis. In hac habitasse platea dictumst. Nullam molestie turpis eget nisl. Duis a massa id pede dapibus ultricies. Sed eu leo. In at mauris sit amet tortor bibendum varius. Phasellus justo risus, posuere in, sagittis ac, varius vel, tortor. Quisque id enim. Phasellus consequat, libero pretium nonummy fringilla, tortor lacus vestibulum nunc, ut rhoncus ligula neque id justo. Nullam accumsan euismod nunc. Proin vitae ipsum ac metus dictum tempus. Nam ut wisi. Quisque tortor felis, interdum ac, sodales a, semper a, sem. Curabitur in velit sit amet dui tristique sodales. Vivamus mauris pede, lacinia eget, pellentesque quis, scelerisque eu, est. Aliquam risus. Quisque bibendum pede eu dolor.

Donec tempus neque vitae est. Aenean egestas odio sed risus ullamcorper ullamcorper. Sed in nulla a tortor tincidunt egestas. Nam sapien tortor, elementum sit amet, aliquam in, porttitor faucibus, enim. Nullam congue suscipit nibh. Quisque convallis. Praesent arcu nibh, vehicula eget, accumsan eu, tincidunt a, nibh. Suspendisse vulputate, tortor quis adipiscing viverra, lacus nibh dignissim tellus, eu suscipit risus ante fringilla diam. Quisque a libero vel pede imperdiet aliquet. Pellentesque nunc nibh, eleifend a, consequat consequat, hendrerit nec, diam. Sed urna. Maecenas laoreet eleifend neque. Vivamus purus odio, eleifend non, iaculis a, ultrices sit amet, urna. Mauris faucibus odio vitae risus. In nisl. Praesent purus.

Integer iaculis, sem eu egestas lacinia, lacus pede scelerisque augue, in ullamcorper dolor eros ac lacus. Nunc in libero.

Fusce suscipit cursus sem. Vivamus risus mi, egestas ac, imperdiet varius, faucibus quis, leo. Aenean tincidunt. Donec suscipit. Cras id justo quis nibh scelerisque dignissim. Aliquam sagittis elementum dolor. Aenean consectetuer justo in pede. Curabitur ullamcorper ligula nec orci. Aliquam purus turpis, aliquam id, ornare vitae, porttitor non, wisi. Maecenas luctus porta lorem. Donec vitae ligula eu ante pretium varius. Proin tortor metus, convallis et, hendrerit non, scelerisque in, urna. Cras quis libero eu ligula bibendum tempor. Vivamus tellus quam, malesuada eu, tempus sed, tempor sed, velit. Donec lacinia auctor libero.

Praesent sed neque id pede mollis rutrum. Vestibulum iaculis risus. Pellentesque lacus. Ut quis nunc sed odio malesuada egestas. Duis a magna sit amet ligula tristique pretium. Ut pharetra. Vestibulum imperdiet magna nec wisi. Mauris convallis. Sed accumsan sollicitudin massa. Sed id enim. Nunc pede enim, lacinia ut, pulvinar quis, suscipit semper, elit. Cras accumsan erat vitae enim. Cras sollicitudin. Vestibulum rutrum blandit massa.

Sed gravida lectus ut purus. Morbi laoreet magna. Pellentesque eu wisi. Proin turpis. Integer sollicitudin augue nec dui. Fusce lectus. Vivamus faucibus nulla nec lacus. Integer diam. Pellentesque sodales, enim feugiat cursus volutpat, sem mauris dignissim mauris, quis consequat sem est fermentum ligula. Nullam justo lectus, condimentum sit amet, posuere a, fringilla mollis, felis. Morbi nulla nibh, pellentesque at, nonummy eu, sollicitudin nec, ipsum. Cras neque. Nunc augue. Nullam vitae quam id quam pulvinar blandit. Nunc sit amet orci. Aliquam erat elit, pharetra nec, aliquet a, gravida in, mi. Quisque urna enim, viverra quis, suscipit quis, tincidunt ut, sapien. Cras placerat consequat sem. Curabitur ac diam. Curabitur diam tortor, mollis et, viverra ac, tempus vel, metus.

5.5 Sets of Differential Equations



Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetuer id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.

Quisque ullamcorper placerat ipsum. Cras nibh. Morbi vel justo vitae lacus tincidunt ultrices. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. In hac habitasse platea dictumst. Integer tempus convallis augue. Etiam facilisis. Nunc elementum fermentum wisi. Aenean placerat. Ut imperdiet, enim sed gravida sollicitudin, felis odio placerat quam, ac pulvinar elit purus eget enim. Nunc vitae tortor. Proin tempus nibh sit amet nisl. Vivamus quis tortor vitae risus porta vehicula.

Fusce mauris. Vestibulum luctus nibh at lectus. Sed bibendum, nulla a faucibus semper, leo velit ultricies tellus, ac venenatis arcu wisi vel nisl. Vestibulum diam. Aliquam pellentesque, augue quis sagittis posuere, turpis lacus congue quam, in hendrerit risus eros eget felis. Maecenas eget erat in sapien mattis porttitor. Vestibulum porttitor. Nulla facilisi. Sed a turpis eu lacus commodo facilisis. Morbi fringilla, wisi in dignissim interdum, justo lectus sagittis dui, et vehicula libero dui cursus dui. Mauris tempor ligula sed lacus. Duis cursus enim ut augue. Cras ac magna. Cras nulla. Nulla egestas. Curabitur a leo. Quisque egestas wisi eget nunc. Nam feugiat lacus vel est. Curabitur consectetuer.

Suspendisse vel felis. Ut lorem lorem, interdum eu, tincidunt sit amet, laoreet vitae, arcu. Aenean faucibus pede eu ante. Praesent enim elit, rutrum at, molestie non, nonummy vel, nisl. Ut lectus eros, malesuada sit amet, fermentum eu, sodales cursus, magna. Donec eu purus. Quisque vehicula, urna sed ultricies auctor, pede lorem egestas dui, et convallis elit erat sed nulla. Donec luctus. Curabitur et nunc. Aliquam dolor odio, commodo pretium, ultricies non, pharetra in, velit. Integer arcu est, nonummy in, fermentum faucibus, egestas vel, odio.

Sed commodo posuere pede. Mauris ut est. Ut quis purus. Sed ac odio. Sed vehicula hendrerit sem. Duis non odio. Morbi ut dui. Sed accumsan risus eget odio.

In hac habitasse platea dictumst. Pellentesque non elit. Fusce sed justo eu urna porta tincidunt. Mauris felis odio, sollicitudin sed, volutpat a, ornare ac, erat. Morbi quis dolor. Donec pellentesque, erat ac sagittis semper, nunc dui lobortis purus, quis congue purus metus ultricies tellus. Proin et quam. Class aptent taciti sociosqu ad litora torquent per conubia nostra, per inceptos hymenaeos. Praesent sapien turpis, fermentum vel, eleifend faucibus, vehicula eu, lacus.

Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Donec odio elit, dictum in, hendrerit sit amet, egestas sed, leo. Praesent feugiat sapien aliquet odio. Integer vitae justo. Aliquam vestibulum fringilla lorem. Sed neque lectus, consectetuer at, consectetuer sed, eleifend ac, lectus. Nulla facilisi. Pellentesque eget lectus. Proin eu metus. Sed porttitor. In hac habitasse platea dictumst. Suspendisse eu lectus. Ut mi mi, lacinia sit amet, placerat et, mollis vitae, dui. Sed ante tellus, tristique ut, iaculis eu, malesuada ac, dui. Mauris nibh leo, facilisis non, adipiscing quis, ultrices a, dui.

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetuer a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetuer. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

Suspendisse vitae elit. Aliquam arcu neque, ornare in, ullamcorper quis, commodo eu, libero. Fusce sagittis erat at erat tristique mollis. Maecenas sapien libero, molestie et, lobortis in, sodales eget, dui. Morbi ultrices rutrum lorem. Nam elementum ullamcorper leo. Morbi dui. Aliquam sagittis. Nunc placerat. Pellentesque tristique sodales est. Maecenas imperdiet lacinia velit. Cras non urna. Morbi eros pede, suscipit ac, varius vel, egestas non, eros. Praesent malesuada, diam id pretium elementum, eros sem dictum tortor, vel consectetuer odio sem sed wisi.

Sed feugiat. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Ut pellentesque augue sed urna. Vestibulum diam eros, fringilla et, consectetuer eu, nonummy id, sapien. Nullam at lectus. In sagittis ultrices mauris. Curabitur malesuada erat sit amet massa. Fusce blandit. Aliquam erat volutpat. Aliquam euismod. Aenean vel lectus. Nunc imperdiet justo nec dolor.

Etiam euismod. Fusce facilisis lacinia dui. Suspendisse potenti. In mi erat, cursus id, nonummy sed, ullamcorper eget, sapien. Praesent pretium, magna in eleifend egestas, pede pede pretium lorem, quis consectetuer tortor sapien facilisis magna.

Mauris quis magna varius nulla scelerisque imperdiet. Aliquam non quam. Aliquam porttitor quam a lacus. Praesent vel arcu ut tortor cursus volutpat. In vitae pede quis diam bibendum placerat. Fusce elementum convallis neque. Sed dolor orci, scelerisque ac, dapibus nec, ultricies ut, mi. Duis nec dui quis leo sagittis commodo.

Aliquam lectus. Vivamus leo. Quisque ornare tellus ullamcorper nulla. Mauris porttitor pharetra tortor. Sed fringilla justo sed mauris. Mauris tellus. Sed non leo. Nullam elementum, magna in cursus sodales, augue est scelerisque sapien, venenatis congue nulla arcu et pede. Ut suscipit enim vel sapien. Donec congue. Maecenas urna mi, suscipit in, placerat ut, vestibulum ut, massa. Fusce ultrices nulla et nisl.

Etiam ac leo a risus tristique nonummy. Donec dignissim tincidunt nulla. Vestibulum rhoncus molestie odio. Sed lobortis, justo et pretium lobortis, mauris turpis condimentum augue, nec ultricies nibh arcu pretium enim. Nunc purus neque, placerat id, imperdiet sed, pellentesque nec, nisl. Vestibulum imperdiet neque non sem accumsan laoreet. In hac habitasse platea dictumst. Etiam condimentum facilisis libero. Suspendisse in elit quis nisl aliquam dapibus. Pellentesque auctor sapien. Sed egestas sapien nec lectus. Pellentesque vel dui vel neque bibendum viverra. Aliquam porttitor nisl nec pede. Proin mattis libero vel turpis. Donec rutrum mauris et libero. Proin euismod porta felis. Nam lobortis, metus quis elementum commodo, nunc lectus elementum mauris, eget vulputate ligula tellus eu neque. Vivamus eu dolor.

Nulla in ipsum. Praesent eros nulla, congue vitae, euismod ut, commodo a, wisi. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Aenean nonummy magna non leo. Sed felis erat, ullamcorper in, dictum non, ultricies ut, lectus. Proin vel arcu a odio lobortis euismod. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Proin ut est. Aliquam odio. Pellentesque massa turpis, cursus eu, euismod nec, tempor congue, nulla. Duis viverra gravida mauris. Cras tincidunt. Curabitur eros ligula, varius ut, pulvinar in, cursus faucibus, augue.

Nulla mattis luctus nulla. Duis commodo velit at leo. Aliquam vulputate magna et leo. Nam vestibulum ullamcorper leo. Vestibulum condimentum rutrum mauris. Donec id mauris. Morbi molestie justo et pede. Vivamus eget turpis sed nisl cursus tempor. Curabitur mollis sapien condimentum nunc. In wisi nisl, malesuada at, dignissim sit amet, lobortis in, odio. Aenean consequat arcu a ante. Pellentesque porta elit sit amet orci. Etiam at turpis nec elit ultricies imperdiet. Nulla facilisi. In hac habitasse platea dictumst. Suspendisse viverra aliquam risus. Nullam pede justo, molestie nonummy, scelerisque eu, facilisis vel, arcu.

Curabitur tellus magna, porttitor a, commodo a, commodo in, tortor. Donec interdum. Praesent scelerisque. Maecenas posuere sodales odio. Vivamus metus lacus, varius quis, imperdiet quis, rhoncus a, turpis. Etiam ligula arcu, elementum

a, venenatis quis, sollicitudin sed, metus. Donec nunc pede, tincidunt in, venenatis vitae, faucibus vel, nibh. Pellentesque wisi. Nullam malesuada. Morbi ut tellus ut pede tincidunt porta. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam congue neque id dolor.

Donec et nisl at wisi luctus bibendum. Nam interdum tellus ac libero. Sed sem justo, laoreet vitae, fringilla at, adipiscing ut, nibh. Maecenas non sem quis tortor eleifend fermentum. Etiam id tortor ac mauris porta vulputate. Integer porta neque vitae massa. Maecenas tempus libero a libero posuere dictum. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Aenean quis mauris sed elit commodo placerat. Class aptent taciti sociosqu ad litora torquent per conubia nostra, per inceptos hymenaeos. Vivamus rhoncus tincidunt libero. Etiam elementum pretium justo. Vivamus est. Morbi a tellus eget pede tristique commodo. Nulla nisl. Vestibulum sed nisl eu sapien cursus rutrum.

Nulla non mauris vitae wisi posuere convallis. Sed eu nulla nec eros scelerisque pharetra. Nullam varius. Etiam dignissim elementum metus. Vestibulum faucibus, metus sit amet mattis rhoncus, sapien dui laoreet odio, nec ultricies nibh augue a enim. Fusce in ligula. Quisque at magna et nulla commodo consequat. Proin accumsan imperdiet sem. Nunc porta. Donec feugiat mi at justo. Phasellus facilisis ipsum quis ante. In ac elit eget ipsum pharetra faucibus. Maecenas viverra nulla in massa.

Nulla ac nisl. Nullam urna nulla, ullamcorper in, interdum sit amet, gravida ut, risus. Aenean ac enim. In luctus. Phasellus eu quam vitae turpis viverra pellentesque. Duis feugiat felis ut enim. Phasellus pharetra, sem id porttitor sodales, magna nunc aliquet nibh, nec blandit nisl mauris at pede. Suspendisse risus risus, lobortis eget, semper at, imperdiet sit amet, quam. Quisque scelerisque dapibus nibh. Nam enim. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Nunc ut metus. Ut metus justo, auctor at, ultrices eu, sagittis ut, purus. Aliquam aliquam.

Etiam pede massa, dapibus vitae, rhoncus in, placerat posuere, odio. Vestibulum luctus commodo lacus. Morbi lacus dui, tempor sed, euismod eget, condimentum at, tortor. Phasellus aliquet odio ac lacus tempor faucibus. Praesent sed sem. Praesent iaculis. Cras rhoncus tellus sed justo ullamcorper sagittis. Donec quis orci. Sed ut tortor quis tellus euismod tincidunt. Suspendisse congue nisl eu elit. Aliquam tortor diam, tempus id, tristique eget, sodales vel, nulla. Praesent tellus mi, condimentum sed, viverra at, consectetuer quis, lectus. In auctor vehicula orci. Sed pede sapien, euismod in, suscipit in, pharetra placerat, metus. Vivamus commodo dui non odio. Donec et felis.

Etiam suscipit aliquam arcu. Aliquam sit amet est ac purus bibendum congue. Sed in eros. Morbi non orci. Pellentesque mattis lacinia elit. Fusce molestie velit in ligula. Nullam et orci vitae nibh vulputate auctor. Aliquam eget purus. Nulla auctor wisi sed ipsum. Morbi porttitor tellus ac enim. Fusce ornare. Proin ipsum enim,

tincidunt in, ornare venenatis, molestie a, augue. Donec vel pede in lacus sagittis porta. Sed hendrerit ipsum quis nisl. Suspendisse quis massa ac nibh pretium cursus. Sed sodales. Nam eu neque quis pede dignissim ornare. Maecenas eu purus ac urna tincidunt congue.

Donec et nisl id sapien blandit mattis. Aenean dictum odio sit amet risus. Morbi purus. Nulla a est sit amet purus venenatis iaculis. Vivamus viverra purus vel magna. Donec in justo sed odio malesuada dapibus. Nunc ultrices aliquam nunc. Vivamus facilisis pellentesque velit. Nulla nunc velit, vulputate dapibus, vulputate id, mattis ac, justo. Nam mattis elit dapibus purus. Quisque enim risus, congue non, elementum ut, mattis quis, sem. Quisque elit.

Maecenas non massa. Vestibulum pharetra nulla at lorem. Duis quis quam id lacus dapibus interdum. Nulla lorem. Donec ut ante quis dolor bibendum condimentum. Etiam egestas tortor vitae lacus. Praesent cursus. Mauris bibendum pede at elit. Morbi et felis a lectus interdum facilisis. Sed suscipit gravida turpis. Nulla at lectus. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Praesent nonummy luctus nibh. Proin turpis nunc, congue eu, egestas ut, fringilla at, tellus. In hac habitasse platea dictumst.

Vivamus eu tellus sed tellus consequat suscipit. Nam orci orci, malesuada id, gravida nec, ultricies vitae, erat. Donec risus turpis, luctus sit amet, interdum quis, porta sed, ipsum. Suspendisse condimentum, tortor at egestas posuere, neque metus tempor orci, et tincidunt urna nunc a purus. Sed facilisis blandit tellus. Nunc risus sem, suscipit nec, eleifend quis, cursus quis, libero. Curabitur et dolor. Sed vitae sem. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Maecenas ante. Duis ullamcorper enim. Donec tristique enim eu leo. Nullam molestie elit eu dolor. Nullam bibendum, turpis vitae tristique gravida, quam sapien tempor lectus, quis pretium tellus purus ac quam. Nulla facilisi.

Duis aliquet dui in est. Donec eget est. Nunc lectus odio, varius at, fermentum in, accumsan non, enim. Aliquam erat volutpat. Proin sit amet nulla ut eros consectetuer cursus. Phasellus dapibus aliquam justo. Nunc laoreet. Donec consequat placerat magna. Duis pretium tincidunt justo. Sed sollicitudin vestibulum quam. Nam quis ligula. Vivamus at metus. Etiam imperdiet imperdiet pede. Aenean turpis. Fusce augue velit, scelerisque sollicitudin, dictum vitae, tempor et, pede. Donec wisi sapien, feugiat in, fermentum ut, sollicitudin adipiscing, metus.

Donec vel nibh ut felis consectetuer laoreet. Donec pede. Sed id quam id wisi laoreet suscipit. Nulla lectus dolor, aliquam ac, fringilla eget, mollis ut, orci. In pellentesque justo in ligula. Maecenas turpis. Donec eleifend leo at felis tincidunt consequat. Aenean turpis metus, malesuada sed, condimentum sit amet, auctor a, wisi. Pellentesque sapien elit, bibendum ac, posuere et, congue eu, felis. Vestibulum mattis libero quis metus scelerisque ultrices. Sed purus.

Donec molestie, magna ut luctus ultrices, tellus arcu nonummy velit, sit amet pulvinar elit justo et mauris. In pede. Maecenas euismod elit eu erat. Aliquam augue wisi, facilisis congue, suscipit in, adipiscing et, ante. In justo. Cras lobortis neque ac ipsum. Nunc fermentum massa at ante. Donec orci tortor, egestas sit amet, ultrices eget, venenatis eget, mi. Maecenas vehicula leo semper est. Mauris vel metus. Aliquam erat volutpat. In rhoncus sapien ac tellus. Pellentesque ligula.

Cras dapibus, augue quis scelerisque ultricies, felis dolor placerat sem, id porta velit odio eu elit. Aenean interdum nibh sed wisi. Praesent sollicitudin vulputate dui. Praesent iaculis viverra augue. Quisque in libero. Aenean gravida lorem vitae sem ullamcorper cursus. Nunc adipiscing rutrum ante. Nunc ipsum massa, faucibus sit amet, viverra vel, elementum semper, orci. Cras eros sem, vulputate et, tincidunt id, ultrices eget, magna. Nulla varius ornare odio. Donec accumsan mauris sit amet augue. Sed ligula lacus, laoreet non, aliquam sit amet, iaculis tempor, lorem. Suspendisse eros. Nam porta, leo sed congue tempor, felis est ultrices eros, id mattis velit felis non metus. Curabitur vitae elit non mauris varius pretium. Aenean lacus sem, tincidunt ut, consequat quis, porta vitae, turpis. Nullam laoreet fermentum urna. Proin iaculis lectus.

Sed mattis, erat sit amet gravida malesuada, elit augue egestas diam, tempus scelerisque nunc nisl vitae libero. Sed consequat feugiat massa. Nunc porta, eros in eleifend varius, erat leo rutrum dui, non convallis lectus orci ut nibh. Sed lorem massa, nonummy quis, egestas id, condimentum at, nisl. Maecenas at nibh. Aliquam et augue at nunc pellentesque ullamcorper. Duis nisl nibh, laoreet suscipit, convallis ut, rutrum id, enim. Phasellus odio. Nulla nulla elit, molestie non, scelerisque at, vestibulum eu, nulla. Ut odio nisl, facilisis id, mollis et, scelerisque nec, enim. Aenean sem leo, pellentesque sit amet, scelerisque sit amet, vehicula pellentesque, sapien.

Sed consequat tellus et tortor. Ut tempor laoreet quam. Nullam id wisi a libero tristique semper. Nullam nisl massa, rutrum ut, egestas semper, mollis id, leo. Nulla ac massa eu risus blandit mattis. Mauris ut nunc. In hac habitasse platea dictumst. Aliquam eget tortor. Quisque dapibus pede in erat. Nunc enim. In dui nulla, commodo at, consectetuer nec, malesuada nec, elit. Aliquam ornare tellus eu urna. Sed nec metus. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas.

Phasellus id magna. Duis malesuada interdum arcu. Integer metus. Morbi pulvinar pellentesque mi. Suspendisse sed est eu magna molestie egestas. Quisque mi lorem, pulvinar eget, egestas quis, luctus at, ante. Proin auctor vehicula purus. Fusce ac nisl aliquam ante hendrerit pellentesque. Class aptent taciti sociosqu ad litora torquent per conubia nostra, per inceptos hymenaeos. Morbi wisi. Etiam arcu

mauris, facilisis sed, eleifend non, nonummy ut, pede. Cras ut lacus tempor metus mollis placerat. Vivamus eu tortor vel metus interdum malesuada.

Sed eleifend, eros sit amet faucibus elementum, urna sapien consectetuer mauris, quis egestas leo justo non risus. Morbi non felis ac libero vulputate fringilla. Mauris libero eros, lacinia non, sodales quis, dapibus porttitor, pede. Class aptent taciti sociosqu ad litora torquent per conubia nostra, per inceptos hymenaeos. Morbi dapibus mauris condimentum nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Etiam sit amet erat. Nulla varius. Etiam tincidunt dui vitae turpis. Donec leo. Morbi vulputate convallis est. Integer aliquet. Pellentesque aliquet sodales urna.

Nullam eleifend justo in nisl. In hac habitasse platea dictumst. Morbi nonummy. Aliquam ut felis. In velit leo, dictum vitae, posuere id, vulputate nec, ante. Maecenas vitae pede nec dui dignissim suscipit. Morbi magna. Vestibulum id purus eget velit laoreet laoreet. Praesent sed leo vel nibh convallis blandit. Ut rutrum. Donec nibh. Donec interdum. Fusce sed pede sit amet elit rhoncus ultrices. Nullam at enim vitae pede vehicula iaculis.

Class aptent taciti sociosqu ad litora torquent per conubia nostra, per inceptos hymenaeos. Aenean nonummy turpis id odio. Integer euismod imperdiet turpis. Ut nec leo nec diam imperdiet lacinia. Etiam eget lacus eget mi ultricies posuere. In placerat tristique tortor. Sed porta vestibulum metus. Nulla iaculis sollicitudin pede. Fusce luctus tellus in dolor. Curabitur auctor velit a sem. Morbi sapien. Class aptent taciti sociosqu ad litora torquent per conubia nostra, per inceptos hymenaeos. Donec adipiscing urna vehicula nunc. Sed ornare leo in leo. In rhoncus leo ut dui. Aenean dolor quam, volutpat nec, fringilla id, consectetuer vel, pede.

Nulla malesuada risus ut urna. Aenean pretium velit sit amet metus. Duis iaculis. In hac habitasse platea dictumst. Nullam molestie turpis eget nisl. Duis a massa id pede dapibus ultricies. Sed eu leo. In at mauris sit amet tortor bibendum varius. Phasellus justo risus, posuere in, sagittis ac, varius vel, tortor. Quisque id enim. Phasellus consequat, libero pretium nonummy fringilla, tortor lacus vestibulum nunc, ut rhoncus ligula neque id justo. Nullam accumsan euismod nunc. Proin vitae ipsum ac metus dictum tempus. Nam ut wisi. Quisque tortor felis, interdum ac, sodales a, semper a, sem. Curabitur in velit sit amet dui tristique sodales. Vivamus mauris pede, lacinia eget, pellentesque quis, scelerisque eu, est. Aliquam risus. Quisque bibendum pede eu dolor.

Donec tempus neque vitae est. Aenean egestas odio sed risus ullamcorper ullamcorper. Sed in nulla a tortor tincidunt egestas. Nam sapien tortor, elementum sit amet, aliquam in, porttitor faucibus, enim. Nullam congue suscipit nibh. Quisque convallis. Praesent arcu nibh, vehicula eget, accumsan eu, tincidunt a, nibh. Suspendisse vulputate, tortor quis adipiscing viverra, lacus nibh dignissim tellus, eu

suscipit risus ante fringilla diam. Quisque a libero vel pede imperdiet aliquet. Pellentesque nunc nibh, eleifend a, consequat consequat, hendrerit nec, diam. Sed urna. Maecenas laoreet eleifend neque. Vivamus purus odio, eleifend non, iaculis a, ultrices sit amet, urna. Mauris faucibus odio vitae risus. In nisl. Praesent purus. Integer iaculis, sem eu egestas lacinia, lacus pede scelerisque augue, in ullamcorper dolor eros ac lacus. Nunc in libero.

Fusce suscipit cursus sem. Vivamus risus mi, egestas ac, imperdiet varius, faucibus quis, leo. Aenean tincidunt. Donec suscipit. Cras id justo quis nibh scelerisque dignissim. Aliquam sagittis elementum dolor. Aenean consectetuer justo in pede. Curabitur ullamcorper ligula nec orci. Aliquam purus turpis, aliquam id, ornare vitae, porttitor non, wisi. Maecenas luctus porta lorem. Donec vitae ligula eu ante pretium varius. Proin tortor metus, convallis et, hendrerit non, scelerisque in, urna. Cras quis libero eu ligula bibendum tempor. Vivamus tellus quam, malesuada eu, tempus sed, tempor sed, velit. Donec lacinia auctor libero.

Praesent sed neque id pede mollis rutrum. Vestibulum iaculis risus. Pellentesque lacus. Ut quis nunc sed odio malesuada egestas. Duis a magna sit amet ligula tristique pretium. Ut pharetra. Vestibulum imperdiet magna nec wisi. Mauris convallis. Sed accumsan sollicitudin massa. Sed id enim. Nunc pede enim, lacinia ut, pulvinar quis, suscipit semper, elit. Cras accumsan erat vitae enim. Cras sollicitudin. Vestibulum rutrum blandit massa.

Sed gravida lectus ut purus. Morbi laoreet magna. Pellentesque eu wisi. Proin turpis. Integer sollicitudin augue nec dui. Fusce lectus. Vivamus faucibus nulla nec lacus. Integer diam. Pellentesque sodales, enim feugiat cursus volutpat, sem mauris dignissim mauris, quis consequat sem est fermentum ligula. Nullam justo lectus, condimentum sit amet, posuere a, fringilla mollis, felis. Morbi nulla nibh, pellentesque at, nonummy eu, sollicitudin nec, ipsum. Cras neque. Nunc augue. Nullam vitae quam id quam pulvinar blandit. Nunc sit amet orci. Aliquam erat elit, pharetra nec, aliquet a, gravida in, mi. Quisque urna enim, viverra quis, suscipit quis, tincidunt ut, sapien. Cras placerat consequat sem. Curabitur ac diam. Curabitur diam tortor, mollis et, viverra ac, tempus vel, metus.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Ut purus elit,

5.6 Optimization via Gradient Descent



vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetuer id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.

Quisque ullamcorper placerat ipsum. Cras nibh. Morbi vel justo vitae lacus tincidunt ultrices. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. In hac habitasse platea dictumst. Integer tempus convallis augue. Etiam facilisis. Nunc elementum fermentum wisi. Aenean placerat. Ut imperdiet, enim sed gravida sollicitudin, felis odio placerat quam, ac pulvinar elit purus eget enim. Nunc vitae tortor. Proin tempus nibh sit amet nisl. Vivamus quis tortor vitae risus porta vehicula.

Fusce mauris. Vestibulum luctus nibh at lectus. Sed bibendum, nulla a faucibus semper, leo velit ultricies tellus, ac venenatis arcu wisi vel nisl. Vestibulum diam. Aliquam pellentesque, augue quis sagittis posuere, turpis lacus congue quam, in hendrerit risus eros eget felis. Maecenas eget erat in sapien mattis porttitor. Vestibulum porttitor. Nulla facilisi. Sed a turpis eu lacus commodo facilisis. Morbi

fringilla, wisi in dignissim interdum, justo lectus sagittis dui, et vehicula libero dui cursus dui. Mauris tempor ligula sed lacus. Duis cursus enim ut augue. Cras ac magna. Cras nulla. Nulla egestas. Curabitur a leo. Quisque egestas wisi eget nunc. Nam feugiat lacus vel est. Curabitur consectetuer.

Suspendisse vel felis. Ut lorem lorem, interdum eu, tincidunt sit amet, laoreet vitae, arcu. Aenean faucibus pede eu ante. Praesent enim elit, rutrum at, molestie non, nonummy vel, nisl. Ut lectus eros, malesuada sit amet, fermentum eu, sodales cursus, magna. Donec eu purus. Quisque vehicula, urna sed ultricies auctor, pede lorem egestas dui, et convallis elit erat sed nulla. Donec luctus. Curabitur et nunc. Aliquam dolor odio, commodo pretium, ultricies non, pharetra in, velit. Integer arcu est, nonummy in, fermentum faucibus, egestas vel, odio.

Sed commodo posuere pede. Mauris ut est. Ut quis purus. Sed ac odio. Sed vehicula hendrerit sem. Duis non odio. Morbi ut dui. Sed accumsan risus eget odio. In hac habitasse platea dictumst. Pellentesque non elit. Fusce sed justo eu urna porta tincidunt. Mauris felis odio, sollicitudin sed, volutpat a, ornare ac, erat. Morbi quis dolor. Donec pellentesque, erat ac sagittis semper, nunc dui lobortis purus, quis congue purus metus ultricies tellus. Proin et quam. Class aptent taciti sociosqu ad litora torquent per conubia nostra, per inceptos hymenaeos. Praesent sapien turpis, fermentum vel, eleifend faucibus, vehicula eu, lacus.

Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Donec odio elit, dictum in, hendrerit sit amet, egestas sed, leo. Praesent feugiat sapien aliquet odio. Integer vitae justo. Aliquam vestibulum fringilla lorem. Sed neque lectus, consectetuer at, consectetuer sed, eleifend ac, lectus. Nulla facilisi. Pellentesque eget lectus. Proin eu metus. Sed porttitor. In hac habitasse platea dictumst. Suspendisse eu lectus. Ut mi mi, lacinia sit amet, placerat et, mollis vitae, dui. Sed ante tellus, tristique ut, iaculis eu, malesuada ac, dui. Mauris nibh leo, facilisis non, adipiscing quis, ultrices a, dui.

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetuer a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetuer. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

Suspendisse vitae elit. Aliquam arcu neque, ornare in, ullamcorper quis, commodo eu, libero. Fusce sagittis erat at erat tristique mollis. Maecenas sapien libero,

molestie et, lobortis in, sodales eget, dui. Morbi ultrices rutrum lorem. Nam elementum ullamcorper leo. Morbi dui. Aliquam sagittis. Nunc placerat. Pellentesque tristique sodales est. Maecenas imperdiet lacinia velit. Cras non urna. Morbi eros pede, suscipit ac, varius vel, egestas non, eros. Praesent malesuada, diam id pretium elementum, eros sem dictum tortor, vel consectetuer odio sem sed wisi.

Sed feugiat. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Ut pellentesque augue sed urna. Vestibulum diam eros, fringilla et, consectetuer eu, nonummy id, sapien. Nullam at lectus. In sagittis ultrices mauris. Curabitur malesuada erat sit amet massa. Fusce blandit. Aliquam erat volutpat. Aliquam euismod. Aenean vel lectus. Nunc imperdiet justo nec dolor.

Etiam euismod. Fusce facilisis lacinia dui. Suspendisse potenti. In mi erat, cursus id, nonummy sed, ullamcorper eget, sapien. Praesent pretium, magna in eleifend egestas, pede pede pretium lorem, quis consectetuer tortor sapien facilisis magna. Mauris quis magna varius nulla scelerisque imperdiet. Aliquam non quam. Aliquam porttitor quam a lacus. Praesent vel arcu ut tortor cursus volutpat. In vitae pede quis diam bibendum placerat. Fusce elementum convallis neque. Sed dolor orci, scelerisque ac, dapibus nec, ultricies ut, mi. Duis nec dui quis leo sagittis commodo.

Aliquam lectus. Vivamus leo. Quisque ornare tellus ullamcorper nulla. Mauris porttitor pharetra tortor. Sed fringilla justo sed mauris. Mauris tellus. Sed non leo. Nullam elementum, magna in cursus sodales, augue est scelerisque sapien, venenatis congue nulla arcu et pede. Ut suscipit enim vel sapien. Donec congue. Maecenas urna mi, suscipit in, placerat ut, vestibulum ut, massa. Fusce ultrices nulla et nisl.

Etiam ac leo a risus tristique nonummy. Donec dignissim tincidunt nulla. Vestibulum rhoncus molestie odio. Sed lobortis, justo et pretium lobortis, mauris turpis condimentum augue, nec ultricies nibh arcu pretium enim. Nunc purus neque, placerat id, imperdiet sed, pellentesque nec, nisl. Vestibulum imperdiet neque non sem accumsan laoreet. In hac habitasse platea dictumst. Etiam condimentum facilisis libero. Suspendisse in elit quis nisl aliquam dapibus. Pellentesque auctor sapien. Sed egestas sapien nec lectus. Pellentesque vel dui vel neque bibendum viverra. Aliquam porttitor nisl nec pede. Proin mattis libero vel turpis. Donec rutrum mauris et libero. Proin euismod porta felis. Nam lobortis, metus quis elementum commodo, nunc lectus elementum mauris, eget vulputate ligula tellus eu neque. Vivamus eu dolor.

Nulla in ipsum. Praesent eros nulla, congue vitae, euismod ut, commodo a, wisi. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Aenean nonummy magna non leo. Sed felis erat, ullamcorper in, dictum non, ultricies ut, lectus. Proin vel arcu a odio lobortis euismod. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Proin ut est. Aliquam odio. Pellentesque massa turpis, cursus eu, euismod nec, tempor congue,

nulla. Duis viverra gravida mauris. Cras tincidunt. Curabitur eros ligula, varius ut, pulvinar in, cursus faucibus, augue.

Nulla mattis luctus nulla. Duis commodo velit at leo. Aliquam vulputate magna et leo. Nam vestibulum ullamcorper leo. Vestibulum condimentum rutrum mauris. Donec id mauris. Morbi molestie justo et pede. Vivamus eget turpis sed nisl cursus tempor. Curabitur mollis sapien condimentum nunc. In wisi nisl, malesuada at, dignissim sit amet, lobortis in, odio. Aenean consequat arcu a ante. Pellentesque porta elit sit amet orci. Etiam at turpis nec elit ultricies imperdiet. Nulla facilisi. In hac habitasse platea dictumst. Suspendisse viverra aliquam risus. Nullam pede justo, molestie nonummy, scelerisque eu, facilisis vel, arcu.

Curabitur tellus magna, porttitor a, commodo a, commodo in, tortor. Donec interdum. Praesent scelerisque. Maecenas posuere sodales odio. Vivamus metus lacus, varius quis, imperdiet quis, rhoncus a, turpis. Etiam ligula arcu, elementum a, venenatis quis, sollicitudin sed, metus. Donec nunc pede, tincidunt in, venenatis vitae, faucibus vel, nibh. Pellentesque wisi. Nullam malesuada. Morbi ut tellus ut pede tincidunt porta. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam congue neque id dolor.

Donec et nisl at wisi luctus bibendum. Nam interdum tellus ac libero. Sed sem justo, laoreet vitae, fringilla at, adipiscing ut, nibh. Maecenas non sem quis tortor eleifend fermentum. Etiam id tortor ac mauris porta vulputate. Integer porta neque vitae massa. Maecenas tempus libero a libero posuere dictum. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Aenean quis mauris sed elit commodo placerat. Class aptent taciti sociosqu ad litora torquent per conubia nostra, per inceptos hymenaeos. Vivamus rhoncus tincidunt libero. Etiam elementum pretium justo. Vivamus est. Morbi a tellus eget pede tristique commodo. Nulla nisl. Vestibulum sed nisl eu sapien cursus rutrum.

Nulla non mauris vitae wisi posuere convallis. Sed eu nulla nec eros scelerisque pharetra. Nullam varius. Etiam dignissim elementum metus. Vestibulum faucibus, metus sit amet mattis rhoncus, sapien dui laoreet odio, nec ultricies nibh augue a enim. Fusce in ligula. Quisque at magna et nulla commodo consequat. Proin accumsan imperdiet sem. Nunc porta. Donec feugiat mi at justo. Phasellus facilisis ipsum quis ante. In ac elit eget ipsum pharetra faucibus. Maecenas viverra nulla in massa.

Nulla ac nisl. Nullam urna nulla, ullamcorper in, interdum sit amet, gravida ut, risus. Aenean ac enim. In luctus. Phasellus eu quam vitae turpis viverra pellentesque. Duis feugiat felis ut enim. Phasellus pharetra, sem id porttitor sodales, magna nunc aliquet nibh, nec blandit nisl mauris at pede. Suspendisse risus risus, lobortis eget, semper at, imperdiet sit amet, quam. Quisque scelerisque dapibus nibh. Nam enim. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Nunc ut metus. Ut metus justo, auctor at, ultrices eu, sagittis ut, purus. Aliquam aliquam.

Etiam pede massa, dapibus vitae, rhoncus in, placerat posuere, odio. Vestibulum luctus commodo lacus. Morbi lacus dui, tempor sed, euismod eget, condimentum at, tortor. Phasellus aliquet odio ac lacus tempor faucibus. Praesent sed sem. Praesent iaculis. Cras rhoncus tellus sed justo ullamcorper sagittis. Donec quis orci. Sed ut tortor quis tellus euismod tincidunt. Suspendisse congue nisl eu elit. Aliquam tortor diam, tempus id, tristique eget, sodales vel, nulla. Praesent tellus mi, condimentum sed, viverra at, consectetuer quis, lectus. In auctor vehicula orci. Sed pede sapien, euismod in, suscipit in, pharetra placerat, metus. Vivamus commodo dui non odio. Donec et felis.

Etiam suscipit aliquam arcu. Aliquam sit amet est ac purus bibendum congue. Sed in eros. Morbi non orci. Pellentesque mattis lacinia elit. Fusce molestie velit in ligula. Nullam et orci vitae nibh vulputate auctor. Aliquam eget purus. Nulla auctor wisi sed ipsum. Morbi porttitor tellus ac enim. Fusce ornare. Proin ipsum enim, tincidunt in, ornare venenatis, molestie a, augue. Donec vel pede in lacus sagittis porta. Sed hendrerit ipsum quis nisl. Suspendisse quis massa ac nibh pretium cursus. Sed sodales. Nam eu neque quis pede dignissim ornare. Maecenas eu purus ac urna tincidunt congue.

Donec et nisl id sapien blandit mattis. Aenean dictum odio sit amet risus. Morbi purus. Nulla a est sit amet purus venenatis iaculis. Vivamus viverra purus vel magna. Donec in justo sed odio malesuada dapibus. Nunc ultrices aliquam nunc. Vivamus facilisis pellentesque velit. Nulla nunc velit, vulputate dapibus, vulputate id, mattis ac, justo. Nam mattis elit dapibus purus. Quisque enim risus, congue non, elementum ut, mattis quis, sem. Quisque elit.

Maecenas non massa. Vestibulum pharetra nulla at lorem. Duis quis quam id lacus dapibus interdum. Nulla lorem. Donec ut ante quis dolor bibendum condimentum. Etiam egestas tortor vitae lacus. Praesent cursus. Mauris bibendum pede at elit. Morbi et felis a lectus interdum facilisis. Sed suscipit gravida turpis. Nulla at lectus. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Praesent nonummy luctus nibh. Proin turpis nunc, congue eu, egestas ut, fringilla at, tellus. In hac habitasse platea dictumst.

Vivamus eu tellus sed tellus consequat suscipit. Nam orci orci, malesuada id, gravida nec, ultricies vitae, erat. Donec risus turpis, luctus sit amet, interdum quis, porta sed, ipsum. Suspendisse condimentum, tortor at egestas posuere, neque metus tempor orci, et tincidunt urna nunc a purus. Sed facilisis blandit tellus. Nunc risus sem, suscipit nec, eleifend quis, cursus quis, libero. Curabitur et dolor. Sed vitae sem. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Maecenas ante. Duis ullamcorper enim. Donec tristique enim eu leo. Nullam molestie elit eu dolor. Nullam bibendum, turpis vitae tristique gravida, quam sapien tempor lectus, quis pretium tellus purus ac quam. Nulla facilisi.

Duis aliquet dui in est. Donec eget est. Nunc lectus odio, varius at, fermentum in, accumsan non, enim. Aliquam erat volutpat. Proin sit amet nulla ut eros consectetuer cursus. Phasellus dapibus aliquam justo. Nunc laoreet. Donec consequat placerat magna. Duis pretium tincidunt justo. Sed sollicitudin vestibulum quam. Nam quis ligula. Vivamus at metus. Etiam imperdiet imperdiet pede. Aenean turpis. Fusce augue velit, scelerisque sollicitudin, dictum vitae, tempor et, pede. Donec wisi sapien, feugiat in, fermentum ut, sollicitudin adipiscing, metus.

Donec vel nibh ut felis consectetuer laoreet. Donec pede. Sed id quam id wisi laoreet suscipit. Nulla lectus dolor, aliquam ac, fringilla eget, mollis ut, orci. In pellentesque justo in ligula. Maecenas turpis. Donec eleifend leo at felis tincidunt consequat. Aenean turpis metus, malesuada sed, condimentum sit amet, auctor a, wisi. Pellentesque sapien elit, bibendum ac, posuere et, congue eu, felis. Vestibulum mattis libero quis metus scelerisque ultrices. Sed purus.

Donec molestie, magna ut luctus ultrices, tellus arcu nonummy velit, sit amet pulvinar elit justo et mauris. In pede. Maecenas euismod elit eu erat. Aliquam augue wisi, facilisis congue, suscipit in, adipiscing et, ante. In justo. Cras lobortis neque ac ipsum. Nunc fermentum massa at ante. Donec orci tortor, egestas sit amet, ultrices eget, venenatis eget, mi. Maecenas vehicula leo semper est. Mauris vel metus. Aliquam erat volutpat. In rhoncus sapien ac tellus. Pellentesque ligula.

Cras dapibus, augue quis scelerisque ultricies, felis dolor placerat sem, id porta velit odio eu elit. Aenean interdum nibh sed wisi. Praesent sollicitudin vulputate dui. Praesent iaculis viverra augue. Quisque in libero. Aenean gravida lorem vitae sem ullamcorper cursus. Nunc adipiscing rutrum ante. Nunc ipsum massa, faucibus sit amet, viverra vel, elementum semper, orci. Cras eros sem, vulputate et, tincidunt id, ultrices eget, magna. Nulla varius ornare odio. Donec accumsan mauris sit amet augue. Sed ligula lacus, laoreet non, aliquam sit amet, iaculis tempor, lorem. Suspendisse eros. Nam porta, leo sed congue tempor, felis est ultrices eros, id mattis velit felis non metus. Curabitur vitae elit non mauris varius pretium. Aenean lacus sem, tincidunt ut, consequat quis, porta vitae, turpis. Nullam laoreet fermentum urna. Proin iaculis lectus.

Sed mattis, erat sit amet gravida malesuada, elit augue egestas diam, tempus scelerisque nunc nisl vitae libero. Sed consequat feugiat massa. Nunc porta, eros in eleifend varius, erat leo rutrum dui, non convallis lectus orci ut nibh. Sed lorem massa, nonummy quis, egestas id, condimentum at, nisl. Maecenas at nibh. Aliquam et augue at nunc pellentesque ullamcorper. Duis nisl nibh, laoreet suscipit, convallis ut, rutrum id, enim. Phasellus odio. Nulla nulla elit, molestie non, scelerisque at, vestibulum eu, nulla. Ut odio nisl, facilisis id, mollis et, scelerisque nec, enim. Aenean sem leo, pellentesque sit amet, scelerisque sit amet, vehicula pellentesque, sapien.

Sed consequat tellus et tortor. Ut tempor laoreet quam. Nullam id wisi a libero tristique semper. Nullam nisl massa, rutrum ut, egestas semper, mollis id, leo. Nulla ac massa eu risus blandit mattis. Mauris ut nunc. In hac habitasse platea dictumst. Aliquam eget tortor. Quisque dapibus pede in erat. Nunc enim. In dui nulla, commodo at, consectetuer nec, malesuada nec, elit. Aliquam ornare tellus eu urna. Sed nec metus. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas.

Phasellus id magna. Duis malesuada interdum arcu. Integer metus. Morbi pulvinar pellentesque mi. Suspendisse sed est eu magna molestie egestas. Quisque mi lorem, pulvinar eget, egestas quis, luctus at, ante. Proin auctor vehicula purus. Fusce ac nisl aliquam ante hendrerit pellentesque. Class aptent taciti sociosqu ad litora torquent per conubia nostra, per inceptos hymenaeos. Morbi wisi. Etiam arcu mauris, facilisis sed, eleifend non, nonummy ut, pede. Cras ut lacus tempor metus mollis placerat. Vivamus eu tortor vel metus interdum malesuada.

Sed eleifend, eros sit amet faucibus elementum, urna sapien consectetuer mauris, quis egestas leo justo non risus. Morbi non felis ac libero vulputate fringilla. Mauris libero eros, lacinia non, sodales quis, dapibus porttitor, pede. Class aptent taciti sociosqu ad litora torquent per conubia nostra, per inceptos hymenaeos. Morbi dapibus mauris condimentum nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Etiam sit amet erat. Nulla varius. Etiam tincidunt dui vitae turpis. Donec leo. Morbi vulputate convallis est. Integer aliquet. Pellentesque aliquet sodales urna.

Nullam eleifend justo in nisl. In hac habitasse platea dictumst. Morbi nonummy. Aliquam ut felis. In velit leo, dictum vitae, posuere id, vulputate nec, ante. Maecenas vitae pede nec dui dignissim suscipit. Morbi magna. Vestibulum id purus eget velit laoreet laoreet. Praesent sed leo vel nibh convallis blandit. Ut rutrum. Donec nibh. Donec interdum. Fusce sed pede sit amet elit rhoncus ultrices. Nullam at enim vitae pede vehicula iaculis.

Class aptent taciti sociosqu ad litora torquent per conubia nostra, per inceptos hymenaeos. Aenean nonummy turpis id odio. Integer euismod imperdiet turpis. Ut nec leo nec diam imperdiet lacinia. Etiam eget lacus eget mi ultricies posuere. In placerat tristique tortor. Sed porta vestibulum metus. Nulla iaculis sollicitudin pede. Fusce luctus tellus in dolor. Curabitur auctor velit a sem. Morbi sapien. Class aptent taciti sociosqu ad litora torquent per conubia nostra, per inceptos hymenaeos. Donec adipiscing urna vehicula nunc. Sed ornare leo in leo. In rhoncus leo ut dui. Aenean dolor quam, volutpat nec, fringilla id, consectetuer vel, pede.

Nulla malesuada risus ut urna. Aenean pretium velit sit amet metus. Duis iaculis. In hac habitasse platea dictumst. Nullam molestie turpis eget nisl. Duis a massa id pede dapibus ultricies. Sed eu leo. In at mauris sit amet tortor bibendum varius.

Phasellus justo risus, posuere in, sagittis ac, varius vel, tortor. Quisque id enim. Phasellus consequat, libero pretium nonummy fringilla, tortor lacus vestibulum nunc, ut rhoncus ligula neque id justo. Nullam accumsan euismod nunc. Proin vitae ipsum ac metus dictum tempus. Nam ut wisi. Quisque tortor felis, interdum ac, sodales a, semper a, sem. Curabitur in velit sit amet dui tristique sodales. Vivamus mauris pede, lacinia eget, pellentesque quis, scelerisque eu, est. Aliquam risus. Quisque bibendum pede eu dolor.

Donec tempus neque vitae est. Aenean egestas odio sed risus ullamcorper ullamcorper. Sed in nulla a tortor tincidunt egestas. Nam sapien tortor, elementum sit amet, aliquam in, porttitor faucibus, enim. Nullam congue suscipit nibh. Quisque convallis. Praesent arcu nibh, vehicula eget, accumsan eu, tincidunt a, nibh. Suspendisse vulputate, tortor quis adipiscing viverra, lacus nibh dignissim tellus, eu suscipit risus ante fringilla diam. Quisque a libero vel pede imperdiet aliquet. Pellentesque nunc nibh, eleifend a, consequat consequat, hendrerit nec, diam. Sed urna. Maecenas laoreet eleifend neque. Vivamus purus odio, eleifend non, iaculis a, ultrices sit amet, urna. Mauris faucibus odio vitae risus. In nisl. Praesent purus. Integer iaculis, sem eu egestas lacinia, lacus pede scelerisque augue, in ullamcorper dolor eros ac lacus. Nunc in libero.

Fusce suscipit cursus sem. Vivamus risus mi, egestas ac, imperdiet varius, faucibus quis, leo. Aenean tincidunt. Donec suscipit. Cras id justo quis nibh scelerisque dignissim. Aliquam sagittis elementum dolor. Aenean consectetuer justo in pede. Curabitur ullamcorper ligula nec orci. Aliquam purus turpis, aliquam id, ornare vitae, porttitor non, wisi. Maecenas luctus porta lorem. Donec vitae ligula eu ante pretium varius. Proin tortor metus, convallis et, hendrerit non, scelerisque in, urna. Cras quis libero eu ligula bibendum tempor. Vivamus tellus quam, malesuada eu, tempus sed, tempor sed, velit. Donec lacinia auctor libero.

Praesent sed neque id pede mollis rutrum. Vestibulum iaculis risus. Pellentesque lacus. Ut quis nunc sed odio malesuada egestas. Duis a magna sit amet ligula tristique pretium. Ut pharetra. Vestibulum imperdiet magna nec wisi. Mauris convallis. Sed accumsan sollicitudin massa. Sed id enim. Nunc pede enim, lacinia ut, pulvinar quis, suscipit semper, elit. Cras accumsan erat vitae enim. Cras sollicitudin. Vestibulum rutrum blandit massa.

Sed gravida lectus ut purus. Morbi laoreet magna. Pellentesque eu wisi. Proin turpis. Integer sollicitudin augue nec dui. Fusce lectus. Vivamus faucibus nulla nec lacus. Integer diam. Pellentesque sodales, enim feugiat cursus volutpat, sem mauris dignissim mauris, quis consequat sem est fermentum ligula. Nullam justo lectus, condimentum sit amet, posuere a, fringilla mollis, felis. Morbi nulla nibh, pellentesque at, nonummy eu, sollicitudin nec, ipsum. Cras neque. Nunc augue. Nullam vitae quam id quam pulvinar blandit. Nunc sit amet orci. Aliquam erat elit, pharetra nec, aliquet a, gravida in, mi. Quisque urna enim, viverra quis, suscipit quis,

tincidunt ut, sapien. Cras placerat consequat sem. Curabitur ac diam. Curabitur diam tortor, mollis et, viverra ac, tempus vel, metus.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Ut purus elit,

5.7 Summary [Outlined]



vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetuer id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.

Quisque ullamcorper placerat ipsum. Cras nibh. Morbi vel justo vitae lacus tincidunt ultrices. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. In hac habitasse platea dictumst. Integer tempus convallis augue. Etiam facilisis. Nunc elementum fermentum wisi. Aenean placerat. Ut imperdiet, enim sed gravida sollicitudin, felis odio placerat quam, ac pulvinar elit purus eget enim. Nunc vitae tortor. Proin tempus nibh sit amet nisl. Vivamus quis tortor vitae risus porta vehicula.

Fusce mauris. Vestibulum luctus nibh at lectus. Sed bibendum, nulla a faucibus semper, leo velit ultricies tellus, ac venenatis arcu wisi vel nisl. Vestibulum diam.

Aliquam pellentesque, augue quis sagittis posuere, turpis lacus congue quam, in hendrerit risus eros eget felis. Maecenas eget erat in sapien mattis porttitor. Vestibulum porttitor. Nulla facilisi. Sed a turpis eu lacus commodo facilisis. Morbi fringilla, wisi in dignissim interdum, justo lectus sagittis dui, et vehicula libero dui cursus dui. Mauris tempor ligula sed lacus. Duis cursus enim ut augue. Cras ac magna. Cras nulla. Nulla egestas. Curabitur a leo. Quisque egestas wisi eget nunc. Nam feugiat lacus vel est. Curabitur consectetuer.

Suspendisse vel felis. Ut lorem lorem, interdum eu, tincidunt sit amet, laoreet vitae, arcu. Aenean faucibus pede eu ante. Praesent enim elit, rutrum at, molestie non, nonummy vel, nisl. Ut lectus eros, malesuada sit amet, fermentum eu, sodales cursus, magna. Donec eu purus. Quisque vehicula, urna sed ultricies auctor, pede lorem egestas dui, et convallis elit erat sed nulla. Donec luctus. Curabitur et nunc. Aliquam dolor odio, commodo pretium, ultricies non, pharetra in, velit. Integer arcu est, nonummy in, fermentum faucibus, egestas vel, odio.

Sed commodo posuere pede. Mauris ut est. Ut quis purus. Sed ac odio. Sed vehicula hendrerit sem. Duis non odio. Morbi ut dui. Sed accumsan risus eget odio. In hac habitasse platea dictumst. Pellentesque non elit. Fusce sed justo eu urna porta tincidunt. Mauris felis odio, sollicitudin sed, volutpat a, ornare ac, erat. Morbi quis dolor. Donec pellentesque, erat ac sagittis semper, nunc dui lobortis purus, quis congue purus metus ultricies tellus. Proin et quam. Class aptent taciti sociosqu ad litora torquent per conubia nostra, per inceptos hymenaeos. Praesent sapien turpis, fermentum vel, eleifend faucibus, vehicula eu, lacus.

Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Donec odio elit, dictum in, hendrerit sit amet, egestas sed, leo. Praesent feugiat sapien aliquet odio. Integer vitae justo. Aliquam vestibulum fringilla lorem. Sed neque lectus, consectetuer at, consectetuer sed, eleifend ac, lectus. Nulla facilisi. Pellentesque eget lectus. Proin eu metus. Sed porttitor. In hac habitasse platea dictumst. Suspendisse eu lectus. Ut mi mi, lacinia sit amet, placerat et, mollis vitae, dui. Sed ante tellus, tristique ut, iaculis eu, malesuada ac, dui. Mauris nibh leo, facilisis non, adipiscing quis, ultrices a, dui.

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetuer a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetuer. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor,

pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

Suspendisse vitae elit. Aliquam arcu neque, ornare in, ullamcorper quis, commodo eu, libero. Fusce sagittis erat at erat tristique mollis. Maecenas sapien libero, molestie et, lobortis in, sodales eget, dui. Morbi ultrices rutrum lorem. Nam elementum ullamcorper leo. Morbi dui. Aliquam sagittis. Nunc placerat. Pellentesque tristique sodales est. Maecenas imperdiet lacinia velit. Cras non urna. Morbi eros pede, suscipit ac, varius vel, egestas non, eros. Praesent malesuada, diam id pretium elementum, eros sem dictum tortor, vel consectetuer odio sem sed wisi.

5.8 Problems



Problem 5.1 **%**M2 asdf

Engineering Computing for Design [Incomplete]



Now that we have a solid foundation in programming and the manipulation of data, we can appreciate how computing can serve as an essential engineering tool. The primary engineering use of computing is to assist in the design of products. Design is a different paradigm than analysis. Analysis breaks a complex problem into manageable parts. Design, also called synthesis, constructs something new from several elements. However, the engineering design process includes analysis as a guide to optimizing its products.

How can we represent and solve design problems computationally? This chapter presents an engineering computing paradigm that answers this question. This will guide the design of our programs in the following chapters.

6.1 Design as Optimization



The early stages of the engineering design process involves the specification of quantitative **requirements** that must be satisfied by the product of the design. Once requirements have been specified, the design process can be considered as the selection of an element from a design space \mathcal{D} , comprised of mathematical models of various designs. Design requirements do not fully specify the design, however. Requirements constrain specific quantities of interest, which we call **output variables**; we call the space of all possible output variable quantities \mathcal{O} . A set of **governing equations** will determine how each design affects the output variables.

Governing equations relate **input variables**, known varying quantities like force and voltage, to output variables and include **parameters**, quantities like length, mass, and electrical resistance. Several designs will have the same set of governing equations E_i , differing only in their inputs and parameters. Let the corresponding set of designs be a **design set** and be denoted D_i , which is a subset of the design space \mathcal{D} . Let the solution of E_i for the output variables be denoted f_i and the output

image (i.e., all possible outputs) of f_i be called the **output set** and denoted O_i . This is represented in figure 6.1.




Figure 6.1. A visualization of the design process as the selection of an element from the design space \mathcal{D} that is in a region of the output space \mathcal{O} that meets the requirements.

Requirements are mathematical constraints, and there are three primary types:

- **Equality constraints** are requirements that specify that a given function of output variables must equal some number (e.g., the velocity must 4 m/s)
- **Inequality constraints** are requirements that specify that a given function of output variables must be greater than (>), lesser than (<), greater than or equal to (≥), or lesser than or equal to (≤) some number (e.g., the current must be positive)
- Extremal constraints are requirements that specify that a given function of output variables should be maximized or minimized (e.g., the length should be minimized)

Equality and inequality constraints are sometimes called **hard constraints** because they must be satisfied. The subspace of the output space O that contains outputs that satisfy the hard constraints we call the **satisfactory subspace** and denote S. Extremal constraints are sometimes called **soft constraints** because any value can satisfy the constraint, it's just that greater or lesser values are desirable. Extremal constraints are typically combined into a single scalar function called a **loss function** L. The **minimization** of the loss function L, subject to the hard constraints, results in a set of **optimal outputs** O^* . Let a vector I0 output variables be denoted I1 and an optimal output vector I2.

^{1.} If the output variables are themselves functions (e.g., of time), the "output vector" is in fact a vector-valued function.

Requirement constraints are illustrated in figure 6.1. The output sets O_1 and O_2 of two different design sets D_1 and D_2 overlap at the optimal output. Recalling that different design sets correspond to different sets of governing equations, we recognize that multiple types of design might be optimal. Suppose the illustrated optimal output y^* is known. Letting d_1 and d_2 represent designs in O_1 and O_2 , and letting a design d_i^* be one corresponding to optimal output y^* , there are two **inverse solutions** for optimal designs corresponding to y^* ,

$$d_1^* = f_1^{-1}(y^*)$$
 and $d_2^* = f_2^{-1}(y^*)$.

This result implies several things about the design process:

- The design process includes an optimization over the requirement constraints
- ullet The output space O is where the optimization is most clearly defined, but what the design process seeks an optimal design, which occurs in the design space $\mathcal D$
- Governing equations should be as general as possible (i.e., design sets should be as inclusive as possible)
- There is no guarantee that one or any design set D_i will include the most optimal output, so more design sets improve the chances that the corresponding output set O_i will include an optimal value
- Finding optima in the output space without consideration for the coverage
 of output sets in the output space can help guide design by providing target
 outputs, but it cannot tell us how to create a design that can achieve an optimal
 output
- If an optimum y^* occurs in output set O_i , the inverse map $f_i^{-1}(y^*)$ gives a corresponding optimal design

However, these observations entail several complications. First of all, determining optimal outputs under constraints is no trivial task. The field of **constrained optimization** has developed algorithms for solving such problems, but these only guarantee solutions in cases under specific types of constraints. We will explore the constrained optimization problem in detail in chapter 5.

The second complication is that for a given design set D_i , it can be difficult to determine its corresponding output set O_i (i.e., the image of D_i through f_i). It is common for the solution f_i to the governing equations to be involved, so establishing its output set O_i is far from trivial. However, if the output set O_i is determined, a **local optimization** can be performed over O_i (instead of over O) by expressing O_i as a collection of additional constraints. The results answer the question, "What are the optimal outputs for the design set D_i ?" The answer helps us determine the best design for a given design set.

The third complication we call the **inverse problem**: the inverse f_i^{-1} of the solution f_i to the governing equations may not exist, and when it does it can be difficult

210 Chapter 6

or intractable to compute. For a solution f_i with a known inverse f_i^{-1} , the design corresponding to any output y in O_i can be computed with $f_i^{-1}(y)$.

A design set D_i with determined output set O_i , a solved optimization over O_i yielding a local optimum output y_i^* , and a determined inverse f_i^{-1} has a **local optimal design** d_i^* given by the expression

$$d_i^* = f_i^{-1}(y_i^*).$$

6.1.1 The Structure of Design Sets

A design set *D* (we suppress the subscript here) is a mathematical model of a design, comprised of combinations of the following elements:

- A set *E* of governing equations
- A set *U* of all possible input variable vector *u* values
- A set *P* of all possible parameter vector *p* values

A design set D is the set of all pairs (u, p), where u, p are vectors of input variable values from U and parameter values from P (i.e., $D = \{(u, p) \mid u \in U \text{ and } p \in P\}$) associated with a set of governing equations E. For a given input vector u and parameter vector v, the set v of governing equations can perhaps be solved for the output variables in the vector v, yielding a solution. There is no guarantee that such a solution is possible, but in many cases such a solution exists. If the equations of v are solved without specifying the input values of v or the parameter values of v, the solution is v. Otherwise, only part of v is found. Note the value of leaving v and v unspecified: the solution for all inputs and all parameters is found.

6.1.1.1 Governing Equations A set of governing equations *E* relates input variables, parameters, and output variables. The equations are called "governing" because they express how these quantities relate. Many governing equations express physical theories (i.e., "laws") and phenomenologically established relations among the variables and parameters. Examples of governing equations include the following:

- Geometric relations (e.g., the area of a circle is π times the square of its radius)
- The conservation of energy (e.g., the energy in minus the energy lost is equal to the remaining energy)
- Newton's second law of motion, force is equal to the product of an object's mass and acceleration
- Ohm's law, that for a resistor the ratio of voltage across and current through it is constant

Governing equations often include variables that are not inputs, parameters, or outputs. Such variables are, like output variables, unknown, but are not themselves

output variables (i.e., the requirement constraints do not specify what they should be).

- **6.1.1.2 Input Variables** Input variables are variables are quantities that vary with some independent variable, usually time and sometimes space, and enter the set of governing equations *E*. What distinguishes them from other variables in *E* is that they are considered to be known. For instance, input variables can be:
 - The voltage supplied by a battery
 - A loading loading force on a structure
 - The number of units of a part supplied per minute to a manufacturing machine

In some cases, input variables can be chosen by the designer; we call these **adjustable input variables**. We treat the selection of adjustable input variables as part of the design process. Adjustable input variables often have practical hard constraints (e.g., they can be power limited), called **input variable constraints**. These will be taken into account during the optimization step.

6.1.1.3 Parameters A parameter is a constant quantity (i.e., it is not a dependent variable) in the set of governing equations E. However, a parameter potentially has different (constant) values in the context of a design set D. For instance, for a resistor with voltage v and current i, Ohm's law gives

$$v = iR$$

where R is a parameter, specifically, the resistance. The other quantities v and i are usually taken to be (unknown) time-varying variables.

Some parameters cannot be changed by the designer; those that can be changed are called **adjustable parameters**. We treat the selection of adjustable parameters as part of the design process. Adjustable parameters often have practical hard constraints, called **parameter constraints**. These will be taken into account during the optimization step.

6.1.2 Solving a Set of Governing Equations

In theory, the solution f of the governing equations requires that the output variables be determined. In practice, it is usually just as easy to solve for *all unknown variables* in E, and then select the subset of these that are outputs. This implies two key features of E:

- The number of independent equations in *E* should be greater than or equal to the number of unknowns (i.e., there should exist at least one solution)
- The equations in *E* should include all output variables

A solution f maps any design set D element d = (u, p), for u in U and p in P, to a corresponding output y in O. This is visualized in figure 6.2.

212 Chapter 6




Figure 6.2. A single design set D, the solution f of its set E of governing equations, and the inverse solution f^{-1} . The local optimal design $d^* = f^{-1}(y^*)$.

For some types of sets of governing equations (e.g., linear), f can be found in a general way, meaning for all inputs u and/or parameters p. Such solutions are carried out **symbolically**. Computing tools for this are described in chapter 4.

For other types of sets of governing equations, a solution for f is difficult or intractable. For such sets, several approximate **specific solutions** \tilde{f} for the outputs given specific inputs and parameters are found **numerically**. Computing tools for numerical solutions are described in chapter 5. Note, however, that even with a set \tilde{F} of specific solutions \tilde{f} , a full solution f is lacking. This implies we can know neither the extent of the output image O, nor all the possible loss values in O. Therefore, it is always preferable to have a symbolic solution for f than to have a set of specific solutions \tilde{f} . However, one nice feature of \tilde{f} is that elements of its inverse² are known for free because if some design d maps to output $\tilde{f}(d)$, then we already know $d = \tilde{f}^{-1}(\tilde{f}(d))$.

6.1.3 Solving for the Inverse Solution of a Set of Governing Equations

An inverse solution f^{-1} of the governing equations maps an output y to a design d = (u, p). That is, f^{-1} maps an output vector y to the input vector u and parameter vector v that yielded v. An inverse solution may not exist or the reverse mapping is not unique (i.e., it is not one-to-one), in which case multiple designs yield the same output. In some such cases, a pseudoinverse solution exists that can map to a single design that yields the output.

For some forward maps f, the corresponding inverse f^{-1} can be found in general, for all y in O the corresponding design d = (u, p) is determined. Such inverse solutions are carried out symbolically. Computing tools for this are described in chapter 4.

^{2.} Here we ignore the possibility that \tilde{f} may have no inverse. However, if we allow \tilde{f}^{-1} to be a pseudoinverse (i.e., as a nonunique reverse mapping), a design d is still found.

As with a forward solution f, it may be difficult or intractable to find an inverse solution f^{-1} . Several approximate **specific inverse solutions** \tilde{f}^{-1} for the design given a specific output are found **numerically**. Computing tools for numerical solutions are described in chapter 5. These are the same tools that are used to numerically solve for forward solutions.

6.1.4 Local Constrained Optimization in Terms of Adjustables

The loss function L(y) is constructed from the outputs with soft constraints. The form of L is chosen according to the following considerations:

- An output variable that is to be minimized should reduce *L* for smaller values; conversely, one that is to be maximized should reduce *L* for larger values
- The relative scaling of each output variable should reflect its relative numerical magnitude (e.g., if one is numerically large compared with another, the latter might be scaled up in L)
- The relative scaling of each output variable should reflect its design importance (i.e., an important output variable should have greater scaling)
- Simpler forms of *L* (e.g., linear or quadratic) tend to be easier to solve for optimal output values

Optimizing L in terms of outputs yield globally optimal outputs. These optima are good targets for the design process, and are in that sense can be instructive. However, global optima often cannot be achieved by the design sets developed. Therefore, we also perform local optimization for each design set by minimizing the loss L over the adjustable input variables and adjustable parameters, which we call **adjustables**. Local optimization in terms of adjustables is subject to the following constraints:

- Soft requirement (output variable) constraints (via *L*)
- Hard requirement (output variable) constraints
- Hard input variable constraints
- Hard parameter constraints

The input variable and parameter constraints are already expressed in terms of adjustables. However, the requirement constraints must be transformed into adjustables. Transform requirement constraints into adjustables by substituting the solution f into L (soft constraints) and into the hard constraints.

Minimize L in terms of adjustables. A resulting optimum in terms of adjustables corresponds to a local optimal design d^* . By transforming the requirement constraints to the adjustables, we have effectively moved the local optimization problem to the design set D. This is ideal because a result of the optimization yields an optimal design d^* instead of an optimal output y^* , which would require the

214 Chapter 6

inverse mapping $d^* = f^{-1}(y^*)$ be computed. Therefore, transforming the local constrained optimization to the adjustables allows us to find optimal designs without a solution f^{-1} to the inverse problem, which may not exist or may be intractable to compute.

Example 6.1

Suppose we are designing a 3D printer extruder that melts a plastic filament and deposits it on the print. Based on the customer's demands, the following output variables have been identified:

- *T* (K), the temperature at the hot end of the extruder (greater than room temperature)
- r (m/s), the filament feed rate
- t_C (s), the time to cool the hot end to near ambient temperature

The following design requirements have been identified in terms of the output variables:

- T = 200 K
- *r* should be maximized (for faster prints)
- *t*_C should be minimized (for faster cooldown)

Based on the requirements, an initial design has been developed with a resistive heater. A sketch of the design is shown in figure 6.3.




Figure 6.3. Sketch of the extruder design.

The corresponding design set has been developed as follows. The input variables are as follows:

- r, the filament feed rate (also an output), adjustable
- v = 12 V, the voltage supplied to the heater at the hot end of the extruder, nonadjustable

The following parameters have been identified:

- R_T (K/W), the thermal resistance to heat dissipation, adjustable, with lower bound $R_T \ge 1$ K/W
- $C_T = 0.5 \text{ W} \cdot \text{s/K}$, the thermal capacitance of the hot end, nonadjustable
- $R = 20 \Omega$, the electrical resistance of the heater, nonadjustable
- $c_p = 1590 \text{ J/(kg·K)}$, the specific heat capacity of the filament
- $\rho = 1240 \text{ kg/m}^3$, the density of the filament
- $\delta = 1.75 \cdot 10^{-3}$ m, the diameter of the filament

The following set *E* of equations can be developed to describe the thermal and electrical system interactions in terms of input and output variables:

$$E = \begin{cases} T = \frac{1}{1/R_T + 1/R_f} Q_S & \text{(steady-state temperature)} \\ R_f = \frac{4}{\pi c_p \rho \delta^2 r} & \text{(filament heating)} \\ t_c = 5\tau & \text{(cooldown time, sufficient)} \\ \tau = R_T C_T & \text{(cooldown time, time constant)} \\ Q_S = vi & \text{(resistive heater, power)} \\ v = iR & \text{(resistive heater, Ohm's law)} \end{cases}$$

where the following intermediate variables have been introduced:

- Q_S (W), the resistive heating
- R_f (K/W), the thermal resistance to heat transfer from the hot end to the filament
- \bullet τ (s), the thermal time constant for the hot end
- \bullet *i* (A) the electrical current supplied to the resistive heater

Solve for an optimal design d^* .

We will assume that the filament is fed at a constant rate r.

Defining the Design Set The output variable vector u can be defined in terms of the output variables as

$$y = \begin{bmatrix} T & R & t_C \end{bmatrix}^{\mathsf{T}}$$
.

Similarly, the input variable vector u can be defined in terms of the input variables:

$$\boldsymbol{u} = \begin{bmatrix} r & v \end{bmatrix}^{\top}$$
.

216 Chapter 6

Finally, we can define the parameter vector p in terms of the parameters:

$$p = \begin{bmatrix} R_T & C_T & R & c_p & \rho & \delta \end{bmatrix}^\top.$$

The design set D is the set of all pairs (u, p).

Solving the Set of Governing Equations The solution f of the set E of governing equations for the output variables can be found algebraically by eliminating the intermediate variables. This yields the following solution:

$$\mathbf{y} = \begin{bmatrix} T \\ r \\ t_C \end{bmatrix} = f(d) = \begin{bmatrix} \frac{1}{1/R_T + \pi \delta^2 c_p \rho r/4} \frac{v^2}{R} \\ r \\ 5R_T C_T \end{bmatrix}.$$

Note that the solution for output r is just r because it is also an input. The solution is expressed entirely in terms of input variables from u and parameters from p.

Local Constraint Optimization We must now construct a loss function L(y) in terms of output variables. The variables for the two soft constraints, maximizing r and minimizing t_C , will be in L. We begin by constructing a simple linear combination of r and t_C ,

$$L(\mathbf{y}) = a_r r + a_{t_C} t_C,$$

where a_r and a_{t_C} are real constant coefficients we will now choose. Because we are maximizing r, we want great values of r to correspond to lesser values of L (i.e., less loss); therefore, we should choose $a_r < 0$. Conversely, because we are minimizing t_C , we should choose $a_{t_C} > 0$.

Now consider the magnitudes of a_r and a_{t_C} . First, we select a middling value for each of r and t_C by suggesting that a feed rate of $r=1\cdot 10^{-2}$ m/s and a cooldown time of $t_C=10$ s are reasonable. Note that this r is much smaller than this t_C , so if $|a_r|/|a_{t_C}|\approx 1$ then the loss will be dominated by t_C . This suggests an initial ratio $|a_r|/|a_{t_C}|=10^3$. That's to even the playing field, if you will. Now consider the relative importance of the feed rate and cooldown constraints. Suppose the feed rate r is twice as important as the cooldown time t_C . We can express this in the loss function by increasing the ratio to $|a_r|/|a_{t_C}|=2\cdot 10^3$. The total magnitude of the loss is unimportant, so we can set either coefficient arbitrarily. Let our final choice of coefficients be

$$a_r = -2 \cdot 10^3 \text{ s/m}$$
 and $a_{t_C} = 1 \text{ s}^{-1}$.

Therefore, the loss function is

$$L(y) = -2 \cdot 10^3 r + t_C$$
.

Note that we have made the loss function dimensionless.

To optimize L(y) in terms of output y is simple. Clearly, the greater r is and the lesser t_C is, the lesser loss L is, which doesn't add much to our understanding. With what we know, the hard constraint T = 200 K doesn't help us restrict the other outputs.

To perform a local optimization, we use the solution f to transform the requirement (output) hard constraint and soft constraints (loss function) such that they are expressed in terms of the adjustables r and R_T . The hard requirement constraint can be transformed as follows:

$$T=200 \quad \stackrel{f}{\longrightarrow} \quad \frac{1}{1/R_T+\pi\delta^2c_p\rho r/4}\frac{v^2}{R}=200 \quad \Longrightarrow \quad r=\frac{4}{\pi\delta^2c_p\rho}\left(\frac{v^2}{200R}-\frac{1}{R_T}\right).$$

This equality relates two output variables, r and R_T , effectively constraining them to each other. Transforming the soft requirement constraints via applying f to L(y),

$$L(d) = -2 \cdot 10^3 r + 5R_T C_T$$
.

This version of the loss function can be solved for the optimal adjustables r and R_T , subject to the hard constraints

$$r = \frac{4}{\pi \delta^2 c_p \rho} \left(\frac{v^2}{200R} - \frac{1}{R_T} \right) \quad \text{and} \quad$$
$$R_T \ge 1 ,$$

where the latter is a parameter constraint. The equality constraint can be applied directly to L(d), yielding

$$L(d) = \frac{8 \cdot 10^3}{\pi \delta^2 c_p \rho} \left(\frac{1}{R_T} - \frac{v^2}{200R} \right) + 5R_T C_T.$$

There is only a single adjustable remaining, R_T . To solve for the minimizing thermal resistance R_T^* , differentiate L with respect to R_T and set it equal to zero, as follows:

$$\frac{dL}{dR_T} = 0 = \frac{-8 \cdot 10^3}{\pi \delta^2 c_p \rho R_T^*} + 5C_T.$$

Solving for R_T^* ,

$$R_T^* = \frac{40}{\delta \sqrt{\pi c_n \rho C_T}} \approx 13.0 \text{ K/W}.$$

To check that this is a minimum, we plot L(d) in figure 6.4.

218 Chapter 6




Figure 6.4. The constrained loss function L(d) versus a single adjustable, the thermal resistance R_T .

Note that the hard parameter constraint $R_T \ge 1$ K/W is satisfied by R_T^* . From the equality constraint, this corresponds to an optimal feed rate of $r^* = 14.1 \cdot 10^{-3}$ m/s. In summary, the optimal design d^* is

$$d^* = (u^*, p^*) = \begin{pmatrix} r^* \\ r^* \\ v^* \end{pmatrix}, \begin{bmatrix} R^*_T \\ C^*_T \\ R^* \\ c^*_p \\ \rho^* \\ \delta^* \end{pmatrix} \approx \begin{pmatrix} 13.0 \text{ K/W} \\ 0.5 \text{ W} \cdot \text{s/K} \\ 20 \Omega \\ 1590 \text{ J/(kg·K)} \\ 1240 \text{ kg/m}^3 \\ 1.75 \cdot 10^{-3} \text{ m} \end{pmatrix}.$$


This corresponds to a locally optimal output of

$$y^* = f(d^*) = \begin{bmatrix} T^* \\ r^* \\ t_C^* \end{bmatrix} \approx \begin{bmatrix} 200 \text{ K} \\ 14.1 \cdot 10^{-3} \text{ m/s} \\ 32.5 \text{ s} \end{bmatrix}.$$

If, in the loss function L, we had weighted the cooldown time t_C more, then t_C^* would have been shorter and r^* would have been slower. This type of tradeoff among soft constraints is common.

It is possible that another design with another set of input variables and parameters could achieve a lower loss than $L(d^*) = 4.21$. However, we have achieved an optimal design d^* given the single design set given here.

6.2 Representing Design Constraints







220 Appendix

6.5 Problems



Problem 6.1 **%**CP asdf

Notebooks [Outlined]



Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetuer id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.

Quisque ullamcorper placerat ipsum. Cras nibh. Morbi vel justo vitae lacus tincidunt ultrices. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. In hac habitasse platea dictumst. Integer tempus convallis augue. Etiam facilisis. Nunc elementum fermentum wisi. Aenean placerat. Ut imperdiet, enim sed gravida sollicitudin, felis odio placerat quam, ac pulvinar elit purus eget enim. Nunc vitae tortor. Proin tempus nibh sit amet nisl. Vivamus quis tortor vitae risus porta vehicula.

Fusce mauris. Vestibulum luctus nibh at lectus. Sed bibendum, nulla a faucibus semper, leo velit ultricies tellus, ac venenatis arcu wisi vel nisl. Vestibulum diam. Aliquam pellentesque, augue quis sagittis posuere, turpis lacus congue quam, in hendrerit risus eros eget felis. Maecenas eget erat in sapien mattis porttitor. Vestibulum porttitor. Nulla facilisi. Sed a turpis

222 Appendix A

eu lacus commodo facilisis. Morbi fringilla, wisi in dignissim interdum, justo lectus sagittis dui, et vehicula libero dui cursus dui. Mauris tempor ligula sed lacus. Duis cursus enim ut augue. Cras ac magna. Cras nulla. Nulla egestas. Curabitur a leo. Quisque egestas wisi eget nunc. Nam feugiat lacus vel est. Curabitur consectetuer.

Suspendisse vel felis. Ut lorem lorem, interdum eu, tincidunt sit amet, laoreet vitae, arcu. Aenean faucibus pede eu ante. Praesent enim elit, rutrum at, molestie non, nonummy vel, nisl. Ut lectus eros, malesuada sit amet, fermentum eu, sodales cursus, magna. Donec eu purus. Quisque vehicula, urna sed ultricies auctor, pede lorem egestas dui, et convallis elit erat sed nulla. Donec luctus. Curabitur et nunc. Aliquam dolor odio, commodo pretium, ultricies non, pharetra in, velit. Integer arcu est, nonummy in, fermentum faucibus, egestas vel, odio.

Sed commodo posuere pede. Mauris ut est. Ut quis purus. Sed ac odio. Sed vehicula hendrerit sem. Duis non odio. Morbi ut dui. Sed accumsan risus eget odio. In hac habitasse platea dictumst. Pellentesque non elit. Fusce sed justo eu urna porta tincidunt. Mauris felis odio, sollicitudin sed, volutpat a, ornare ac, erat. Morbi quis dolor. Donec pellentesque, erat ac sagittis semper, nunc dui lobortis purus, quis congue purus metus ultricies tellus. Proin et quam. Class aptent taciti sociosqu ad litora torquent per conubia nostra, per inceptos hymenaeos. Praesent sapien turpis, fermentum vel, eleifend faucibus, vehicula eu, lacus.

Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Donec odio elit, dictum in, hendrerit sit amet, egestas sed, leo. Praesent feugiat sapien aliquet odio. Integer vitae justo. Aliquam vestibulum fringilla lorem. Sed neque lectus, consectetuer at, consectetuer sed, eleifend ac, lectus. Nulla facilisi. Pellentesque eget lectus. Proin eu metus. Sed porttitor. In hac habitasse platea dictumst. Suspendisse eu lectus. Ut mi mi, lacinia sit amet, placerat et, mollis vitae, dui. Sed ante tellus, tristique ut, iaculis eu, malesuada ac, dui. Mauris nibh leo, facilisis non, adipiscing quis, ultrices a, dui.

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetuer a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetuer. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

Suspendisse vitae elit. Aliquam arcu neque, ornare in, ullamcorper quis, commodo eu, libero. Fusce sagittis erat at erat tristique mollis. Maecenas sapien libero, molestie et, lobortis in, sodales eget, dui. Morbi ultrices rutrum lorem. Nam elementum ullamcorper leo. Morbi dui. Aliquam sagittis. Nunc placerat. Pellentesque tristique sodales est. Maecenas imperdiet lacinia velit. Cras non urna. Morbi eros pede, suscipit ac, varius vel, egestas non, eros. Praesent malesuada, diam id pretium elementum, eros sem dictum tortor, vel consectetuer odio sem sed wisi.

Sed feugiat. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Ut pellentesque augue sed urna. Vestibulum diam eros, fringilla et, consectetuer eu, nonummy id, sapien. Nullam at lectus. In sagittis ultrices mauris. Curabitur malesuada erat sit amet massa. Fusce blandit. Aliquam erat volutpat. Aliquam euismod. Aenean vel lectus. Nunc imperdiet justo nec dolor.

Etiam euismod. Fusce facilisis lacinia dui. Suspendisse potenti. In mi erat, cursus id, nonummy sed, ullamcorper eget, sapien. Praesent pretium, magna in eleifend egestas, pede pede pretium lorem, quis consectetuer tortor sapien facilisis magna. Mauris quis magna varius nulla scelerisque imperdiet. Aliquam non quam. Aliquam porttitor quam a lacus. Praesent vel arcu ut tortor cursus volutpat. In vitae pede quis diam bibendum placerat. Fusce elementum convallis neque. Sed dolor orci, scelerisque ac, dapibus nec, ultricies ut, mi. Duis nec dui quis leo sagittis commodo.

Aliquam lectus. Vivamus leo. Quisque ornare tellus ullamcorper nulla. Mauris porttitor pharetra tortor. Sed fringilla justo sed mauris. Mauris tellus. Sed non leo. Nullam elementum, magna in cursus sodales, augue est scelerisque sapien, venenatis congue nulla arcu et pede. Ut suscipit enim vel sapien. Donec congue. Maecenas urna mi, suscipit in, placerat ut, vestibulum ut, massa. Fusce ultrices nulla et nisl.

Etiam ac leo a risus tristique nonummy. Donec dignissim tincidunt nulla. Vestibulum rhoncus molestie odio. Sed lobortis, justo et pretium lobortis, mauris turpis condimentum augue, nec ultricies nibh arcu pretium enim. Nunc purus neque, placerat id, imperdiet sed, pellentesque nec, nisl. Vestibulum imperdiet neque non sem accumsan laoreet. In hac habitasse platea dictumst. Etiam condimentum facilisis libero. Suspendisse in elit quis nisl aliquam dapibus. Pellentesque auctor sapien. Sed egestas sapien nec lectus. Pellentesque vel dui vel neque bibendum viverra. Aliquam porttitor nisl nec pede. Proin mattis libero vel turpis. Donec rutrum mauris et libero. Proin euismod porta felis. Nam lobortis, metus quis elementum commodo, nunc lectus elementum mauris, eget vulputate ligula tellus eu neque. Vivamus eu dolor.

Nulla in ipsum. Praesent eros nulla, congue vitae, euismod ut, commodo a, wisi. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Aenean nonummy magna non leo. Sed felis erat, ullamcorper in, dictum non, ultricies ut, lectus. Proin vel arcu a odio lobortis euismod. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Proin ut est. Aliquam odio. Pellentesque massa turpis, cursus eu, euismod nec, tempor congue, nulla. Duis viverra gravida mauris. Cras tincidunt. Curabitur eros ligula, varius ut, pulvinar in, cursus faucibus, augue.

Nulla mattis luctus nulla. Duis commodo velit at leo. Aliquam vulputate magna et leo. Nam vestibulum ullamcorper leo. Vestibulum condimentum rutrum mauris. Donec id mauris. Morbi molestie justo et pede. Vivamus eget turpis sed nisl cursus tempor. Curabitur mollis sapien condimentum nunc. In wisi nisl, malesuada at, dignissim sit amet, lobortis in, odio. Aenean consequat arcu a ante. Pellentesque porta elit sit amet orci. Etiam at turpis nec elit ultricies imperdiet. Nulla facilisi. In hac habitasse platea dictumst. Suspendisse viverra aliquam risus. Nullam pede justo, molestie nonummy, scelerisque eu, facilisis vel, arcu.

Curabitur tellus magna, porttitor a, commodo a, commodo in, tortor. Donec interdum. Praesent scelerisque. Maecenas posuere sodales odio. Vivamus metus lacus, varius quis, imperdiet quis, rhoncus a, turpis. Etiam ligula arcu, elementum a, venenatis quis, sollicitudin sed, metus. Donec nunc pede, tincidunt in, venenatis vitae, faucibus vel, nibh. Pellentesque wisi. Nullam malesuada. Morbi ut tellus ut pede tincidunt porta. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam congue neque id dolor.

Donec et nisl at wisi luctus bibendum. Nam interdum tellus ac libero. Sed sem justo, laoreet vitae, fringilla at, adipiscing ut, nibh. Maecenas non sem quis tortor eleifend fermentum. Etiam id tortor ac mauris porta vulputate. Integer porta neque vitae massa. Maecenas tempus libero a libero posuere dictum. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Aenean quis mauris sed elit commodo placerat. Class aptent

224 Appendix A

taciti sociosqu ad litora torquent per conubia nostra, per inceptos hymenaeos. Vivamus rhoncus tincidunt libero. Etiam elementum pretium justo. Vivamus est. Morbi a tellus eget pede tristique commodo. Nulla nisl. Vestibulum sed nisl eu sapien cursus rutrum.

Nulla non mauris vitae wisi posuere convallis. Sed eu nulla nec eros scelerisque pharetra. Nullam varius. Etiam dignissim elementum metus. Vestibulum faucibus, metus sit amet mattis rhoncus, sapien dui laoreet odio, nec ultricies nibh augue a enim. Fusce in ligula. Quisque at magna et nulla commodo consequat. Proin accumsan imperdiet sem. Nunc porta. Donec feugiat mi at justo. Phasellus facilisis ipsum quis ante. In ac elit eget ipsum pharetra faucibus. Maecenas viverra nulla in massa.

Nulla ac nisl. Nullam urna nulla, ullamcorper in, interdum sit amet, gravida ut, risus. Aenean ac enim. In luctus. Phasellus eu quam vitae turpis viverra pellentesque. Duis feugiat felis ut enim. Phasellus pharetra, sem id porttitor sodales, magna nunc aliquet nibh, nec blandit nisl mauris at pede. Suspendisse risus risus, lobortis eget, semper at, imperdiet sit amet, quam. Quisque scelerisque dapibus nibh. Nam enim. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Nunc ut metus. Ut metus justo, auctor at, ultrices eu, sagittis ut, purus. Aliquam aliquam.

Etiam pede massa, dapibus vitae, rhoncus in, placerat posuere, odio. Vestibulum luctus commodo lacus. Morbi lacus dui, tempor sed, euismod eget, condimentum at, tortor. Phasellus aliquet odio ac lacus tempor faucibus. Praesent sed sem. Praesent iaculis. Cras rhoncus tellus sed justo ullamcorper sagittis. Donec quis orci. Sed ut tortor quis tellus euismod tincidunt. Suspendisse congue nisl eu elit. Aliquam tortor diam, tempus id, tristique eget, sodales vel, nulla. Praesent tellus mi, condimentum sed, viverra at, consectetuer quis, lectus. In auctor vehicula orci. Sed pede sapien, euismod in, suscipit in, pharetra placerat, metus. Vivamus commodo dui non odio. Donec et felis.

Etiam suscipit aliquam arcu. Aliquam sit amet est ac purus bibendum congue. Sed in eros. Morbi non orci. Pellentesque mattis lacinia elit. Fusce molestie velit in ligula. Nullam et orci vitae nibh vulputate auctor. Aliquam eget purus. Nulla auctor wisi sed ipsum. Morbi porttitor tellus ac enim. Fusce ornare. Proin ipsum enim, tincidunt in, ornare venenatis, molestie a, augue. Donec vel pede in lacus sagittis porta. Sed hendrerit ipsum quis nisl. Suspendisse quis massa ac nibh pretium cursus. Sed sodales. Nam eu neque quis pede dignissim ornare. Maecenas eu purus ac urna tincidunt congue.

Donec et nisl id sapien blandit mattis. Aenean dictum odio sit amet risus. Morbi purus. Nulla a est sit amet purus venenatis iaculis. Vivamus viverra purus vel magna. Donec in justo sed odio malesuada dapibus. Nunc ultrices aliquam nunc. Vivamus facilisis pellentesque velit. Nulla nunc velit, vulputate dapibus, vulputate id, mattis ac, justo. Nam mattis elit dapibus purus. Quisque enim risus, congue non, elementum ut, mattis quis, sem. Quisque elit.

Maecenas non massa. Vestibulum pharetra nulla at lorem. Duis quis quam id lacus dapibus interdum. Nulla lorem. Donec ut ante quis dolor bibendum condimentum. Etiam egestas tortor vitae lacus. Praesent cursus. Mauris bibendum pede at elit. Morbi et felis a lectus interdum facilisis. Sed suscipit gravida turpis. Nulla at lectus. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Praesent nonummy luctus nibh. Proin turpis nunc, congue eu, egestas ut, fringilla at, tellus. In hac habitasse platea dictumst.

Vivamus eu tellus sed tellus consequat suscipit. Nam orci orci, malesuada id, gravida nec, ultricies vitae, erat. Donec risus turpis, luctus sit amet, interdum quis, porta sed, ipsum. Suspendisse condimentum, tortor at egestas posuere, neque metus tempor orci, et tincidunt urna nunc a purus. Sed facilisis blandit tellus. Nunc risus sem, suscipit nec, eleifend quis,

Notebooks [Outlined] 225

cursus quis, libero. Curabitur et dolor. Sed vitae sem. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Maecenas ante. Duis ullamcorper enim. Donec tristique enim eu leo. Nullam molestie elit eu dolor. Nullam bibendum, turpis vitae tristique gravida, quam sapien tempor lectus, quis pretium tellus purus ac quam. Nulla facilisi.

B

Documenting and Presenting Programs [Outlined]



asdf

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetuer id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.

Quisque ullamcorper placerat ipsum. Cras nibh. Morbi vel justo vitae lacus tincidunt ultrices. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. In hac habitasse platea dictumst. Integer tempus convallis augue. Etiam facilisis. Nunc elementum fermentum wisi. Aenean placerat. Ut imperdiet, enim sed gravida sollicitudin, felis odio placerat quam, ac pulvinar elit purus eget enim. Nunc vitae tortor. Proin tempus nibh sit amet nisl. Vivamus quis tortor vitae risus porta vehicula.

Fusce mauris. Vestibulum luctus nibh at lectus. Sed bibendum, nulla a faucibus semper, leo velit ultricies tellus, ac venenatis arcu wisi vel nisl. Vestibulum diam. Aliquam pellentesque, augue quis sagittis posuere, turpis lacus congue quam, in hendrerit risus eros eget felis.

228 Appendix B

Maecenas eget erat in sapien mattis porttitor. Vestibulum porttitor. Nulla facilisi. Sed a turpis eu lacus commodo facilisis. Morbi fringilla, wisi in dignissim interdum, justo lectus sagittis dui, et vehicula libero dui cursus dui. Mauris tempor ligula sed lacus. Duis cursus enim ut augue. Cras ac magna. Cras nulla. Nulla egestas. Curabitur a leo. Quisque egestas wisi eget nunc. Nam feugiat lacus vel est. Curabitur consectetuer.

Suspendisse vel felis. Ut lorem lorem, interdum eu, tincidunt sit amet, laoreet vitae, arcu. Aenean faucibus pede eu ante. Praesent enim elit, rutrum at, molestie non, nonummy vel, nisl. Ut lectus eros, malesuada sit amet, fermentum eu, sodales cursus, magna. Donec eu purus. Quisque vehicula, urna sed ultricies auctor, pede lorem egestas dui, et convallis elit erat sed nulla. Donec luctus. Curabitur et nunc. Aliquam dolor odio, commodo pretium, ultricies non, pharetra in, velit. Integer arcu est, nonummy in, fermentum faucibus, egestas vel, odio.

Sed commodo posuere pede. Mauris ut est. Ut quis purus. Sed ac odio. Sed vehicula hendrerit sem. Duis non odio. Morbi ut dui. Sed accumsan risus eget odio. In hac habitasse platea dictumst. Pellentesque non elit. Fusce sed justo eu urna porta tincidunt. Mauris felis odio, sollicitudin sed, volutpat a, ornare ac, erat. Morbi quis dolor. Donec pellentesque, erat ac sagittis semper, nunc dui lobortis purus, quis congue purus metus ultricies tellus. Proin et quam. Class aptent taciti sociosqu ad litora torquent per conubia nostra, per inceptos hymenaeos. Praesent sapien turpis, fermentum vel, eleifend faucibus, vehicula eu, lacus.

Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Donec odio elit, dictum in, hendrerit sit amet, egestas sed, leo. Praesent feugiat sapien aliquet odio. Integer vitae justo. Aliquam vestibulum fringilla lorem. Sed neque lectus, consectetuer at, consectetuer sed, eleifend ac, lectus. Nulla facilisi. Pellentesque eget lectus. Proin eu metus. Sed porttitor. In hac habitasse platea dictumst. Suspendisse eu lectus. Ut mi mi, lacinia sit amet, placerat et, mollis vitae, dui. Sed ante tellus, tristique ut, iaculis eu, malesuada ac, dui. Mauris nibh leo, facilisis non, adipiscing quis, ultrices a, dui.

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetuer a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetuer. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

Suspendisse vitae elit. Aliquam arcu neque, ornare in, ullamcorper quis, commodo eu, libero. Fusce sagittis erat at erat tristique mollis. Maecenas sapien libero, molestie et, lobortis in, sodales eget, dui. Morbi ultrices rutrum lorem. Nam elementum ullamcorper leo. Morbi dui. Aliquam sagittis. Nunc placerat. Pellentesque tristique sodales est. Maecenas imperdiet lacinia velit. Cras non urna. Morbi eros pede, suscipit ac, varius vel, egestas non, eros. Praesent malesuada, diam id pretium elementum, eros sem dictum tortor, vel consectetuer odio sem sed wisi.

Sed feugiat. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Ut pellentesque augue sed urna. Vestibulum diam eros, fringilla et, consectetuer eu, nonummy id, sapien. Nullam at lectus. In sagittis ultrices mauris. Curabitur

malesuada erat sit amet massa. Fusce blandit. Aliquam erat volutpat. Aliquam euismod. Aenean vel lectus. Nunc imperdiet justo nec dolor.

Etiam euismod. Fusce facilisis lacinia dui. Suspendisse potenti. In mi erat, cursus id, nonummy sed, ullamcorper eget, sapien. Praesent pretium, magna in eleifend egestas, pede pede pretium lorem, quis consectetuer tortor sapien facilisis magna. Mauris quis magna varius nulla scelerisque imperdiet. Aliquam non quam. Aliquam porttitor quam a lacus. Praesent vel arcu ut tortor cursus volutpat. In vitae pede quis diam bibendum placerat. Fusce elementum convallis neque. Sed dolor orci, scelerisque ac, dapibus nec, ultricies ut, mi. Duis nec dui quis leo sagittis commodo.

Aliquam lectus. Vivamus leo. Quisque ornare tellus ullamcorper nulla. Mauris porttitor pharetra tortor. Sed fringilla justo sed mauris. Mauris tellus. Sed non leo. Nullam elementum, magna in cursus sodales, augue est scelerisque sapien, venenatis congue nulla arcu et pede. Ut suscipit enim vel sapien. Donec congue. Maecenas urna mi, suscipit in, placerat ut, vestibulum ut, massa. Fusce ultrices nulla et nisl.

Etiam ac leo a risus tristique nonummy. Donec dignissim tincidunt nulla. Vestibulum rhoncus molestie odio. Sed lobortis, justo et pretium lobortis, mauris turpis condimentum augue, nec ultricies nibh arcu pretium enim. Nunc purus neque, placerat id, imperdiet sed, pellentesque nec, nisl. Vestibulum imperdiet neque non sem accumsan laoreet. In hac habitasse platea dictumst. Etiam condimentum facilisis libero. Suspendisse in elit quis nisl aliquam dapibus. Pellentesque auctor sapien. Sed egestas sapien nec lectus. Pellentesque vel dui vel neque bibendum viverra. Aliquam porttitor nisl nec pede. Proin mattis libero vel turpis. Donec rutrum mauris et libero. Proin euismod porta felis. Nam lobortis, metus quis elementum commodo, nunc lectus elementum mauris, eget vulputate ligula tellus eu neque. Vivamus eu dolor.

Nulla in ipsum. Praesent eros nulla, congue vitae, euismod ut, commodo a, wisi. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Aenean nonummy magna non leo. Sed felis erat, ullamcorper in, dictum non, ultricies ut, lectus. Proin vel arcu a odio lobortis euismod. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Proin ut est. Aliquam odio. Pellentesque massa turpis, cursus eu, euismod nec, tempor congue, nulla. Duis viverra gravida mauris. Cras tincidunt. Curabitur eros ligula, varius ut, pulvinar in, cursus faucibus, augue.

Nulla mattis luctus nulla. Duis commodo velit at leo. Aliquam vulputate magna et leo. Nam vestibulum ullamcorper leo. Vestibulum condimentum rutrum mauris. Donec id mauris. Morbi molestie justo et pede. Vivamus eget turpis sed nisl cursus tempor. Curabitur mollis sapien condimentum nunc. In wisi nisl, malesuada at, dignissim sit amet, lobortis in, odio. Aenean consequat arcu a ante. Pellentesque porta elit sit amet orci. Etiam at turpis nec elit ultricies imperdiet. Nulla facilisi. In hac habitasse platea dictumst. Suspendisse viverra aliquam risus. Nullam pede justo, molestie nonummy, scelerisque eu, facilisis vel, arcu.

Curabitur tellus magna, porttitor a, commodo a, commodo in, tortor. Donec interdum. Praesent scelerisque. Maecenas posuere sodales odio. Vivamus metus lacus, varius quis, imperdiet quis, rhoncus a, turpis. Etiam ligula arcu, elementum a, venenatis quis, sollicitudin sed, metus. Donec nunc pede, tincidunt in, venenatis vitae, faucibus vel, nibh. Pellentesque wisi. Nullam malesuada. Morbi ut tellus ut pede tincidunt porta. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam congue neque id dolor.

Donec et nisl at wisi luctus bibendum. Nam interdum tellus ac libero. Sed sem justo, laoreet vitae, fringilla at, adipiscing ut, nibh. Maecenas non sem quis tortor eleifend fermentum. Etiam id tortor ac mauris porta vulputate. Integer porta neque vitae massa. Maecenas tempus

230 Appendix B

libero a libero posuere dictum. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Aenean quis mauris sed elit commodo placerat. Class aptent taciti sociosqu ad litora torquent per conubia nostra, per inceptos hymenaeos. Vivamus rhoncus tincidunt libero. Etiam elementum pretium justo. Vivamus est. Morbi a tellus eget pede tristique commodo. Nulla nisl. Vestibulum sed nisl eu sapien cursus rutrum.

Nulla non mauris vitae wisi posuere convallis. Sed eu nulla nec eros scelerisque pharetra. Nullam varius. Etiam dignissim elementum metus. Vestibulum faucibus, metus sit amet mattis rhoncus, sapien dui laoreet odio, nec ultricies nibh augue a enim. Fusce in ligula. Quisque at magna et nulla commodo consequat. Proin accumsan imperdiet sem. Nunc porta. Donec feugiat mi at justo. Phasellus facilisis ipsum quis ante. In ac elit eget ipsum pharetra faucibus. Maecenas viverra nulla in massa.

Nulla ac nisl. Nullam urna nulla, ullamcorper in, interdum sit amet, gravida ut, risus. Aenean ac enim. In luctus. Phasellus eu quam vitae turpis viverra pellentesque. Duis feugiat felis ut enim. Phasellus pharetra, sem id porttitor sodales, magna nunc aliquet nibh, nec blandit nisl mauris at pede. Suspendisse risus risus, lobortis eget, semper at, imperdiet sit amet, quam. Quisque scelerisque dapibus nibh. Nam enim. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Nunc ut metus. Ut metus justo, auctor at, ultrices eu, sagittis ut, purus. Aliquam aliquam.

Etiam pede massa, dapibus vitae, rhoncus in, placerat posuere, odio. Vestibulum luctus commodo lacus. Morbi lacus dui, tempor sed, euismod eget, condimentum at, tortor. Phasellus aliquet odio ac lacus tempor faucibus. Praesent sed sem. Praesent iaculis. Cras rhoncus tellus sed justo ullamcorper sagittis. Donec quis orci. Sed ut tortor quis tellus euismod tincidunt. Suspendisse congue nisl eu elit. Aliquam tortor diam, tempus id, tristique eget, sodales vel, nulla. Praesent tellus mi, condimentum sed, viverra at, consectetuer quis, lectus. In auctor vehicula orci. Sed pede sapien, euismod in, suscipit in, pharetra placerat, metus. Vivamus commodo dui non odio. Donec et felis.

Etiam suscipit aliquam arcu. Aliquam sit amet est ac purus bibendum congue. Sed in eros. Morbi non orci. Pellentesque mattis lacinia elit. Fusce molestie velit in ligula. Nullam et orci vitae nibh vulputate auctor. Aliquam eget purus. Nulla auctor wisi sed ipsum. Morbi porttitor tellus ac enim. Fusce ornare. Proin ipsum enim, tincidunt in, ornare venenatis, molestie a, augue. Donec vel pede in lacus sagittis porta. Sed hendrerit ipsum quis nisl. Suspendisse quis massa ac nibh pretium cursus. Sed sodales. Nam eu neque quis pede dignissim ornare. Maecenas eu purus ac urna tincidunt congue.

Donec et nisl id sapien blandit mattis. Aenean dictum odio sit amet risus. Morbi purus. Nulla a est sit amet purus venenatis iaculis. Vivamus viverra purus vel magna. Donec in justo sed odio malesuada dapibus. Nunc ultrices aliquam nunc. Vivamus facilisis pellentesque velit. Nulla nunc velit, vulputate dapibus, vulputate id, mattis ac, justo. Nam mattis elit dapibus purus. Quisque enim risus, congue non, elementum ut, mattis quis, sem. Quisque elit.

Maecenas non massa. Vestibulum pharetra nulla at lorem. Duis quis quam id lacus dapibus interdum. Nulla lorem. Donec ut ante quis dolor bibendum condimentum. Etiam egestas tortor vitae lacus. Praesent cursus. Mauris bibendum pede at elit. Morbi et felis a lectus interdum facilisis. Sed suscipit gravida turpis. Nulla at lectus. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Praesent nonummy luctus nibh. Proin turpis nunc, congue eu, egestas ut, fringilla at, tellus. In hac habitasse platea dictumst.

Vivamus eu tellus sed tellus consequat suscipit. Nam orci orci, malesuada id, gravida nec, ultricies vitae, erat. Donec risus turpis, luctus sit amet, interdum quis, porta sed, ipsum.

Suspendisse condimentum, tortor at egestas posuere, neque metus tempor orci, et tincidunt urna nunc a purus. Sed facilisis blandit tellus. Nunc risus sem, suscipit nec, eleifend quis, cursus quis, libero. Curabitur et dolor. Sed vitae sem. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Maecenas ante. Duis ullamcorper enim. Donec tristique enim eu leo. Nullam molestie elit eu dolor. Nullam bibendum, turpis vitae tristique gravida, quam sapien tempor lectus, quis pretium tellus purus ac quam. Nulla facilisi.

Version Control [Outlined]



Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetuer id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.

Quisque ullamcorper placerat ipsum. Cras nibh. Morbi vel justo vitae lacus tincidunt ultrices. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. In hac habitasse platea dictumst. Integer tempus convallis augue. Etiam facilisis. Nunc elementum fermentum wisi. Aenean placerat. Ut imperdiet, enim sed gravida sollicitudin, felis odio placerat quam, ac pulvinar elit purus eget enim. Nunc vitae tortor. Proin tempus nibh sit amet nisl. Vivamus quis tortor vitae risus porta vehicula.

Fusce mauris. Vestibulum luctus nibh at lectus. Sed bibendum, nulla a faucibus semper, leo velit ultricies tellus, ac venenatis arcu wisi vel nisl. Vestibulum diam. Aliquam pellentesque, augue quis sagittis posuere, turpis lacus congue quam, in hendrerit risus eros eget felis. Maecenas eget erat in sapien mattis porttitor. Vestibulum porttitor. Nulla facilisi. Sed a turpis

234 Appendix C

eu lacus commodo facilisis. Morbi fringilla, wisi in dignissim interdum, justo lectus sagittis dui, et vehicula libero dui cursus dui. Mauris tempor ligula sed lacus. Duis cursus enim ut augue. Cras ac magna. Cras nulla. Nulla egestas. Curabitur a leo. Quisque egestas wisi eget nunc. Nam feugiat lacus vel est. Curabitur consectetuer.

Suspendisse vel felis. Ut lorem lorem, interdum eu, tincidunt sit amet, laoreet vitae, arcu. Aenean faucibus pede eu ante. Praesent enim elit, rutrum at, molestie non, nonummy vel, nisl. Ut lectus eros, malesuada sit amet, fermentum eu, sodales cursus, magna. Donec eu purus. Quisque vehicula, urna sed ultricies auctor, pede lorem egestas dui, et convallis elit erat sed nulla. Donec luctus. Curabitur et nunc. Aliquam dolor odio, commodo pretium, ultricies non, pharetra in, velit. Integer arcu est, nonummy in, fermentum faucibus, egestas vel, odio.

Sed commodo posuere pede. Mauris ut est. Ut quis purus. Sed ac odio. Sed vehicula hendrerit sem. Duis non odio. Morbi ut dui. Sed accumsan risus eget odio. In hac habitasse platea dictumst. Pellentesque non elit. Fusce sed justo eu urna porta tincidunt. Mauris felis odio, sollicitudin sed, volutpat a, ornare ac, erat. Morbi quis dolor. Donec pellentesque, erat ac sagittis semper, nunc dui lobortis purus, quis congue purus metus ultricies tellus. Proin et quam. Class aptent taciti sociosqu ad litora torquent per conubia nostra, per inceptos hymenaeos. Praesent sapien turpis, fermentum vel, eleifend faucibus, vehicula eu, lacus.

Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Donec odio elit, dictum in, hendrerit sit amet, egestas sed, leo. Praesent feugiat sapien aliquet odio. Integer vitae justo. Aliquam vestibulum fringilla lorem. Sed neque lectus, consectetuer at, consectetuer sed, eleifend ac, lectus. Nulla facilisi. Pellentesque eget lectus. Proin eu metus. Sed porttitor. In hac habitasse platea dictumst. Suspendisse eu lectus. Ut mi mi, lacinia sit amet, placerat et, mollis vitae, dui. Sed ante tellus, tristique ut, iaculis eu, malesuada ac, dui. Mauris nibh leo, facilisis non, adipiscing quis, ultrices a, dui.

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetuer a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetuer. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

Suspendisse vitae elit. Aliquam arcu neque, ornare in, ullamcorper quis, commodo eu, libero. Fusce sagittis erat at erat tristique mollis. Maecenas sapien libero, molestie et, lobortis in, sodales eget, dui. Morbi ultrices rutrum lorem. Nam elementum ullamcorper leo. Morbi dui. Aliquam sagittis. Nunc placerat. Pellentesque tristique sodales est. Maecenas imperdiet lacinia velit. Cras non urna. Morbi eros pede, suscipit ac, varius vel, egestas non, eros. Praesent malesuada, diam id pretium elementum, eros sem dictum tortor, vel consectetuer odio sem sed wisi.

Sed feugiat. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Ut pellentesque augue sed urna. Vestibulum diam eros, fringilla et, consectetuer eu, nonummy id, sapien. Nullam at lectus. In sagittis ultrices mauris. Curabitur malesuada erat sit amet massa. Fusce blandit. Aliquam erat volutpat. Aliquam euismod. Aenean vel lectus. Nunc imperdiet justo nec dolor.

Etiam euismod. Fusce facilisis lacinia dui. Suspendisse potenti. In mi erat, cursus id, nonummy sed, ullamcorper eget, sapien. Praesent pretium, magna in eleifend egestas, pede pede pretium lorem, quis consectetuer tortor sapien facilisis magna. Mauris quis magna varius nulla scelerisque imperdiet. Aliquam non quam. Aliquam porttitor quam a lacus. Praesent vel arcu ut tortor cursus volutpat. In vitae pede quis diam bibendum placerat. Fusce elementum convallis neque. Sed dolor orci, scelerisque ac, dapibus nec, ultricies ut, mi. Duis nec dui quis leo sagittis commodo.

Aliquam lectus. Vivamus leo. Quisque ornare tellus ullamcorper nulla. Mauris porttitor pharetra tortor. Sed fringilla justo sed mauris. Mauris tellus. Sed non leo. Nullam elementum, magna in cursus sodales, augue est scelerisque sapien, venenatis congue nulla arcu et pede. Ut suscipit enim vel sapien. Donec congue. Maecenas urna mi, suscipit in, placerat ut, vestibulum ut, massa. Fusce ultrices nulla et nisl.

Etiam ac leo a risus tristique nonummy. Donec dignissim tincidunt nulla. Vestibulum rhoncus molestie odio. Sed lobortis, justo et pretium lobortis, mauris turpis condimentum augue, nec ultricies nibh arcu pretium enim. Nunc purus neque, placerat id, imperdiet sed, pellentesque nec, nisl. Vestibulum imperdiet neque non sem accumsan laoreet. In hac habitasse platea dictumst. Etiam condimentum facilisis libero. Suspendisse in elit quis nisl aliquam dapibus. Pellentesque auctor sapien. Sed egestas sapien nec lectus. Pellentesque vel dui vel neque bibendum viverra. Aliquam porttitor nisl nec pede. Proin mattis libero vel turpis. Donec rutrum mauris et libero. Proin euismod porta felis. Nam lobortis, metus quis elementum commodo, nunc lectus elementum mauris, eget vulputate ligula tellus eu neque. Vivamus eu dolor.

Nulla in ipsum. Praesent eros nulla, congue vitae, euismod ut, commodo a, wisi. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Aenean nonummy magna non leo. Sed felis erat, ullamcorper in, dictum non, ultricies ut, lectus. Proin vel arcu a odio lobortis euismod. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Proin ut est. Aliquam odio. Pellentesque massa turpis, cursus eu, euismod nec, tempor congue, nulla. Duis viverra gravida mauris. Cras tincidunt. Curabitur eros ligula, varius ut, pulvinar in, cursus faucibus, augue.

Nulla mattis luctus nulla. Duis commodo velit at leo. Aliquam vulputate magna et leo. Nam vestibulum ullamcorper leo. Vestibulum condimentum rutrum mauris. Donec id mauris. Morbi molestie justo et pede. Vivamus eget turpis sed nisl cursus tempor. Curabitur mollis sapien condimentum nunc. In wisi nisl, malesuada at, dignissim sit amet, lobortis in, odio. Aenean consequat arcu a ante. Pellentesque porta elit sit amet orci. Etiam at turpis nec elit ultricies imperdiet. Nulla facilisi. In hac habitasse platea dictumst. Suspendisse viverra aliquam risus. Nullam pede justo, molestie nonummy, scelerisque eu, facilisis vel, arcu.

Curabitur tellus magna, porttitor a, commodo a, commodo in, tortor. Donec interdum. Praesent scelerisque. Maecenas posuere sodales odio. Vivamus metus lacus, varius quis, imperdiet quis, rhoncus a, turpis. Etiam ligula arcu, elementum a, venenatis quis, sollicitudin sed, metus. Donec nunc pede, tincidunt in, venenatis vitae, faucibus vel, nibh. Pellentesque wisi. Nullam malesuada. Morbi ut tellus ut pede tincidunt porta. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam congue neque id dolor.

Donec et nisl at wisi luctus bibendum. Nam interdum tellus ac libero. Sed sem justo, laoreet vitae, fringilla at, adipiscing ut, nibh. Maecenas non sem quis tortor eleifend fermentum. Etiam id tortor ac mauris porta vulputate. Integer porta neque vitae massa. Maecenas tempus libero a libero posuere dictum. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Aenean quis mauris sed elit commodo placerat. Class aptent

236 Appendix C

taciti sociosqu ad litora torquent per conubia nostra, per inceptos hymenaeos. Vivamus rhoncus tincidunt libero. Etiam elementum pretium justo. Vivamus est. Morbi a tellus eget pede tristique commodo. Nulla nisl. Vestibulum sed nisl eu sapien cursus rutrum.

Nulla non mauris vitae wisi posuere convallis. Sed eu nulla nec eros scelerisque pharetra. Nullam varius. Etiam dignissim elementum metus. Vestibulum faucibus, metus sit amet mattis rhoncus, sapien dui laoreet odio, nec ultricies nibh augue a enim. Fusce in ligula. Quisque at magna et nulla commodo consequat. Proin accumsan imperdiet sem. Nunc porta. Donec feugiat mi at justo. Phasellus facilisis ipsum quis ante. In ac elit eget ipsum pharetra faucibus. Maecenas viverra nulla in massa.

Nulla ac nisl. Nullam urna nulla, ullamcorper in, interdum sit amet, gravida ut, risus. Aenean ac enim. In luctus. Phasellus eu quam vitae turpis viverra pellentesque. Duis feugiat felis ut enim. Phasellus pharetra, sem id porttitor sodales, magna nunc aliquet nibh, nec blandit nisl mauris at pede. Suspendisse risus risus, lobortis eget, semper at, imperdiet sit amet, quam. Quisque scelerisque dapibus nibh. Nam enim. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Nunc ut metus. Ut metus justo, auctor at, ultrices eu, sagittis ut, purus. Aliquam aliquam.

Etiam pede massa, dapibus vitae, rhoncus in, placerat posuere, odio. Vestibulum luctus commodo lacus. Morbi lacus dui, tempor sed, euismod eget, condimentum at, tortor. Phasellus aliquet odio ac lacus tempor faucibus. Praesent sed sem. Praesent iaculis. Cras rhoncus tellus sed justo ullamcorper sagittis. Donec quis orci. Sed ut tortor quis tellus euismod tincidunt. Suspendisse congue nisl eu elit. Aliquam tortor diam, tempus id, tristique eget, sodales vel, nulla. Praesent tellus mi, condimentum sed, viverra at, consectetuer quis, lectus. In auctor vehicula orci. Sed pede sapien, euismod in, suscipit in, pharetra placerat, metus. Vivamus commodo dui non odio. Donec et felis.

Etiam suscipit aliquam arcu. Aliquam sit amet est ac purus bibendum congue. Sed in eros. Morbi non orci. Pellentesque mattis lacinia elit. Fusce molestie velit in ligula. Nullam et orci vitae nibh vulputate auctor. Aliquam eget purus. Nulla auctor wisi sed ipsum. Morbi porttitor tellus ac enim. Fusce ornare. Proin ipsum enim, tincidunt in, ornare venenatis, molestie a, augue. Donec vel pede in lacus sagittis porta. Sed hendrerit ipsum quis nisl. Suspendisse quis massa ac nibh pretium cursus. Sed sodales. Nam eu neque quis pede dignissim ornare. Maecenas eu purus ac urna tincidunt congue.

Donec et nisl id sapien blandit mattis. Aenean dictum odio sit amet risus. Morbi purus. Nulla a est sit amet purus venenatis iaculis. Vivamus viverra purus vel magna. Donec in justo sed odio malesuada dapibus. Nunc ultrices aliquam nunc. Vivamus facilisis pellentesque velit. Nulla nunc velit, vulputate dapibus, vulputate id, mattis ac, justo. Nam mattis elit dapibus purus. Quisque enim risus, congue non, elementum ut, mattis quis, sem. Quisque elit.

Maecenas non massa. Vestibulum pharetra nulla at lorem. Duis quis quam id lacus dapibus interdum. Nulla lorem. Donec ut ante quis dolor bibendum condimentum. Etiam egestas tortor vitae lacus. Praesent cursus. Mauris bibendum pede at elit. Morbi et felis a lectus interdum facilisis. Sed suscipit gravida turpis. Nulla at lectus. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Praesent nonummy luctus nibh. Proin turpis nunc, congue eu, egestas ut, fringilla at, tellus. In hac habitasse platea dictumst.

Vivamus eu tellus sed tellus consequat suscipit. Nam orci orci, malesuada id, gravida nec, ultricies vitae, erat. Donec risus turpis, luctus sit amet, interdum quis, porta sed, ipsum. Suspendisse condimentum, tortor at egestas posuere, neque metus tempor orci, et tincidunt urna nunc a purus. Sed facilisis blandit tellus. Nunc risus sem, suscipit nec, eleifend quis,

cursus quis, libero. Curabitur et dolor. Sed vitae sem. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Maecenas ante. Duis ullamcorper enim. Donec tristique enim eu leo. Nullam molestie elit eu dolor. Nullam bibendum, turpis vitae tristique gravida, quam sapien tempor lectus, quis pretium tellus purus ac quam. Nulla facilisi.

Lists of Figures and Tables



D.1	List of Figures O I	20
2.1	The functional design method (a) at the highest level and (b) in general, for any level.	55
3.1	A "computer room" at the NACA (precursor to NASA) high-speed flight station in 1949 (NASA 2002).	63
3.2	Percent predicted probability of public policy adoption for economic elites and average citizens. Study, results, and statistical model by Gilens and Page (2014).	82
3.3	A graph of polynomial $f(x)$.	84
3.4	Ideal gas pressure versus volume for different temperatures.	86
3.5	A bar chart of thermal conductivity for metals (data from Carvill (1994)).	88
3.6	A histogram of my movie ratings on a 0–10 scale.	89
3.7	A polygon and vectors from <i>R</i> to two consecutive vertices.	96
4.1	A symbolic expression tree for sp.sqrt(3)/2.	103
4.2	A truss with pinned joints, supported by a hinge and a floating support, with an applied force f_F .	120
4.3	A graph of $\sqrt{r^2+1}$, where $r=w/h$.	124
4.4	A resistor circuit design for example 4.2.	129
4.5	A design graph for resistors R_1 , R_2 , and R_3 .	132
4.6	An electromechanical schematic of a DC motor.	143
4.7	The state response to a unit step voltage input.	145
4.8	A truss with pinned joints, supported by two hinges, with an applied load f_D .	147
4.9	A truss with pinned joints, supported by a hinge and a floating support, with an applied load f_C .	148
4.10	An RLC circuit with a voltage source $V_s(t)$.	149

240 Appendix D

6.1	A visualization of the design process as the selection of an element from the design space $\mathcal D$ that is in a region of the output space $\mathcal O$ that meets the	
	requirements.	208
6.2	A single design set D , the solution f of its set E of governing equations, and the inverse solution f^{-1} . The local optimal design $d^* = f^{-1}(y^*)$.	212
6.3	Sketch of the extruder design.	214
6.4	The constrained loss function $\mathcal{L}(d)$ versus a single adjustable, the thermal resistance \mathcal{R}_T .	218
D.2	List of Tables 9L	
1.1	Boolean and comparison operators on Boolean and integer inputs x and y	17
1.2	Format specifier terms.	19
1.3	Format specifier types.	19
1.4	Some particularly useful string methods.	20
1.5	Mutability of commonly used built-in types.	22
1.6	Commonly used list methods for a list 1.	23
1.7	Dictionary instance methods for dictionary instance d and class method for class	
	dict.	26
2.1	Python standard library modules of particular interest to the engineer.	42
3.1	JSON to Python reading conversion.	77
3.2	Python to JSON writing conversion.	78
4.1	Elementary mathematical functions in SymPy.	105

Bibliography

Abelson, Hal, and Gerald Jay Sussman. 2016. *Structure and Interpretation of Computer Programs*. 2nd ed. MIT Press (orig. 1996). https://engcom.org/5n.

Carvill, James. 1994. Mechanical Engineer's Data Handbook. Butterworth-Heinemann.

Cross, Nigel. 2021. Engineering Design Methods: Strategies for Product Design, 5th Edition. 5th ed. Wiley. http://gen.lib.rus.ec/book/index.php?md5=988D6046DBEE3E1452E2F099079B445E.

Filik, Ruth, Alexandra Țurcan, Christina Ralph-Nearman, and Alain Pitiot. 2019. "What is the difference between irony and sarcasm? An fMRI study." [in eng]. *Cortex* 115 (June): 112–122. https://doi.org/10.1016/j.cortex.2019.01.025. https://engcom.org/e8.

Gilens, Martin, and Benjamin I. Page. 2014. "Testing Theories of American Politics: Elites, Interest Groups, and Average Citizens." *Perspectives on Politics* 12 (3): 564–581. https://doi.org/10.1017/S1537592714001595.

Gonzalez, Ryan, Philip House, Ivan Levkivskyi, et al. 2024. PEP 526 – Syntax for Variable Annotations, February (orig. 2016). https://engcom.org/9x.

Google. 2024. Google Python Style Guide, February. https://engcom.org/ne.

Harris, Charles R., K. Jarrod Millman, Stéfan J. van der Walt, et al. 2020. "Array Programming with NumPy." *Nature* 585, no. 7825 (September): 357–362. https://doi.org/10.1038/s41586-020-2649-2. https://doi.org/10.1038/s41586-020-2649-2.

Hunt, A., and D. Thomas. 1999. *The Pragmatic Programmer: From Journeyman to Master*. Pearson Education.

Hunter, J. D. 2007. "Matplotlib: A 2D graphics environment." Computing in Science & Engineering 9 (3): 90–95. https://doi.org/10.1109/MCSE.2007.55.

Johnston, Nathaniel, and Dave Greene. 2022. Conway's Game of Life: Mathematics and Construction. Self-published. https://doi.org/10.5281/zenodo.6097284.

Kreyszig, E. 2010. Advanced Engineering Mathematics. 10th ed. John Wiley & Sons.

Langa, Łukasz, and contributors to Black. 2024. Black: The Uncompromising Python Code Formatter, February. https://engcom.org/8n.

NASA. 2002. *NACA High Speed Flight Station "Computer Room"*, June (orig. 1949). https://engcom.org/mz.

NumPy Developers. 2024a. NumPy Reference, February (orig. 2022). https://engcom.org/u5.

242 References

NumPy Developers. 2024b. NumPy User Guide, February (orig. 2022). https://engcom.org/5y.

NumPy Developers. 2024c. *NumPy: The Absolute Basics for Beginners,* February (orig. 2022). https://engcom.org/3l.

Python Community. 2024a. *Python 3.X Documentation*, January. https://engcom.org/n3.

Python Community. 2024b. Python Package Index, January. https://engcom.org/e0.

Python Community. 2024c. Python Packaging User Guide, January. https://engcom.org/w9.

Rossum, Guido van, Jukka Lehtosalo, and Łukasz Langa. 2024. *PEP 484 – Type Hints*, February (orig. 2014). https://engcom.org/z9.

Rossum, Guido van, Barry Warsaw, and Alyssa Coghlan. 2024. PEP 8 – Style Guide for Python Code, February (orig. 2001). https://engcom.org/3z.

SymPy Development Team. 2023a. *Advanced Expression Manipulation*, May. https://engcom.org/95.

SymPy Development Team. 2023b. *Core* [SymPy Documentation], May. https://engcom.org/92. SymPy Development Team. 2023c. Simplification, May. https://engcom.org/14.

SymPy Development Team. 2023d. Writing Custom Functions, May. https://engcom.org/3c.

Tufte, Edward R. 2001. The Visual Display of Quantitative Information. 2nd ed. Graphics Press.

Yasskin, Jeffrey. 2024. *PEP 3141 – A Type Hierarchy for Numbers*, February (orig. 2007). https://engcom.org/41.

Contributors

Associate Professor Rico A. R. Picone Department of Mechanical Engineering Saint Martin's University Lacey, Washington, USA