
WebServer

Traffic



Number of Request TOTAL





Number of Request

FAILURES



Failure to Success

Percentage

177.78

CPU LOAD

AVG





FILE

No results found.

Security Log

Logs

ComputerName	Time	SourceName	EventCode	EventType	Keywords	Message
						Credential Manager credentials were read. Subject: Security ID: S-1-5-21-2466891524- 1977459847-63998306-1001 Account Name:HP Account Domain:NAVEEN Logon ID:0x43B31A77 Read Operation:Enumerate Credentials
NAVEEN	1639634839	Microsoft Windows security auditing.	5379	0	Audit Success	This event occurs when a user performs a read operation on stored credentials in Credential Manager.
NAVEEN	1639634839	Microsoft Windows security auditing.	5379	0	Audit Success	Credential Manager credentials were read. Subject: Security ID: S-1-5-21-2466891524- 1977459847-63998306-1001 Account Name:HP Account Domain:NAVEEN Logon ID:0x43B31A77 Read Operation:Enumerate Credentials This event occurs when a user performs a read operation on stored credentials in Credential Manager.
						Credential Manager credentials were read. Subject: Security ID: S-1-5-21-2466891524- 1977459847-63998306-1001 Account Name:HP Account Domain:NAVEEN Logon ID:0x43B31A77 Read Operation:Enumerate Credentials This event occurs when a user performs a read operation on stored credentials in
NAVEEN	1639634839	Microsoft Windows security auditing.	5379	0	Audit Success	Credential Manager. Credential Manager credentials were read. Subject: Security ID: S-1-5-21-2466891524- 1977459847-63998306-1001 Account Name:HP Account Domain:NAVEEN Logon ID:0x43B31A77 Read Operation:Enumerate Credentials
NAVEEN	1639634839	Microsoft Windows security auditing.	5379	0	Audit Success	This event occurs when a user performs a read operation on stored credentials in Credential Manager.



ComputerName	Time	SourceName	EventCode	EventType	Keywords	Message
						Credential Manager credentials were read.
						Subject:
						Security ID: S-1-5-21-2466891524- 1977459847-63998306-1001
						Account Name:HP
						Account Domain:NAVEEN
						Logon ID:0x43B31A77
						Read Operation:Enumerate Credentials
						This event occurs when a user performs a
						read operation on stored credentials in
AVEEN	1639634839	Microsoft Windows security auditing.	5379	0	Audit Success	Credential Manager.
						Credential Manager credentials were read.
						Subject:
						Security ID: S-1-5-21-2466891524-
						1977459847-63998306-1001
						Account Name:HP Account Domain:NAVEEN
						Logon ID:0x43B31A77
						Read Operation:Enumerate Credentials
						This event occurs when a user performs a
						read operation on stored credentials in
AVEEN	1639634839	Microsoft Windows security auditing.	5379	0	Audit Success	Credential Manager.
						Credential Manager credentials were read.
						Subject:
						Security ID: S-1-5-21-2466891524-
						1977459847-63998306-1001
						Account Name:HP
						Account Domain:NAVEEN
						Logon ID:0x43B31A77 Read Operation:Enumerate Credentials
						This event occurs when a user performs a
IAVEEN	1639634839	Microsoft Windows security auditing.	5379	0	Audit Success	read operation on stored credentials in Credential Manager.
						Credential Manager credentials were read.
						Outlinet
						Subject: Security ID: S-1-5-21-2466891524-
						1977459847-63998306-1001
						Account Name:HP
						Account Domain:NAVEEN
						Logon ID:0x43B31A77 Read Operation:Enumerate Credentials
						This event occurs when a user performs a
IAVEEN	1639634839	Microsoft Windows security auditing.	5379	0	Audit Success	read operation on stored credentials in Credential Manager.
			55.0		22 2000000	Credential Manager credentials were read.
						•
						Subject:
						Security ID: S-1-5-21-2466891524- 1977459847-63998306-1001
						Account Name:HP
						Account Domain:NAVEEN
						Logon ID:0x43B31A77
						Read Operation:Enumerate Credentials
						This event occurs when a user performs a read operation on stored credentials in



ComputerName	Time	SourceName	EventCode	EventType	Keywords	Message
						Credential Manager credentials were read. Subject: Security ID: S-1-5-21-2466891524- 1977459847-63998306-1001 Account Name:HP Account Domain:NAVEEN Logon ID:0x43B31A77 Read Operation:Enumerate Credentials This event occurs when a user performs a read operation on stored credentials in
IAVEEN		Microsoft Windows security auditing.	5379		Audit Success	Credential Manager. Credential Manager credentials were read. Subject: Security ID: S-1-5-21-2466891524- 1977459847-63998306-1001 Account Name:HP Account Domain:NAVEEN Logon ID:0x43B31A77 Read Operation:Enumerate Credentials This event occurs when a user performs a read operation on stored credentials in
IAVEEN	1639634839	Microsoft Windows security auditing.	5379	0	Audit Success	Credential Manager. Credential Manager credentials were read. Subject: Security ID: S-1-5-21-2466891524- 1977459847-63998306-1001 Account Name:HP Account Domain:NAVEEN Logon ID:0x43B31A77 Read Operation:Enumerate Credentials This event occurs when a user performs a read operation on stored credentials in
IAVEEN		Microsoft Windows security auditing. Microsoft Windows security auditing.	5379		Audit Success	Credential Manager. Credential Manager credentials were read. Subject: Security ID: S-1-5-21-2466891524- 1977459847-63998306-1001 Account Name:HP Account Domain:NAVEEN Logon ID:0x43B31A77 Read Operation:Enumerate Credentials This event occurs when a user performs a read operation on stored credentials in Credential Manager.
IAVEEN		Microsoft Windows security auditing.	5379			Credential Manager. Credential Manager credentials were read. Subject: Security ID: S-1-5-21-2466891524- 1977459847-63998306-1001 Account Name:HP Account Domain:NAVEEN Logon ID:0x43B31477 Read Operation:Enumerate Credentials This event occurs when a user performs a read operation on stored credentials in Credential Manager.



ComputerName	Time	SourceName	EventCode	EventType	Keywords	Message
						Credential Manager credentials were read. Subject: Security ID: S-1-5-21-2466891524- 1977459847-63998306-1001 Account Name:HP Account Domain:NAVEEN Logon ID:0x43B31A77 Read Operation:Enumerate Credentials This event occurs when a user performs a read operation on stored credentials in
NAVEEN	1639634839	Microsoft Windows security auditing.	5379	0	Audit Success	
						A user's local group membership was enumerated. Subject: Security ID:S-1-5-18 Account Name:NAVEEN\$ Account Domain:WORKGROUP Logon ID:0x3E7 User: Security ID: S-1-5-21-2466891524- 1977459847-63998306-1001 Account Name:HP Account Domain:NAVEEN Process Information: Process ID:0x2828
NAVEEN	1639634925	Microsoft Windows security auditing.	4798	0	Audit Success	Process Name:C:\Windows\System32\taskhostw.exe
						A user's local group membership was enumerated. Subject: Security ID:S-1-5-18 Account Name:NAVEEN\$ Account Domain:WORKGROUP Logon ID:0x3E7 User: Security ID: S-1-5-21-2466891524- 1977459847-63998306-501 Account Name:Guest Account Domain:NAVEEN
IAVEEN.	1000001005	NAC	4700		A	Process ID:0x2828
NAVEEN	1639634925	Microsoft Windows security auditing.	4798	0	Audit Success	Process Name:C:\Windows\System32\taskhostw.exe A user's local group membership was enumerated. Subject: Security ID:S-1-5-18 Account Name:NAVEEN\$ Account Domain:WORKGROUP Logon ID:0x3E7 User: Security ID: S-1-5-21-2466891524- 1977459847-63998306-503 Account Name:DefaultAccount Account Domain:NAVEEN
NAVEEN	1639634925	Microsoft Windows security auditing.	4798	0	Audit Success	Process Information: Process ID:0x2828 Process Name:C:\Windows\System32\taskhostw.exe



ComputerName	Time	SourceName	EventCode	EventType	Keywords	Message
						A user's local group membership was enumerated.
						Subject:
						Security ID:S-1-5-18
						Account Name:NAVEEN\$
						Account Domain:WORKGROUP
						Logon ID:0x3E7
						User:
						Security ID: S-1-5-21-2466891524-
						1977459847-63998306-500
						Account Name:Administrator
						Account Domain:NAVEEN
						Process Information:
						Process ID:0x2828
NAVEEN	1639634925	Microsoft Windows security auditing.	4798	0	Audit Success	Process Name:C:\Windows\System32\taskhostw.exe
						Vault credentials were read.
						Subject:
						Security ID:S-1-5-18
						Account Name:NAVEEN\$
						Account Domain:WORKGROUP
						Logon ID:0x3E7
						LOGON ID.OXSE1
						This event occurs when a user reads a
NAVEEN	1639634925	Microsoft Windows security auditing.	5382	0	Audit Success	stored vault credential.
						Special privileges assigned to new logon.
						Cultipate
						Subject:
						Security ID:S-1-5-18 Account Name:SYSTEM
						Account Domain:NT AUTHORITY
						Logon ID:0x3E7
						Eogon 12.0x027
						Privileges:SeAssignPrimaryTokenPrivilege
						SeTcbPrivilege
						SeSecurityPrivilege
						SeTakeOwnershipPrivilege
						SeLoadDriverPrivilege
						SeBackupPrivilege
						SeRestorePrivilege
						SeDebugPrivilege
						SeAuditPrivilege
						SeSystemEnvironmentPrivilege
NAVEEN!	4620624062	Microsoft Windows	4070	_	Adit C	SelmpersonatePrivilege
AVEEN	1639634926	Microsoft Windows security auditing.	4672	0	Audit Success	SeDelegateSessionUserImpersonatePrivilege



omputerName	Time	SourceName	EventCode	EventType	Keywords	Message
						An account was successfully logged on.
						Subject:
						Security ID:S-1-5-18
						Account Name:NAVEEN\$ Account Domain:WORKGROUP
						Logon ID:0x3E7
						Logon Information:
						Logon Type:5
						Restricted Admin Mode:- Virtual Account:No
						Elevated Token:Yes
						Impersonation Level:Impersonation
						porocration 20voporocration
						New Logon:
						Security ID:S-1-5-18
						Account Name:SYSTEM
						Account Domain:NT AUTHORITY
						Logon ID:0x3E7 Linked Logon ID:0x0
						Network Account Name:-
						Network Account Name Network Account Domain:-
						Logon GUID: {00000000-0000-0000
						-00000000000000000000000000000000000000
						Process Information:
						Process ID:0x2f0
						Process Name:C:\Windows\System32\services.exe
						Network Information:
						Workstation Name:-
						Source Network Address:-
						Source Port:-
						Detailed Authentication Information:
						Logon Process:Advapi
						Authentication Package:Negotiate
						Transited Services:-
						Package Name (NTLM only):-
						Key Length:0
						This event is generated when a logon
						session is created. It is generated on the
						computer that was accessed.
						The subject fields indicate the account on the
						local system which requested the logon.
						This is most commonly a service such as
						the Server service, or a local process such
						as Winlogon.exe or Services.exe.
						The logon type field indicates the kind of
						logon that occurred. The most common types
						are 2 (interactive) and 3 (network).
						The New Logon fields indicate the account
						for whom the new logon was created, i.e.
						the account that was logged on.
						The network fields indicate where a remote
						logon request originated. Workstation name is
						not always available and may be left blank
						in some cases.
						The impersonation level field indicates the
						extent to which a process in the logon
						session can impersonate.
						The authentication information fields provide
						detailed information about this specific logon
						request.



ComputerName	Time	SourceName	EventCode	EventType	Keywords	Message
						A security-enabled local group membership
						was enumerated.
						Subject:
						Security ID:S-1-5-18
						Account Name:NAVEEN\$
						Account Domain:WORKGROUP
						Logon ID:0x3E7
						Group:
						Security ID:S-1-5-32-544
						Group Name:Administrators
						Group Domain:Builtin
						Process Information:
						Process ID:0x3848
NAVEEN	1639634931	Microsoft Windows security auditing.	4799	0	Audit Success	Process Name:C:\Windows\System32\svchost.exe
		, ,				Special privileges assigned to new logon.
						Subject:
						Security ID:S-1-5-18
						Account Name:SYSTEM
						Account Domain:NT AUTHORITY
						Logon ID:0x3E7
						Privileges:SeAssignPrimaryTokenPrivilege
						SeTcbPrivilege
						SeSecurityPrivilege
						SeTakeOwnershipPrivilege
						SeLoadDriverPrivilege
						SeBackupPrivilege
						SeRestorePrivilege
						SeDebugPrivilege
						SeAuditPrivilege
						SeSystemEnvironmentPrivilege
						SelmpersonatePrivilege
NAVEEN	1639635226	Microsoft Windows security auditing.	4672	0	Audit Success	SeDelegateSessionUserImpersonatePrivilege



omputerName	Time	SourceName	EventCode	EventType	Keywords	Message
						An account was successfully logged on.
						Outrient
						Subject:
						Security ID:S-1-5-18
						Account Name:NAVEEN\$
						Account Domain:WORKGROUP
						Logon ID:0x3E7
						Logon Information:
						Logon Type:5
						Restricted Admin Mode:-
						Virtual Account:No
						Elevated Token:Yes
						Impersonation Level:Impersonation
						New Logon:
						Security ID:S-1-5-18
						Account Name:SYSTEM
						Account Domain:NT AUTHORITY
						Logon ID:0x3E7
						Linked Logon ID:0x0
						Network Account Name:-
						Network Account Domain:-
						Logon GUID: {00000000-0000-0000-0000
						-000000000000}
						Process Information:
						Process ID:0x2f0
						Process Name:C:\Windows\System32\services.exe
						Network Information:
						Workstation Name:-
						Source Network Address:-
						Source Port:-
						Source Port:-
						Detailed Authentication Information:
						Logon Process:Advapi
						Authentication Package:Negotiate
						Transited Services:-
						Package Name (NTLM only):-
						Key Length:0
						This event is generated when a logon
						session is created. It is generated on the
						computer that was accessed.
						The subject fields indicate the account on the
						The state of the s
						local system which requested the logon.
						This is most commonly a service such as
						the Server service, or a local process such as Winlogon.exe or Services.exe.
						The logon type field indicates the kind of
						logon that occurred. The most common types
						are 2 (interactive) and 3 (network).
						The New Logon fields indicate the account
						for whom the new logon was created, i.e.
						the account that was logged on.
						The network fields indicate where a remote
						logon request originated. Workstation name is
						not always available and may be left blank in some cases.
						The improvement of the level College Co.
						The impersonation level field indicates the
						extent to which a process in the logon session can impersonate.
						occo our impersonate.
						The authentication information fields provide
						detailed information about this specific logon
						request.
						request.



System Log

Logs

ComputerName	Time	SourceName	EventCode	EventType	Keywords	Message
						The application-specific permission settings do not grant Local Activation permission for the COM Server application with CLSID
NAVEEN	1639628646	Microsoft-Windows-DistributedCOM	10016	3	Classic	{2593F8B9-4EAF-457C-B68A-50F6B8EA6B54} and APPID {15C20B67-12E7-4BB6-92BB-7AFF07997402} to the user NAVEEN\HP SID (S-1-5-21-2466891524-1977459847-63998306-1001) from address LocalHost (Using LRPC) running in the application container Unavailable SID (Unavailable). This security permission can be modified using the Component Services administrative tool.
NAVEEN	1639630908	Microsoft-Windows-Service Control Manager	7040	4	Classic	The start type of the Background Intelligent Transfer Service service was changed from demand start to auto start.
NAVEEN	1639631038	Microsoft-Windows-Service Control Manager	7040	4	Classic	The start type of the Background Intelligent Transfer Service service was changed from auto start to demand start.
NAVEEN		Microsoft-Windows-DistributedCOM	10016	3	Classic	The application-specific permission settings do not grant Local Activation permission for the COM Server application with CLSID {2593F8B9-4EAF-457C-B68A-50F6B8EA6B54} and APPID {15C20B67-12E7-4BB6-92BB-7AFF07997402} to the user NAVEEN\HP SID (S-1-5-21-2466891524-1977459847-63998306-1001) from address LocalHost (Using LRPC) running in the application container Unavailable SID (Unavailable). This security permission can be modified using the Component Services administrative tool.
NAVEEN	1620624511	Microsoft-Windows-Service Control Manager	7040	4	Classic	The start type of the Background Intelligent Transfer Service service was changed from demand start to auto start.
NAVEEN		Microsoft-Windows-Service Control Manager	7040		Classic	The start type of the Background Intelligent Transfer Service service was changed from auto start to demand start.
NAVEEN		Microsoft-Windows-UserModePowerService	12		None	Process C:\Windows\System32\svchost. exe (process ID:1748) reset policy scheme from (48684d4a-8524-4093-8a63 -ea7132b79c1c) to (48684d4a-8524-4093 -8a63-ea7132b79c1c)
NAVEEN	1639634924	Microsoft-Windows-Kernel-Power	105	4	None	Power source change.
NAVEEN	1639634925	Microsoft-Windows-UserModePowerService	12	4	None	Process C:\Windows\System32\svchost. exe (process ID:1748) reset policy scheme from {48684d4a-8524-4093-8a63 -ea7132b79c1c} to {48684d4a-8524-4093 -8a63-ea7132b79c1c}
NAVEEN	1620624026	Microsoft Windows Sonics Control Manager	7040	4	Classia	The start type of the Background Intelligent Transfer Service service was changed from demand start to auto start.
NAVEEN		Microsoft-Windows-Service Control Manager Microsoft-Windows-Service Control Manager	7040		Classic	The start type of the Background Intelligent Transfer Service service was changed from auto start to demand start.



Application Log

Logs

J						
ComputerName	Time	SourceName	EventCode	EventType	Keywords	Message
NAVEEN	1639628595	Microsoft-Windows-Security-SPP	16394	4	Classic	Offline downlevel migration succeeded.
NAVEEN	1639628630	Microsoft-Windows-Security-SPP	16384	4	Classic	Successfully scheduled Software Protection service for re-start at 2121-11-22T04:23:50Z. Reason: RulesEngine.
NAVEEN	1639632395	SynTPEnhService	0	4	Classic	The operation completed successfully.
NAVEEN	1639632402	SynTPEnhService	0	4	Classic	The operation completed successfully.
NAVEEN	1639634924	DockerService	0	4	Classic	PowerEvent handled successfully by the service.
NAVEEN	1639634925	igccservice	0	4	Classic	PowerEvent handled successfully by the service.
NAVEEN	1639634925	HP Comm Recovery	0	4	Classic	PowerEvent handled successfully by the service.
NAVEEN	1639634927	SecurityCenter	15	4	Classic	Updated Windows Defender status successfully to SECURITY_PRODUCT_STATE_ON.

SetUp Log

Logs

ComputerName	Time	SourceName	EventCode	OpCode	EventType	Message
NAVEEN	1638774457	Microsoft-Windows-Servicing	1	Info	0	Initiating changes for package KB5007292. Current state is Absent. Target state is Installed. Client id: WindowsUpdateAgent.
NAVEEN	1638776552	Microsoft-Windows-Servicing	1	Info	0	Initiating changes for package KB5007414. Current state is Absent. Target state is Installed. Client id: UpdateAgentLCU.
NAVEEN	1638776604	Microsoft-Windows-Servicing	2	Info	0	Package KB5007414 was successfully changed to the Installed state.
NAVEEN	1638776613	Microsoft-Windows-Servicing	1	Info	0	Initiating changes for package KB5007262. Current state is Absent. Target state is Installed. Client id: UpdateAgentLCU.
NAVEEN	1638777731	Microsoft-Windows-Servicing	4	Info	0	A reboot is necessary before package KB5007262 can be changed to the Installed state.
NAVEEN	1638790868	Microsoft-Windows-Servicing	4	Info	0	A reboot is necessary before package KB5007292 can be changed to the Installed state.
NAVEEN	1638791324	Microsoft-Windows-Servicing	2	Info	0	Package KB5007292 was successfully changed to the Installed state.
NAVEEN	1638791326	Microsoft-Windows-Servicing	2	Info	0	Package KB5007262 was successfully changed to the Installed state.
NAVEEN	1639419354	Microsoft-Windows-Servicing	1	Info	0	Initiating changes for package Windows Core Edition. Current state is Superseded. Target state is Absent. Client id: CbsTask.
NAVEEN	1639419386	Microsoft-Windows-Servicing	1	Info	0	Initiating changes for package Windows Professional Edition. Current state is Staged. Target state is Absent . Client id: CbsTask.
NAVEEN	1639419564	Microsoft-Windows-Servicing	1	Info	0	Initiating changes for package Language Pack. Current state is Superseded. Target state is Absent. Client id: CbsTask.
NAVEEN	1639419586	Microsoft-Windows-Servicing	1	Info	0	Initiating changes for package Language Pack. Current state is Superseded. Target state is Absent. Client id: CbsTask.
NAVEEN	1639419619	Microsoft-Windows-Servicing	1	Info	0	Initiating changes for package KB777778. Current state is Superseded. Target state is Absent. Client id: CbsTask.
NAVEEN	1639419620	Microsoft-Windows-Servicing	1	Info	0	Initiating changes for package KB777778. Current state is Superseded. Target state is Absent. Client id: CbsTask.



File and Network Dashboard

ComputerName	Time	SourceName	EventCode	OpCode	EventType	Message
NAVEEN	1639419621	Microsoft-Windows-Servicing	1	Info	0	Initiating changes for package KB777778. Current state is Superseded. Target state is Absent. Client id: CbsTask.
NAVEEN	1639419622	Microsoft-Windows-Servicing	1	Info	0	Initiating changes for package KB5006755. Current state is Installed. Target state is Absent. Client id: CbsTask
NAVEEN	1639538120	Microsoft-Windows-Servicing	8	Info	0	Initiating changes to turn off update SMB1Protocol-Client of package Microsoft-Windows-SMB1. Client id: SMBComponentDisabler.

