


WebServer

Traffic



Number of Request

TOTAL



Number of Request

FAILURES

0.000 

0.000




Success/Failure

Percentage


97.30

CPU LOAD

AVG



FILE



Security Log

Logs

ComputerName	Time	SourceName	EventCode	EventType	Keywords	Message
						Credential Manager credentials were read. Subject: Security ID: S-1-5-21-2466891524-1977459847-63998306-1001 Account Name:HP Account Domain:NAVEEN Logon ID:0x1298DD5B Read Operation:Enumerate Credentials This event occurs when a user performs a read operation on stored credentials in Credential Manager.
NAVEEN	1640001670	Microsoft Windows security auditing.	5379	0	Audit Success	
						Credential Manager credentials were read. Subject: Security ID: S-1-5-21-2466891524-1977459847-63998306-1001 Account Name:HP Account Domain:NAVEEN Logon ID:0x1298DD5B Read Operation:Enumerate Credentials This event occurs when a user performs a read operation on stored credentials in Credential Manager.
NAVEEN	1640001670	Microsoft Windows security auditing.	5379	0	Audit Success	

File and Network Dashboard

ComputerName	Time	SourceName	EventCode	EventType	Keywords	Message
						<p>Credential Manager credentials were read.</p> <p>Subject: Security ID: S-1-5-21-2466891524-1977459847-63998306-1001 Account Name:HP Account Domain:NAVEEN Logon ID:0x1298DD5B Read Operation:Enumerate Credentials</p> <p>This event occurs when a user performs a read operation on stored credentials in Credential Manager.</p>
NAVEEN	1640001670	Microsoft Windows security auditing.	5379	0	Audit Success	
						<p>Credential Manager credentials were read.</p> <p>Subject: Security ID: S-1-5-21-2466891524-1977459847-63998306-1001 Account Name:HP Account Domain:NAVEEN Logon ID:0x1298DD5B Read Operation:Enumerate Credentials</p> <p>This event occurs when a user performs a read operation on stored credentials in Credential Manager.</p>
NAVEEN	1640001670	Microsoft Windows security auditing.	5379	0	Audit Success	
						<p>Credential Manager credentials were read.</p> <p>Subject: Security ID: S-1-5-21-2466891524-1977459847-63998306-1001 Account Name:HP Account Domain:NAVEEN Logon ID:0x1298DD5B Read Operation:Enumerate Credentials</p> <p>This event occurs when a user performs a read operation on stored credentials in Credential Manager.</p>
NAVEEN	1640001911	Microsoft Windows security auditing.	5379	0	Audit Success	
						<p>Credential Manager credentials were read.</p> <p>Subject: Security ID: S-1-5-21-2466891524-1977459847-63998306-1001 Account Name:HP Account Domain:NAVEEN Logon ID:0x1298DD5B Read Operation:Enumerate Credentials</p> <p>This event occurs when a user performs a read operation on stored credentials in Credential Manager.</p>
NAVEEN	1640001911	Microsoft Windows security auditing.	5379	0	Audit Success	
						<p>Credential Manager credentials were read.</p> <p>Subject: Security ID: S-1-5-21-2466891524-1977459847-63998306-1001 Account Name:HP Account Domain:NAVEEN Logon ID:0x1298DD5B Read Operation:Enumerate Credentials</p> <p>This event occurs when a user performs a read operation on stored credentials in Credential Manager.</p>
NAVEEN	1640001911	Microsoft Windows security auditing.	5379	0	Audit Success	

File and Network Dashboard

ComputerName	Time	SourceName	EventCode	EventType	Keywords	Message
						Credential Manager credentials were read. Subject: Security ID: S-1-5-21-2466891524-1977459847-63998306-1001 Account Name:HP Account Domain:NAVEEN Logon ID:0x1298DD5B Read Operation:Enumerate Credentials This event occurs when a user performs a read operation on stored credentials in Credential Manager.
NAVEEN	1640001911	Microsoft Windows security auditing.	5379	0	Audit Success	Credential Manager credentials were read. Subject: Security ID: S-1-5-21-2466891524-1977459847-63998306-1001 Account Name:HP Account Domain:NAVEEN Logon ID:0x1298DD5B Read Operation:Enumerate Credentials This event occurs when a user performs a read operation on stored credentials in Credential Manager.
NAVEEN	1640001911	Microsoft Windows security auditing.	5379	0	Audit Success	Credential Manager credentials were read. Subject: Security ID: S-1-5-21-2466891524-1977459847-63998306-1001 Account Name:HP Account Domain:NAVEEN Logon ID:0x1298DD5B Read Operation:Enumerate Credentials This event occurs when a user performs a read operation on stored credentials in Credential Manager.
NAVEEN	1640001911	Microsoft Windows security auditing.	5379	0	Audit Success	Credential Manager credentials were read. Subject: Security ID: S-1-5-21-2466891524-1977459847-63998306-1001 Account Name:HP Account Domain:NAVEEN Logon ID:0x1298DD5B Read Operation:Enumerate Credentials This event occurs when a user performs a read operation on stored credentials in Credential Manager.
NAVEEN	1640001911	Microsoft Windows security auditing.	5379	0	Audit Success	Credential Manager credentials were read. Subject: Security ID: S-1-5-21-2466891524-1977459847-63998306-1001 Account Name:HP Account Domain:NAVEEN Logon ID:0x1298DD5B Read Operation:Enumerate Credentials This event occurs when a user performs a read operation on stored credentials in Credential Manager.
NAVEEN	1640001911	Microsoft Windows security auditing.	5379	0	Audit Success	Credential Manager credentials were read. Subject: Security ID: S-1-5-21-2466891524-1977459847-63998306-1001 Account Name:HP Account Domain:NAVEEN Logon ID:0x1298DD5B Read Operation:Enumerate Credentials This event occurs when a user performs a read operation on stored credentials in Credential Manager.

File and Network Dashboard

ComputerName	Time	SourceName	EventCode	EventType	Keywords	Message
						Credential Manager credentials were read. Subject: Security ID:S-1-5-18 Account Name:NAVEEN\$ Account Domain:WORKGROUP Logon ID:0x3E7 Read Operation:Enumerate Credentials This event occurs when a user performs a read operation on stored credentials in Credential Manager.
NAVEEN	1640001911	Microsoft Windows security auditing.	5379	0	Audit Success	
						Credential Manager credentials were read. Subject: Security ID:S-1-5-18 Account Name:NAVEEN\$ Account Domain:WORKGROUP Logon ID:0x3E7 Read Operation:Enumerate Credentials This event occurs when a user performs a read operation on stored credentials in Credential Manager.
NAVEEN	1640001911	Microsoft Windows security auditing.	5379	0	Audit Success	
						Credential Manager credentials were read. Subject: Security ID:S-1-5-18 Account Name:NAVEEN\$ Account Domain:WORKGROUP Logon ID:0x3E7 Read Operation:Enumerate Credentials This event occurs when a user performs a read operation on stored credentials in Credential Manager.
NAVEEN	1640001911	Microsoft Windows security auditing.	5379	0	Audit Success	
						Credential Manager credentials were read. Subject: Security ID: S-1-5-21-2466891524-1977459847-63998306-1001 Account Name:HP Account Domain:NAVEEN Logon ID:0x1298DD5B Read Operation:Enumerate Credentials This event occurs when a user performs a read operation on stored credentials in Credential Manager.
NAVEEN	1640001911	Microsoft Windows security auditing.	5379	0	Audit Success	
						Credential Manager credentials were read. Subject: Security ID: S-1-5-21-2466891524-1977459847-63998306-1001 Account Name:HP Account Domain:NAVEEN Logon ID:0x1298DD5B Read Operation:Enumerate Credentials This event occurs when a user performs a read operation on stored credentials in Credential Manager.
NAVEEN	1640001911	Microsoft Windows security auditing.	5379	0	Audit Success	
						Credential Manager credentials were read. Subject: Security ID: S-1-5-21-2466891524-1977459847-63998306-1001 Account Name:HP Account Domain:NAVEEN Logon ID:0x1298DD5B Read Operation:Enumerate Credentials This event occurs when a user performs a read operation on stored credentials in Credential Manager.
NAVEEN	1640001911	Microsoft Windows security auditing.	5379	0	Audit Success	

File and Network Dashboard

ComputerName	Time	SourceName	EventCode	EventType	Keywords	Message
						Special privileges assigned to new logon. Subject: Security ID:S-1-5-18 Account Name:SYSTEM Account Domain:NT AUTHORITY Logon ID:0x3E7 Privileges:SeAssignPrimaryTokenPrivilege SeTcbPrivilege SeSecurityPrivilege SeTakeOwnershipPrivilege SeLoadDriverPrivilege SeBackupPrivilege SeRestorePrivilege SeDebugPrivilege SeAuditPrivilege SeSystemEnvironmentPrivilege SeImpersonatePrivilege
NAVEEN	1640001911	Microsoft Windows security auditing.	4672	0	Audit Success	SeDelegateSessionUserImpersonatePrivilege

File and Network Dashboard

ComputerName	Time	SourceName	EventCode	EventType	Keywords	Message
						<p>An account was successfully logged on.</p> <p>Subject: Security ID:S-1-5-18 Account Name:NAVEEN\$ Account Domain:WORKGROUP Logon ID:0x3E7</p> <p>Logon Information: Logon Type:5 Restricted Admin Mode:- Virtual Account:No Elevated Token:Yes</p> <p>Impersonation Level:Impersonation</p> <p>New Logon: Security ID:S-1-5-18 Account Name:SYSTEM Account Domain:NT AUTHORITY Logon ID:0x3E7 Linked Logon ID:0x0 Network Account Name:- Network Account Domain:- Logon GUID: {00000000-0000-0000-0000-000000000000}</p> <p>Process Information: Process ID:0x418 Process Name:C:\Windows\System32\services.exe</p> <p>Network Information: Workstation Name:- Source Network Address:- Source Port:-</p> <p>Detailed Authentication Information: Logon Process:Advapi Authentication Package:Negotiate Transited Services:- Package Name (NTLM only):- Key Length:0</p> <p>This event is generated when a logon session is created. It is generated on the computer that was accessed.</p> <p>The subject fields indicate the account on the local system which requested the logon. This is most commonly a service such as the Server service, or a local process such as Winlogon.exe or Services.exe.</p> <p>The logon type field indicates the kind of logon that occurred. The most common types are 2 (interactive) and 3 (network).</p> <p>The New Logon fields indicate the account for whom the new logon was created, i.e. the account that was logged on.</p> <p>The network fields indicate where a remote logon request originated. Workstation name is not always available and may be left blank in some cases.</p> <p>The impersonation level field indicates the extent to which a process in the logon session can impersonate.</p> <p>The authentication information fields provide detailed information about this specific logon request.</p>
NAVEEN	1640001911	Microsoft Windows security auditing.	4624	0	Audit Success	... Truncated. 91.52542372881356% shown.

File and Network Dashboard

ComputerName	Time	SourceName	EventCode	EventType	Keywords	Message
						Credential Manager credentials were read. Subject: Security ID: S-1-5-21-2466891524-1977459847-63998306-1001 Account Name:HP Account Domain:NAVEEN Logon ID:0x1298DD5B Read Operation:Enumerate Credentials This event occurs when a user performs a read operation on stored credentials in Credential Manager.
NAVEEN	1640001912	Microsoft Windows security auditing.	5379	0	Audit Success	Credential Manager credentials were read. Subject: Security ID: S-1-5-21-2466891524-1977459847-63998306-1001 Account Name:HP Account Domain:NAVEEN Logon ID:0x1298DD5B Read Operation:Enumerate Credentials This event occurs when a user performs a read operation on stored credentials in Credential Manager.
NAVEEN	1640001912	Microsoft Windows security auditing.	5379	0	Audit Success	Credential Manager credentials were read. Subject: Security ID: S-1-5-21-2466891524-1977459847-63998306-1001 Account Name:HP Account Domain:NAVEEN Logon ID:0x1298DD5B Read Operation:Enumerate Credentials This event occurs when a user performs a read operation on stored credentials in Credential Manager.
NAVEEN	1640001912	Microsoft Windows security auditing.	5379	0	Audit Success	Credential Manager credentials were read. Subject: Security ID: S-1-5-21-2466891524-1977459847-63998306-1001 Account Name:HP Account Domain:NAVEEN Logon ID:0x1298DD5B Read Operation:Enumerate Credentials This event occurs when a user performs a read operation on stored credentials in Credential Manager.
NAVEEN	1640001912	Microsoft Windows security auditing.	5379	0	Audit Success	Credential Manager credentials were read. Subject: Security ID: S-1-5-21-2466891524-1977459847-63998306-1001 Account Name:HP Account Domain:NAVEEN Logon ID:0x1298DD5B Read Operation:Enumerate Credentials This event occurs when a user performs a read operation on stored credentials in Credential Manager.
NAVEEN	1640001912	Microsoft Windows security auditing.	5379	0	Audit Success	Credential Manager credentials were read. Subject: Security ID: S-1-5-21-2466891524-1977459847-63998306-1001 Account Name:HP Account Domain:NAVEEN Logon ID:0x1298DD5B Read Operation:Enumerate Credentials This event occurs when a user performs a read operation on stored credentials in Credential Manager.

System Log

Logs

ComputerName	Time	SourceName	EventCode	EventType	Keywords	Message
NAVEEN2	1640017377	Microsoft-Windows-UserModePowerService	12	4	None	Process C:\Windows\System32\DriverStore\FileRepository\dpptf_cpu.inf_amd64_21306a77b30fd6e0\esif_uf.exe (process ID:5428) reset policy scheme from {48684d4a-8524-4093-8a63-ea7132b79c1c} to {48684d4a-8524-4093-8a63-ea7132b79c1c}
NAVEEN2	1640017377	Microsoft-Windows-UserModePowerService	12	4	None	Process C:\Windows\System32\DriverStore\FileRepository\dpptf_cpu.inf_amd64_21306a77b30fd6e0\esif_uf.exe (process ID:5428) reset policy scheme from {48684d4a-8524-4093-8a63-ea7132b79c1c} to {48684d4a-8524-4093-8a63-ea7132b79c1c}
NAVEEN2	1640017382	Microsoft-Windows-WLAN-AutoConfig	4000	4	None	WLAN AutoConfig service has successfully started.
NAVEEN2	1640017386	Microsoft-Windows-WLAN-AutoConfig	10001	4	None	WLAN Extensibility Module has successfully started. Module Path: C:\WINDOWS\system32\Rtlhvs.dll
NAVEEN2	1640017396	Microsoft-Windows-Service Control Manager	7023	2	Classic	The igccservice service terminated with the following error: An exception occurred in the service when handling the control request.
NAVEEN2	1640017413	Microsoft-Windows-Service Control Manager	7000	2	Classic	The XTU3SERVICE service failed to start due to the following error: The service did not respond to the start or control request in a timely fashion.
NAVEEN2	1640017413	Microsoft-Windows-Service Control Manager	7009	2	Classic	A timeout was reached (45000 milliseconds) while waiting for the XTU3SERVICE service to connect.
NAVEEN2	1640017413	TPM	18	4	None	This event triggers the Trusted Platform Module (TPM) provisioning/status check to run.
NAVEEN2	1640017413	Microsoft-Windows-Service Control Manager	7026	4	Classic	The following boot-start or system-start driver(s) did not load: dam
NAVEEN2	1640017417	EventLog	6008	2	Classic	The previous system shutdown at 20:20:47 on 20-12-2021 was unexpected.
NAVEEN2	1640017417	EventLog	6013	4	Classic	The system uptime is 149 seconds.
NAVEEN2	1640017417	EventLog	6005	4	Classic	The Event log service was started.
NAVEEN2	1640017417	EventLog	6009	4	Classic	Microsoft (R) Windows (R) 10.00.22000 Multiprocessor Free.
NAVEEN2	1640017418	Microsoft-Windows-TPM-WMI	1282	4	None	The TBS device identifier has been generated.
NAVEEN2	1640017419	Microsoft-Windows-TPM-WMI	1025	4	None	The TPM was successfully provisioned and is now ready for use.
NAVEEN2	1640017447	Microsoft-Windows-Hyper-V-VmSwitch	62	4	None	Switch 2C1C94A2-43F8-49E6-9B31-230954381E46 (Friendly Name: WSL) successfully deleted.
NAVEEN2	1640017447	Microsoft-Windows-Hyper-V-VmSwitch	233	4	None	The operation 'Delete' succeeded on nic 2C1C94A2-43F8-49E6-9B31-230954381E46 (Friendly Name: WSL), Instance Id {00000000-0000-0000-0000-000000000000}.
NAVEEN2	1640017447	Microsoft-Windows-Hyper-V-VmSwitch	234	4	None	NIC C94C30F4-3B18-45D9-8ABB-CC8C05346A49 successfully disconnected from port 8653B66B-49C9-4F78-BF30-1A8DCADAA742.
NAVEEN2	1640017447	Microsoft-Windows-Hyper-V-VmSwitch	234	4	None	NIC 2C1C94A2-43F8-49E6-9B31-230954381E46 successfully disconnected from port 2C1C94A2-43F8-49E6-9B31-230954381E46.

File and Network Dashboard

ComputerName	Time	SourceName	EventCode	EventType	Keywords	Message
NAVEEN2	1640017448	Microsoft-Windows-Hyper-V-VmSwitch	233	4	None	The operation 'Delete' succeeded on nic C94C30F4-3B18-45D9-8ABB-CC8C05346A49 (Friendly Name: WSL), Instance Id (9a7a37c8-1e6e-4b11-a823-5ad6abe7a716).
NAVEEN2	1640017457	Microsoft-Windows-Winlogon	7001	4	None	User Logon Notification for Customer Experience Improvement Program
NAVEEN2	1640017465	Microsoft-Windows-DNS Client Events	1014	3	None	Name resolution for the name 1.1.168.192.in-addr.arpa. timed out after none of the configured DNS servers responded. Client PID 5068.
NAVEEN2	1640017699	Microsoft-Windows-Service Control Manager	7022	2	Classic	The Delivery Optimization service hung on starting.
NAVEEN2	1640017727	Microsoft-Windows-IsolatedUserMode	5	4	None	Secure Trustlet NULL Id 0 and Pid 0 started with status STATUS_SUCCESS.
NAVEEN2	1640017804	Microsoft-Windows-DistributedCOM	10016	3	Classic	<p>The application-specific permission settings do not grant Local Activation permission for the COM Server application with CLSID {2593F8B9-4EAF-457C-B68A-50F6B8EA6B54} and APPID {15C20B67-12E7-4BB6-92BB-7AFF07997402} to the user NAVEEN2\HP SID (S-1-5-21-2466891524-1977459847-63998306-1001) from address LocalHost (Using LRPC) running in the application container Unavailable SID (Unavailable). This security permission can be modified using the Component Services administrative tool.</p>

Application Log

Logs

ComputerName	Time	SourceName	EventCode	EventType	Keywords	Message
NAVEEN2	1640017530	Microsoft-Windows-Winlogon	6000	4	Classic	The winlogon notification subscriber <SessionEnv> was unavailable to handle a notification event.
NAVEEN2	1640017537	igfxCUIService2.0.0.0	0	4	Classic	The operation completed successfully.
NAVEEN2	1640017545	ESENT	300	4	Classic	SearchIndexer (6316,R,98) Windows: The database engine is initiating recovery steps.
NAVEEN2	1640017545	ESENT	102	4	Classic	SearchIndexer (6316,P,98) Windows: The database engine (10.00.22000.0000) is starting a new instance (0).
NAVEEN2	1640017560	ESENT	301	4	Classic	<p>SearchIndexer (6316,R,98) Windows: The database engine has finished replaying logfile C:\ProgramData\Microsoft\Search\Data\Applications\Windows\edb0552B.jtx.</p> <p>Processing Stats: [1] 14.602207 -0.000546 (188) CM -14.443546 (15) WT +J(CM:188, PgRf:3739, Rd:187/187, Dy:1/878, Lg:1026919/12332) +M(C:0K, Fs:1985, WS:5032K # 5032K, PF:6716K # 6712K, P:6716K). Log record of type 'ReplaceD' was seen most frequently (1284 times)</p>

File and Network Dashboard

ComputerName	Time	SourceName	EventCode	EventType	Keywords	Message
NAVEEN2	1640017561	ESENT	301	4	Classic	<p>SearchIndexer (6316,R,98) Windows: The database engine has finished replaying logfile C:\ProgramData\Microsoft\Search\Data\Applications\Windows\edb.jtx.</p> <p>Processing Stats: [1] 0.357598 -0.337911 (3) WT +J(CM:18, PgRf:2090, Rd:0/18, Dy:69/3076, Lg:895885/5666) +M(C:0K, Fs:169, WS:644K # 644K, PF:64K # 64K, P:64K). Log record of type 'Insert ' was seen most frequently (922 times)</p>
NAVEEN2	1640017563	ESENT	105	4	Classic	<p>SearchIndexer (6316,D,0) Windows: The database engine started a new instance (0). (Time=18 seconds)</p> <p>Additional Data: lgposV2[] = 0000552B:0001:0000 - 0000552B:00FE:088C - 0000552C:00DE:0000 - 0000552C:00DE:0000 (00000000:0000:0000)</p> <p>Internal Timing Sequence: [1] 0.001065 +J(0) +M(C:0K, Fs:186, WS:720K # 720K, PF:5440K # 5440K, P:5440K) [2] 0.000603 +J(0) +M(C:0K, Fs:257, WS:1020K # 1020K, PF:436K # 436K, P:436K) [3] 0.000026 +J(0) +M(C:0K, Fs:5, WS:16K # 16K, PF:64K # 64K, P:64K) [4] 0.000114 +J(0) +M(C:0K, Fs:24, WS:96K # 96K, PF:364K # 364K, P:364K) [5] 0.000989 +J(0) +M(C:0K, Fs:12, WS:48K # 48K, PF:16K # 16K, P:16K) [6] 0.034454 +J(0) +M(C:0K, Fs:29, WS:116K # 116K, PF:32K # 32K, P:32K) [7] 0.002981 -0.000002 (2) WT +J(0) +M(C:0K, Fs:281, WS:1120K # 1120K, PF:1028K # 1028K, P:1028K) [8] 15.097481 -0.000546 (188) CM -14.832956 (22) WT +J(CM:188, PgRf:3739, Rd:187/187, Dy:1/878, Lg:1026919/12332) +M(C:0K, Fs:2334, WS:6344K # 6344K, PF:7760K # 7760K, P:7760K) [9] 0.361911 -0.337912 (4) WT +J(CM:18, PgRf:2090, Rd:18/18, Dy:69/3076, Lg:895885/5666) +M(C:0K, Fs:185, WS:700K # 700K, PF:656K # 656K, P:656K) + 1 lgens [10] 0.000602 +J(0) +M(C:0K, Fs:1, WS:-1020K # 0K, PF:-1020K # 0K, P:-1020K) [11] 0.000071 +J(CM:0, PgRf:0, Rd:0/0, Dy:0/0, Lg:49/1) +M(C:0K, Fs:4, WS:16K # 0K, PF:0K # 0K, P:0K) [12] 1.930569 -0.000078 (71) CM -1.900629 (144) WT +J(CM:71, PgRf:0, Rd:0/71, Dy:0/0, Lg:0/0) +M(C:0K, Fs:588, WS:28K # 0K, PF:-52K # 0K, P:-52K) [13] 0.753900 -0.196971 (2) CM -0.424549 (22) WT +J(CM:2, PgRf:2, Rd:0/2, Dy:0/0, Lg:8759/5) +M(C:0K, Fs:314, WS:-6484K # 0K, PF:-7440K # 0K, P:-7440K) [14] 0.000051 +J(0) [15] 0.000082 +J(0) [16] 0.000480 -0.000001 (1) WT +J(0) +M(C:0K, Fs:2, WS:0K # 0K, PF:0K # 0K, P:0K).</p>
NAVEEN2	1640017563	ESENT	302	4	Classic	<p>SearchIndexer (6316,U,98) Windows: The database engine has successfully completed recovery steps.</p>

File and Network Dashboard

ComputerName	Time	SourceName	EventCode	EventType	Keywords	Message
						<p>SearchIndexer (6316,D,50) Windows: The database engine attached a database (1, C:\ProgramData\Microsoft\Search\Data\Applications\Windows\Windows.edb). (Time=2 seconds)</p> <p>Saved Cache: 0 0 Additional Data: IgposAttach = 0000552C:00E0:0268, dbv = 1568.200.440 (9400)</p> <p>Internal Timing Sequence: [1] 0.000005 +J(0) [2] 0.006115 -0.000002 (1) WT +J(0) +M (C:0K, Fs:24, WS:32K # 0K, PF:32K # 0K, P:32K) [3] 0.766416 -0.482051 (6) WT +J(CM:0, PgRf:0, Rd:0/0, Dy:0/0, Lg:3480/2) +M (C:0K, Fs:22, WS:48K # 0K, PF:56K # 0K, P:56K) [4] 0.000844 +J(0) [5] - [6] - [7] - [8] - [9] 1.318943 -0.905449 (3) CM -0.405533 (1) WT +J(CM:3, PgRf:3, Rd:14/3, Dy:0/0, Lg:54/1) +M(C:0K, Fs:38, WS:152K # 0K, PF:724K # 0K, P:724K) [10] 0.135093 -0.134699 (4) CM +J(CM:4, PgRf:23, Rd:0/4, Dy:0/0, Lg:0/0) +M(C:0K, Fs:44, WS:176K # 0K, PF:64K # 0K, P:64K) [11] 0.110065 -0.109687 (1) CM +J(CM:1, PgRf:40, Rd:0/1, Dy:0/0, Lg:0/0) +M(C:0K, Fs:11, WS:44K # 0K, PF:32K # 0K, P:32K) [12] 0.000067 +J(CM:0, PgRf:2, Rd:0/0, Dy:0/0, Lg:0/0) [13] 0.000204 +J(CM:0, PgRf:42, Rd:0/0, Dy:0/0, Lg:0/0) +M(C:0K, Fs:5, WS:20K # 0K, PF:0K # 0K, P:0K) [14] 0.000004 +J(0) [15] 0.000001 +J(0) [16] 0.000026 +J(CM:0, PgRf:1, Rd:0/0, Dy:0/0, Lg:0/0).</p>
NAVEEN2	1640017566	ESENT	326	4	Classic	
NAVEEN2	1640017568	Microsoft-Windows-Search	1003	4	Classic	The Windows Search Service started.

File and Network Dashboard

ComputerName	Time	SourceName	EventCode	EventType	Keywords	Message
NAVEEN2	1640017674	Microsoft-Windows-Security-SP	1003	4	Classic	<p>The Software Protection service has completed licensing status check.</p> <p>Application Id=55c92734-d682-4d71-983e-d6ec3f16059f Licensing Status=</p> <p>1: 0567073a-7d74-403b-b2d5-6b35da372d8d, 1, 0 [(0 [0xC004F014, 0, 0], [(?)(?)(?)(?)(?)(?)(?)(?))(1)(2)(3)]</p> <p>2: 1b750385-9fe2-49a8-ab55-149d0546395b, 1, 0 [(0 [0xC004F014, 0, 0], [(?)(?)(?)(?)(?)(?)(?)(?))(1)(2)(3)]</p> <p>3: 1d873132-f09f-4eb2-bf5a-2e4fb48935e8, 1, 0 [(0 [0xC004F014, 0, 0], [(?)(?)(?)(?)(?)(?)(?)(?))(1)(2)(3)]</p> <p>4: 2b1f36bb-c1cd-4306-bf5c-a0367c2d97d8, 1, 0 [(0 [0xC004F014, 0, 0], [(?)(?)(?)(?)(?)(?)(?)(?))(1)(2)(3)]</p> <p>5: 30d469c6-a78f-4476-b5c8-af78d5b6a5fb, 1, 0 [(0 [0xC004F014, 0, 0], [(?)(?)(?)(?)(?)(?)(?)(?))(1)(2)(3)]</p> <p>6: 3ae2cc14-ab2d-41f4-972f-5e20142771dc, 1, 0 [(0 [0xC004F014, 0, 0], [(?)(?)(?)(?)(?)(?)(?)(?))(1)(2)(3)]</p> <p>7: 4002e33a-524c-4100-8108-131a0d42c0ea, 1, 0 [(0 [0xC004F014, 0, 0], [(?)(?)(?)(?)(?)(?)(?)(?))(1)(2)(3)]</p> <p>8: 411b3d4f-be6d-4a06-baaa-9cabfc256cae, 1, 0 [(0 [0xC004F014, 0, 0], [(?)(?)(?)(?)(?)(?)(?)(?))(1)(2)(3)]</p> <p>9: 58e97c99-f377-4ef1-81d5-4ad5522b5fd8, 1, 0 [(0 [0xC004F014, 0, 0], [(?)(?)(?)(?)(?)(?)(?)(?))(1)(2)(3)]</p> <p>10: 653098ee-780d-4863-8cf2-d18399ce413b, 1, 0 [(0 [0xC004F014, 0, 0], [(?)(?)(?)(?)(?)(?)(?)(?))(1)(2)(3)]</p> <p>11: 71f411ae-7b4b-41bd-b68c-c519c499f950, 1, 0 [(0 [0xC004F014, 0, 0], [(?)(?)(?)(?)(?)(?)(?)(?))(1)(2)(3)]</p> <p>12: 74436dbb-cc17-46de-867f-14906ba4a938, 1, 0 [(0 [0xC004F014, 0, 0], [(?)(?)(?)(?)(?)(?)(?)(?))(1)(2)(3)]</p> <p>13: 8a292df8-d653-4057-8133-a0701792f912, 1, 0 [(0 [0xC004F014, 0, 0], [(?)(?)(?)(?)(?)(?)(?)(?))(1)(2)(3)]</p> <p>14: 8db63db6-4f8f-46d6-a448-6644faaaa72, 1, 0 [(0 [0xC004F014, 0, 0], [(?)(?)(?)(?)(?)(?)(?)(?))(1)(2)(3)]</p> <p>15: b0f8a518-2c58-4eb8-9319-084f0eb4ddc4, 1, 0 [(0 [0xC004F014, 0, 0], [(?)(?)(?)(?)(?)(?)(?)(?))(1)(2)(3)]</p> <p>16: cd918a57-a41b-4c82-8dce-1a538e221a83, 1, 0 [(0 [0xC004F014, 0, 0], [(?)(?)(?)(?)(?)(?)(?)(?))(1)(2)(3)]</p> <p>17: da9621af-f086-4244-b563-18611e51aa1a, 1, 0 [(0 [0xC004F014, 0, 0], [(?)(?)(?)(?)(?)(?)(?)(?))(1)(2)(3)]</p> <p>18: e371d89a-73e8-4b24-a7ff-23a3641dd18e, 1, 0 [(0 [0xC004F014, 0, 0], [(?)(?)(?)(?)(?)(?)(?)(?))(1)(2)(3)]</p> <p>19: ed799377-74b8-4989-a244-14d082e65972, 1, 1 [(0 [0x00000000, 1, 0], [(?)(0x00000000)(?)(2 0x00000000 0 0 msft:rm/algorithm/hwid/4.0 0x00000000 0)(?)(?)(10 0x00000000 msft:rm/algorithm/flags/1.0)(?)) (1)(2)(3)]</p>

File and Network Dashboard

ComputerName	Time	SourceName	EventCode	EventType	Keywords	Message
						Initialization status for service objects. C:\WINDOWS\system32\sppwinob.dll, msft:spp/ windowsfunctionality/agent/7.0, 0x00000000, 0x00000000 C:\WINDOWS\system32\sppobjs.dll, msft:rm/ algorithm/inherited/1.0, 0x00000000, 0x00000000 C:\WINDOWS\system32\sppobjs.dll, msft:rm/ algorithm/phone/1.0, 0x00000000, 0x00000000 C:\WINDOWS\system32\sppobjs.dll, msft:rm/ algorithm/pkey/detect, 0x00000000, 0x00000000 C:\WINDOWS\system32\sppobjs.dll, msft:spp/ ActionScheduler/1.0, 0x00000000, 0x00000000 C:\WINDOWS\system32\sppobjs.dll, msft:spp/ TaskScheduler/1.0, 0x00000000, 0x00000000 C:\WINDOWS\system32\sppobjs.dll, msft:spp/ statecollector/pkey, 0x00000000, 0x00000000 C:\WINDOWS\system32\sppobjs.dll, msft:spp/ volume/services/kms/1.0, 0x00000000, 0x00000000 C:\WINDOWS\system32\sppobjs.dll, msft:spp/ volume/services/kms/activationinfo/1.0, 0x00000000 , 0x00000000
NAVEEN2	1640017674	Microsoft-Windows-Security-SPP	1066	4	Classic	Offline downlevel migration succeeded.
NAVEEN2	1640017674	Microsoft-Windows-Security-SPP	16394	4	Classic	The Software Protection service is starting. Parameters:TriggerStarted:6
NAVEEN2	1640017674	Microsoft-Windows-Security-SPP	900	4	Classic	The Software Protection service has started. 10.0.22000.376
NAVEEN2	1640017675	Microsoft-Windows-Security-SPP	902	0	Classic	Service stopped.
NAVEEN2	1640017705	edgeupdate	0	4	Classic	The operation completed successfully.
NAVEEN2	1640017709	gupdate	0	4	Classic	Service started successfully.
NAVEEN2	1640017710	HP Comm Recovery	0	4	Classic	Started event manager Started event manager
NAVEEN2	1640017714	IAStorDataMgrSvc	7303	4	Classic	Service started successfully.
NAVEEN2	1640017714	IAStorDataMgrSvc	0	4	Classic	Successfully scheduled Software Protection service for re-start at 2121-11-26T16:28:35Z. Reason: RulesEngine.
NAVEEN2	1640017721	Microsoft-Windows-Security-SPP	16384	4	Classic	The Software Protection service has stopped.
NAVEEN2	1640017722	Microsoft-Windows-Security-SPP	903	0	Classic	Version : 2.0.15.0
NAVEEN2	1640017741	HP Comm Recovery	0	4	Classic	Load Balance is enabled.
NAVEEN2	1640017743	HP Comm Recovery	0	4	Classic	Cloud logging is enabled.
NAVEEN2	1640017743	HP Comm Recovery	0	4	Classic	

SetUp Log

Logs

ComputerName	Time	SourceName	EventCode	OpCode	EventType	Message
NAVEEN	1639419354	Microsoft-Windows-Servicing	1	Info	0	Initiating changes for package Windows Core Edition. Current state is Superseded. Target state is Absent. Client id: CbsTask.
NAVEEN	1639419386	Microsoft-Windows-Servicing	1	Info	0	Initiating changes for package Windows Professional Edition. Current state is Staged. Target state is Absent. Client id: CbsTask.
NAVEEN	1639419564	Microsoft-Windows-Servicing	1	Info	0	Initiating changes for package Language Pack. Current state is Superseded. Target state is Absent. Client id: CbsTask.
NAVEEN	1639419586	Microsoft-Windows-Servicing	1	Info	0	Initiating changes for package Language Pack. Current state is Superseded. Target state is Absent. Client id: CbsTask.
NAVEEN	1639419619	Microsoft-Windows-Servicing	1	Info	0	Initiating changes for package KB777778. Current state is Superseded. Target state is Absent. Client id: CbsTask.
NAVEEN	1639419620	Microsoft-Windows-Servicing	1	Info	0	Initiating changes for package KB777778. Current state is Superseded. Target state is Absent. Client id: CbsTask.
NAVEEN	1639419621	Microsoft-Windows-Servicing	1	Info	0	Initiating changes for package KB777778. Current state is Superseded. Target state is Absent. Client id: CbsTask.
NAVEEN	1639419622	Microsoft-Windows-Servicing	1	Info	0	Initiating changes for package KB5006755. Current state is Installed. Target state is Absent. Client id: CbsTask.
NAVEEN	1639538120	Microsoft-Windows-Servicing	8	Info	0	Initiating changes to turn off update SMB1Protocol-Client of package Microsoft-Windows-SMB1. Client id: SMBComponentDisabler.
NAVEEN	1639711727	Microsoft-Windows-Servicing	1	Info	0	Initiating changes for package KB5008215. Current state is Absent. Target state is Installed. Client id: UpdateAgentLCU.
NAVEEN	1639727541	Microsoft-Windows-Servicing	4	Info	0	A reboot is necessary before package KB5008215 can be changed to the Installed state.
NAVEEN	1639733125	Microsoft-Windows-Servicing	14	Info	0	A reboot is necessary before the selectable update SMB1Protocol-Client of package Microsoft-Windows-SMB1 can be turned off.
NAVEEN	1639733514	Microsoft-Windows-Servicing	10	Info	0	Selectable update SMB1Protocol-Client of package Microsoft-Windows-SMB1 was successfully turned off.
NAVEEN	1639733515	Microsoft-Windows-Servicing	2	Info	0	Package KB5008215 was successfully changed to the Installed state.