

Joint Strike Wing

Flight Reference Cards

801 Naval Air Squadron

Contents

Normal Procedures	1
Communications Plan	1
Approach, Land	2
Approach, Sea	3
UG5X - Kobuleti	4
Abnormal Procedures	5
Pre-Start	5
Start	6
Emergency Procedures	7

Normal Procedures

Communications Plan

Approach, Land

Approach, Sea


UG5X - Kobuleti


ARR/DEP JET RWY 07/25
VISUAL OPERATION CHART

VAD 01

- 11 -

KOBULETI (UG5X)



PSN THR	VAR	ARP	ELEV	Scale 1:200'000
RWY 07 41° 55.640' N 041° 50.975' E	6° E	41° 55.797' N	59 [ft]	
RWY 25 41° 55.952' N 041° 52.642' E	(2010)	041° 51.809' E	18 [m]	

1. Landing instructions shall be requested latest 2 minutes prior to reaching ENTRY CRP
2. Avoid overflying of densely populated areas

Tower	Radar	Final - Precision	TACAN	ILS RWY 07	
133.000 MHz			67X "KBL"	111.50 MHz	

ARR/DEP JET RWY 07/25

KOBULETI (UG5X)

Abnormal Procedures

Pre-Start

CALL	RESPONSE
Throttle	Idle cut-off
Fuel cutoff lever	Down
DECS (switch above lever)	On
Oxygen	On
L and R pumps	Normal
Nozzles	As required
Battery	On
Gen	On
Fuel prop	On
Lights	On
Beacon	On
Engine	Start

Start

CALL	RESPONSE
Throttle	Idle
Ejection Seat	Armed
Interior Lights	As required
Audio	As required
Radio	TR+E
INS	NAV
Pitot Heat	As required
FLIR	As required
DMRT	As required
HUD Brightness	On
HUD Mode	As required
Comm 1	Stud 1
Comm 2	As required
UFC	On
MPCDs	On
Engine Panel Brightness	As required
Flaps	On
Anti-skid	On
HUD Master Mode	VSTOL

Emergency Procedures