

App 上架发布到 Appstore 市场最新中文教程

这个教程教你怎么把开发好的 ios 应用上架到 appstore 市场，一步一步带截图，包括最新的 appstore 后台系统 itunesconnect 使用，证书创建和管理，应用 id 创建和管理，跨平台 application loader 上传 ipa 等都将一步一步详细介绍。

很多 ios 开发出 app 来后发现上架 ios app 也很折磨人，这个 ios 上架教程将彻底改变这个问题，Ios app 上架发到 appstore 市场最新中文完整教程完整中文版。

下面从七个步骤进行详细介绍！

- 1、创建唯一标示符 App IDs
- 2、申请发布证书
- 3、申请发布描述文件
- 4、到 iTunes Connect 创建 App 并填写信息
- 5、Windows 下选择证书编译打包
- 6、Windows 下上传 IPA 到 App Store
- 7、上传好 IPA 回到 iTunes Connect 提交审核

一、创建唯一标示符 App IDs

APP IDs 在后面创建发布文件，创建 APP 时都要用到。

首先打开苹果开发者中心 <https://developer.apple.com/account/>，进入证书页面。

1.1 点击证书、ID 及配件文件，进入设置。

Account

Wen Cheng
Apple Developer Program



Certificates, Identifiers & Profiles

Manage the certificates, identifiers, profiles, and devices you need to develop and distribute apps.



iTunes Connect

Publish and manage your apps on the App Store with iTunes Connect.

1.2 选择 App IDs --> 点击+ 创建一个新的 App ID

Identifiers

- App IDs
- Pass Type IDs
- Website Push IDs
- iCloud Containers
- App Groups
- Merchant IDs

Devices

- All
- Apple TV
- Apple Watch
- iPad
- iPhone
- iPod Touch

Provisioning Profiles

- All
- Development
- Distribution

Registering an App ID

The App ID string contains two parts separated by a period (.) — an App ID Prefix that is defined as your Team ID by default and an App ID Suffix that is defined as a Bundle ID search string. Each part of an App ID has different and important uses for your app. [Learn More](#)

App ID Description

Name:

You cannot use special characters such as @, &, *, ', "

App ID Prefix

Value: 57W66QZCMN (Team ID)

App ID Suffix

☒ **Explicit App ID**

If you plan to incorporate app services such as Game Center, In-App Purchase, Data Protection, and iCloud, or want a provisioning profile unique to a single app, you must register an explicit App ID for your app.

To create an explicit App ID, enter a unique string in the Bundle ID field. This string should match the Bundle ID of your app.

Bundle ID:

We recommend using a reverse-domain name style string (i.e., com.domainname.appname). It cannot contain an asterisk (*).

其中有两项需要你自已填：

第一项 **Name**，用来描述你的 **App ID**，这个随便填，没有什么限制，最好是项目名称，这样方便自己辨识（不允许中文）


第二项 **Bundle ID (App ID Suffix)**，这是你 **App ID** 的后缀，需要仔细填写。用来标示我们的 **app**，使它有一个固定的身份，和你的程序直接相关。填写 **Explicit App ID** 的格式为：**com.company.appName**，照着格式写，写个方便记的，后面很多地方要用到。

第三项 **App Services**，默认会选择 2 项，不能修改，其它根据自己需要的服务选择上，然后点击 **Continue** 确认，下一步。


二、申请发布证书

创建证书用 **appuploader** 来，不用钥匙串助手了，钥匙串助手太复杂，**appuploader** 秒创建，并且可以在 **mac**，**linux** 和 **windows** 完成。


2.1 打开程序，输入苹果开发者中心账号，登录。




2.2 选择 Certification




2.3 点击+ADD，选择发布证书。



2.4 输入，证书名称（随意） 邮箱（任何邮箱都行） 密码（后面打开证书用）然后点击 ok



2.5 此时生成了好了一个发布证书，点击 p12 File, 下载证书文件，保存到电脑。




The screenshot shows the AppUploader application window. The title bar says 'AppUploader'. The main header is 'Application Uploader' with the user name 'Yan Wen Cheng' on the right. Below the header is a description of the application and four buttons: 'DeveloperCenter', 'iTunesConnect', 'AppuploaderHome', and 'Activate Now'. The main content area is a table with columns: ID, name, type, expires, and Download. The table contains several rows of certificates. The row for 'Wen Cheng' with ID 'QPSV8GKQUW' is highlighted with a red border. In the 'Download' column for this row, the 'p12 File' button is highlighted with a red border.

| ID | name | type | expires | Download |
|------------|----------------------------|------------------|---------------|---------------------------|
| FT737626HC | pass.wxtestid | Pass Type ID | Dec 06, 2017 | Cert File p12 File revoke |
| XTAX365Z55 | pass.wxtestid | Pass Type ID | Dec 07, 2017 | Cert File p12 File revoke |
| 8K598ZRA95 | pass.wxtestid2 | Pass Type ID | Dec 06, 2017 | Cert File p12 File revoke |
| HHKJMHY472 | Wen Cheng | iOS Distribution | Feb 27, 2018 | Cert File p12 File revoke |
| QPSV8GKQUW | Wen Cheng | iOS Distribution | Mar 15, 2018 | Cert File p12 File revoke |
| TXWUQNW3PY | Yan Wen Cheng | iOS Development | Feb 27, 2018 | Cert File p12 File revoke |
| 52QZ9EBC5Z | APNs Auth Key (52QZ9EBC5Z) | APNs Auth Key | Never expires | download revoke |

这样发布证书就创建好了，是不是很简单


三、申请发布描述文件

3.1 回到软件点击 Profiles




The screenshot shows the AppUploader application window. The title bar says 'AppUploader'. The main header is 'Application Uploader' with the user name 'Yan Wen Cheng' on the right. Below the header is a description of the application and four buttons: 'DeveloperCenter', 'iTunesConnect', 'AppuploaderHome', and 'Activate Now'. The main content area is divided into six sections: 'Single Ipa', 'Multiple Ipa', 'Update Single App Info', 'Update Multiple App Info', 'Certification & Profiles', and 'App Manage'. The 'Certification & Profiles' section is highlighted with a red border, and the 'Profiles' button within this section is also highlighted with a red border.


3.2 点击+ADD，选择发布描述文件。




3.3 选择 APP IDs，之前在开发者中心创建的，这里会自动出现。



3.4 勾选好，输入 name，点击 ok




3.5 此时生成了发布描述文件，点击 Download 下载到电脑保存



四、在 iTunes Connect 创建 App 并填写信息

4.1 回到软件，点击 ItunerConnect，进入 iTunes Connect 后台创建 APP。



4.2 进入点击新建 APP，输入你的应用名称，语言，套装 ID，之前在开发者中心创建的对 APP IDs，sku 不能写中文，点击创建。

新建 App

平台 ?
☒ iOS ☐ Apple TVOS

名称 ?
小鸡跳跳

主要语言 ?
简体中文

套装 ID ?
tian iOS biao - com.yesgame.tianbiao

SKU ?
tian biao

取消 创建

4.3 然后设置好相关的信息，类别，价格与销售服务之类的。

App Store

功能

TestFlight

活动

APP STORE 信息

App 信息

价格与销售范围

IOS APP

1.0 准备提交

新版本平台

App 信息

此信息用于这个 App 的所有平台。任何更改将在 App 的下一个版本中发布。

可本地化的信息

名称小鸿跳跳

隐私政策网址(URL)http://example.com (可不填)

综合信息

安装 IDtian iOS biao - com.yesgame.tianbiao

您的安装 IDcom.yesgame.tianbiao

SKUtianbiao

Apple ID1216075739

主要语言简体中文

类别游戏

子类别(可不填)

子类别(可不填)

次要(可不填)

许可协议Apple 标准许可协议

评分无分级

额外信息

4.4 选择准备提交，上传屏幕截图，填写 APP 综合信息等。

App Store

功能

TestFlight

活动

APP STORE 信息

App 信息

价格与销售范围

IOS APP

1.0 准备提交

新版本平台

iOS App 1.0

准备提交

版本信息

App 预览和屏幕快照

iPhone iPad

5.5 英寸显示屏

将 App 预览和最多 5 张屏幕快照拖到此处。

我们将针对在“媒体管理”中选择的所有 iPhone 显示尺寸和本地化版本使用这些内容。

查看 iOS 屏幕快照属性和 App 预览属性。

0/1 个 App 预览和 0/5 张屏幕快照

媒体管理 选择文件 全部删除

其他尺寸

描述

关键词

4.5 上传可以用 Xcode6 或者 Application loader3.0 提交 IPA，这只能在 Mac 上，操作也不是很友好，我们用 appuploader 来上传， Windows 下，mac

APP STORE 连接
App 信息
价格与销售范围
iOS APP
1.0 准备提交
新版本平台

iOS App 1.0
准备提交

构建版本

使用 Xcode 6 或更高版本，或使用 Application Loader 3.0 或更高版本提交您的构建版本。

App 综合信息

App 图标

选择文件

版本

1.0

分版 编辑
无分版

名称

商店代表联系信息
☐ 在韩国 App Store 中显示的商店代表联系信息。

Yan Wen Cheng

姓氏 名字

China 730101

GANSU Lanzhou

JinKeJiaYuan6#501

楼号、单元号、房间号（可不填）

电话号码 电子邮件

五、选择证书编译打包 ipa

创建 ipa 程序可以用 xcode，也可以用云打包或者 adobe air 之类的。反正能创建出 ipa 就行，根据自己的开发方式定，下面我们以某云打包为例子。

5.1、进入开发控制台，选择要打包的应用，选择证书，在 ios 证书那里，上传之前申请的发布证书描述文件，再输入 APP ids 输入之前申请证书时设置的密码，保存。

概览
项目开发
设置
证书
代码
模块
云编译
SuperWebView
动态生成
云开发
云设置
API分析
Database
API调试
应用服务
版本

Android 证书 Android 证书描述及使用流程

com.z320741524.lva

别名

证书库密码

证书密码

Android 证书

更新

iOS 证书 iOS 证书及描述文件制作流程

com.jia.netjia

distribution.mobileprovision

distribution.p12

watchkitapp.mobileprovision

watchkitextension.mobileprovision

更新

5.2、选择云编译，选择 iOS 平台，输入版本号，点击编译。


The screenshot shows a web interface for cloud compilation. On the left is a sidebar menu with options: 模板 (Templates), 云编译 (Cloud Compile), SuperWebView, 动态生成 (Dynamic Generation), 云开发 (Cloud Development), 云设置 (Cloud Settings), API分析 (API Analysis), Database, API调试 (API Debug), 应用服务 (Application Services), 版本 (Version), 云修复 (Cloud Repair), 推送 (Push), 闪屏广告 (Splash Ad), and 统计 (Statistics). The '云编译' option is highlighted with a red box. The main area is titled '平台' (Platform) and shows 'iOS' selected with a red box around it, next to an 'Android' option. Below this, the '类型' (Type) section has '正式版' (Production) selected. The '全局加密' (Global Encryption) section has '禁用' (Disable) selected. The '版本' (Version) section has '1.0.1' entered in a red box. Below this are input fields for 'iOS version code' (0.0.1) and 'Android version code' (2). At the bottom is a green button with a cloud icon and the text '云编译' (Cloud Compile).

5.3 编译完成了，下 IPA 保存到电脑，这个 ipa 文件就可以上传到 App Store 了。


The screenshot shows the '编译完成' (Compilation Complete) section of the interface. It features a red box around a download icon and the text '下载 8.6M' (Download 8.6M). To the right of this is a QR code. The background shows the same configuration as the previous screenshot, but the '平台' (Platform) section is now greyed out.

六、上传 IPA 到 App Store 市场


6.1 打开 Appuploader 程序，点击 Upload.



6.2 选择刚生成的 iap 包




6.3 Appuploader 将自动上传你的 IPA, 进度条走完并且蓝色即上传成功, 左侧也会有 success 字符。如果左侧没有信息, 可能是下载的 appuploader 版本不够新, 可以上官网网址下载最新版本的 appuploader。



七、上传好 IPA 回到 iTunes Connect 提交审核

7.1 上传好了 IPA, 然后回到 iTunes Connect, 进入填写信息的页面, 下边有一个构建版本的选项, 之前这旁边没有+号的, 但此时旁边会出现一个加号按钮, 说明上传成功了, 点击一下+然后会出现你刚上传的 APP, 点击完成即可。

7.2 设置好相应的 APP 信息后, 点击提交以供审核。



提交完成之后刷新页面你会看到你上传的应用程序会出现一个黄色的原点，后边写着：
Waiting for Review。

至此就大功告成了，耐心的等着审核了。

附在这过程中用到的东西

1、开发者账号

2、Appuploader 软件下载地址 www.appuploader.net

3、还有要上传的 ipa 文件

如果还有问题，加 qq 群 362305994 交流