

Hume, Miracles, and Probabilities: Meeting Earman's Challenge

Peter Millican, University of Leeds

Abstract

The centrepiece of Earman's provocatively titled book *Hume's Abject Failure: The Argument against Miracles* (OUP, 2000) is a probabilistic interpretation of Hume's famous 'maxim' concerning the credibility of miracle reports, followed by a trenchant critique of the maxim when thus interpreted. He argues that the first part of this maxim, once its obscurity is removed, is simply trivial, while the second part is nonsensical. His subsequent discussion culminates with a forthright challenge to any would-be defender of Hume to 'point to some thesis which is both philosophically interesting and which Hume has made plausible'. My main aim here is to answer this challenge, by demonstrating a preferable interpretation of Hume's maxim, according to which its first half is both plausible and non-trivial, while its second half sketches a useful, albeit approximate, corollary. I conclude by contesting Earman's negative views on the originality and philosophical significance of Hume's justly famous essay.

Hume, Miracles, and Probabilities: Meeting Earman's Challenge

Peter Millican, University of Leeds

Hume's discussion concerning the credibility of miracle reports in Section X of the first *Enquiry* has always been controversial, with some commentators viewing it as a powerful contribution to the philosophy of religion, while others have dismissed it as uncharacteristically weak. The main focus of this disagreement has been the 'a priori' argument of Section X Part i,¹ which culminates in Hume's famous 'maxim':

The plain consequence is (and it is a general maxim worthy of our attention), "That no testimony is sufficient to establish a miracle, unless the testimony be of such a kind, that its falsehood would be more miraculous, than the fact, which it endeavours to establish: And even in that case, there is a mutual destruction of arguments, and the superior only gives us an assurance suitable to that degree of force, which remains, after deducting the inferior." (E 10.13, 115-6)²

For contemporary interpreters, this maxim cries out to be read in probabilistic terms, but the varying assessments of Hume's argument have gone along with widely differing probabilistic interpretations, which therefore provide no firm and impartial basis from which the broader evaluative debate can be addressed.

Among the various probabilistic interpretations of Hume's maxim, the most prominent recently – owing to the writings of John Earman – has been the one that he and I proposed independently in 1993, an interpretation which renders the maxim (or at least its first half, prior to the colon) true but apparently trivial.³ Both of us were reacting, at least in part, to an alternative

I am very grateful to Lorne Falkenstein for his helpful comments on an early version of this paper. <later acknowledgements to be added>

¹ The argument of Part i of Section X is often described as 'a priori' because it apparently purports to set limits *in principle* to the evidence that even the best testimony could supply for a miracle. The 'a posteriori' arguments of Part ii, by contrast, are based on the particularities of human nature, history, and religions, such as our love of wonder, the antiquity and poor evidential basis of the most religiously significant miracle stories, and the mutual conflicts between different miraculously-founded religions.

² Quotations from the *Enquiry Concerning Human Understanding* ('E') are taken from Beauchamp's student edition (1999), and referenced both by paragraph number and by page number in the standard Selby-Bigge edition (1975).

³ Earman (1993), p. 294; Millican (1993), p. 490.

interpretation put forward by Jordan Howard Sobel two years earlier,⁴ and our criticisms were broadly similar although the morals we drew were contrasting. Earman has little sympathy for Hume's argument, and has since gone on to attack it in extremely forthright terms both in his provocatively titled book *Hume's Abject Failure* (2000), and in his recent British Academy paper (2002). His overall assessment of the argument rates it as 'a confection of rhetoric and *schein Geld*' and 'a shambles'; more specifically, he alleges that it is 'tame and derivative [and] something of a muddle', disguising the banal triviality of the key maxim under a misleading 'pompous solemnity' (2000, p. 73; 2002, pp. 92-4, 108). According to Earman, not only is the first half of Hume's maxim merely trivial and tautological (2000, p. 41; 2002, p. 97), but its second half is 'nonsensical', involving 'an illicit double counting' of the inductive evidence against any miracle (2000, p. 43). The subsequent discussion in Earman's book culminates with a forthright challenge:

Commentators who wish to credit Hume with some deep insight must point to some thesis which is both philosophically interesting and which Hume has made plausible. I don't think that they will succeed. Hume has generated the illusion of deep insight by sliding back and forth between various theses, no one of which avoids both the Scylla of banality and the Charybdis of implausibility or outright falsehood. (p. 48)

My own assessment of Hume's argument was (and remains) far less negative, partly on the basis that its historical significance could derive as much from its general advocacy of a probabilistic framework as from the detail of the particular probabilistic maxim it proposes (1993, p. 494). But more fundamentally, I raised doubts about the general interpretative framework that Sobel and I (and Earman) were employing, and hinted that there might well be a more faithful way of understanding Hume's maxim by taking a rather different approach (1993, pp. 490, 491, 495 n. 8). My aim here is to pursue this alternative approach, rejecting all of the interpretations that have featured in this debate over the past decade or so, and thus to answer Earman's challenge by demonstrating a preferable interpretation of Hume's maxim, according to which its first half is both plausible and non-trivial, while its second half sketches a corollary which is as close an approximation as could reasonably be expected given Hume's informal presentation and his ignorance of formal probability theory. I shall end with some further comments on Earman's views, in particular contesting his negative opinions on the originality and overall significance of Hume's justly famous essay.

⁴ Sobel (1991), p. 232; the same interpretation is favoured by Gillies (1991), p. 255 and by Howson (2000), p. 242.

1. Five Rival Interpretations of Hume's Maxim

Taking 'M' to be the proposition that the miracle in question occurs, and 't(M)' to be the proposition that appropriate testimony is forthcoming, essentially the following five interpretations of the first half of Hume's maxim have been discussed since 1991:⁵

- (1) $\Pr(M/t(M)) > 0.5 \rightarrow \Pr(M) > \Pr(\neg M \ \& \ t(M)).$ ⁶
- (2) $\Pr(M/t(M)) > 0.5 \rightarrow \Pr(M) > \Pr(t(M)/\neg M).$ ⁷
- (3) $\Pr(M/t(M)) > 0.5 \rightarrow \Pr(M) > \Pr(\neg M/t(M)).$ ⁸
- (4) $\Pr(M/t(M)) > 0.5 \rightarrow \Pr(M \ \& \ t(M)) > \Pr(\neg M \ \& \ t(M)).$ ⁹
- (5) $\Pr(M/t(M)) > 0.5 \rightarrow \Pr(M/t(M)) > \Pr(\neg M/t(M)).$ ¹⁰

All of these agree that the antecedent of (the first half of) Hume's maxim:

no testimony is sufficient to establish a miracle, unless ...

is to be read as introducing a necessary condition for the 'posterior' probability of the miracle M given the testimony t(M) to be greater than 0.5 – hence all of (1) to (5) given an identical formal interpretation of that antecedent.¹¹ They also agree that in the consequent, 'more miraculous' is to

⁵ 'Essentially' because I simplify in various ways to keep the formulae as straightforward as possible, notably by silently removing all references to background knowledge and experience. The objections in this section concern only the first half of Hume's maxim, but it is worth noting that Earman's 'double counting' accusation against the second half of the maxim (discussed in §6 below) provides an objection to all five interpretations, since it is clearly preferable to interpret Hume in a way that does not leave the two halves of his maxim mutually incoherent or 'nonsensical'.

⁶ Sobel (1991), p. 232; Gilles (1991), p. 255; Howson (2000), p.242.

⁷ Holder (1998), p. 52. This formula is also considered by Earman (2000, p. 39) under the name '(P)', as being a possible interpretation of what Price (1768, p. 163) took Hume to be saying.

⁸ Price (1768, p. 163) is best interpreted in terms of this formula '(P)', according to Earman (2000, p. 39).

⁹ Sobel (1991, p. 234) calls this '(TM)' and seems to treat it as an improvement on Hume, though Earman (2000, p. 41) mentions a 1996 work of Sobel's – apparently yet to be published – which adopts this formula as his favoured interpretation of Hume himself.

¹⁰ Millican (1993), p. 490; Earman (1993), p. 294; Earman (2000), p. 41; Earman (2002), p. 97.

¹¹ To understand the antecedent as ascribing *certainty* to M given t(M) – i.e. ' $\Pr(M/t(M)) = 1$ ' – would not fit with Hume's text, and would render his maxim ineffective against his opponents in the eighteenth century debate whose more modest aim was mere 'moral assurance' of a miracle (cf. Earman 2002, pp. 98-9). It would also make the corresponding analogues of formulae (1) to (5) trivial as necessary conditions for certainty, and false as sufficient conditions (cf. the discussion later in this section).

be understood as ‘less probable’. But in the light of this agreement, it might well seem bewildering that they can differ so much over the interpretation of the remaining 22 words:

... the testimony be of such a kind, that its falsehood would be more miraculous, than the fact, which it endeavours to establish.

However they achieve this variety only at great cost in plausibility: (1) and (2), for example, misrepresent Hume as being concerned with the probability of the testimony’s being presented, when it clear, at least in Part i of *Enquiry* Section X, that his interest is only in what can be inferred *from* the testimony. (4) is not perhaps objectionable in *quite* the same way, because its consequent is equivalent to that of (5) and so can be read as implicitly treating the testimony as a precondition rather than as something whose probability is being assessed, but it suffers from a corresponding syntactic implausibility, in that ‘M & t(M)’ clearly cannot faithfully represent what is intended by Hume’s words ‘the fact, which [the testimony] endeavours to establish’.

Another powerful range of criticisms concerns the logic of the formulae, especially if we seek an interpretation that can legitimate Hume’s apparent belief that his maxim provides not only a necessary condition, but also a plausibly sufficient condition for the credibility of testimony:

... even in that case ... the superior only gives us an assurance ... I weigh the one miracle against the other ... and always reject the greater miracle. If the falsehood of his testimony would be more miraculous, than the event which he relates; *then*, and not till then, *can he pretend to command my belief or opinion.* (E 10.13, 116, my emphasis)

Here Hume seems clearly to be saying that if some testimony does indeed meet his condition – i.e. is such that its falsehood would be more miraculous than the event reported – then that testimony *does* give assurance, the ‘greater miracle’ (i.e. the falsehood of the testimony) *is* to be rejected, and the testifier *can* aspire to ‘command [his] belief’.

Which of our various formulae provide a plausible necessary and sufficient condition for credibility? The simplest way to appreciate their implications is to represent them in terms of the ‘probability space’ divided according to the truth and falsehood of M and t(M):

	Testimony is given t(M)	Testimony is not given ¬t(M)
Event occurs M	$A = \Pr(M \ \& \ t(M))$	$C = \Pr(M \ \& \ \neg t(M))$
Event does not occur ¬M	$B = \Pr(\neg M \ \& \ t(M))$	$D = \Pr(\neg M \ \& \ \neg t(M))$

We can now represent the consequent of each of (1) to (5) in terms of the corresponding inequalities involving A , B , C and D (which sum to 1, since these four exhaust the possibilities):

- (1) $\Pr(M/t(M)) > 0.5 \rightarrow A + C > B.$
- (2) $\Pr(M/t(M)) > 0.5 \rightarrow A + C > B/(B + D).$
- (3) $\Pr(M/t(M)) > 0.5 \rightarrow A + C > B/(A + B).$
- (4) $\Pr(M/t(M)) > 0.5 \rightarrow A > B.$
- (5) $\Pr(M/t(M)) > 0.5 \rightarrow A > B.^{12}$

The mathematically correct necessary and sufficient condition is simply ' $A > B$ ', and it follows therefore that formulae (1) to (3) are deficient in various ways. The consequent of (1) provides a genuine necessary condition but one that is too lax to be sufficient – if C is non-zero (i.e. if M can occur without being reported), then ' $A + C > B$ ' can be satisfied without in any way implying that M is 'established' by $t(M)$. The consequent of (2) likewise fails to provide a sufficient condition, but it also just fails to be necessary – if A is only marginally greater than B (by a proportion which is small relative to B itself), and C is zero (i.e. M is certain to be reported if true), then (2) will turn out false, having a true antecedent but a false consequent.¹³ Finally (3) can perhaps be seen as virtually sufficient, since its consequent can fail to guarantee its antecedent only if $\Pr(M) > 0.5$, in which case M can hardly be called 'miraculous',¹⁴ but it very obviously fails to be necessary. Because what (3) demands, for M is to be judged credible in the light of testimony, is that M 's *prior* probability, *even before* the testimony is forthcoming, should *already* be sufficiently high to outweigh the conditional probability of its falsehood in the light of the testimony. This criterion has the consequence that no possible testimony can make M , say, 80% credible (i.e. such that the criterion is satisfied and also $\Pr(M/t(M)) = 0.8$ which implies that $\Pr(\neg M/t(M)) = 0.2$), unless M was already at least 20% probable before the testimony was given; but the corresponding threshold

¹² This is trivially simplified from $A/(A + B) > B/(A + B).$

¹³ If $C = 0$ and $A = (1 + \epsilon)B$ where ϵ is small but positive, then the condition for (2) to be false is that $B > \epsilon/(1 + \epsilon)^2$; this will be the case if, for example, $A = 0.09$, $B = 0.085$, $C = 0$, and $D = 0.825$. However the nature of this condition is such that if M is genuinely miraculous (so both A and B must be tiny), then ϵ must itself be negligibly small, and hence the violation of (2) is arguably too minimal to be of serious concern.

¹⁴ Nevertheless it seems very implausible that Hume's criterion should be considered *satisfied* in a case where $A = 0.2$, $B = 0.3$, $C = 0.5$, and $D = 0$ – so that the prior probability of M is 0.7, while its posterior probability after the testimony has been given falls to 0.4. Here $\Pr(M) > \Pr(\neg M/t(M))$, but the testimony counts *against* the event.

for 90% posterior credibility is only 10% initial probability – ludicrously, the posterior figure rises while the prior diminishes!

Such mathematical analysis can be made more vivid with clear counterexamples, so here first is one from my 1993 paper (p. 492) which is equally effective against both (1) and (2), and proves that neither of them even gets close to providing a sufficient condition for credibility:

Consider ... the entirely bogus but wealthy ‘Psychic Sam’, who in order to further his reputation adopts a policy of regularly taking out advertisements in a wide range of weekly newspapers, each of which purports to predict the result of a local weekly lottery (the idea being that Sam’s many failures will be overlooked as long as the advertisements are suitably discreet, whereas a single success could be publicized to make his name). Suppose now that I am the last person to buy a ticket before the Little Puddleton lottery, and receive number 3247, although 9999 tickets were originally available. In this case it may well be more likely that I will win the lottery (1 in 3247) than it is that Sam will have predicted my success (say, 1 in 9999), but this clearly does nothing whatever to add credibility to his testimony.

In this sort of case, where $t(M)$ is antecedently even more improbable than M but is utterly worthless as testimony, both (1) and (2) will incorrectly judge that M is established.¹⁵

Against (3), imagine that I am conducting an experiment on some type of sub-atomic particle – let’s call them ‘aleph’ (\aleph) particles – created by nuclear collisions. Whenever a relevant collision takes place, various particles result, and let us suppose that 1% of these collisions will yield an \aleph particle. My detector is highly reliable, but not infallible: if an \aleph particle is present, it will be registered with 99.9% probability, but 0.1% of those collisions that do not create an \aleph particle will also register on the detector (hence both ‘false negatives’ and ‘false positives’ have an identical probability of 0.1%). Now suppose that on the next collision, my detector gives a positive result – should I believe it? The table of probabilities comes out like this:

	\aleph particle reported $t(M)$	\aleph particle not reported $\neg t(M)$
\aleph particle created M	$A = 0.999\%$	$C = 0.001\%$
No \aleph particle created $\neg M$	$B = 0.099\%$	$D = 98.901\%$

¹⁵ Where, as here, the testimony is entirely independent of M ’s truth or falsity, (1) is violated also where M and $t(M)$ have an equal antecedent improbability.

In these circumstances, the posterior probability that an π particle was indeed created is very nearly 91% – the formula being $A/(A+B)$ – so the report is in fact eminently credible (with odds of ‘10:1 on’), but condition (3) – which requires that $A+C > B/(A+B)$ – is nowhere near being satisfied, because $A+C$ is only 1% while $B/(A+B)$ is over 9%. The right-hand side of the inequality, $\Pr(\neg M/t(M))$ or $B/(A+B)$, gives an appropriate *threshold* for credibility, since this represents the probability that the report, once given, will be false. But what should be compared against this threshold is obviously $\Pr(M/t(M))$ or $A/(A+B)$: the probability that the report, once given, will be true (thus leading to (5), the interpretation advocated by Earman and myself in 1993). For as the particle detector example illustrates, it is simply absurd to insist that a report is incapable of establishing M unless M starts off with an *initial* probability – $P(M)$ or $A+C$ – which *already* exceeds this threshold even before the report has been given.

2. The ‘Trivial’ Interpretation of Hume’s Maxim

All this might seem to leave the 1993 Earman/Millican interpretation (5) in possession of the field, at least if Hume’s maxim is to retain any degree of plausibility:

$$(5) \quad \Pr(M/t(M)) > 0.5 \rightarrow \Pr(M/t(M)) > \Pr(\neg M/t(M)).$$

But this too is subject to various objections, sufficient at least to justify a search for some further option beyond the five already examined. The most decisive objection will become apparent in the next section, but a first, relatively minor, objection is that ‘ $\Pr(M/t(M))$ ’ seems a slightly strained reading of ‘the fact, which [the testimony] endeavours to establish’ – read most naturally, Hume’s phrase would seem to indicate just the overall probability $\Pr(M)$ rather than any conditional probability.¹⁶ A rather more significant objection is to (5)’s logical triviality, since it can be seen to follow immediately from the relevant instance of the negation principle, which states that $\Pr(M/t(M))$ and $\Pr(\neg M/t(M))$ must sum to 1. Indeed the formula’s triviality is easy to see even without invoking this principle explicitly, simply by noting that its left-hand side and right-hand side respectively express the two most straightforward probabilistic translations of the proposition that, given the testimony, the miracle is more probable than not. But if Hume’s maxim really does reduce to the simple tautology that a miracle is more probable than not only if it is

¹⁶ A related point is that the phrase ‘more miraculous’, which seems to indicate a comparison between very small probabilities, is at least infelicitous if the values being compared are the conditional probabilities $\Pr(M/t(M))$ and $\Pr(\neg M/t(M))$, at least one of which must be greater than or equal to 0.5.

more probable than not, then Earman's complaint that it is banal and unilluminating (2000, p. 41; 2002, p. 97) would appear to be well founded; likewise his accusation that Hume's essay is slippery and misleading, in presenting a mere tautology as though it were a significant contribution to the philosophy of religion (2000, p. 43-8; 2002, p. 94). For corresponding reasons, those who do ascribe such significance to Hume's discussion might well find grounds here for rejecting interpretation (5).

My paper of 1993, which was largely devoted to advancing (5) in preference to Sobel's (1), attempted to defend Hume against the anticipated charge of triviality as follows:¹⁷

I see no overwhelming objection to attributing to Hume a maxim which, when expressed in probabilistic terms, is a 'near tautology'. And this is because I believe that Hume can plausibly here be seen, not as putting forward a new theorem to an audience already familiar with a probabilistic framework, but rather, and more fundamentally, as presenting an argument for interpreting the evidence for miracles within some such framework in the first place . . . (p. 494)

However this response is not entirely convincing, and the example I gave to substantiate it, when viewed clearly, sits very uncomfortably with (5) as an interpretation of Hume's maxim:

Suppose that I develop a test to diagnose a debilitating genetic condition which suddenly manifests itself in middle age, but which fortunately afflicts only one person in a million. The test is fairly reliable, in that no matter who is tested, and whether they actually have the disease or not, the chance that the test will give a correct diagnosis is 99.9%, and an incorrect diagnosis only 0.1% (it is never inconclusive). A hypochondriac, Fred, who is anxious because of his approaching fortieth birthday, comes to my clinic for a test, which much to his horror (if not surprise!) proves positive. What, on the basis of this information, is the probability that Fred has the disease?

... imagine the effect of performing my test on the entire population of Britain (say 55 million). Of these 55 million, roughly 55 could be expected to have the disease (since it afflicts only one in a million), and it is likely that every one of these 55 will receive a positive result when tested (since the test is 99.9% probable to give a positive result for each of them individually). But now consider the 54,999,945 who do not have the disease – the vast majority of these will, of course, receive a negative result, but nevertheless 0.1% of them, or roughly 55,000, can be expected to receive an incorrect positive result. So out of 55,055 positive results overall, only 55 will be correct. Clearly a positive test does relatively little to indicate that one actually has the disease: it merely changes the relevant probability from a negligible one in a million to the only slightly more worrying one in 1001 (55 in 55,055).

... On leaving my clinic, Fred should simply ask himself whether

¹⁷ In this context it is worth noting (cf. Millican (1993), p. 493-4) that Sobel's formula (1) is equally trivial; indeed it is obvious that (5) implies (1) given that if $A > B$ (and $C \geq 0$), it follows immediately that $A + C > B$.

the test is of such a kind, that its falsehood would be more surprising, than the disease, which it endeavours to establish.

Given that the test is wrong one time in a thousand, while the disease afflicts only one in a million, Hume's test should at least be sufficient to mitigate Fred's hypochondriac concern! Trivial it may be, but ... it can ... protect us ... from our natural human tendency to overlook completely the importance of initial probabilities when assessing the impact of evidence, testimony or otherwise, for allegedly extraordinary events. (pp. 494-5)

This last paragraph slides misleadingly over a crucial ambiguity, for as I pointed out in a footnote at the time, the probability of a *positive* test's falsehood – in the sense 'Pr(\neg M/t(M))' as implied by formula (5) – is *not* one in a thousand but rather 1000/1001, a figure that comes from calculation in the light of *everything* known about the present case and its background circumstances (including the rarity of the disease) rather than just from statistical knowledge of the test itself. So the question that potentially brings Fred consolation, when he compares one in a thousand to one in a million and reflects that he is probably safe after all, is *not* in fact the question that corresponds to interpretation (5), which would have Fred instead uselessly asking whether

in the light of the test's result, that result's falsehood [i.e. the absence of the disease] would be more surprising than its truth [i.e. the disease's presence].

Clearly *this* question is merely a rephrasing of Fred's anxious concern; and there is no real comfort to be had from reflecting on a mere tautology.¹⁸ The upshot is that interpretation (5) cannot after all be defended against Earman's change of triviality, and so we have yet to find a reading of Hume's maxim which is logically, textually, and epistemologically plausible.

3. Testimony 'Of Such a Kind ...'

Despair of finding a satisfactory interpretation of Hume's maxim would, however, be premature, because despite the apparent variety displayed by (1) to (5), they all share a characteristic which can be seen to be highly questionable when set alongside Hume's actual words:

no testimony is sufficient to establish a miracle, unless the testimony be *of such a kind*, that its falsehood would be more miraculous, than the fact, which it endeavours to establish.
(my emphasis)

¹⁸ I take it that those who derive comfort from 'What will be, will be' are understanding this as some kind of statement of the role of destiny, and hence as more than a tautology.

All of (1) to (5) are ‘token’ interpretations of the maxim,¹⁹ in that they aim to assess the likelihood of a miracle in the light of the specific item of testimony concerned, and the impact that that particular testimony has on the miracle’s overall probability. By contrast, I shall now advance a ‘type’ interpretation, which aims to take more seriously Hume’s phrase ‘testimony ... *of such a kind*’, thus drawing a relatively clear logical distinction between the left-hand side of Hume’s maxim (concerning this particular miracle’s probability in the light of the specific *token* evidence given) and the right-hand side (concerning the relative probability of the different *types* of outcome – miracle and falsehood of this *kind* of testimony respectively). Whatever else its virtues or faults, at least such an interpretation cannot be merely trivial; hence if one can be found that is textually plausible and logically coherent, it is unlikely to fall foul of Earman’s main complaint in being devoid of epistemological significance.

What does Hume mean by ‘a kind’ of testimony? Those who have set out to interpret his essay in Bayesian terms have perhaps naturally tended to read this as involving all of the circumstances, character, manner, and content of the particular report (an avenue which leads straight back to a token interpretation), but the structure of Hume’s discussion suggests something rather different, namely the general circumstances, character, and manner of the report, *but not its content*.²⁰ He starts from the fundamental claim that testimonial evidence is essentially inductive: ‘our assurance in any argument of this kind is derived from no other principle than our observation of the veracity of human testimony, and of the usual conformity of facts to the reports of witnesses’ (E111). He then goes on to refine this claim, to take into account how the experienced conformity of facts to testimony has been found to vary according to the nature of the testimony:

There are a number of circumstances to be taken into consideration in all judgments of this kind ... The contrariety of evidence ... may be derived ... from the opposition of contrary testimony; from the character or number of the witnesses; from the manner of their delivering their testimony; or from the union of all these circumstances. ... There are many other particulars of the same kind, which may diminish or destroy the force of any argument, derived from human testimony. (E112-3)

¹⁹ This terminology was introduced in Millican (1993), pp. 490-1, which had the relatively limited aim of showing that, among the various ‘token’ interpretations, (5) is preferable to (1), and explicitly left the development of a satisfactory ‘type’ interpretation as unfinished business (p. 495 n. 8). The current paper is my attempt to fill the gap.

²⁰ However the content of the report can impact on the report’s character (as Hume understands this), for example where the claim reported tends to support a religious belief and thus provides a self-interested motive for the testimony. The distinction here between ‘nature of the testimony’ and ‘nature of the testified claim’ is not easy to make precise, but fortunately Hume’s discussion and the general thrust of his conclusion do not seem to require that the distinction be a sharp one.

It is within this context that Hume begins to turn his attention, in the very next sentence, towards the topic of the miraculous:

Suppose, for instance, that the fact, which the testimony endeavours to establish, partakes of the extraordinary and the marvellous; in that case, the evidence, resulting from the testimony, admits of a diminution, greater or less, in proportion as the fact is more less unusual. (E113)

Here the unusualness of the reported event is identified as one additional factor that bears on the credibility of testimonial reports. But Hume then immediately goes on to isolate this particular factor, and to view it as balanced *on the other side of the scale* against the characteristics of the testimony that incline us to believe it, resulting in ‘a counterpoise, and mutual destruction of belief and authority’ (E113). The extreme case of this counterpoise, which leads on almost immediately to Hume’s maxim, is where the reported fact

is really miraculous; and ... *the testimony, considered apart and in itself*, amounts to an entire proof; in that case, there is proof against proof, of which the strongest must prevail, but still with a diminution of its force, in proportion to that of its antagonist. (E114; my emphasis).

So it is indeed clear from the context of Hume’s maxim that when it refers to ‘testimony ... of such a kind ...’, the *kind* in question here is to be understood as characterising *the testimony, considered apart and in itself*, involving such things as ‘the character or number of the witnesses’ and ‘the manner of their delivering their testimony’, but *not* the unusualness of the reported event. Since, however, the whole point of Hume’s discussion is to emphasise the huge impact that such unusualness can have on the testimony’s overall credibility, it follows that within any formal representation of his maxim, *the miraculousness of the testimony’s falsehood considered apart and in itself* (i.e. what is to be balanced against *the miraculousness of the fact which it endeavours to establish*) cannot be correctly represented as the overall conditional probability $Pr(\neg M/t(M))$. So even leaving aside the question of its objectionable triviality, formula (5) as canvassed by Earman and myself in 1993 cannot possibly provide a faithful interpretation of Hume’s intentions.²¹

4. A ‘Type’ Interpretation of Hume’s Maxim

If the preceding discussion is correct, then Hume’s maxim must be understood in such a way that the probability of the testimony ‘considered apart and in itself’ is distinguished from, and weighed

²¹ This is the really decisive objection alluded to in the first paragraph of §2 above. Formula (5) – like formulae (1) to (4) also – is simply inconsistent with the way in which Hume’s text identifies and distinguishes the factors that are to be weighed against each other.

against, the improbability of the reported event considered independently of that testimony. Hume's idea seems to be that different 'kinds' of testimony (specified in terms of the character and number of the witnesses, the manner of delivery etc.) carry a different typical probability of truth and falsehood *independently of the event reported*. Suppose, then, that we focus on a particular kind of testimony – whose probability of falsehood is f – which either asserts, or denies, the occurrence of a particular kind of event – whose probability of occurrence is m . If event and truth of testimony are probabilistically independent, we have the following situation:

	Testimony is true (probability $1-f$)	Testimony is false (probability f)
Event occurs (probability m)	witness asserts E occurred probability $m(1-f)$	witness denies E occurred probability mf
Event does not occur (probability $1-m$)	witness denies E occurred probability $(1-m)(1-f)$	witness asserts E occurred probability $f(1-m)$

Of the four possibilities, two (those shown unshaded) yield positive testimony to the event, namely, when the event occurs and is truly reported [with initial probability $m(1-f)$] or when it does not occur but is falsely reported as having done so [with initial probability $f(1-m)$]. Hence if positive testimony is known to have been given, we must revise these initial probabilities by increasing both of them proportionately so that they sum to 1, which therefore involves multiplying each of them by $\frac{1}{m(1-f) + f(1-m)}$. The upshot is that *the conditional probability that the testimony is true, given that positive testimony has been given*, is:²²

$$\Pr(M/t(M)) = \frac{m(1-f)}{m(1-f) + f(1-m)},$$

and this testimony will turn out to be more likely than not in accordance with the formula:

$$\Pr(M/t(M)) > 0.5 \rightarrow f(1-m) < m(1-f)$$

which simplifies to:

²² Though differently expressed, the formula given here is equivalent to the one suggested by Condorcet for the assessment of testimony in his *Mémoire sur le calcul des Probabilités* of 1784 (cf. Pearson (1978), pp. 459-60). I am grateful to David Owen (1987, p. 339) for alerting me to this parallel.

$$\Pr(M/t(M)) > 0.5 \rightarrow f < m.$$

This result neatly corresponds to Hume’s maxim, since its right hand side is exactly equivalent to saying that *the falsehood of the testimony, considered apart and in itself* is more miraculous (i.e. less probable) than *the event reported, considered independently of the testimony*.

It is very striking that the mathematical development of a ‘type’ interpretation, following so directly from Hume’s text and his apparent assumption of independence, should yield such a simple formula that corresponds so precisely to the words of his maxim. But this in itself might engender some suspicion, because it is obviously implausible to suggest that Hume himself would have followed any such mathematical route. Fortunately, however, there is a far simpler alternative route to the same destination, which is sufficiently Humean in spirit to provide an entirely plausible account of how he might have come to his maxim. This alternative starts from his own fundamental idea of opposing evidences whose force is derived from their inductive consistency. In the situation of a miracle report we have a conflict between the evidence of testimony, presumed to have a consistent correlation with truth, and the evidence of nature, whose consistency tells in the opposite direction, against the occurrence of the miraculous event:

	Testimony is true	Testimony is false
Nature is ‘false’	<i>E occurred</i>	
Nature is ‘true’		<i>E did not occur</i>

The layout here corresponds exactly to that of the previous table, but, by omitting the mathematics and the irrelevant cells, this version highlights how Hume’s treatment of the credibility of testimony reduces the issue to a simple trial of strength, between the inductive evidence for the testimony and the inductive evidence for the relevant ‘law of nature’. One of these must be ‘true’ and the other ‘false’, and all we can do to adjudicate between them is to compare their relative force. It seems entirely plausible that Hume saw the issue in just this way, in which case the ‘type’ interpretation presented above can indeed claim to be a faithful mathematical elaboration of his view rather than an anachronistic distortion.

5. Establishing the Coherence and Significance of Hume's Maxim

The interpretation proposed in the previous section is not without philosophical difficulties, because its model for the assessment of testimony is clearly rather simplistic, and in particular the apparent universal presumption of probabilistic independence is highly implausible. One notable situation in which such independence looks likely to fail is with something like a lottery result, where the initial probability that a sincere witness will 'get it wrong' on a positive claim:

The winning number was 297

seems much higher than in the case of a negative claim:

The winning number was not 374

since a misremembering of the winning number will inevitably lead to falsehood in the former case, but is unlikely to do so in the latter. Hume's discussion cannot therefore claim to give a fully adequate treatment of lottery examples, and it is not surprising that these have proved to be a popular source of ammunition for his critics, from Richard Price to the present day.²³ It is vital to recognize, however, that these sorts of difficulty cut both ways, because the eighteenth century philosophers who argued for the truth of miracle reports themselves appealed to the idea of independence: Price for example argues strongly, in opposition to Hume, that testimony of particular kinds can be assigned a characteristic probability independently of the event reported, and should therefore be taken equally seriously in miraculous as in other cases (1768, pp. 163-6). Moreover Part ii of Hume's essay reveals that he himself is *not* after all a believer in such independence, and it is illuminating to read his 'a posteriori' arguments in this light, as strengthening the case against miracles precisely by rejecting the assumption of independence on the ground that the probability of false testimony (e.g. resulting from wishful thinking or motivated deceit) is vastly increased when the reported event is a religious miracle.

There is, then, much more to be said on the question of whether Hume's argument has a sound basis, either as a positive contribution to the philosophy of testimony or as a refutation of the views of others. But now is not the time to explore these issues, and for present purposes it will suffice to demonstrate that the interpretation presented in §4 above avoids the various

²³ For a discussion of lottery examples with appropriate references, see pp. 454-5 of Millican (2002c). However the scholarly debate outlined there has, I believe, been somewhat off-target in failing to recognize the point just made, regarding the role of the independence assumption and why lottery cases inevitably violate it. If this point is correct, then it can plausibly be claimed that lottery examples are irrelevant to the general strategy of Hume's case against miracles, as elaborated in the remainder of the current paragraph.

objections that beset our five rival ‘token’ interpretations, and in particular, that unlike (5) – the strongest of the five – it can confer Hume’s maxim with some real significance. To start with the syntactic objections, these are easily sidestepped because the ‘type’ interpretation matches Hume’s words almost perfectly: when he compares the ‘miraculousness’ of the event with that of the falsehood of the given kind of testimony, I interpret him as comparing precisely the two corresponding independent probabilities. No violence is done to his text, and the only extrapolations beyond his literal words – reading ‘more miraculous’ as ‘less probable’, and taking the relevant probabilities to be independent – have a solid foundation in the immediate textual context of the maxim.²⁴

In cases where the assumption of independence is justified, moreover, this ‘type’ interpretation is both significant and logically sound, as can be illustrated by the two examples given earlier, of the medical test and the aleph particle detector. Both of these examples are easily accommodated – in the medical case the probabilities for f and m are $1/1000$ and $1/1000000$ respectively, while in the particle detector case they are $1/1000$ and $1/100$. For such cases, moreover, Hume’s maxim thus interpreted delivers exactly the right answer, giving both a necessary and a sufficient condition: in the absence of any other relevant evidence, a positive report is to be believed if and only if the falsehood of the report would be ‘more miraculous’ (i.e. less likely) than the occurrence of the phenomenon reported. Though a logical truth, this result is certainly not trivial like interpretation (5) of Hume’s maxim; indeed it is sufficiently informative to provide valuable practical guidance on the significance of such things as diagnostic tests.

6. The Accusation of Double Counting

Having vindicated the first half of Hume’s maxim, let us move on to its second half, and start by considering Earman’s accusation of ‘double counting’ which he presents as follows (2000, p. 43):

the second half of the Maxim appears to be nonsensical. Recall that it says that ‘*even in that case* there is a mutual destruction of arguments, and the superior only gives an assurance suitable to the degree of force, which remains, after deducting the inferior’. The italicised phrase suggests that even when the testimony is of such a kind that its falsehood would be more miraculous than the fact which it endeavours to establish there is still a *further* destruction of arguments. Such talk appears to involve an illicit double counting: the weighing up of the countervailing factors ... has already been done, and if the result is that $\Pr(M/t(M)) > 0.5$,²⁵ then that’s the way it is, and no further subtraction is called for.

²⁴ Moreover in substituting ‘more miraculous’ by ‘less probable’, the infelicity mentioned in footnote 16 above is avoided, because this substitution seems far more comfortable when the probabilities concerned are genuinely tiny.

²⁵ Here the quoted formula has been simplified in accordance with the policy of footnote 5 above.

This accusation clearly loses force if the maxim is interpreted in the way suggested in §4 above, because thus interpreted it does not involve any explicit calculation of the overall conditional probability $\Pr(M/t(M))$, but only a comparison between f and m . And in the circumstances envisaged, where the event reported is in itself highly improbable, Hume is obviously right to imply that this overall conditional probability will work out to be less than $(1-f)$, which is *the probability of the testimony, considered apart and in itself*. A possible objection remains, however, for it is far from clear that this diminution of probability can be correctly described as a simple ‘deduction’ or arithmetical subtraction.²⁶

7. Subtracting Humean Probabilities

Here it must be remembered that even in his writings on ‘probability’, Hume was not developing a mathematical theory of chance, but was primarily concerned (especially in the *Treatise*) to explain the psychological mechanism whereby in relevant circumstances we acquire expectations or tentative beliefs of various imperfect degrees of certainty. Moreover he never explores with any rigour the arithmetic of the ‘force and vivacity’ that constitutes these degrees of belief – the working out of a Humean theory of mathematical degrees of probability must therefore involve some extrapolation beyond what he literally stated. Nevertheless it is possible to fill out a coherent theory, and we shall see that when this is done, his talk of ‘subtracting’ probabilities can be seen to make reasonable sense, both in his general discussions of probability and also (*contra* Earman) in his maxim concerning miracles.

Within the *Treatise* and *Enquiry*, Hume speaks most explicitly of subtracting or deducting probabilities at T138, E111, E116, and E127 (the last three all being in ‘Of Miracles’). Gower (1991, pp. 12-13) suggests that Hume has in mind a non-standard theory of probability, according to which evidential force is to be assessed by subtracting the number of negative instances from the number of positive instances, so for example a balance of 3:1 in favour gives twice the evidential force of a 2:1 balance. Such a theory is however incoherent, since it implies that a 4:2 balance has the same force as a 3:1 balance, and hence double the force of a 2:1 balance, even though examples can easily be devised which can count as either 2:1 or 4:2 depending on how the

²⁶ Earman states (2000, p. 43) that ‘commentators from Campbell (1762) onward have complained about the crudity’ of Hume’s ‘subtraction’ approach, though Earman acknowledges that in contexts other than the maxim, ‘the idea is appropriately but crudely applied’. The potential objection to be discussed in the next section is not explicitly raised by Earman, because on his reading (as indeed on all five of the ‘token’ interpretations), the second half of Hume’s maxim is ‘nonsensical’ in requiring any diminution at all.

component possibilities are divided up.²⁷ Fortunately, as Gower himself recognizes, there is no need to interpret Hume in this simplistic manner:

Without too much violence to the spirit of Hume's proposal we can easily modify it so as to yield probabilities between zero and one; we can simply divide the difference between superior and inferior numbers of observation by their sum. (p. 15)

Indeed such a modification is definitely required if we are to be faithful to Hume, since in the same sections where he discusses this kind of subtraction of instances (and in other sections besides), he also uses terms implying proportionality.²⁸ He is most explicit on this in the *Treatise* section on 'the probability of chances' (I iii 11), where he elaborates a theory of probability involving a strictly proportionate division of the inductive impulse (induction being the foundation of all belief in matter of fact) which very clearly implies that a 4:2 balance of instances must be exactly equivalent to a 2:1 balance in terms of the resulting strength of belief:

we shall suppose a person to take a dye, [such that] four of its sides are mark'd with one figure ... and two with another; and to put this dye into the box with an intention of throwing it ... When [the mind] considers the dye as no longer suspended by the box, it cannot without violence regard it as suspended in the air; but naturally places it on the table, and views it as turning up one of its sides. ... yet there is nothing to fix the particular side, but that this is determin'd entirely by chance ... The very nature and essence of chance ... [leaves] the mind in a perfect indifference among those events ... this principle ... directs us to the whole six sides after such a manner as to divide its force equally among them. ... The determination of the thought is common to all; but no more of its force falls to the share of any one, than what is suitable to its proportion by the rest. 'Tis after this manner the original impulse, and consequently the vivacity of thought, arising from the causes, is divided and split in pieces ... 'Tis evident that where several sides have the same figure inscrib'd on them ... the impulses belonging to all these sides must re-unite in that one figure, and become stronger and more forcible by the union. ... The vivacity of the idea is always proportionate to the degrees of the impulse ... and belief is the same with the vivacity of the idea ... (T127-30)

²⁷ Consider, for instance, the probability that a randomly spun (non-magnetic) spinner will stop with its pointer facing within 120° of due north. If we treat the circle as divided into three sectors of 120° each, then the balance in favour is 2:1, but if we treat it as divided into six sectors of 60° each, then the balance is 4:2. It might be suggested that the principles of Book I Part ii of Hume's *Treatise* imply the existence of some 'correct' answer as to how the circle should be divided up – i.e. into absolute minima – but unfortunately this way of dividing up the space of possibilities just makes things worse, for on Gower's subtraction model a balance of, say, 2 million:1 million implies a 'surplus' of a million, yielding far too high a probability by comparison with other examples (e.g. the 51:1 balance applying to the prediction that a randomly chosen card from a pack will *not* be the ace of spades, which gives a surplus of only 50, though the real probability here is very obviously significantly greater than in the spinner example).

²⁸ See for example T134, T136, T139-40, E56-8, and E110-11. It may be significant that loose talk of subtraction is entirely absent from Section VI of the *Enquiry* (E56-9), which is the mature Hume's 'official' account of probability.

What results from this is still non-standard, because Hume's emphasis on subtraction of the resulting proportionate impulses effectively generates 'credibilities' ranging from -1 to 1 (-1 being where all instances are negative). But though computationally complex, the resulting calculus can be developed equivalently to standard probability theory (the equations $C = 2(P - \frac{1}{2})$ and $P = \frac{1}{2}(C + 1)$ providing linear mappings between credibilities and probabilities), so it is certainly not incoherent.²⁹ If, for example, we apply this calculus to an induction from inconsistent experience where the balance of observed positive to negative instances is 3:1, we will derive a 'credibility' value of $(3-1)/(3+1) = 0.5$, equivalent to a conventional probability of 0.75, just as we would expect on the basis of the traditional 'straight rule', which indeed seems the appropriate answer if the balance of past instances is all that we have to go on.

Let us now turn to see how this interpretation of 'subtraction' might apply to miracles, in respect of which the second half of Hume's maxim tells us that *where the falsehood of the testimony is even more miraculous than the event reported*, 'there is a mutual destruction of arguments, and the superior only gives us an assurance suitable to that degree of force, which remains, after deducting the inferior' (E116). In this hypothetical situation – which Hume of course believes to be *extremely* unlikely – the testimony is supposed to be sufficiently strong to outweigh even the improbability of a miraculous event. Consider, for example, what happens where an event M is reported of a type that can be expected to occur only 3 times in 1000, while the testimony is of a kind that can be expected to be false only 1 time in 1000 (or, to be more 'miraculous', respectively 3 and 1 in a billion – the result will be similar, but the lower numbers are easier to handle here). Evidently we should be surprised, for this implies that *something* improbable has come about. But on the principle of Hume's maxim the two improbabilities have to weighed against each other, using the same kind of 'subtraction' as he advocates for standard probabilities, so we must treat this case in essentially the same way as our example of simple induction based on 3:1 inconsistent experience.³⁰ This will yield a 'credibility' value of

²⁹ I coin the word 'credibility' to avoid confusion with probability. Using 'C' for 'credibility', the rule for disjunction of mutually exclusive events is: $C(A \vee B) = C(A) + C(B) + 1$, and the rule for conjunction of independent events is: $C(A \& B) = \frac{1}{2}(C(A).C(B) + C(A) + C(B) - 1)$. The main computational complexity obviously comes in the latter.

³⁰ There is another way of applying the 'subtraction', by basing it on the comparison between the complements of 0.003 and 0.001, namely 0.997 and 0.999 respectively, and Hume's words could perhaps bear either interpretation. However this alternative method would imply virtual indifference between the two 'arguments', which is inconsistent with his generally proportionate treatment of probability and would moreover imply virtual indifference also where the roles are reversed, in the commonplace – arguably universal – situation where the miracle is 'more miraculous' than the falsehood of the testimony (and in this situation, of course, Hume shows no inclination to suspend his judgement). As I interpret him, Hume is quite reasonably viewing the case of a 3-in-1000 event versus a 1-in-1000 falsehood as

$(0.003 - 0.001) / (0.003 + 0.001) = 0.5$, equivalent again to a probability of 0.75, but some obvious questions arise: is Hume right to handle these two types of situation – straight rule induction, and testimony for miracles – using the very same formula? How can this be justified, and how does it square with the first half of his maxim as interpreted in §4 above?

The answers can be found by comparing our just-derived probability of 0.75 with a Bayesian calculation using the relevant formula from §4, substituting 0.003 for m (the initial probability of the miracle) and 0.001 for f (the initial probability of the testimony's falsehood):

$$\Pr(M/t(M)) = \frac{0.003 \times 0.999}{0.003 \times 0.999 + 0.001 \times 0.997} = \frac{0.002997}{0.003994} = 0.750375\dots$$

The striking thing here is the closeness of the two results, and this is no coincidence. For Hume's simple 'subtraction' rule, as described above, will always give a close approximation to the result of the Bayesian calculation *as long as m and f are sufficiently small*.³¹ In the case of a miracle, of course, m is certain to be extremely small, and Hume's maxim only sanctions the use of his 'subtraction' rule for the case of miracles where f is even smaller. So though admittedly not exact, the second half of his maxim, so far from being an incoherent nonsense, turns out to be a very useful approximation for calculating the actual probability that underlies the first half of his maxim. Where the first half gives the condition for testimony to be credible, the second half provides an excellent numerical approximation of the resulting 'credibility'.

7. Conclusion: The Significance and Originality of Hume's Essay

If the response I have presented to Earman's challenge is successful, then Hume's famous maxim concerning miracles is neither trivial nor incoherent: it can give genuinely practical, and broadly correct, guidance on the interpretation of evidence for some unlikely events, and it does not involve any illicit 'double counting'. Moreover although its scope should theoretically be limited to those situations where a certain assumption of independence is justified – where the credibility of some kind of testimony can legitimately be assessed without regard to the specific content of that testimony – nevertheless Hume's strategy of building his general case against miracles by

being rather like that of a lottery of 1000 tickets in which I buy 3 blue tickets and 1 white ticket, and later discover that I've won – the probability that I've won *with a blue ticket* will then clearly be 3 out of 4 (and the total number of tickets in the lottery is here completely irrelevant). Likewise, if I know that *either* a 3-in-1000 event *or* a 1-in-1000 falsehood has in fact occurred (in the situation envisaged by the second half of Hume's maxim), it seems obvious that the appropriate comparison is 3 to 1 rather than 997 to 999.

³¹ To see why this is so, note that the calculation above gives a result of 0.75 if 0.999 and 0.997 are approximated by a value of exactly 1, and such an approximation is appropriate only if m and f are very small.

starting from this assumption is not unreasonable. First, because such independence was anyway typically taken for granted by his opponents, and even in some cases explicitly advocated by them as the basis for accepting miracle reports. Secondly, because Hume goes on from this starting point to develop his case further in Part ii of his essay, in effect arguing that the assumption of independence is, if anything, over-generous to the believer. All this is not necessarily to endorse Hume's negative conclusions, but it does indicate that his maxim against miracles retains significant force, and is very far from being the empty tautology that Earman alleges.

I shall end by briefly addressing the implications for a closely related further attack that Earman mounts in his book, and which he advertises aggressively in its Preface:

It is almost universally assumed, by Hume's admirers and critics alike, that 'Of Miracles' offers a powerful and original argument against miracles. On the contrary, I contend that Hume's argument is largely derivative [and] almost wholly without merit where it is original ... (p. vii)³²

Earman substantiates his accusation that Hume's argument is 'largely derivative' by reference (pp. 14-20) to various earlier philosophers' discussions of miracles, in particular by Locke, Woolston, Sherlock, and Annet, and by deference to an influential article of David Wootton.³³ Wootton's claim (1990, pp. 223, 226-7), evidenced in part by the various works that Earman cites, is that Hume's originality lay not in his use of examples or of the 'a posteriori' arguments that make up Part ii of his essay, but rather, precisely in the 'maxim' with which he concludes Part i and of which (as we have seen) Earman is so critical. Hence Earman's dismissal of Hume's originality seems to go hand in hand with his 'trivial' interpretation of that maxim.

It follows that to defend Hume's maxim from Earman's charge of triviality is *ipso facto* to defend Hume's originality, but I would suggest that if we look also at the reasoning that Hume provides for his maxim, we can go yet further in at least two respects. First, Hume – unlike the various predecessors cited by Earman – puts great emphasis on his characteristic general principle that the evidence of testimony is itself founded on experience, and is thus ultimately *of the same species* as the evidence for the regularities that any miraculous testimony contradicts. Not only

³² Earman also adds the criticism that Hume's argument 'reveals the impoverishment of his treatment of inductive reasoning'. There is insufficient space to discuss this charge here, but for evidence that Hume's treatment of inductive reasoning is considerably more subtle and sophisticated than Earman and many others have presumed, see for example Garrett (1997), Millican (2002a) pp. 60-3, (2002b) pp. 162-6, (2002c) pp. 437-40. Hume's *psychology* of probability may start from the admittedly simplistic 'straight rule', but his principles of probable inference do not by any means end there.

does Hume explicitly spell out this point in developing his argument (E111), but also, his essay starts by alluding to an argument of Tillotson's which fits his description as being 'of a like nature' (E110) only on the assumption that Hume sees this very point as being central to his own argument's structure (Tillotson had argued that the evidences for and against transubstantiation are of the same species, as both being founded on the senses).³⁴ This principle, *that the authority of testimony must be derived from experience* (just as with any other evidence concerning matter of fact), is so paradigmatically Humean that seeing it as Hume's most distinctive contribution to his argument on miracles fits perfectly with his own account of the circumstances in which that argument first occurred to him:³⁵

I was walking in the cloisters of the Jesuits' College of La Flèche ... and engaged in a conversation with a Jesuit ... who was ... urging some nonsensical miracle performed in their convent, when I was tempted to dispute against him; and as my head was full of the topics of my *Treatise of Human Nature*, which I was at that time composing, this argument immediately occurred to me ...

Unless the same principle can be found in earlier writers, this provides another instance of the originality of Hume's contribution to the eighteenth century debate on miracles.

Another respect in which Hume's essay may well represent an original contribution is more debatable, but of greater potential significance. We have seen that Earman is highly critical of Hume's admittedly crude description of the adding and subtracting of inductive evidence (discussed in §7 above), and he contends that an appropriate account of induction requires the use of Bayesian inference (e.g. 2000 pp. 22-9, 70-2). The irony here is that, arguably, the most original aspect of Hume's essay on miracles is precisely that it involves a clear application of a fundamental principle of Bayesianism, that factual inference should take account of prior probabilities.³⁶ Nor is this the only context in which Hume seems to argue in a Bayesian manner, as witness the following passage from his *Dialogues Concerning Natural Religion* (pp. 203-5):

³³ Extracts from the cited works by Locke, Sherlock, and Annet are also reprinted in Part II of Earman's book, and relevant references to Wootton are at pp. 19, 25, and 80 n. 32.

³⁴ Tillotson's argument is discussed by Earman (p. 20, 80-1 n. 33), Wootton (pp. 206-7) and Stewart (1994, pp. 84-5), but none of these seems clearly to have grasped what I believe is the central point of Hume's reference to it, namely, the similarity of species which serves to reduce the conflict of (superficially very different types of) evidence to a relatively straightforward trial of strength.

³⁵ From Hume's letter to George Campbell of 7th June 1762, in Greig (1932), p. 361.

³⁶ There is also a further irony in the fact that Richard Price, who brought Bayes's famous essay to publication and whom Earman praises highly for his criticisms of Hume, objects to precisely this aspect of Hume's argument. Price (1768, pp. 162-9) strongly resists the idea that the prior improbability of a miracle-type event should have a direct

It must, I think, be allowed, that, if a very limited intelligence, whom we shall suppose utterly unacquainted with the universe, were assured, that it were the production of a very good, wise, and powerful Being, however finite, he would, from his conjectures, form *beforehand* a different notion of it from what we find it to be by experience ...

In short, I repeat the question: Is the world considered in general, and as it appears to us in this life, different from what a man, or such a limited being, would, *beforehand*, expect from a very powerful, wise, and benevolent Deity? It must be strange prejudice to assert the contrary. And from thence I conclude, that, however consistent the world may be, allowing certain suppositions and conjectures, with the idea of such a Deity, it can never afford us an inference concerning his existence.

Hume's doubly italicized 'beforehand' suggests that he is here quite self-consciously arguing in a broadly Bayesian manner based on the low relevant 'likelihood' that a good deity would create a universe as unpleasant as the one we inhabit. I am not aware of any other philosophical literature from this date which demonstrates such a clear implicit grasp of Bayesian principles.³⁷

It is, admittedly, very hard to assess the originality of the Bayesian themes in Hume's essay, because this will depend on the interpretation of many previous discussions of testimony and miracles (e.g. how far the *Port-Royal Logic*'s application of the distinction between 'external' and 'internal' circumstances should be seen as implying the same kind of weighing up of probabilities for and against the reported event).³⁸ What certainly does distinguish Hume's essay, however, is its proximity to Bayes's (and Price's) seminal contribution to probability theory, and the intriguing albeit circumstantial evidence that the latter may have been developed in direct response to Hume's *Enquiry*, including in particular his discussions of induction and of miracles in

impact on the credibility of the testimony which reports it (and in doing so, he effectively defends the assumption of independence, as alluded to earlier). Owen (1987) discusses this debate, and makes the case for seeing Hume's treatment of miracles as broadly Bayesian.

³⁷ Salmon (1978) elegantly presents the case for seeing the overall argumentative structure of the *Dialogues* as being broadly Bayesian.

³⁸ See Arnould and Nicole (1662/83), p. 264: 'I call those circumstances internal that belong to the fact itself, and those external that concern the persons whose testimony leads us to believe in it. ... [I]f all the circumstances are such that it never or only rarely happens that similar circumstances are consistent with the falsity of the belief, the mind is naturally led to think that it is true. Moreover it is right to do so ... But if, on the contrary, these circumstances are such that they are often consistent with the falsity of the belief, reason would require either that we remain in suspense, or that we view as false whatever we are told when its truth does not look likely, even if it does not look completely impossible.' For more on this distinction and on the subsequent development of probability and the theory of testimony, see Daston (1988), pp. 39-47, 306-42.

Sections IV and X respectively.³⁹ If there is anything at all in this, then it surely puts Earman's extreme invective in a very ungenerous light. For even if Hume's *only* original contribution in his discussion of miracles had been to present the arguments in a sufficiently clear, striking, and epistemologically principled manner to provoke Bayes to 'open a new epoch in the history of statistics',⁴⁰ this would still rank as a major achievement, against which Earman's immoderate insults seem inappropriate and churlish.

References

- Arnould, Antoine and Nicole, Pierre (1662/83), *Logic or the Art of Thinking*, translated and edited by Jill Vance Buroker, Cambridge University Press, 1996
- Bayes, Thomas (1763), 'An Essay Towards Solving a Problem in the Doctrine of Chances', presented to the Royal Society by Richard Price, *Philosophical Transactions of the Royal Society* 53: 370-418 and reprinted in *Proceedings of the British Academy* 113: 122-49
- Daston, Lorraine (1988), *Classical Probability in the Enlightenment*, Princeton University Press
- Earman, John (1993), 'Bayes, Hume, and Miracles', *Faith and Philosophy* 10: 293-310
- Earman, John (2000), *Hume's Abject Failure: The Argument Against Miracles*, Oxford University Press
- Earman, John (2002), 'Bayes, Hume, Price, and Miracles', *Proceedings of the British Academy* 113: 91-109
- Garrett, Don (1997), *Cognition and Commitment in Hume's Philosophy*, Oxford University Press, chapter 7, pp. 137-62; revised version in Peter Millican (ed.), *Reading Hume on Human Understanding*, Clarendon Press, pp. 301-32
- Gillies, Donald A. (1987), 'Was Bayes a Bayesian?', *Historia Mathematica* 14: 325-46
- Gillies, Donald (1991), 'A Bayesian Proof of a Humean Principle', *British Journal for the Philosophy of Science* 42: 255-6
- Gower, Barry (1991), 'Hume on Probability', *British Journal for the Philosophy of Science* 42: 1-19
- Greig, J. Y. T. (1932), ed., *The Letters of David Hume*, volume 1, Clarendon Press
- Hald, Anders (1998), *A History of Mathematical Statistics from 1750 to 1930*, John Wiley

³⁹ For the link between Hume, Bayes, and Price, see Gillies (1987), pp. 328-31 and 339-43 and Earman (2002), pp. 91-2.

⁴⁰ Hald (1998), p. 160. Here Hald refers to the first clear presentation of what we now know as Bayes's Theorem, by Laplace in 1774. Laplace seems to have been the first mathematician to consider very explicitly the choice between hypotheses which have *different* prior probabilities, since the experimental setup described in Bayes's paper is carefully designed to deliver identical prior probabilities initially. This stresses even more the magnitude of Hume's achievement *if* it is possible to substantiate his priority in this respect.

- Holder, Rodney D. (1998), 'Hume on Miracles: Bayesian Interpretation, Multiple Testimony, and the Existence of God', *British Journal for the Philosophy of Science* 49: 49-65
- Howson, Colin (2000), *Hume's Problem: Induction and the Justification of Belief*, Clarendon Press
- Hume, David (1739/40), *A Treatise of Human Nature*, eds L. A. Selby-Bigge and P. H. Nidditch, Clarendon Press, second edition, 1978
- Hume, David (1748/72), *Enquiry Concerning Human Understanding*, ed. Tom Beauchamp, Oxford University Press, 1999
- Hume, David (1748/77), *Enquiries Concerning Human Understanding and Concerning the Principles of Morals*, eds L. A. Selby-Bigge and P. H. Nidditch, Clarendon Press, third edition, 1975
- Hume, David (1779), *Dialogues Concerning Natural Religion*, ed. Norman Kemp Smith, Nelson, second edition 1947
- Millican, Peter (1993), "'Hume's Theorem" Concerning Miracles', *Philosophical Quarterly* 43: 489-95
- Millican, Peter (2002a), 'The Context, Aims, and Structure of Hume's First *Enquiry*', in Peter Millican (ed.), *Reading Hume on Human Understanding*, Clarendon Press, pp. 27-65
- Millican, Peter (2002b), 'Hume's Sceptical Doubts concerning Induction', in Peter Millican (ed.), *Reading Hume on Human Understanding*, Clarendon Press, pp. 107-73
- Millican, Peter (2002c), 'Critical Survey of the Literature on Hume and the First *Enquiry*', in Peter Millican (ed.), *Reading Hume on Human Understanding*, Clarendon Press, pp. 413-74
- Owen, David (1987), 'Hume versus Price on Miracles and Prior Probabilities: Testimony and the Bayesian Calculation', *Philosophical Quarterly* 37: 187-202 and reprinted in Peter Millican (ed.), *Reading Hume on Human Understanding*, Clarendon Press, pp. 335-48
- Pearson, Karl (1978), *The History of Statistics in the 17th and 18th Centuries*, Charles Griffin & Company Limited (London)
- Price, Richard (1768), *On the Importance of Christianity and the Nature of Historical Evidence, and Miracles*, Dissertation IV of *Four Dissertations*, second edition, reprinted in Earman (2000): 157-76
- Salmon, Wesley C. (1978), 'Religion and Science: A New Look at Hume's *Dialogues*', *Philosophical Studies* 33: 143-76
- Sobel, Jordan Howard (1991), 'Hume's Theorem on Testimony Sufficient to Establish a Miracle', *Philosophical Quarterly* 41: 229-37
- Stewart, M.A. (1994), 'Hume's Historical View of Miracles', in M. A. Stewart and John P. Wright (eds), *Hume and Hume's Connexions*, Edinburgh University Press: 171-200
- Wootton, David (1990), 'Hume's "Of Miracles": Probability and Irreligion', in M. A. Stewart (ed.), *Studies in the Philosophy of the Scottish Enlightenment*, Clarendon Press, Oxford: 191-229