A-current, 48	cable equation, 61
action potential, 5, 36	calcium current
channel dynamics, 37	low-threshold, 50
Hodgkin-Huxley model, 37	calcium spike, 55
activity, see population activity	calcium-dependent potassium current, 48
adaptation, 19, 52, 136, 347	close-loop stimulus design, 263
biophysical origin, 149, 151	cluster states, 374
spike-triggered, 136, 149, 151	coding, 190
subthreshold, 136, 149, 152	correlation code, 195
adaptive integrate-and-fire, 136	firing rate, 190
parameter space, 148	phase code, 194, 530
piecewise linear, 145	rate code, 172, 196, 197
AdEx, see adaptive integrate-and-fire	timing-based, 192
afterpotential, 8, 157	coefficient of variation, 179
all-to-all coupling, 302	compartmental model, 75
AMPA receptor, 61	competition, 427
Arrhenius & Current model, 237	decision making, 428
Arrhenius formula, 237	of populations, 428
assembly, neuronal 444	of synapses, 499
asynchronous firing, 310	through common inhibition, 426
stability, 371	through shared inhibition, 427
asynchronous irregular, 338	winner-take-all, 431
attractor network, 454	competitive network, 430
autocorrelation function, 179	conductance input, 349
autocorrelation runction, 179	conductance-based neuron model, 32
axon, 4, 72	connectivity
myelinated, 74	Mexican hat, 470, 475, 480
unmyelinated, 72	sparse random, 314
unniyennated, 72	conservation equation, 363
balanced excitation and inhibition, 211, 304, 316, 319	continuity equation, 327
Bayesian decoding, 279	continuum model, 468
Bayesian parameter estimation, 250	of population activity, 470
Bayesian regularization, 252	contrast enhancement, 476
BCM rule, 499	correlation
bifurcation, 96	code, 195
Hopf, 101	matrix, 513
saddle-node, 97	reverse, 195
biophysical neuron model, 43	cortex, 7, 284, 293, 295, 472
blobs of activity, 484	barrel, 295
Brunel network, 316, 338	coupling
bump attractors, 484	full, 302
bursting, see firing pattern	random, 303
- · · · · · · · · · · · · · · · · · · ·	

firing regime asynchronous irregular, 338 synchronous regular, 338 first passage time, 219 first principal component, 512, 513 FitzHugh–Nagumo model, 88, 103 nullclines, 95 fixed point, 93 ghost, 98 of activity, 368 flow field, 92 flux, 327 probability current, 329 drift, 329 jump, 329 refractory, 382 Fokker Planck acution, 216, 332, 333
Fokker–Planck equation, 216, 332, 333 linearized, 343
Fourier transform, 17
frequency–current relation, 38 full coupling, 302
gain frequency-dependent, 377, 406, 408 gain function and population activity, 312 of Hodgkin–Huxley model, 38 of integrate-and-fire model with noise, 336
type I, 96 type I/II, 38 type II, 96 Gamma distribution, 201 gating variable, 33 Generalized Linear Model (GLM), 248 generative model, 231 ghost of fixed point, 98 GLM (Generalized Linear Model), 248 Green's function, 68
h-current, 52 hazard, 182 Hebb's postulate, 492 Hodgkin–Huxley model, 31 channel opening, 37 gain function, 38 reduction, 149, 151 reduction to two dimensions, 84 refractoriness, 40 Hopf bifurcation, 101 subcritical, 103 supercritical, 103 Hopfield model, 446 energy picture, 456 hyper column, 478 illusion, 469, 476 impulse response, 157

inhibition	locking, 532
dominating, 341	locking theorem, 532
effective, 429	log-likelihood of a spike train, 230
shunting, 21	long-term depression, 491
inhibition-stabilized network, 482	long-term potentiation, 491, 493
inhibitory plasticity, 527	heterosynaptic, 506
inhibitory rebound, 19, 84	homosynaptic, 506
integral equation, 360	low-connectivity network, 314
adaptive neurons, 413	LTD, see long-term depression
finite size, 391	LTP, see long-term potentiation
for adaptive neurons, 386	M assert 49
linearized, 375	M-current, 48
numerical methods, 365	MAP, see maximum a posteriori
quasi-renewal, 364	Markov Process, 216
relation with density equations, 381	matrix random, 527
several populations, 367, 410	maximum <i>a posteriori</i> , 280
stationary state, 368	membrane potential, 7
Wilson-Cowan, 363, 408	density, 215, 218, 327
integral-equation approach, 357	stationary distribution, 334
integrate-and-fire model, 10	memory, 442
as a reduction of Hodgkin–Huxley, 129	associative, 442
exponential IF, 124, 126	Hopfield model, 446
nonlinear IF, 121	retrieval, 451
quadratic IF, 130, 131	working memory, 446
refractory exponential IF, 127	Mexican hat, 470
multi-compartment, 161	Mexican hat connectivity, 475, 480
relation to SRM, 163	Morris-Lecar model, 87, 99
noisy, 204	motor cortex, 518
nonlinear, 120	MT neuron, 423
quadratic, 129	
relation to CDM 150	Nernst notential 29
relation to SRM, 158	Nernst potential, 29
two-compartment, 163	network, see population
two-compartment, 163 interspike interval, 178	network, <i>see</i> population neural mass models, 297
two-compartment, 163 interspike interval, 178 interval distribution, 182, 358	network, <i>see</i> population neural mass models, 297 neuron, 3
two-compartment, 163 interspike interval, 178 interval distribution, 182, 358 for periodic input, 234	network, see population neural mass models, 297 neuron, 3 bursting, 19
two-compartment, 163 interspike interval, 178 interval distribution, 182, 358 for periodic input, 234 input-dependent, 190	network, see population neural mass models, 297 neuron, 3 bursting, 19 postsynaptic, 4
two-compartment, 163 interspike interval, 178 interval distribution, 182, 358 for periodic input, 234 input-dependent, 190 ion channel, 31, 42	network, see population neural mass models, 297 neuron, 3 bursting, 19 postsynaptic, 4 presynaptic, 4
two-compartment, 163 interspike interval, 178 interval distribution, 182, 358 for periodic input, 234 input-dependent, 190 ion channel, 31, 42 $I_A$ , 48	network, see population neural mass models, 297 neuron, 3 bursting, 19 postsynaptic, 4 presynaptic, 4 neurotransmitter, 6
two-compartment, 163 interspike interval, 178 interval distribution, 182, 358 for periodic input, 234 input-dependent, 190 ion channel, 31, 42 $I_A$ , 48 $I_M$ , 48	network, see population neural mass models, 297 neuron, 3 bursting, 19 postsynaptic, 4 presynaptic, 4 neurotransmitter, 6 NMDA receptor, 61
two-compartment, 163 interspike interval, 178 interval distribution, 182, 358 for periodic input, 234 input-dependent, 190 ion channel, 31, 42 $I_A$ , 48 $I_M$ , 48 $I_h$ , 52	network, see population neural mass models, 297 neuron, 3 bursting, 19 postsynaptic, 4 presynaptic, 4 neurotransmitter, 6 NMDA receptor, 61 noise, 168
two-compartment, 163 interspike interval, 178 interval distribution, 182, 358 for periodic input, 234 input-dependent, 190 ion channel, 31, 42 $I_A$ , 48 $I_M$ , 48 $I_h$ , 52 $I_{K[Ca]}$ , 48	network, see population neural mass models, 297 neuron, 3 bursting, 19 postsynaptic, 4 presynaptic, 4 neurotransmitter, 6 NMDA receptor, 61 noise, 168 channel, 171
two-compartment, 163 interspike interval, 178 interval distribution, 182, 358 for periodic input, 234 input-dependent, 190 ion channel, 31, 42 $I_A$ , 48 $I_M$ , 48 $I_h$ , 52 $I_{K[Ca]}$ , 48 $I_{NaP}$ , 51	network, see population neural mass models, 297 neuron, 3 bursting, 19 postsynaptic, 4 presynaptic, 4 neurotransmitter, 6 NMDA receptor, 61 noise, 168 channel, 171 colored, 206, 351
two-compartment, 163 interspike interval, 178 interval distribution, 182, 358 for periodic input, 234 input-dependent, 190 ion channel, 31, 42 $I_A$ , 48 $I_M$ , 48 $I_h$ , 52 $I_{K[Ca]}$ , 48 $I_{NaP}$ , 51 $I_{NaS}$ , 53	network, see population neural mass models, 297 neuron, 3 bursting, 19 postsynaptic, 4 presynaptic, 4 neurotransmitter, 6 NMDA receptor, 61 noise, 168 channel, 171 colored, 206, 351 escape, 224
two-compartment, 163 interspike interval, 178 interval distribution, 182, 358 for periodic input, 234 input-dependent, 190 ion channel, 31, 42 $I_A$ , 48 $I_M$ , 48 $I_h$ , 52 $I_{K[Ca]}$ , 48 $I_{NaP}$ , 51	network, see population neural mass models, 297 neuron, 3 bursting, 19 postsynaptic, 4 presynaptic, 4 neurotransmitter, 6 NMDA receptor, 61 noise, 168 channel, 171 colored, 206, 351 escape, 224 Gaussian white, 204
two-compartment, 163 interspike interval, 178 interval distribution, 182, 358 for periodic input, 234 input-dependent, 190 ion channel, 31, 42 $I_A$ , 48 $I_M$ , 48 $I_h$ , 52 $I_{K[Ca]}$ , 48 $I_{NaP}$ , 51 $I_{NaS}$ , 53	network, see population neural mass models, 297 neuron, 3 bursting, 19 postsynaptic, 4 presynaptic, 4 neurotransmitter, 6 NMDA receptor, 61 noise, 168 channel, 171 colored, 206, 351 escape, 224 Gaussian white, 204 Johnson, 170
two-compartment, 163 interspike interval, 178 interval distribution, 182, 358 for periodic input, 234 input-dependent, 190 ion channel, 31, 42 $I_A$ , 48 $I_M$ , 48 $I_M$ , 52 $I_{K[Ca]}$ , 48 $I_{NaP}$ , 51 $I_{NaS}$ , 53 Kramers–Moyal expansion, 216	network, see population neural mass models, 297 neuron, 3 bursting, 19 postsynaptic, 4 presynaptic, 4 neurotransmitter, 6 NMDA receptor, 61 noise, 168 channel, 171 colored, 206, 351 escape, 224 Gaussian white, 204 Johnson, 170 slow, 400
two-compartment, 163 interspike interval, 178 interval distribution, 182, 358 for periodic input, 234 input-dependent, 190 ion channel, 31, 42  I <sub>A</sub> , 48  I <sub>M</sub> , 48  I <sub>h</sub> , 52  I <sub>K[Ca]</sub> , 48  I <sub>NaP</sub> , 51  I <sub>NaS</sub> , 53  Kramers—Moyal expansion, 216  Langevin equation, 204, 217	network, see population neural mass models, 297 neuron, 3 bursting, 19 postsynaptic, 4 presynaptic, 4 neurotransmitter, 6 NMDA receptor, 61 noise, 168 channel, 171 colored, 206, 351 escape, 224 Gaussian white, 204 Johnson, 170 slow, 400 synaptic, 171
two-compartment, 163 interspike interval, 178 interval distribution, 182, 358 for periodic input, 234 input-dependent, 190 ion channel, 31, 42 $I_A$ , 48 $I_M$ , 48 $I_h$ , 52 $I_{K[Ca]}$ , 48 $I_{NaP}$ , 51 $I_{NaS}$ , 53 Kramers—Moyal expansion, 216 Langevin equation, 204, 217 leaky integrate-and-fire model, 10	network, see population neural mass models, 297 neuron, 3 bursting, 19 postsynaptic, 4 presynaptic, 4 neurotransmitter, 6 NMDA receptor, 61 noise, 168 channel, 171 colored, 206, 351 escape, 224 Gaussian white, 204 Johnson, 170 slow, 400 synaptic, 171 thermal, 170
two-compartment, 163 interspike interval, 178 interval distribution, 182, 358 for periodic input, 234 input-dependent, 190 ion channel, 31, 42  I <sub>A</sub> , 48  I <sub>M</sub> , 48  I <sub>h</sub> , 52  I <sub>K[Ca]</sub> , 48  I <sub>NaP</sub> , 51  I <sub>NaS</sub> , 53  Kramers—Moyal expansion, 216  Langevin equation, 204, 217 leaky integrate-and-fire model, 10 learning window, 495	network, see population neural mass models, 297 neuron, 3 bursting, 19 postsynaptic, 4 presynaptic, 4 neurotransmitter, 6 NMDA receptor, 61 noise, 168 channel, 171 colored, 206, 351 escape, 224 Gaussian white, 204 Johnson, 170 slow, 400 synaptic, 171 thermal, 170 white, 203
two-compartment, 163 interspike interval, 178 interval distribution, 182, 358 for periodic input, 234 input-dependent, 190 ion channel, 31, 42  I <sub>A</sub> , 48  I <sub>M</sub> , 48  I <sub>h</sub> , 52  I <sub>K[Ca]</sub> , 48  I <sub>NaP</sub> , 51  I <sub>NaS</sub> , 53  Kramers—Moyal expansion, 216  Langevin equation, 204, 217 leaky integrate-and-fire model, 10 learning window, 495 Liapunov function, 434, 456	network, see population neural mass models, 297 neuron, 3 bursting, 19 postsynaptic, 4 presynaptic, 4 neurotransmitter, 6 NMDA receptor, 61 noise, 168 channel, 171 colored, 206, 351 escape, 224 Gaussian white, 204 Johnson, 170 slow, 400 synaptic, 171 thermal, 170 white, 203 noise model
two-compartment, 163 interspike interval, 178 interval distribution, 182, 358 for periodic input, 234 input-dependent, 190 ion channel, 31, 42  I <sub>A</sub> , 48  I <sub>M</sub> , 48  I <sub>M</sub> , 52  I <sub>K[Ca]</sub> , 48  I <sub>NaP</sub> , 51  I <sub>NaS</sub> , 53  Kramers—Moyal expansion, 216  Langevin equation, 204, 217 leaky integrate-and-fire model, 10 learning window, 495 Liapunov function, 434, 456 Libet experiment, 438 likelihood of spike train, 229 limit cycle, 96	network, see population neural mass models, 297 neuron, 3 bursting, 19 postsynaptic, 4 presynaptic, 4 neurotransmitter, 6 NMDA receptor, 61 noise, 168 channel, 171 colored, 206, 351 escape, 224 Gaussian white, 204 Johnson, 170 slow, 400 synaptic, 171 thermal, 170 white, 203 noise model diffusive noise, 203
two-compartment, 163 interspike interval, 178 interval distribution, 182, 358 for periodic input, 234 input-dependent, 190 ion channel, 31, 42  I <sub>A</sub> , 48  I <sub>M</sub> , 48  I <sub>M</sub> , 52  I <sub>K[Ca]</sub> , 48  I <sub>NaP</sub> , 51  I <sub>NaS</sub> , 53  Kramers—Moyal expansion, 216  Langevin equation, 204, 217 leaky integrate-and-fire model, 10 learning window, 495 Liapunov function, 434, 456 Libet experiment, 438 likelihood of spike train, 229 limit cycle, 96 linear regression, 246	network, see population neural mass models, 297 neuron, 3 bursting, 19 postsynaptic, 4 presynaptic, 4 neurotransmitter, 6 NMDA receptor, 61 noise, 168 channel, 171 colored, 206, 351 escape, 224 Gaussian white, 204 Johnson, 170 slow, 400 synaptic, 171 thermal, 170 white, 203 noise model diffusive noise, 203 escape noise, 224
two-compartment, 163 interspike interval, 178 interval distribution, 182, 358 for periodic input, 234 input-dependent, 190 ion channel, 31, 42  IA. 48  IM. 48  IM. 48  IM. 52  IK[Ca], 48  INAP, 51  INAS, 53  Kramers—Moyal expansion, 216  Langevin equation, 204, 217 leaky integrate-and-fire model, 10 learning window, 495  Liapunov function, 434, 456  Libet experiment, 438 likelihood of spike train, 229 limit cycle, 96 linear regression, 246 linear-nonlinear Poisson, 411	network, see population neural mass models, 297 neuron, 3 bursting, 19 postsynaptic, 4 presynaptic, 4 neurotransmitter, 6 NMDA receptor, 61 noise, 168 channel, 171 colored, 206, 351 escape, 224 Gaussian white, 204 Johnson, 170 slow, 400 synaptic, 171 thermal, 170 white, 203 noise model diffusive noise, 203 escape noise, 224 noisy integration, 203
two-compartment, 163 interspike interval, 178 interval distribution, 182, 358 for periodic input, 234 input-dependent, 190 ion channel, 31, 42  IA. 48  IM. 48  IM. 48  IM. 52  IK[Ca], 48  INAP, 51  INAS, 53  Kramers—Moyal expansion, 216  Langevin equation, 204, 217 leaky integrate-and-fire model, 10 learning window, 495  Liapunov function, 434, 456  Libet experiment, 438 likelihood of spike train, 229 limit cycle, 96 linear regression, 246 linear-nonlinear Poisson, 411 linear-nonlinear Poisson Model (LNP), 273	network, see population neural mass models, 297 neuron, 3 bursting, 19 postsynaptic, 4 presynaptic, 4 neurotransmitter, 6 NMDA receptor, 61 noise, 168 channel, 171 colored, 206, 351 escape, 224 Gaussian white, 204 Johnson, 170 slow, 400 synaptic, 171 thermal, 170 white, 203 noise model diffusive noise, 203 escape noise, 224 noisy integration, 203 noisy threshold, 224
two-compartment, 163 interspike interval, 178 interval distribution, 182, 358 for periodic input, 234 input-dependent, 190 ion channel, 31, 42  I <sub>A</sub> , 48  I <sub>M</sub> , 48  I <sub>M</sub> , 52  I <sub>K[Ca]</sub> , 48  I <sub>NaP</sub> , 51  I <sub>NaS</sub> , 53  Kramers—Moyal expansion, 216  Langevin equation, 204, 217 leaky integrate-and-fire model, 10 learning window, 495 Liapunov function, 434, 456 Libet experiment, 438 likelihood of spike train, 229 limit cycle, 96 linear regression, 246 linear-nonlinear Poisson, 411 linear-nonlinear Poisson Model (LNP), 273 liquid computing, 524	network, see population neural mass models, 297 neuron, 3 bursting, 19 postsynaptic, 4 presynaptic, 4 neurotransmitter, 6 NMDA receptor, 61 noise, 168 channel, 171 colored, 206, 351 escape, 224 Gaussian white, 204 Johnson, 170 slow, 400 synaptic, 171 thermal, 170 white, 203 noise model diffusive noise, 203 escape noise, 224 noisy integration, 203 noisy threshold, 224 random connectivity, 314
two-compartment, 163 interspike interval, 178 interval distribution, 182, 358 for periodic input, 234 input-dependent, 190 ion channel, 31, 42  IA. 48  IM. 48  IM. 48  IM. 52  IK[Ca], 48  INAP, 51  INAS, 53  Kramers—Moyal expansion, 216  Langevin equation, 204, 217 leaky integrate-and-fire model, 10 learning window, 495  Liapunov function, 434, 456  Libet experiment, 438 likelihood of spike train, 229 limit cycle, 96 linear regression, 246 linear-nonlinear Poisson, 411 linear-nonlinear Poisson Model (LNP), 273	network, see population neural mass models, 297 neuron, 3 bursting, 19 postsynaptic, 4 presynaptic, 4 neurotransmitter, 6 NMDA receptor, 61 noise, 168 channel, 171 colored, 206, 351 escape, 224 Gaussian white, 204 Johnson, 170 slow, 400 synaptic, 171 thermal, 170 white, 203 noise model diffusive noise, 203 escape noise, 224 noisy integration, 203 noisy threshold, 224

noise spectrum, 180	population dynamics, 297
nullclines, 92	population vector, 192
Oja's rule, 499	postsynaptic potential, 8
orientation selectivity, model of, 478	excitatory, 21
•	inhibitory, 21
Ornstein–Uhlenbeck process, 204, 217 oscillation, 338, 371, 541	power spectrum, 180
as an instability, 371	prediction, 267
cluster states, 374	of membrane potential, 268
experimental, 529	of spikes, 270, 272
subthreshold, 40	priming, 442
synchronous locked, 532	principal component analysis, 512
overlap, 451	principal components, 513
•	probability current, 329
pairing experiment, 494	PSTH, <i>see</i> peri-stimulus-time histogram
parameter estimation	pyramidal cell, 76
Bayesian, 250	
decoding, 280	quasi-steady-state, 85
maximum <i>a posteriori</i> (MAP), 280	quasi-renewal theory, 364, 386
Parkinson's disease, 541	random connectivity, 303, 314
pattern recognition, 451	random walk, 211
with spiking neurons, 458	random weight matrix, 527
peri-stimulus-time histogram (PSTH), 175	rate, 172
persistent sodium current, 51 phase code, 194, 530	code, 172
phase code, 194, 330 phase plane, 143, 148	mean firing rate, 173
of decision making, 430	models, 408
phase plane analysis, 91	population activity, 177
phase portrait, 92	spike density, 175
phase response curve, 537	rebound spike, 41
plasticity	rebound, inhibitory, 19, 55, 84
hard bound, 497	receptive field, 7, 273, 293
of inhibition, 527	of MT neurons, 423
soft bound, 498	reconstruction kernel, 195
synaptic short-term, 63	refractoriness, 158
plasticity synaptic, 491	refractory density, 381
point process, 181	refractory period, 5
Poisson neuron, 188	absolute, 5
Poisson process	Hodgkin-Huxley model, 40
absolute refractoriness, 179, 189	regression, linear, 246
autocorrelation, 188	regularization, 252
homogeneous, 175	relaxation oscillation, 108
inhomogeneous, 176, 240	renewal hypothesis, 184
population, 177, 295	renewal process, 181
coupled, 305	renewal theory
fully connected, 302	for adaptive neurons, 364
homogeneous, 298 inhibition dominated, 318	time dependent, 232, 233, 358
multiple, 336	reservoir computing, 524
population activity, 177, 330, 358	resting potential, 7
asynchronous firing, 310	reversal potential, 21, 30
blobs/bumps of, 484	reverse correlation, 195, 275
definition, 177, 297	rheobase current, 96
field equation, 470	ring model, 471, 479
linearized, 343	ruins of fixed point, 98
linearized equation, 375, 378	saddle point, 93
stationary state, 341	scaling behavior, 300
time scale, 397	self-averaging, 453

separation of time scales, 85, 108	synapse, 4, 6, 58
shunting inhibition, 21	AMPA, 61
signal-to-noise ratio, 180, 239	depression, 63
similarity measure, 262	excitatory, 61
singular perturbation, 108	facilitation, 63
slow sodium current, 53	$GABA_A$ , 61
soft threshold, 224	$GABA_B$ , 61
soma, 4	inhibitory, 60
spectral radius, 527	NMDA, 61
spike, dendritic, 22	postsynaptic neuron, 4, 6
spike afterpotential, see afterpotential	postsynaptic potential, 8
spike response model, 154	presynaptic neuron, 4, 6
adaptation, 160	short-term plasticity, 63
bursting, 160	synaptic depression, 64
definition, 155	synaptic plasticity, 491
interpretation, 157	anti-Hebbian, 495, 497
relation to integrate-and-fire, 158	locality, 496
spike train, 5	non-Hebbian, 497
distance, 260	spike-timing dependent, 495
irregular, 168	synaptic transmission failures, 171
metrics, 260	synchonous regular, 374
reliability, 262	synchronization, 541
variability, 262	synchronous regular, 338
vector, 260	synchrony, 195
spike train decoding	
linear, 281	threshold, 8, 121
nonlinear, 280	dynamics, 155, 156
spike-triggered average (STA), 252, 275	of Hodgkin–Huxley model, 40, 81
spiking neuron model	of type I models, 105
$SRM_0$ , 10	of type II models, 108
spontaneous activity, 168, 169, 318	soft, 224
STA, see spike-triggered average	time-rescaling theorem, 258
stability, 93	transfer function with escape noise, 377
stable manifold, 105	transient spike, 40
stationary state, 368	type I/II model bifurcations, 96, 97
STDP, 495	canonical type I, 106
protocol, 496	Hopf bifurcation, 101
Stein's model, 208	onset of oscillations, 96, 103
stimulation sub-/superthreshold, 213	stable manifold, 105
stimulus reconstruction	threshold, 103
linear, 281	visual illusion, 469, 476
nonlinear, 280	Vogels–Abbott network, 319
stochastic	volition, 438
differential equation, 204	vontion, 436
intensity, 225	weight matrix, 527
process, 203	Wiener-Khinchin theorem, 180
resonance, 239	will, see volition
STP, see plasticity, synagtic short-term	Wilson–Cowan model, 410
Stroop effect, 443	field equation, 470
subthreshold oscillation, 148	winner-take-all, 431
survivor function, 182	working memory, 446, 484