



IECQ PUBLICATION



IEC Quality Assessment System for Electronic Components (IECQ System)

IECQ Guide – Guidance for the use of the IECQ Logo and IECQ Mark of Conformity



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2013 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.

If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

Useful links:

IEC publications search - www.iec.ch/searchpub

The advanced search enables you to find IEC publications by a variety of criteria (reference number, text, technical committee,...).

It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available on-line and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 30 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary (IEV) on-line.

Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.



IECQ 01A

Edition 2.0 2013-05

IECQ PUBLICATION



IEC Quality Assessment System for Electronic Components (IECQ System)

**IECQ Guide –
Guidance for the use of the IECQ Logo and IECQ Mark of Conformity**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

PRICE CODE

ZZ

CONTENTS

INTRODUCTION.....	3
1 Overview of the IECQ System	4
1.1 General	4
1.2 Objective	4
1.3 Difference between IECQ Logo and IECQ Mark of Conformity	4
1.3.1 IECQ Logo.....	4
1.3.2 IECQ Mark of Conformity.....	5
1.3.3 IECQ Logos as used for promotion of the IECQ System and its Schemes	5
1.3.4 IECQ Logo in the IECQ Training Programme	6
2 IECQ Logo appearance	6
2.1 Master symbol for photographic reproduction	6
2.2 Proportional dimensions of the symbol	7
2.3 Available electronic formats.....	7
3 Use of the IECQ Logo.....	7
3.1 General	7
3.2 Who may use the IECQ Logo	7
3.3 Where may the IECQ Logo be used.....	7
3.4 Use of the IECQ Logo by IECQ Training Bodies	8
Figure 1 – IECQ Logo (Pantone Blue 286)	5
Figure 2 – IECQ CECC Mark (for the IECQ Approved Component Scheme only)	5
Figure 3 – IECQ Approved Process Scheme	5
Figure 4 – IECQ ESD Programme.....	5
Figure 5 – IECQ Approved Component Scheme.....	5
Figure 6 – IECQ ECMP Scheme	5
Figure 7 – IECQ HSPM Scheme	6
Figure 8 – IECQ HSPM Scheme	6
Figure 9 – IECQ ITL Approval Scheme	6
Figure 10 – IECQ.....	6
Figure 11 – IECQ Training Body	6

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**IECQ Guide –
Guidance for the use of the IECQ Logo and IECQ Mark of Conformity****INTRODUCTION**

This guide has been prepared to provide guidance for all organizations wishing to use the IECQ Logo (e.g. IECQ Certification and Training Bodies, Manufacturers), as well as an explanation of the differences between the IECQ Logo and IECQ Conformity Mark.

The details of the rules and procedures of the IECQ are given in other IECQ documents available from the IECQ website: www.iecq.org, or the IECQ Secretariat via the IEC Central Office.

Document History

Date	Summary
November 2011	First Edition
2013-04	Updated to align with IECQ 01 Edition 4.1 and feedback

Address:

IECQ Secretariat c/o IEC Sydney Office
286 Sussex Street
Sydney, NSW 2000
Australia

Contact details:

Tel: +61 2 8206 6940
Fx: +61 2 8206 6272
info@iecq.org
www.iecq.org

IECQ Guide – Guidance for the use of the IECQ Logo and IECQ Mark of Conformity

1 Overview of the IECQ System

1.1 General

The IECQ System is the IEC System for Conformity Assessment to Standards relating to Quality Assessment System for Electronic Components, as provided for in accordance with Article 2 of the IEC Statutes and Rules of Procedure (2001 edition, incorporating amendments approved by Council in 2004, 2005, 2006, 2008, 2009, 2011 and 2013).

The IECQ facilitates the operation of certification Schemes in strict accordance with the IECQ System Basic Rules, IECQ 01, as approved by the IEC Conformity Assessment Board (CAB). The IECQ, through the IECQ Management Committee (IECQ MC) approves the appointment of Certification Bodies that may operate in the IECQ System. These Certification Bodies are known as IECQ CBs and take the sole decision when issuing Certificates of Conformity or Approval.

The IECQ System operates the following:

- IECQ Approved Process Scheme (IECQ 03 Part 2)
- IECQ Approved Component Scheme (IECQ 03 Part 3)
- IECQ ECMP Scheme – Avionics Assessment Program Requirements (IECQ 03 Part 4)
- IECQ HSPM Scheme – Hazardous Substance Process Management Requirements (IECQ 03 Part 5)
- IECQ ITL Scheme – Independent Testing Laboratory Assessment Program Requirements (IECQ 03 Part 6)

1.2 Objective

Taking into account the object of the International Electrotechnical Commission (IEC) as given in Article 2 of the Statutes, the particular object of the IECQ System, operated in conformity with the Statutes and under the authority of the IEC, is to facilitate international trade in electronic components of assessed quality, by providing a global framework for independent assessment and certification.

The object is achieved by the implementation of quality assessment procedures in such a manner that organizations, processes, and components certified as conforming to the requirements of an applicable standard or specification, are acceptable to all participants.

The IECQ System provides manufacturers with a “supply chain verification tool” for seeking assurance that electronic components, assemblies, processes and related materials conform to declared technical Standards and Specifications.

1.3 Difference between IECQ Logo and IECQ Mark of Conformity

The design and use of the IECQ Logo and IECQ Mark of Conformity are given in clauses 2 and 3.

1.3.1 IECQ Logo

The IECQ Logo as shown in Figure 1 is the graphical symbol to clearly identify the “brand” of the IECQ and shows its relationship with the IEC. The use or misuse of the Logo can impact on the integrity of the organization or its members. Use of the Logo by an organization or

individual only shows an association with the IECQ, it does not infer any compliance with Standards.



Figure 1 – IECQ Logo (Pantone Blue 286)

1.3.2 IECQ Mark of Conformity

The IECQ Mark of Conformity as shown in Figure 2 (for the IECQ Approved Components Scheme only) is a global identifier that provides assurance and confidence that the components/products bearing this IECQ Mark of Conformity have been manufactured in accordance with the relevant IECQ System Scheme and related Specifications or Standards.



Figure 2 – IECQ CECC Mark (for the IECQ Approved Component Scheme only)

1.3.3 IECQ Logos as used for promotion of the IECQ System and its Schemes

The IECQ Logos as shown in Figures 3 to 10 are for the use of the IECQ Logo where used to promote the IECQ System and its Schemes. The logo shall be used with the IECQ Certificate Number appropriate to the product, immediately adjacent to the logo.

NOTE The IECQ System/Scheme logos as listed below do not constitute “Marks of Conformity” nor do they imply liability in any way for the conformance of any product to an approved IECQ specification. Refer to the relevant sections of this document for use of the IECQ Mark of Conformity.



IECQ-P IECQCB 11.0001

Figure 3 – IECQ Approved Process Scheme



IECQ-P IECQCB 11.0001

Figure 4 – IECQ ESD Programme



IECQ-C IECQCB 11.0001

Figure 5 – IECQ Approved Component Scheme



IECQ-E IECQCB 11.0001

Figure 6 – IECQ ECMP Scheme



IECQ-H IECQCB 11.0001

Figure 7 – IECQ HSPM Scheme



IECQ-H IECQCB 11.0001

Figure 8 – IECQ HSPM Scheme



IECQ-L IECQCB 11.0001

Figure 9 – IECQ ITL Approval Scheme



IECQ-C IECQCB 11.0001

Figure 10 – IECQ

1.3.4 IECQ Logo in the IECQ Training Programme

The IECQ Logo as shown in Figure 11 is a global identifier that provides assurance and confidence that an IECQ Lead Assessor bearing this IECQ Logo and its IECQ Training Certificate number adjacent to the logo has successfully completed the IECQ Lead Assessor Training course and meets the stringent criteria to be eligible for an IECQ Lead Assessor Certificate. The use of this logo by a successful IECQ Lead Assessor is allowed providing, its use is not in any way misleading, its use relates to the association of the IECQ and that the logo be used with the IECQ Training Certificate Number immediately adjacent to the logo.



Figure 11 – IECQ Training Body

2 IECQ Logo appearance

2.1 Master symbol for photographic reproduction

- The IECQ Logo includes the IEC Logo and when used shall always appear as shown in Figure 1. The logo shall not be distorted or stylized in any way shape or form other than depicted in this document for the specified use. No Part of the IECQ Logo shall be used independently.
- The IECQ Logo is available from the IECQ Secretariat and may be used for photographic reproduction.
- The colour of the IECQ Logo (Figure 1) is Pantone Blue 286. Use of black with white background is permitted.
- Where the IECQ Logo is used in conjunction with the IECQ Mark of Conformity for the purpose of marking components and or component packaging in accordance with IECQ 03-3, the colour of the combined IECQ Logo and IECQ Mark of Conformity may alternatively be the predominant colour of the printing.

- e) Where the IECQ Logo is used as part of the IECQ Schemes promotional Logos as shown in Figures 3 to 10, all styling (i.e. frames) and text shall conform to a) and c).

2.2 Proportional dimensions of the symbol

All reproductions of the IECQ Logo shall comply with the dimensional and colour proportions as shown in the electronic files provided by the IECQ Secretariat.

The IECQ Logo may be enlarged or reduced arbitrarily in the same form and ratio, provided that the letters remain well legible, however, not smaller than 6 x 13 mm.

The IECQ Logo shall have a minimum IEC Logo text size of 2,5 mm in height, unless otherwise specifically allowed for in the individual IECQ Scheme Rules of Procedure.

2.3 Available electronic formats

The IECQ Logo is available in a variety of different electronic file formats including but not limited to eps, jpg, tif. These are available from the IECQ Secretariat

3 Use of the IECQ Logo

3.1 General

The IECQ Logo shall only be used in accordance with instructions provided. It shall not be used in such a manner that compromises the integrity of the IEC, IECQ or its members.

3.2 Who may use the IECQ Logo

The IECQ Logo may be used by the following:

- IECQ Certification Bodies (IECQ CBs)
- IECQ Training Bodies (IECQ TBs), subject to requirements of 3.4
- Organizations (such as manufacturers, distributors, subcontractors) holding a current and valid IECQ Certificate of Conformity/Approval in accordance with the IECQ System and its Schemes may use the IECQ Logo in the forms covered in 1.3.2 and 1.3.3 only.
- Qualified IECQ Lead Assessors or IECQ SMEs, subject to the requirements of 1.3.4.
- IECQ Member Bodies (IECQ MBs)

Any variation to the above shall require permission for the use of the IECQ Logo from the IECQ Secretariat.

3.3 Where may the IECQ Logo be used

The IECQ Logo may be used on or with the following provided that there is no inference that components, assemblies, processes and related materials conform to declared technical Standards and Specifications under the IECQ System when they are not:

- Brochures
- Websites
- Business cards
- Letterheads
- Formal reports, reports not related to product compliance
- Training or promotional presentation material

NOTE Special care needs to be taken when a brochure or website contains a list of products where some may be covered by an IECQ Certificate of Conformity/Approval and some are not.

The IECQ Mark of Conformity shall not be used on IECQ certified components, assemblies, processes and related materials or their packaging, unless specifically allowed for in the relevant IECQ Scheme.

3.4 Use of the IECQ Logo by IECQ Training Bodies

Use of the IECQ Logo as part of training material is permitted by IECQ accepted Training Bodies and their Trainers according to the requirements of this guide providing:

- 1) That the person and their organization holds current RABQ certification and has been accepted by the IECQ MC as an IECQ Training Bodies having shown they meet the relevant IECQ TB requirements
- 2) That the training provided is up to date with the latest as possible information on IECQ
- 3) That the Trainer at any time does not denigrate the IEC or the IECQ

Use of the IECQ Mark of Conformity as part of training material is permitted where the Training Body or Trainer has obtained written permission from the IECQ Executive Secretary, whom may consult with the IECQ Executive prior to such permission.

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

3, rue de Varembé
PO Box 131
CH-1211 Geneva 20
Switzerland

Tel: + 41 22 919 02 11
Fax: + 41 22 919 03 00
info@iec.ch
www.iec.ch