

See discussions, stats, and author profiles for this publication at: <https://www.researchgate.net/publication/380761093>

SCHOOL MANAGEMENT SYSTEM PROJECT REPORT

Research Proposal · July 2021

CITATION

1

READS

40,984

1 author:



[Kamal Acharya](#)

Tribhuvan University

293 PUBLICATIONS 6,187 CITATIONS

SEE PROFILE

**AN
INTERNSHIP REPORT
ON
SCHOOL MANAGEMENT SYSTEM PROJECT
BY
KAMAL ACHARYA
(Tribhuvan University)**

Date: 2021/07/10

Table of Contents

Chapter 1.....	7
Introduction.....	7
1. Introduction.....	7
1.1 Outline of the Thesis	7
1.2 Scope of this application	8
1.3 Focusing of the Project.....	8
1.4 Features of the Project.....	8
1.5 Module of Easy Education Management System	9
1.1.....	9
1.5.1 Administration	Error! Bookmark not defined.
1.5.2 Personal Information Management System (PIMS)	9
1.5.3 Attendance	9
1.5.4 Result.....	9
1.5.5 Accounts	10
1.5.6 Reports	10
1.5.7 Students Information to Parents by Easy SMS Service.....	10
Chapter 2.....	11
2. Development platform Introduction	11
2.1 C# Features	11
2.2 Database Platform.....	12
2.3 SQL Server database Introduction	12
2.4 SQL Server database system features	12
Chapter 3.....	14
System Analysis	14
3. Introduction.....	14
3.1 System Engineering and Analysis.....	14
3.2 System Analysis.....	14
3.3 Requirement Analysis	15
3.4 Software Requirements	15
3.5 Language USED	15
3.6 Flow Chart.....	16
3.7 Data Flow Diagram (DFD).....	17

3.8	ER Diagram	18
3.9	Relational Database.....	19
3.9.1	User	19
3.9.2	Administration.....	19
3.9.3	Student	20
3.9.4	Employee	20
3.9.5	Routine.....	21
Chapter 4.....		22
System Design & Coding Structure		22
4	Introduction	22
4.1	Database Design.....	22
4.2	System Architecture Design	23
4.3	Code Design	24
4.4	Sample Code.....	25
4.5	Distinguishing Features of C#	33
4.5.3	Memory access.....	34
4.5.4	Exception	34
4.5.5	Polymorphism	34
4.5.6	Methods and functions.....	34
4.5.7	User Interface Design	35
Chapter 5.....		35
System implementation		35
5	System implementation.....	35
5.1	User Training.....	36
5.2	Distributed User Documentation	36
5.2.1	Finalized System Documentation.....	36
5.2.2	Installed Production System.....	36
5.2.3	Post-Implementation Review Summary	36
5.2.4	Methodology Compliance Form	37
5.3	Software deployment.....	37
5.4	Deployment Activities.....	37
5.4.1	Release.....	37
5.4.2	Install and activate.....	38

5.4.3	Deactivate	38
5.4.4	Adapt	38
5.4.5	Update.....	38
5.4.6	Built-In.....	38
5.4.7		39
5.4.8	Version tracking	39
5.4.9	Uninstall.....	39
5.4.10	Retire	39
Chapter 6		40
System Test		40
6	Software Testing.....	40
6.1	Principles of software testing.....	40
Chapter 7		42
User Manual		42
7	Information of Table	42
7.1	User Table	42
7.2	User Group Table.....	42
7.3	Menu Table.....	43
7.4	Routine Table.....	43
7.5	Student Progress Table.....	44
7.6	Student Table	44
8	Manual	45
8.1	Login	45
8.2	User Management	46
8.2.1	User Group.....	46
8.2.2	Group permission	47
8.2.3	User Entry	47
8.3	Administration	48
8.3.1	Shift	48
8.3.2	Class	49
8.3.3	Subject	49
8.3.4	Section	49
8.3.5	Student Group	50

8.3.6	Group Subjects	50
8.3.7	Designation	51
8.4	Attendance	51
8.4.1	Student Attendance.....	51
8.4.2	Employee Attendance.....	52
8.4.3	Holidays.....	52
8.5	PIMS (Personal Information Module System)	53
8.5.1	Student Admission	54
8.5.2	Employee Registration.....	55
8.5.3	Student List	56
8.5.4	Employee List	56
8.5.5	Student Details Report.....	57
8.5.6	Student list Report	57
8.5.7	Employee Details Report	57
8.5.8	Employee List Report.....	58
8.6	Result.....	59
8.6.1	Students Marks Policy	59
8.6.2	Subject Wise Marks Entry	60
8.7	Routine	61
8.7.1	Routine Slot Entry	61
8.7.2	Routine Entry	62
8.7.3	Student Class Routine.....	62
8.7.4	Teacher's Schedule.....	63
8.8	Accounts.....	63
8.8.1	Debit Head	63
8.8.2	Credit Head	63
8.9		64
8.9.1	Bank Deposit.....	64
8.9.2	Bank Withdraw	64
8.9.3	Income	65
8.9.4	Expense.....	66
Chapter 9		67
Future Works and conclusion		67

9	Future Expandability.....	67
9.1	Conclusion.....	67
	References.....	68

Chapter 1

Introduction

1. Introduction

Now a day's education plays a great role in development of any country. Many of education organizations try to increase education quality. One of the aspects of this improvement is managing of school resources.

Education Management System carried on by any individual or institution engaged in providing a services to students, teachers, guardians and other persons are intermediary that performs one or more of the following functionalities – Student Admission, Employee Registration, Student List, Employee List, Student Attendance, Employee Attendance, Student Routine, Result Management, Payroll & Accounts.

Education Management System (EMS) is such a service which provides all services for an educational institute to make your life easier and faster by assuring its performance. Easy User Management System, Easy Admission Process, Easy Attendance System.

EMS is a system that will provide you a bird's eye view of the functioning of the entire educational institution. It is a management information system helps to manage the different processes in an educational institution like General Administration, Staff Management, Academics, Student Management, and Accounts etc. The information is made using the latest technologies and help's to make decision making a lot faster, effective and easier than ever before. Also helps to improve the overall quality of education of the institution.

We use database and database technology are having a major impact on the growing use of computers. The implementation of the system was done using c# and SQL Server 2012 technologies, allowing system to be run in Windows OS.

In a nutshell, Education Management Software managed your education institution by simplifying and automating processes and addressing the needs of all stakeholders helping them to be more efficient in their respective roles.

1.1 Outline of the Thesis

The overview of related and used technologies in the implementation is given in Chapter 2.

The architecture and way of communication between client and service is explained in Chapter 3.

The detailed information about implementation of the system is presented in Chapter 4.

Chapter 5 provides the summary of the implemented system. The Appendices provides some additional information concerning the system.

1.2 Scope of this application

The difference area where we can use this application as:

- Any education institution makes use of it providing class schedule.
- It can be used in offices and modifications can be easily done according to requirements.

1.3 Focusing of the Project

The system is completed under the guidance of the theory and methods of management information systems, database technology support. This paper first discusses the structure of the background, purpose and significance of the graduate design topics. Then describes the development platform and database technology and the advantages of each, followed by more devoted a system requirements analysis, design, implementation, and the implementation of the tasks, techniques and tools. End system to complete the information input, output, data modification, query and statistics, as well as print statements, make operation simple and quick.

In this project, we try to build up sound software which can operate any challenging situation in the modern time. Administrator and users information are making effective decisions. The decisions are more accurate, relevant and timely the information stored or process is more effective.

1.4 Features of the Project

The common features of the projects are:

- This is very easy to use for each user.
- Increase Efficiencies and Reduce Costs
- Transform IT for Higher Education
- Easy Solution
- Easy Admission Process
- Secure All Data
- Easy Account Maintenance
- Transaction History

- Easy Attendance Process
- The user of the database can see all information and also can edit if necessary.
- Easy implemented routine for student and teacher's.

1.5 Module of Easy Education Management System

1.5.1 Administration

- System User Group Setup
- System User Setup
- System User Authorization Setup
- Class Setup
- Section Setup
- Student Group Setup
- Subject Setup
- Staff Designation Setup
- Student Routine Setup
- Student Hall Setup
- Student Seat Setup

1.5.2 Personal Information Management System (PIMS)

- i. Student Registration/ Admission
 - Personal Information
 - Guardian Information
- ii. Employee/ Staff Registration
 - Personal Information
 - Academic Information
 - Professional Information
 - Skills/ Training Information

1.5.3 Attendance

- Holiday Setup
- Student Attendance
- Employee / Staff Attendance

1.5.4 Result

- Student Exam Setup
- Student Exam Result Entry

1.5.5 Accounts

- Debit Head Setup
- Credit Head Setup
- Income
- Expense
- Bank deposit
- Withdraw from Bank

1.5.6 Reports

- Student Daily Attendance
- Student's Result
- Employee/ Staff Attendance
- Student Details
- Student List Report (For Each Class)
- Class Wise Student Routine
- Employee details Report
- Employee/ Staff List
- All Income By Date
- Head Wise Income By Month
- Head Wise Monthly Income by Financial Year
- All Expense By Date
- Head Wise Expense By Month
- Head Wise Monthly Expense By Year

1.5.7 Students Information to Parents by Easy SMS Service

- Admission Information Confirmation
- Student Attendance Report Each Day (If Not Come)
- Student Attendance Report Each Exam (If Not Come)
- Exam Date Information
- Exam Date Cancel Information

Chapter 2

Platform Introduction

2. Development platform Introduction

We use C# (.net framework) and MSSQL Server 2012.

C# is an elegant and type-safe object-oriented language that enables developers to build a variety of secure and robust applications that run on the .NET Framework. You can use C# to create Windows client applications, XML Web services, distributed components, client-server applications, database applications, and much, much more. Visual C# provides an advanced code editor, convenient user interface designers, integrated debugger, and many other tools to make it easier to develop applications based on the C# language and the .NET Framework.

The .NET Framework (pronounced dot net) is a software framework developed by Microsoft that runs primarily on Microsoft Windows. It includes a large class library known as Framework Class Library (FCL) and provides language interoperability (each language can use code written in other languages) across several programming languages. Programs written for .NET Framework execute in a software environment (as contrasted to hardware environment), known as Common Language Runtime (CLR), an application virtual machine that provides services such as security, memory management, and exception handling. FCL and CLR together constitute .NET Framework.

2.1 C# Features

- C# is a simple, modern, object oriented language derived from C++ and Java.
- It aims to combine the high productivity of Visual Basic and the raw power of C++.
- It is a part of Microsoft Visual Studio7.0.
- Visual studio supports Vb,VC++,C++,Vbscript, Jscript. All of these languages provide access to the Microsoft .NET platform.
- .NET includes a Common Execution engine and a rich class library.
- Microsofts JVM equiv is Common language run time (CLR).
- CLR accommodates more than one languages such as C#, VB.NET, Jscript, ASP.NET,C ++.
- Source code --->Intermediate Language code (IL) ---> (JIT Compiler) Native code.
- The classes and data types are common to all of the .NET languages.
- We may develop Console application, Windows application, and Web application using C #.

- In C# Microsoft has taken care of C++ problems such as Memory management, pointers etc.
- It supports garbage collection, automatic memory management and a lot.

2.2 Database Platform

A database is an organized collection of data. The data is typically organized to model aspects of reality in a way that supports processes requiring information, such as modeling the availability of rooms in hotels in a way that supports finding a hotel with vacancies.

Database management systems (DBMS) are computer software applications that interact with the user, other applications, and the database itself to capture and analyze data. A general-purpose DBMS is designed to allow the definition, creation, querying, update, and administration of databases. Well-known DBMSs include MySQL, PostgreSQL, Microsoft SQL Server, Oracle, Sybase and IBM DB2.

2.3 SQL Server database Introduction

In computing, Microsoft SQL Server is a relational database management system, currently developed by Microsoft. As a database server, it is a software product with the primary function of storing and retrieving data as requested by other software applications which may run either on the same computer or on another computer across a network (including the Internet).

Microsoft markets at least a dozen different editions of Microsoft SQL Server - aimed at different audiences and for workloads ranging from small single-machine applications to large Internet-facing applications with many concurrent users.

2.4 SQL Server database system features

- Supports most administrative tasks for SQL Server.
- A single, integrated environment for SQL Server Database Engine management and authoring.
- Dialogs for managing objects in the SQL Server Database Engine, Analysis Services, and Reporting Services, that allows you to execute your actions immediately, send them to a Code Editor, or script them for later execution.
- Non-modal and resizable dialogs allow access to multiple tools while a dialog is open.
- A common scheduling dialog that allows you to perform action of the management dialogs at a later time.
- Exporting and importing SQL Server Management Studio server registration from one Management Studio environment to another.

- Save or print XML Show plan or Deadlock files generated by SQL Server Profiler, review them later, or send them to administrators for analysis.
- A new error and informational message box that presents much more information, allows you to send Microsoft a comment about the messages, allows you to copy messages to the clipboard, and allows you to easily e-mail the messages to your support team.
- An integrated Web browser for quick browsing of MSDN or online help.

Chapter 3

System Analysis

3. Introduction

Systems analysis is a problem solving technique that decomposes a system into its component pieces for the purpose of the studying how well those component parts work and interact to accomplish their purpose. As the software system requirements were predictable, it is decided to follow the classical system development life cycle method. This process demands a systematic, sequential approach to software development that begins at the system level and progress through analysis, design, coding, testing and maintenance. The steps that is applicable to all software engineering paradigms. The program is followed by SDLC (Software Development Life Cycle)

3.1 System Engineering and Analysis

Software is always a part of a large system; work begins by establishing requirement for all system elements and then allocating some subsets of this requirement to software. This system view is essential when software must interface with other elements such as hardware, people and database. System engineering and analysis encompasses requirements gathering at the system level with a small amount of top-level design analysis.

3.2 System Analysis

Analysis involves the requirement determination and specification. Systems analysis is a problem solving technique that decomposes a system into its component pieces for the purpose of the studying how well those component parts work and interact to accomplish their purpose. According to the Merriam-Webster dictionary, systems analysis is the process of studying a procedure or business in order to identify its goals and purposes and create systems and procedures that will achieve them in an efficient way. Analysis and synthesis, as scientific methods, always go hand in hand, they complement one another.

3.3 Requirement Analysis

Requirements analysis in systems engineering and software engineering, encompasses those tasks that go into determining the needs or conditions to meet for a new or altered product or project, taking account of the possibly conflicting requirements of the various stakeholders, analyzing, documenting, validating and managing software or system requirements.

Requirements analysis is critical to the success of a systems or software project. The requirements should be documented, actionable, measurable, testable, traceable, related to identified business needs or opportunities, and defined to a level of detail sufficient for system design.

3.4 Software Requirements

- Microsoft windows XP/ Windows 7/ Windows Vista/ Windows 8/ Windows 10/ Windows Server 2003, 2008, 2012.
- Visual Studio 2012 should be installed.
- .Net framework should be installed, Crystal report should be installed for report view (visual studio package not installed in OS).
- MSSQL Server 2012 should be installed.
-

3.5 Language USED

- C# in front end
- .Net Framework
- MS SQL Server DBMS (backend database)

3.6 Flow Chart




Figure 0: DFD Diagram

3.7 Data Flow Diagram (DFD)




Figure 1: DFD Diagram

3.8 ER Diagram




Figure 2: ER Diagram

3.9 Relational Database

3.9.1 User




Figure 3: User Relational Database

3.9.2 Administration




Figure 4: Administration Relational Database

3.9.3 Student




Figure 5: Student Relational Database

3.9.4 Employee




Figure 6: Employee Relational Database

3.9.5 Routine




Figure 7: Routine Relational Database

Chapter 4

System Design & Coding Structure

4 Introduction

The design phase is concerned with the physical construction of the system. Included are the design or configuration of the network (hardware, operating system, programming, etc.), design of user interfaces (forms, reports, etc.), design of system interfaces (for communication with other systems), and security issues. It is important that the proposed design be tested for performance, and to ensure that it meets the requirements outlined during the analysis phase. In other words, the main objective of this phase is to transform the previously defined requirements into a complete and detailed set of specifications which will be used during the next phase. Some of the activities that need to take place during the design phase are:

- Design the application
- Design and integrate the network
- Design and integrate the database
- Create a contingency plan
- Start a Maintenance, Training and Operations plan
- Review the design
- Articulate the business processes and procedures
- Establish a transition strategy
- Deliver the System Design Document
- Review final design

A database system is essentially nothing more than a computerized record keeping system the database itself can be regarded as kind of electronic filing cabinet. A database consists of same collection of some collection of persistent data that is used by the applications system of given some instituted. The term “instituted” here is simply a convenient generic term for any reasonable self- contained science, technical or other institution.

4.1 Database Design

A database management system (DBMS) is a collection of programs that enables you to store, modify, and extract information from a database. There are many different types of database management systems, ranging from small systems that run on personal computers to huge systems that run on mainframes.

DBMS is a software that handles the storage, retrieval, and updating of data in a computer system.

Ex- SQL Server (Microsoft), MySQL (Freeware), Oracle (Oracle), NoSQL (Oracle), NonStop SQL (Hewlett Packard)

4.2 System Architecture Design

A system architecture or systems architecture is the conceptual model that defines the structure, behavior, and more views of a system. An architecture description is a formal description and representation of a system, organized in a way that supports reasoning about the structures and behaviors of the system.

System architecture can comprise system components, the externally visible properties of those components, the relationships (e.g. the behavior) between them. It can provide a plan from which products can be procured, and systems developed, that will work together to implement the overall system. There have been efforts to formalize languages to describe system architecture, collectively these are called architecture description languages.




Figure 8: Software Architecture Design

Software architecture refers to the high level structures of a software system, the discipline of creating such structures, and the documentation of these structures. It is the set of structures needed to reason about the software system. Each structure comprises software elements, relations among them, and properties of both elements and relations. The architecture of a software system is a metaphor, analogous to the architecture of a building.

4.3 Code Design

Design patterns are solutions to software design problems you find again and again in real-world application development. Patterns are about reusable designs and interactions of objects.

The 23 Gang of Four (GoF) patterns are generally considered the foundation for all other patterns. They are categorized in three groups: Creational, Structural, and Behavioral (for a complete list see below).

To give you a head start, the C# source code for each pattern is provided in 2 forms: structural and real-world. Structural code uses type names as defined in the pattern definition and UML diagrams. Real-world code provides real-world programming situations where you may use these patterns.

A third form, .NET optimized, demonstrates design patterns that fully exploit built-in .NET 4.5 features, such as, generics, attributes, delegates, reflection, and more. These and much more are available in our .NET Design Pattern Framework 4.5.

This structural code demonstrates the Singleton pattern which assures only a single instance (the singleton) of the class can be created.

This real-world code demonstrates the Singleton pattern as a Load Balancing objects. Only a single instance (the singleton) of the class can be created because servers may dynamically come on-or off-line and every request must go through the one object that has knowledge about the state of the (web) farm.

4.4 Sample Code

4.4.1 Form Login

Design:



Code:

```
private void Login()
{
    try
    {
        if (IsValid())
        {
            UserInfo _user =
            DataAccessFacade.Instance.GetUserInfoForLogin(txtUserName.Text.Trim(),
            txtPassword.Text.Trim());
            if (_user != null && string.Compare(txtPassword.Text.Trim(),
            _user.Password.ToString().Trim()) == 0)
            {
                if (_user.IsActive.ToUpper() == "YES")
                {
                    MainForm.LoggedUser = _user;
                    MainForm main = (MainForm)this.Owner;
                    main.mnuLogin.Enabled = false;
                    main.mnuLogout.Enabled = true;
                    main.AuthenticateUser();
                    this.Dispose();
                }
                else
                {
                    MessageBox.Show("Currently you have no access.\nPlease
                    Contact with system administrator.",
                    ConfigurationManager.AppSettings["MessageBoxCaption"]);
                }
            }
            else
            {
                MessageBox.Show("Error In User Name Or Password.",
                ConfigurationManager.AppSettings["MessageBoxCaption"]);
            }
        }
    }
    catch (Exception ex)
    {
    }
}
```

4.4.2 User Group Permission

Design:

Group Name	Abbreviation	Permission
Super Admin	SA	User Group, User, User Group Permission, Shift, Class, Subj...
PIMS	PIMS	
Accounts	ACC	Debit Head, Credit Head, Bank Deposit, Bank Withdraw, In...
Library	LIB	
Hostel	RES	
Attendance	ATT	Holiday, Student Attendance, Staff Attendance, Student Da...
Results	Res	

Code:

```
private void btnSave_Click(object sender, EventArgs e)
{
    try
    {
        DataTable dtMenu = new DataTable();
        dtMenu.Columns.Add(new DataColumn("MenuID", typeof(long)));
        foreach (TreeNode parentNode in tvPermission.Nodes)
        {
            foreach (TreeNode tn in parentNode.Nodes)
            {
                if (tn.Nodes.Count == 0)
                {
                    if (tn.Checked)
                    {
                        DataRow row1 = dtMenu.NewRow();
                        row1["MenuID"] = Convert.ToInt64(tn.Name);
                        dtMenu.Rows.Add(row1);
                    }
                }
                else
                {
                    foreach (TreeNode lastNode in tn.Nodes)
                    {
                        if (lastNode.Checked)
                        {
                            DataRow row1 = dtMenu.NewRow();
                            row1["MenuID"] = Convert.ToInt64(lastNode.Name);
                            dtMenu.Rows.Add(row1);
                        }
                    }
                }
            }
        }
    }
}
```

```

if (IsValid(dtMenu))
{
    if (string.IsNullOrEmpty(lblID.Text.Trim()))
    {
        if
        (DataAccessFacade.Instance.InsertUserGroupMenuDetailsInfo(dtMenu,
        Convert.ToInt64(cmbUserGroup.SelectedValue), MainForm.LoggedUser.Username))
        {
            ClearUIControls();
            LoadGrid();
            MessageBox.Show("Saved Successfully",
            ConfigurationManager.AppSettings["MessageBoxCaption"]);
        }
        else
        {
            MessageBox.Show("Not Saved",
            ConfigurationManager.AppSettings["MessageBoxCaption"]);
        }
    }
    else
    {
        if
        (DataAccessFacade.Instance.InsertUserGroupMenuDetailsInfo(dtMenu,
        Convert.ToInt64(cmbUserGroup.SelectedValue), MainForm.LoggedUser.Username))
        {
            ClearUIControls();
            LoadGrid();
            MessageBox.Show("Updated Successfully",
            ConfigurationManager.AppSettings["MessageBoxCaption"]);
        }
        else
        {
            MessageBox.Show("Not Updated",
            ConfigurationManager.AppSettings["MessageBoxCaption"]);
        }
    }
}
}
catch (Exception ex)
{
    MessageBox.Show("Not Saved/Updated: " + ex.Message,
    ConfigurationManager.AppSettings["MessageBoxCaption"]);
}
}

```

```

private void dgvUserGroup_CellClick(object sender, DataGridViewCellEventArgs e)
{
    LoadMenuForPermission();
    lblID.Text = "";
    btnSave.Text = "Update";
    btnDelete.Enabled = true;
    if (dgvUserGroup.Rows.Count > 0)
    {
        int index = dgvUserGroup.SelectedCells[0].RowIndex;
        lblID.Text = dgvUserGroup.Rows[index].Cells[0].Value.ToString();
        cmbUserGroup.SelectedValue = dgvUserGroup.Rows[index].Cells[0].Value;
        List<UserGroupMenuDetailsInfo> _listUserGroupMenuDetailsInfo = new
        List<UserGroupMenuDetailsInfo>();
        _listUserGroupMenuDetailsInfo =
        DataAccessFacade.Instance.GetUserGroupMenuDetailsInfoByRange(1, 100, "MenuID", "ASC", "
        UserGroupID = " + dgvUserGroup.Rows[index].Cells[0].Value);
        if (_listUserGroupMenuDetailsInfo != null)
        {
            foreach (UserGroupMenuDetailsInfo _UserGroupMenuDetailsInfo in
            _listUserGroupMenuDetailsInfo)
            {
                tvPermission.ExpandAll();
                foreach (TreeNode tn in tvPermission.Nodes)
                {
                    if (tn.Nodes.Count > 0)
                    {
                        SelectNodes(tn,
                        _UserGroupMenuDetailsInfo.MenuID.ToString());
                    }
                    else
                    {
                        if (tn.Name ==
                        _UserGroupMenuDetailsInfo.MenuID.ToString())
                        {
                            tn.Checked = true;
                        }
                    }
                }
            }
        }
    }
}

```

4.4.3 Section Entry

Design:

Class	Section Code	Section Name	EntryBy	Entry Date
Play	A	Section A	ma	3/15/2013 9:12...
Play	B	Section B	ma	3/15/2013 9:51...
Nursery	A	Section A	ma	3/15/2013 9:53...
Nursery	B	Section B	ma	3/15/2013 9:53...
One	A	Section A	ma	3/15/2013 10:00...
One	B	Section B	ma	3/15/2013 10:01...
Two	A	Section A	ma	3/15/2013 10:01...
Two	B	Section B	ma	3/15/2013 10:01...
Three	A	Section A	ma	3/15/2013 10:01...
Three	B	Section B	ma	3/15/2013 10:01...
Four	A	Section A	ma	3/15/2013 10:01...

Code:

```
private void btnSave_Click(object sender, EventArgs e)
{
    try
    {
        if (IsValid())
        {
            StudentSectionInfo _StudentSectionInfo = CreateDTO();
            if (string.IsNullOrEmpty(lblID.Text.Trim()))
            {
                if (DataAccessFacade.Instance.IsExist("StudentSectionInfo", "
ClassID = " + _StudentSectionInfo.ClassID.ToString() + " AND SectionCode = '" +
_StudentSectionInfo.SectionCode + "'"))
                {
                    MessageBox.Show("Record already exists.",
ConfigurationManager.AppSettings["MessageBoxCaption"]);
                    return;
                }

                if
(DataAccessFacade.Instance.InsertStudentSectionInfo(_StudentSectionInfo))
                {
                    ClearUIControls();
                    LoadGrid();
                    MessageBox.Show("Saved Successfully",
ConfigurationManager.AppSettings["MessageBoxCaption"]);
                }
                else
                {
                    MessageBox.Show("Not Saved",
ConfigurationManager.AppSettings["MessageBoxCaption"]);
                }
            }
        }
    }
}
```

```
else
{
    if (DataAccessFacade.Instance.IsExist("StudentSectionInfo", "
IID <> " + _StudentSectionInfo.IID.ToString() + " AND ClassID = " +
_StudentSectionInfo.ClassID.ToString() + " AND SectionCode = '" +
_StudentSectionInfo.SectionCode + "'"))
    {
        MessageBox.Show("Record already exists.",
ConfigurationManager.AppSettings["MessageBoxCaption"]);
    }
}
```

```
private void LoadClass()
{
    List<StudentClassInfo> _listStudentClassInfo = new List<StudentClassInfo>();
    _listStudentClassInfo = DataAccessFacade.Instance.GetAllStudentClassInfo();
    //cmbUserGroup.Items.Add("Please Select");
    if (_listStudentClassInfo != null)
    {
        cmbClass.ValueMember = "IID";
        cmbClass.DisplayMember = "ClassName";
        cmbClass.DataSource = _listStudentClassInfo;
    }
}
```

4.4.4 Students Daily Report

Design:

Student Details Report

Class

Play

Student

Md. Maruf Billah

Show

Section

Section A

Roll No

Reset

1 of 1

100%

Find | Next

Shaikh Burhanuddin Post Graduate College

62, Nazimuddin Road, Dhaka-1100.

Student Details Report

Student Academic Information			
Roll No	2015AAA002	Section	Section A
Class	Play	Group	General (Play Group)
Admission Date	Mar 16, 2013	Session	2013
Student Name (English)	Md. Maruf Billah		
Student Name (Bengali)	Maruf		



Student Photo

Student Personal Information	
Father's Name	Md. Abdus Sattar
Mother's Name	Rashida Begum
Present Address	Puran Kaila Ghat P.S - Kotoali, P.O - Barisal-8200 District - Barisal Contact - 01710181448
Permanent Address	Puran Kaila Ghat P.S - Kotoali, P.O - Barisal-8200 District - Barisal Contact - 01710181448
Gurdian Name	Md. Abdus Sattar



Gurdian Photo

Code:

```

public void LoadStudent()
{
    cmbStudent.DataSource = null;
    //cmbStudent.Items.Clear();
    if (cmbSection.SelectedIndex != -1)
    {
        string whereClause = " ClassID = " +
        ((StudentClassInfo)cmbClass.SelectedItem).IID.ToString() + " AND SectionID = " +
        ((StudentSectionInfo)cmbSection.SelectedItem).IID.ToString() + " ";

        DataTable dtStudent =
        DataAccessFacade.Instance.GetBySPWithParams(DBConstants.SP_GET_ALL_STUDENT_FOR_DROPDOWN,
        new object[] { whereClause });
        if (dtStudent.Rows.Count > 0)
        {
            cmbStudent.DisplayMember = "NameEnglish";
            cmbStudent.ValueMember = "IID";
            cmbStudent.DataSource = dtStudent;
        }
    }
}

```

```

private string GetWhereClause()
{
    string strWhereClause = " 1=1 ";
    if (!string.IsNullOrEmpty(txtRollNo.Text.Trim()))
    {
        strWhereClause = strWhereClause + " AND S.RollNo = '" +
        txtRollNo.Text.Trim() + "' ";
    }
    else
    {

```

4.5 Distinguishing Features of C#

4.5.1 Portability

By design, C# is the programming language that most directly reflects the underlying Common Language Infrastructure (CLI). Most of its intrinsic types correspond to value-types implemented by the CLI framework. However, the language specification does not state the code generation requirements of the compiler: that is, it does not state that a C# compiler must target a Common Language Runtime, or generate Common Intermediate Language (CIL), or generate any other specific format. Theoretically, a C# compiler could generate machine code like traditional compilers of C++ or FORTRAN.

4.5.2 Namespace

A C# namespace provides the same level of code isolation as a Java package or a C++ namespace, with very similar rules and features to a package.

4.5.3 Memory access

In C#, memory address pointers can only be used within blocks specifically marked as unsafe, and programs with unsafe code need appropriate permissions to run. Most object access is done through safe object references, which always either point to a "live" object or have the well-defined null value; it is impossible to obtain a reference to a "dead" object (one that has been garbage collected), or to a random block of memory.

4.5.4 Exception

Checked exceptions are not present in C# (in contrast to Java). This has been a conscious decision based on the issues of scalability and version ability.

4.5.5 Polymorphism

Unlike C++, multiple inheritances is not supported by C#, although a class can implement any number of interfaces. This was a design decision by the language's lead architect to avoid complication and simplify architectural requirements throughout CLI. When implementing multiple interfaces that contain a method with the same signature, C# allows the programmer to implement each method depending on which interface that method is being called through, or, like Java, allows the programmer to implement the method once and have that be the single invocation on a call through any of the class's interfaces.

4.5.6 Methods and functions

Like C++, and unlike Java, C# programmers must use the keyword `virtual` to allow methods to be overridden by subclasses.

Extension methods in C# allow programmers to use static methods as if they were methods from a class's method table, allowing programmers to add methods to an object that they feel should exist on that object and its derivatives.

4.5.7 User Interface Design

User interface design (UI) or user interface engineering is the design of user interfaces for machines and software, such as computers, home appliances, mobile devices, and other electronic devices, with the focus on maximizing the user experience. The goal of user interface design is to make the user's interaction as simple and efficient as possible, in terms of accomplishing user goals (user-centered design).

Good user interface design facilitates finishing the task at hand without drawing unnecessary attention to it. Graphic design and typography are utilized to support its usability, influencing how the user performs certain interactions and improving the aesthetic appeal of the design; design aesthetics may enhance or detract from the ability of users to use the functions of the interface.

The screenshot displays the 'Education Management System' interface. The top menu bar includes 'File', 'View', 'User Management', 'Administration', 'Attendance', 'PIMS', 'Result', 'Routine', 'Library', 'Residence', 'Accounts', and 'Help'. The 'Routine' menu is expanded, showing 'Routine Slot Entry', 'Routine Entry', 'Student Class Routine', and 'Teachers Schedule'. The 'Teachers Schedule' tab is active. Below the menu, there are input fields for 'Shift' (Day), 'Class' (Play), 'Section' (Section A), 'Year' (2013), and 'Group' (General (Play Group)). There are 'Save', 'Delete', 'Show', and 'Clear' buttons. The main area is a table with columns for 'Day / Slot', '1st Period', '2nd Period', '3rd Period', '4th Period', 'Tiffin / Break', '5th Period', '6th Period', and '7th Period'. The table is divided into two sections: 'Sat' and 'Sun'. Each section has rows for 'Subject', 'Subject Type', 'Teacher', and 'Room Number'. The 'Tiffin / Break' column is labeled 'Break'.

Day / Slot	1st Period	2nd Period	3rd Period	4th Period	Tiffin / Break	5th Period	6th Period	7th Period
Sat	Subject Bengali Subject Type Subjective Teacher Akter Hossain Room Number sdfdsf	Subject Bengali Subject Type Subjective Teacher Akter Hossain Room Number sdfdsf	Subject Bengali Subject Type Subjective Teacher MAH Monju Room Number dsfsd	Subject Bengali Subject Type Subjective Teacher Akter Hossain Room Number ldsf	Break	Subject Bengali Subject Type Subjective Teacher Akter Hossain Room Number lfsdfdsf	Subject Bengali Subject Type Subjective Teacher Akter Hossain Room Number sdf	Subject Bengali Subject Type Subjective Teacher Akter Hossain Room Number dsfsd
	Subject Bengali Subject Type Subjective Teacher Akter Hossain Room Number	Subject Bengali Subject Type Subjective Teacher Akter Hossain Room Number	Subject Bengali Subject Type Subjective Teacher Akter Hossain Room Number	Subject Bengali Subject Type Subjective Teacher Akter Hossain Room Number	Break	Subject Bengali Subject Type Subjective Teacher Akter Hossain Room Number	Subject Bengali Subject Type Subjective Teacher Akter Hossain Room Number	Subject Bengali Subject Type Subjective Teacher Akter Hossain Room Number
	Subject Bengali Subject Type Subjective Teacher Akter Hossain Room Number	Subject Bengali Subject Type Subjective Teacher Akter Hossain Room Number	Subject Bengali Subject Type Subjective Teacher Akter Hossain Room Number	Subject Bengali Subject Type Subjective Teacher Akter Hossain Room Number	Break	Subject Bengali Subject Type Subjective Teacher Akter Hossain Room Number	Subject Bengali Subject Type Subjective Teacher Akter Hossain Room Number	Subject Bengali Subject Type Subjective Teacher Akter Hossain Room Number
	Subject Bengali Subject Type Subjective Teacher Akter Hossain Room Number	Subject Bengali Subject Type Subjective Teacher Akter Hossain Room Number	Subject Bengali Subject Type Subjective Teacher Akter Hossain Room Number	Subject Bengali Subject Type Subjective Teacher Akter Hossain Room Number	Break	Subject Bengali Subject Type Subjective Teacher Akter Hossain Room Number	Subject Bengali Subject Type Subjective Teacher Akter Hossain Room Number	Subject Bengali Subject Type Subjective Teacher Akter Hossain Room Number
Sun	Subject Bengali Subject Type Subjective Teacher Akter Hossain Room Number	Subject Bengali Subject Type Subjective Teacher Akter Hossain Room Number	Subject Bengali Subject Type Subjective Teacher Akter Hossain Room Number	Subject Bengali Subject Type Subjective Teacher Akter Hossain Room Number	Break	Subject Bengali Subject Type Subjective Teacher Akter Hossain Room Number	Subject Bengali Subject Type Subjective Teacher Akter Hossain Room Number	Subject Bengali Subject Type Subjective Teacher Akter Hossain Room Number
	Subject Bengali Subject Type Subjective Teacher Akter Hossain Room Number	Subject Bengali Subject Type Subjective Teacher Akter Hossain Room Number	Subject Bengali Subject Type Subjective Teacher Akter Hossain Room Number	Subject Bengali Subject Type Subjective Teacher Akter Hossain Room Number	Break	Subject Bengali Subject Type Subjective Teacher Akter Hossain Room Number	Subject Bengali Subject Type Subjective Teacher Akter Hossain Room Number	Subject Bengali Subject Type Subjective Teacher Akter Hossain Room Number
	Subject Bengali Subject Type Subjective Teacher Akter Hossain Room Number	Subject Bengali Subject Type Subjective Teacher Akter Hossain Room Number	Subject Bengali Subject Type Subjective Teacher Akter Hossain Room Number	Subject Bengali Subject Type Subjective Teacher Akter Hossain Room Number	Break	Subject Bengali Subject Type Subjective Teacher Akter Hossain Room Number	Subject Bengali Subject Type Subjective Teacher Akter Hossain Room Number	Subject Bengali Subject Type Subjective Teacher Akter Hossain Room Number
	Subject Bengali Subject Type Subjective Teacher Akter Hossain Room Number	Subject Bengali Subject Type Subjective Teacher Akter Hossain Room Number	Subject Bengali Subject Type Subjective Teacher Akter Hossain Room Number	Subject Bengali Subject Type Subjective Teacher Akter Hossain Room Number	Break	Subject Bengali Subject Type Subjective Teacher Akter Hossain Room Number	Subject Bengali Subject Type Subjective Teacher Akter Hossain Room Number	Subject Bengali Subject Type Subjective Teacher Akter Hossain Room Number

Figure 9: User Interface

Chapter 5

System implementation

5 System implementation

Implementation refers to the final process of moving the solution from development status to production status. Depending on your project, this process is often called deployment, go-live, rollout or installation. For the purposes of Life cycle Step, all of these terms are synonymous with "implementation."

There is no single way to implement an application. It depends on the characteristics of your project and the solution. Some implementations are as easy as saying "we are now live." This type of implementation can work when the solution is brand new and you are developing and testing in what will become the production environment. In these cases, implementation is just a state of mind. One day the solution is in development, and the next day it is in production.

5.1 User Training

The initial training classes for users are held, and training materials are delivered at the classes. Some help desk personnel should attend the initial user training class. More training classes can be scheduled later, as new personnel start using the application. Training is done on the user acceptance test system, accessing the test database or a special training database.

5.2 Distributed User Documentation

User documentation that was finalized in User Acceptance Testing is now distributed and in the users' possession.

5.2.1 Finalized System Documentation

System documentation corrected with all updates from the testing phases is handed over to production support.

5.2.2 Installed Production System

The production system is installed in the appropriate production environment or on the appropriate production server, and on any client workstations that require it.

5.2.3 Post-Implementation Review Summary

This report is produced after the post-implementation review meeting, and contains a summary of the project success criteria that were met, success criteria that were not met and reasons for the problem, what we can learn from the project to improve practices for the next project. In particular, the report should identify any techniques or practices used in this project that worked extremely well, and which the project team feels would benefit current and future projects.

5.2.4 Methodology Compliance Form

This form is initialized by the project team, and completed by a methodology representative who has reviewed the project documentation and found it acceptable. It is completed in Word.

5.3 Software deployment

Software deployment is all of the activities that make a software system available for use. The general deployment process consists of several interrelated activities with possible transitions between them. These activities can occur at the producer side or at the consumer side or both. Because every software system is unique, the precise processes or procedures within each activity can hardly be defined. Therefore, "deployment" should be interpreted as a general process that has to be customized according to specific requirements or characteristics. A brief description of each activity will be presented later.




Figure 10: Deployment Process

5.4 Deployment Activities

5.4.1 Release

The release activity follows from the completed development process. It includes all the operations to prepare a system for assembly and transfer to the customer site. Therefore, it must determine the resources required to operate at the customer site and collect information for carrying out subsequent activities of deployment process.

5.4.2 Install and activate

Activation is the activity of starting up the executable component of software. For simple systems, it involves establishing some form of command for execution. For complex systems, it should make all the supporting systems ready to use. (Not to be confused with the common use of the term activation concerning a software license, which is a function of Digital Rights Management systems.)

In larger software deployments, the working copy of the software might be installed on a production server in a production environment. Other versions of the deployed software may be installed in a test environment, development environment and disaster recovery environment.

Further information: Installation (computer programs)

5.4.3 Deactivate

Deactivation is the inverse of activation, and refers to shutting down any executing components of a system. Deactivation is often required to perform other deployment activities, e.g., a software system may need to be deactivated before an update can be performed. The practice of removing infrequently used or obsolete systems from service is often referred to as application retirement or application decommissioning.

5.4.4 Adapt

The adaptation activity is also a process to modify a software system that has been previously installed. It differs from updating in that adaptations are initiated by local events such as changing the environment of customer site, while updating is mostly started from remote software producer.

5.4.5 Update

The update process replaces an earlier version of all or part of a software system with a newer release.

5.4.6 Built-In

Mechanisms for installing updates are built into some software systems. Automation of these update processes ranges from fully automatic to user initiated and controlled. Norton Internet Security is an example of a system with a semi-automatic method for retrieving and installing updates to both the antivirus definitions and other components of the system. Other software products provide query mechanisms for determining when updates are available.

5.4.8 Version tracking

Version tracking systems help the user find and install updates to software systems installed on PCs and local networks.

- Web based version tracking systems notify the user when updates are available for software systems installed on a local system. For example: Version Tracker Pro checks software versions on a user's computer and then queries its database to see if any updates are available.
- Local version tracking system notifies the user when updates are available for software systems installed on a local system. For example: Catalog stores version and other information for each software package installed on a local system. One click of a button launches a browser window to the upgrade web page for the application, including auto-filling of the user name and password for sites that require a login.
- Browser based version tracking systems notify the user when updates are available for software packages installed on a local system. For example: wfx-Versions is a Firefox extension which helps the user find the current version number of any program listed on the web.

5.4.9 Uninstall

Uninstallation is the inverse of installation. It is the removal of a system that is no longer required. It also involves some reconfiguration of other software systems in order to remove the uninstalled system's files and dependencies.

5.4.10 Retire

Ultimately, a software system is marked as obsolete and support by the producers is withdrawn. It is the end of the life cycle of a software product.

Chapter 6

System Test

6 Software Testing

Software testing is an investigation conducted to provide stakeholders with information about the quality of the product or service under test. Software testing can also provide an objective, independent view of the software to allow the business to appreciate and understand the risks of software implementation. Test techniques include the process of executing a program or application with the intent of finding software bugs (errors or other defects).

It involves the execution of a software component or system component to evaluate one or more properties of interest. In general, these properties indicate the extent to which the component or system under test:

- Meets the requirements that guided its design and development,
- Responds correctly to all kinds of inputs,
- Performs its functions within an acceptable time,
- Is sufficiently usable,
- Can be installed and run in its intended environments, and
- Achieves the general result its stakeholder's desire.

6.1 Principles of software testing

Principle 1: Testing shows that there are defects present in the software

A self-explanatory point, it states that when a project is tested, it is checked for possible defects or bugs by creating different **software testing strategies**.

Principle 2: Testing software exhaustively is impossible.

This means that testing software is not possible exhaustively and instead, testers need optimum time to test an application, which is based on the risk assessment of the same.

Principle 3: Testing software early.

It is imperative to start testing software as early as possible. This ensures that the defects can be captured

and fixed within the stipulated time-frame, thereby allowing developers to deliver the software to the clients on time.

Principle 4: Clustering the defects.

Defect clustering simply state that a small number of modules in an application contains maximum defects detected.

Principle 5: The Pesticide Paradox.

When the same tests are repeated over time and again, then the test cases do not find any new bugs. This situation gives rise to a new principle known as the Pesticide Paradox. However, this can be overcome by reviewing and revising the test cases and adding new and different test cases.

Principle 6: Testing is dependent on context.

This means that when you test a mobile application, it will be on different grounds than while testing a web application. Similarly, testing a Mac application will be different than testing an Android application and the likes.

Principle 7: Absence of errors – fallacy.

This principle merely points out to the fact that finding and fixing defects in a software system is of no use if the system build in itself is unusable and is unable to meet the users' needs and requirements.

Chapter 7

User Manual

7 Information of Table

7.1 User Table

UserInfo			
	Column Name	Data Type	Allow Nulls
	IID	bigint	☐
	Username	varchar(50)	☐
	Password	varchar(50)	☐
	UserType	varchar(50)	☐
	IsActive	varchar(50)	☐
	EntryBy	varchar(50)	☒
	EntryDate	datetime	☐
	UpdateBy	varchar(50)	☒
	UpdateDate	datetime	☒
			☐

UserPermissionDetailsInfo			
	Column Name	Data Type	Allow Nulls
	IID	bigint	☐
	UserID	bigint	☐
	UserGroupID	bigint	☐
	EntryBy	varchar(50)	☒
	EntryDate	datetime	☐
	UpdateBy	varchar(50)	☒
	UpdateDate	datetime	☒
			☐

7.2 User Group Table

UserGroupInfo			
	Column Name	Data Type	Allow Nulls
	IID	bigint	☐
	GroupName	varchar(100)	☐
	Abbreviation	varchar(20)	☒
	EntryBy	varchar(50)	☒
	EntryDate	datetime	☐
	UpdateBy	varchar(50)	☒
	UpdateDate	datetime	☒
			☐

UserGroupMenuDetailsInfo			
	Column Name	Data Type	Allow Nulls
	IID	bigint	☐
	UserGroupID	bigint	☐
	MenuID	bigint	☒
	EntryBy	varchar(50)	☒
	EntryDate	datetime	☐
	UpdateBy	varchar(50)	☒
	UpdateDate	datetime	☒
			☐

7.3 Menu Table

MenuInfo			
	Column Name	Data Type	Allow Nulls
	IID	bigint	☐
	Caption	varchar(100)	☐
	MenuName	varchar(100)	☐
	FormName	varchar(200)	☐
	IsParent	bit	☐
	ParentID	bigint	☒
	EntryBy	varchar(50)	☒
	EntryDate	datetime	☐
	UpdateBy	varchar(50)	☒
	UpdateDate	datetime	☒
			☐

7.4 Routine Table

RoutineSlotInfo			
	Column Name	Data Type	Allow Nulls
	IID	bigint	☐
	Session	varchar(50)	☐
	BatchID	bigint	☐
	ShiftID	bigint	☐
	DayName	varchar(15)	☐
	SlotFrom	decimal(18, 2)	☐
	SlotTo	decimal(18, 2)	☐
	Description	varchar(50)	☒
	SlotTitle	varchar(50)	☒
	IsTiffin	bit	☐
	EntryBy	varchar(50)	☐
	EntryDate	datetime	☐
	UpdateBy	varchar(50)	☒
	UpdateDate	datetime	☒
			☐

RoutineInfo			
	Column Name	Data Type	Allow Nulls
	IID	bigint	☐
	Session	varchar(50)	☐
	BatchID	bigint	☒
	ShiftID	bigint	☒
	ClassID	bigint	☐
	SectionID	bigint	☐
	GroupID	bigint	☐
	SlotID	bigint	☐
	SubjectID	bigint	☐
	TeacherID	bigint	☐
	SubjectType	varchar(50)	☐
	RoomNo	varchar(50)	☒
	EntryBy	varchar(50)	☐
	EntryDate	datetime	☐
	UpdateBy	varchar(50)	☒
	UpdateDate	datetime	☒
			☐

7.5 Student Progress Table

Column Name	Data Type	Allow Nulls
IID	bigint	☐
StudentID	bigint	☐
Shift	varchar(50)	☐
RollNo	bigint	☐
Class	varchar(50)	☐
[Group]	varchar(50)	☐
Section	varchar(50)	☐
Session	varchar(50)	☐
Grade	varchar(50)	☐
TotalMarks	decimal(18, 2)	☐
NumberOfFail	int	☒
EntryBy	varchar(50)	☐
EntryDate	datetime	☐
UpdateBy	varchar(50)	☒
UpdateDate	datetime	☒

Column Name	Data Type	Allow Nulls
IID	bigint	☐
StudentID	bigint	☐
ExamName	varchar(50)	☐
InstituteName	varchar(100)	☐
Board	varchar(50)	☐
[Group]	varchar(50)	☐
RegNo	varchar(50)	☐
Grade	varchar(50)	☒
PassingYear	int	☐
EntryBy	varchar(50)	☐
EntryDate	datetime	☐
UpdateBy	varchar(50)	☒
UpdateDate	datetime	☒

7.6 Student Table

Column Name	Data Type	Allow Null:
IID	bigint	☐
ReceiptNo	varchar(50)	☐
StudentID	bigint	☐
RollNo	varchar(50)	☐
NameEnglish	varchar(150)	☐
NameBengali	varchar(150)	☐
ShiftID	bigint	☐
ShiftName	varchar(50)	☐
ClassID	bigint	☐
ClassName	varchar(50)	☐
SectionID	bigint	☐
Section	varchar(50)	☐
GroupID	bigint	☒
GroupName	varchar(50)	☒
Month	int	☐
Year	int	☐
TransactionDate	datetime	☐
Total	decimal(18, 2)	☐
EntryBy	varchar(50)	☐
EntryDate	datetime	☐
UpdateBy	varchar(50)	☒

Column Name	Data Type	Allow Null:
IID	bigint	☐
RollNo	varchar(50)	☐
NameEnglish	varchar(150)	☐
NameBengali	varchar(150)	☐
FatherName	varchar(150)	☐
MotherName	varchar(150)	☐
PresentAddress	varchar(250)	☐
PresentPO	varchar(50)	☐
PresentPS	varchar(50)	☐
PresentDistrict	varchar(50)	☐
PresentCell	varchar(50)	☐
PermanentAddress	varchar(250)	☐
PermanentPO	varchar(50)	☐
PermanentPS	varchar(50)	☐
PermanentDistrict	varchar(50)	☐
PermanentCell	varchar(50)	☐
GurdianName	varchar(50)	☐
GurdianAddress	varchar(50)	☐
GurdianPO	varchar(50)	☐
GurdianPS	varchar(50)	☐
GurdianDistrict	varchar(50)	☒

8 Manual

8.1 Login

After installing the software system user might be treated as a public user. The user only can see three functional tools bar named File, View and help. When the user clicks into option Login, A Login form appears there into interface. User has to enter the User-ID and Password to login. After typing all required info's user have to enter login.




Figure 11: Login Process

The user must have logged in into there to have the full access. Into File tools bar there are six objective options, where the first option is Login. After Login user can see and access with all other functionalities.

8.2 User Management

This system shows all the functionalities of a User. They Are user Group, Group Permission and User Entry.




Figure 12: Administration

8.2.1 User Group

The User can Create or Delete any User Groups. User can also Reset the existing user Groups. User needs just a Group name and abbreviation for Creating a User Group. When a User finished creating a User Group, It appears at the right side of the User Group Form with its Entry by and Entry Date.

User Group

Group Name

Abbreviation

Save

Cancel

Reset

Group Name	Abbreviation	Entry By	Entry Date
Super Admin	SA	admin	5/2/2013 12:55:11 AM
PIMS	PIMS	admin	5/2/2013 12:56:01 AM
Accounts	ACC	admin	5/2/2013 12:56:21 AM
Library	LIB	admin	5/2/2013 12:56:48 AM
Hostel	RES	admin	5/2/2013 12:57:09 AM
Attendance	ATT	admin	10/6/2013 9:52:34 PM
Raz	R	admin	5/25/2015 11:46:23 AM
Results	Res	admin	6/1/2015 12:08:43 PM
gfvg	gs	admin	6/8/2015 4:58:17 PM

Figure 13: User Group Entry

8.2.2 Group permission

The Groups, user created into the User group can't access into all the sections. A User Group can access only those sections whose are given. All User Groups cannot access all sections. So How many sections and which sections are permitted to be accessed by a User Group is Decided here.

Group Name	Abbreviation	Permission
Super Admin	SA	User Group, User, User Group Permission, Shift, Class, Subj...
PIMS	PIMS	
Accounts	ACC	Debit Head, Credit Head, Bank Deposit, Bank Withdraw, In...
Library	LIB	
Hostel	RES	
Attendance	ATT	Holiday, Student Attendance, Staff Attendance, Student Da...
Results	Res	

Figure 14: Group Permission

8.2.3 User Entry

The Super admin can add other users into this system if necessary. It is quite foggy to manage all the systems alone, so user can add several users. There just needs a valid User-name and a password. User must select the Sections which are permitted to that New User.

User Name	Active	Group Permission	Entry By	Entry Date
manuf	YES	Super Admin, PIMS, Accounts, Library,...	admin	1/1/2013 12:00:00 AM
admin	YES	Super Admin	admin	1/1/2013 12:00:00 AM
furkan	YES	Attendance	admin	10/6/2013 9:53:44 PM
rony	YES	Accounts	admin	10/7/2013 12:19:57 ...
Nila	YES	PIMS	admin	6/1/2015 12:10:44 PM

Figure 15: User Entry

The User can be active or non-active. After creating the User-Ids, it will appear into the right side of the form with some relational information's active, group permission, Entry By and Entry date. We can also reset/Update the info's if needed.

8.3 Administration

The system management shows all the functionalities of arranging and organizing classes, shifts and sections in a polite and easy way. It shows shifts, classes, sections, subject groups, group subjects and designation when necessary to know.



Figure 16: Administration

8.3.1 Shift


It shows the shifts of any school management system. It May b Day or Morning. Nowadays some Institutions are now started night shifts also.

Shift Name	Entry By	Entry Date
Day	admin	1/1/2013 12:00:...
Morning	admin	6/20/2013 12:31...

Figure 17: Shift Entry

8.3.2 Class

This UI is for enter all existing class in an educational institute. We also assign a Class Short for easy handling.




The screenshot shows the 'Class' entry interface. On the left, there are two text input fields: 'Class Name' and 'Class Short Form'. Below these fields are three buttons: 'Save' (blue), 'Delete' (grey), and 'Reset' (blue). On the right, there is a table with the following columns: 'Class Name', 'Short Form', 'Entry By', and 'Entry Date'. The table contains eight rows of data, with the first row 'Play' highlighted in blue.

Class Name	Short Form	Entry By	Entry Date
Play	AA	admin	3/15/2013 9:11:...
Nursery	BB	admin	3/15/2013 9:11:...
One	01	admin	3/15/2013 9:11:...
Two	02	admin	3/15/2013 9:11:...
Three	03	admin	3/15/2013 9:11:...
Four	04	admin	3/15/2013 9:11:...
Five	05	admin	3/15/2013 9:11:...
Six	06	admin	3/15/2013 9:11:...
Seven	07	admin	3/15/2013 9:11:...

Figure 18: Class Entry

8.3.3 Subject

This is Input screen for enlistment of subject with subject code and subject type alike – subjective/ selective.



The screenshot shows the 'Subject' entry interface. On the left, there are two text input fields: 'Subject Code' and 'Subject Name'. Below these fields is a 'Subject Type' section with three radio buttons: 'Subjective' (selected), 'Selective', and 'Optional'. Below the radio buttons are three buttons: 'Save' (blue), 'Delete' (grey), and 'Reset' (blue). On the right, there is a table with the following columns: 'Subject Code', 'Subject Name', and 'Subject Type'. The table contains eight rows of data, with the first row '100 Bengali Subjective' highlighted in blue.

Subject Code	Subject Name	Subject Type
100	Bengali	Subjective
101	English	Subjective
120	Elective Math	Selective
201	Agriculture	Optional
202	Biology	Optional
103	Mathmetics	Subjective
105	Islam Sikkha	Subjective

Figure 19: Subject Entry

8.3.4 Section

User can see all the sections of all classes with their individual section codes. If the user wants to add a new section for any identical class and shifts it needs just a section name with its section codes. After saving it will appear into the right side of user interface. User also can delete or reset any section data if needed.

Class	Section Code	Section Name	EntryBy	Entry Date
Play	A	Section A	ma	3/15/2013 9:12...
Play	B	Section B	ma	3/15/2013 9:51...
Nursery	A	Section A	ma	3/15/2013 9:53...
Nursery	B	Section B	ma	3/15/2013 9:53...
One	A	Section A	ma	3/15/2013 10:00...
One	B	Section B	ma	3/15/2013 10:01...
Two	A	Section A	ma	3/15/2013 10:01...
Two	B	Section B	ma	3/15/2013 10:01...
Three	A	Section A	ma	3/15/2013 10:01...
Three	B	Section B	ma	3/15/2013 10:01...
Four	A	Section A	ma	3/15/2013 10:01...

Figure 20: Section Entry

8.3.5 Student Group

Student group shows the group of any student. User can create any user group with just only a Group-name. Usually there are 3 student groups named Science, Business Communication and Humanities.

Group Name	Entry By	Entry Date
N/A	admin	3/15/2013 8:57:...
SCIENCE	admin	3/15/2013 8:57:...
BUSINESS STU...	admin	3/15/2013 8:57:...
HUMANITIES	admin	3/15/2013 8:57:...
General (Play Gro...	admin	7/2/2013 10:23:...
General (Nursery)	admin	7/2/2013 10:23:...

Figure 21: Student Group Entry

8.3.6 Group Subjects

We assign subject name for under subjective, Selective and optional just select particular class and group.

Group Subjects

Class: Play Group: General (Play Group)

Subjective		Selective		Optional	
	Subject Name		Subject Name		Subject Name
☒	Bengali	☒	Elective Math	☒	Agriculture
☒	English			☐	Biology
☒	Mathmetics				
☐	Islam Sikkha				

Update Delete Reset

Figure 22: Student Group Entry

8.3.7 Designation

Designation means those, with whose strong monitoring and love a institution runs properly. With the help of this, User could see the entire designations name at a time. User can add other designation name according to necessity. User also can reset or delete the previous data/record if needed.

Designation

Designation Name:

Save Delete Reset

	Designation Name	Entry By	Entry Date
☒	Chairman	admin	3/16/2013 9:02:...
☐	Principal	admin	3/16/2013 9:02:...
☐	Vice-Principal	admin	3/16/2013 9:02:...
☐	Teacher	admin	3/16/2013 9:02:...
☐	Stuff	admin	3/16/2013 9:02:...
☐	MLSS	admin	3/16/2013 9:02:...

Figure 23: Designation

8.4 Attendance

8.4.1 Student Attendance

This system shows the student attendance. If the User just want to check any required class's and section's students attendance of a desired day, User only have to enter the class name, section name and that date, Ant

may be the attendance report of a huge number of students would be shown in a couple of minutes. User can save, delete or reset the data's if needed.

Student Attendance Entry

Attendance Date: Saturday, June 13, 2015

Class: Play

Section: Section A

SL No	ID	Name	Status
1	201303A001	Rafika Akter	PRESENT
2	2013AAA002	Md. Maruf Billah	PRESENT
3	2013AAA003	Md. Sabbir Ahmed	PRESENT
4	2013AAA004	Md. Sohel Khan	PRESENT
5	2013AAA005	Rohan	PRESENT
6	2013AAA006	Rajib ahmed	PRESENT
7	2013AAA007	Rafiq	PRESENT
8	2013AAA008	Fatema	PRESENT
9	2013AAA009	Fahan	PRESENT
10	2013AAA010	asas	PRESENT
11	2013AAA011		PRESENT
12	2015AAA001	Robiul Islam	PRESENT

Buttons: Save, Delete, Reset

Figure 24: Attendance Screen

8.4.2 Employee Attendance

This functionality shows all of the employee's attendance as like students and input attendance.

Staff Attendance Entry

Attendance Date: Saturday, June 13, 2015

SL No	ID	Name	Status
1	PE2013-0004	Akter Hossain	PRESENT
2	PE2013-0005	MAH Monju	ABSENT
3	PE2013-0001	MD. Rafikul Alam	PRESENT
4	PE2013-0003	Nesar Uddin	PRESENT
5	PE2013-0006	qwe	PRESENT
6	PE2013-0002	Ystiaque Ahmed	PRESENT

Buttons: Update, Delete, Reset

Figure 25: Employee Attendance

8.4.3 Holidays

Holiday input screen is for institute can inputted their festival time and weekend for easy to concern anybody with short notes about it like remarks. Friday is by default holiday.

Holiday

Year

2013

Month

April

SL No		Date	Day	Type	Remarks
1	☐	4/1/2013	Monday		
2	☐	4/2/2013	Tuesday		
3	☐	4/3/2013	Wednesday		
4	☐	4/4/2013	Thursday		
5	☒	4/5/2013	Friday	Weekend	Weekend
6	☒	4/6/2013	Saturday	Others	Hortal Day
7	☐	4/7/2013	Sunday		
8	☐	4/8/2013	Monday		
9	☐	4/9/2013	Tuesday		
10	☐	4/10/2013	Wednesday		
11	☐	4/11/2013	Thursday		
12	☒	4/12/2013	Friday	Weekend	Weekend
13	☐	4/13/2013	Saturday		
14	☒	4/14/2013	Sunday	Festival	Bengali New Year 1420
15	☐	4/15/2013	Monday		
16	☐	4/16/2013	Tuesday		
17	☐	4/17/2013	Wednesday		

Update

Delete

Reset

Figure 26: Enter Holidays

8.5 PIMS (Personal Information Module System)

This Functionality represents Personal Information Module System. It includes/shows all kind of student and employee in information, personal or professional. Student Admission, Student promotion, Employee

Registration, Student List, Employee List, Student Details report, student list Report, Employee Details Report and Employee List report all are given here if needed.




Figure 27: PIMS

8.5.1 Student Admission

As this is a School management System there must be students, and also there must have an organized way to admit them. At here, User can admit students with fulfilling this form. After getting into all information user can save them as students of that institutions. It also include Students photo on it. It's easy to identify. Guardian's information is available with mobile number and photo.

Student Admission

Session

2015

Class

Play

Section

Section A

Roll No

2015AAA002

Group

N/A

Name (English)

Name (Bengali)

Father's Name

Mother's Name

Present Address

Address

Post Office

Police Station

District

Cell

Permanent Address

Address

Post Office

Police Station

District

Cell

Admission Date

Saturday , June 13, 2015

Date of Birth

Saturday , June 13, 2015

Nationality

Gender

Male

Religion

Islam

Status

Active

Previous History

	Class	School/College	Roll No	Group	Grade	Year
*						

Student Photo

PHOTO NOT AVAILABLE

Select Photo

Save

Delete

Reset

Personal Information

Gurdian Information

Design and Developed By: Maruf Billah , Sanjeda Nijum, Faiyaz Ahmaed

Figure 28: Student Admission

8.5.2 Employee Registration

Admin can Register Employs according to necessity of management system. User can also update/Reset the old employ's data's if necessary. It saves the employs photo and digital signature which is more secure and identical.

Holiday / Student Promotion / Employee Registration

Employee ID

PE2013-0001

Employee Type

Permanent

Employee Name

Father's Name

Mother's Name

Present Address

Address

Post Office

Police Station

District

Cell

Permanent Address

Address

Post Office

Police Station

District

Cell

Date of Birth

Friday , October 04, 2013

Date of Join

Friday , October 04, 2013

Highest Degree

Marital Status

Single

Nationality

Religion

Islam

Years of Experience

Gender

Male

Designation

Chairman

Blood Group

A+

Employee Status

Active

Conduct Class?

Employee Photo

PHOTO NOT AVAILABLE

Select Photo

Employee Signature

Select Signature

Save

Delete

Reset

Figure 29: Employee Registration

8.5.3 Student List

Admin / User can watch the student list. According to a School Management system, there are a lot of Students. So, may be User want to watch only some selective students list. As it, users have just input the required class and section onto it and here result comes. Admin can edit any information from here just click edit button and update data.

Student List

Roll No

Name

Class

Play

Group

General (Play Group)

Section

Section A

Show

Roll No	Student Name	Gurdian Name	Photo	Gurdian Photo	Gurdian Signature	Status	
2015AAA003	Robiul Islam	Roqibul Islam				Active	Edit
2015AAA002	Md. Maruf Billah	Md. Abdus Sattar				Active	Edit
2013AAA003	Md. Sabbir Ahmed	Md. Shajahan				Active	Edit
2013AAA004	Md. Sohel khan	Ajim Khan				Active	Edit
2013AAA005	Rohan	Rohit Khan				Active	Edit

Figure 30: Student List

8.5.4 Employee List

It shows the entire employee's data and information with their photo and digital signatures.

Employee List									
	Employee ID	Employee Name	Join Date	Highest Degree	Employee Type	Photo	Signature	Status	
▶	PE2013-0001	MD. Rafikul Alam	3/16/2013 12:00...	M.A	Permanent			Active	Edit
	PE2013-0002	Ystiaque Ahmed	3/17/2013 12:00...	sdf	Permanent			Active	Edit
	PE2013-0003	Nesar Uddin	3/17/2013 12:00...	asdf	Permanent			Active	Edit
	PE2013-0004	Akter Hossain	3/17/2013 12:00...	zxcv	Permanent			Active	Edit

Figure 31: Employee List

8.5.5 Student Details Report

User can see the full details report of any particular student if needed from student list. It is depicted into figure 22.

Student Details Report

ClassPlayStudentMd. Maruf BillahShow

SectionARoll NoReset

1 of 1100%FindNext

Shaikh Burhanuddin Post Graduate College

62, Nazimuddin Road, Dhaka-1100.

Student Details Report

Student Academic Information			
Roll No	2015AAA002	Section	Section A
Class	Play	Group	General (Play Group)
Admission Date	Mar 16, 2013	Session	2013
Student Name (English)	Md. Maruf Billah		
Student Name (Bengali)	Maruf		


Student Photo

Student Personal Information	
Father's Name	Md. Abdus Sattar
Mother's Name	Rashida Begum
Present Address	Puran Kaila Ghat P.S - Kotoali, P.O - Barisal-8200 District - Barisal Contact - 01710181448
Permanent Address	Puran Kaila Ghat P.S - Kotoali, P.O - Barisal-8200 District - Barisal Contact - 01710181448
Gurdian Name	Md. Abdus Sattar


Gurdian Photo

Figure 32: Student Details Report

8.5.6 Student list Report

User can also see the Student list Report from student list report class wise.

8.5.7 Employee Details Report

User can watch a particular employ's details report here like their Educational Information, Professional Information, Skill and training Info's.

Employee Details Report

DesignationPrincipal
EmployeeYstiaque Ahmed
Show

Employee TypePermanent
Employee ID
Reset

1 of 1
100%
FindNext

Employee Details Report

Employee General Information			
Employee ID	PE2013-0002	Date of Join	March 17, 2013
Designation	Principal	Service Period	2 Years 3 Months
Employee Type	Permanent	Highest Degree	sdf
Cell No.	sdf	Email	sdf
Employee Name	Ystiaque Ahmed		

Employee Photo

Employee Personal Information			
Father's Name	AAA		
Mother's Name	BBB		
Present Address	sdsdf P.S - sdf, P.O - sdf District - sdf Contact - sdf		
Permanent Address	sdf P.S - sdf, P.O - sdf District - sdf Contact - dsf		
Date of Birth	February 01, 1980	Age	35 Years 4 Months
Gender	Male	Marital Status	Single
Nationality	sd	Religion	Islam

Figure 33: Employee List

8.5.8 Employee List Report

Admin/ User can view employee list report from Employee List. It can be filtered by Designation, Marital Status or Blood group.

8.6 Result




Figure 34: Result Module

8.6.1 Students Marks Policy

Every Educational Institute has its own marks policy. So they can input their marks policy by this UI. Simply Select class, session and groups then show. Under all subject they can assign marks policy like – have class test or not, class test total marks, pass marks, is marks in hand writing/ spelling, written pass marks, total pass marks etc.

Student Marks Policy

Session: 2013 Group: General (Play Group)

Class: Play **Show** **Save** **Cancel** **Reset**

Subject Wise Marks Policy

	Subject Name	Subject Type	Order	CT	Total	Pass Mark	Spelling/H writing	Total	Pass Mark	Written	Total	Pass Mark	Is Grouped	Grouped Subject	Group
▶	Bengali	Subjective		☒			☐			☐			☐		
	English	Subjective		☒			☐			☐			☐		
	Mathmetics	Subjective		☒			☐			☐			☐		

Figure 35: Students Marks Policy

8.6.2 Subject Wise Marks Entry

Subject Wise Marks Entry is marks entry for individual subjects marks entry. When select particular shift, class, year, group, exam-term and subject then its show all student list in grid view. It's an easy UI for user who entry the marks. He simply input the marks for particular student and save it. If anybody absent in exam then it should be marks in checkbox. When result is published those student result shows automatically absent in those particular subject.

SPONDON

File View User Management Administration Attendance PIMS Result Routine Library Residence Accounts Help

Subject wise Marks entry

Shift: Morning Year: 2013 Class: Play Group: N/A Exam Term: Mid Term / Pre-Test Section: Section A Subject: Bangla Show

RollNo	Student Name	Subjective	SBA	Objective	Practical	Is Abs
--------	--------------	------------	-----	-----------	-----------	--------

Save

Reset

Developed By: EasyTech BD (www.easytechbd.net) Logged in as: admin

Figure 36: Subject Wise Marks Entry

8.7 Routine




Figure 37: Routine Module

8.7.1 Routine Slot Entry

It's a slot for routine entry. It's just easy to entry the routine. Just select Shift, Year, Day and Time From (7:00 AM) – Time To (7:30 AM) and Slot Title (1st period). Time Slot is individual period time (7:00 AM-7:30 AM). Almost these period are generated in routine which we entry in Routine Slot Entry UI. Break Time is also assignable by mark the checkbox is break.

Year	Shift	Day	Time From	Time To	Title	Description	Is Tiffin?
2013	Day	Sat	7:00 AM	7:30 AM	1st Period	7:00 AM - 7:30 AM	☐
2013	Day	Sun	7:00 AM	7:30 AM	1st Period	7:00 AM - 7:30 AM	☐
2013	Day	Mon	7:00 AM	7:30 AM	1st Period	7:00 AM - 7:30 AM	☐
2013	Day	Tue	7:00 AM	7:30 AM	1st Period	7:00 AM - 7:30 AM	☐
2013	Day	Wed	7:00 AM	7:30 AM	1st Period	7:00 AM - 7:30 AM	☐
2013	Day	Thu	7:00 AM	7:30 AM	1st Period	7:00 AM - 7:30 AM	☐
2013	Day	Sat	7:30 AM	8:00 AM	2nd Period	7:30 AM - 8:00 AM	☐
2013	Day	Sun	7:30 AM	8:00 AM	2nd Period	2nd Period	☐
2013	Day	Mon	7:30 AM	8:00 AM	2nd Period	2nd Period	☐
2013	Day	Tue	7:30 AM	8:00 AM	2nd Period	2nd Period	☐
2013	Day	Wed	7:30 AM	8:00 AM	2nd Period	2nd Period	☐
2013	Day	Thu	7:30 AM	8:00 AM	2nd Period	2nd Period	☐
2013	Day	Sat	8:00 AM	8:30 AM	3rd Period	8:00 AM - 8:30 AM	☐
2013	Day	Sun	8:00 AM	8:30 AM	3rd Period	3rd Period	☐
2013	Day	Mon	8:00 AM	8:30 AM	3rd Period	3rd Period	☐
2013	Day	Tue	8:00 AM	8:30 AM	3rd Period	3rd Period	☐

Figure 38: Routine Slot Entry

8.7.2 Routine Entry

Routine Entry view's as day and period wise routine for particular Class, Shift and Year. We just select Subject Name, Subject Type, Teacher's Name and assigns room number for each and every period and individual day. It's a weekly view. When all period's and days are inputted correctly then save the data for next step.

Education Management System

File View User Management Administration Attendance PIMS Result Routine Library Residence Accounts Help

Routine Slot Entry Routine Entry Student Class Routine Teachers Schedule

Shift: Day Class: Play Year: 2013 Section: Section A Group: General (Play Group)

Save Delete Show Clear

Day / Slot	1st Period	2nd Period	3rd Period	4th Period	Tiffin / Break	5th Period	6th Period	7th Period
Sat	Subject: Bengali Subject Type: Subjective Teacher: Akter Hossain Room Number: sdfdsf	Subject: Bengali Subject Type: Subjective Teacher: Akter Hossain Room Number: sdfdsf	Subject: Bengali Subject Type: Subjective Teacher: MAH Monju Room Number: ddfdsf	Subject: Bengali Subject Type: Subjective Teacher: Akter Hossain Room Number: fdfdsf	Break	Subject: Bengali Subject Type: Subjective Teacher: Akter Hossain Room Number: fdfdsf	Subject: Bengali Subject Type: Subjective Teacher: Akter Hossain Room Number: sdf	Subject: Bengali Subject Type: Subjective Teacher: Akter Hossain Room Number: ddfdsf
Sun	Subject: Bengali Subject Type: Subjective Teacher: Akter Hossain Room Number:	Subject: Bengali Subject Type: Subjective Teacher: Akter Hossain Room Number:	Subject: Bengali Subject Type: Subjective Teacher: Akter Hossain Room Number:	Subject: Bengali Subject Type: Subjective Teacher: Akter Hossain Room Number:	Break	Subject: Bengali Subject Type: Subjective Teacher: Akter Hossain Room Number:	Subject: Bengali Subject Type: Subjective Teacher: Akter Hossain Room Number:	Subject: Bengali Subject Type: Subjective Teacher: Akter Hossain Room Number:

Figure 39: Routine Entry

8.7.3 Student Class Routine

It generated the student Class Routine. Just simply select Shift, Class, Section, Year and Group and then show. We can print this report from here for student use and also export to pdf and excel.

Education Management System

File View User Management Administration Attendance PIMS Result Routine Library Residence Accounts Help

Routine Slot Entry Routine Entry Student Class Routine Teachers Schedule

Shift: Day Class: Play Year: 2013 Section: Section A Group: General (Play Group)

Show Reset

1 of 1

Find Next


SPONDON Shaikh Burhanuddin Post Graduate College
62, Nazimuddin Road, Dhaka-1100.
Student Class Routine For Class: Play, Section: Section A, Group: General (Play Group)

Time / Day	1st Period 7:00 AM - 7:30 AM	2nd Period 7:30 AM - 8:00 AM	3rd Period 8:00 AM - 8:30 AM	4th Period 8:30 AM - 9:00 AM	Tiffin / Break 9:00 AM - 9:15 AM	5th Period 9:15 AM - 9:45 AM	6th Period 9:45 AM - 10:15 AM	7th Period 10:15 AM - 10:45 AM	8th Period 10:45 AM - 11:15 AM
Sat	Subject: Bengali Class Type: Subjective Teacher: Akter Hossain Room No: sdfdsf	Subject: Bengali Class Type: Subjective Teacher: Akter Hossain Room No: sdfdsf	Subject: Bengali Class Type: Subjective Teacher: MAH Monju Room No: ddfdsf	Subject: Bengali Class Type: Subjective Teacher: Akter Hossain Room No: fdfdsf		Subject: Bengali Class Type: Subjective Teacher: Akter Hossain Room No: fdfdsf	Subject: Bengali Class Type: Subjective Teacher: Akter Hossain Room No: sdf	Subject: Bengali Class Type: Subjective Teacher: Akter Hossain Room No: ddfdsf	Subject: Bengali Class Type: Subjective Teacher: Akter Hossain Room No: sdf
Sun	Subject: Bengali Class Type: Subjective Teacher: Akter Hossain Room No:	Subject: Bengali Class Type: Subjective Teacher: Akter Hossain Room No:	Subject: Bengali Class Type: Subjective Teacher: Akter Hossain Room No:	Subject: Bengali Class Type: Subjective Teacher: Akter Hossain Room No:		Subject: Bengali Class Type: Subjective Teacher: Akter Hossain Room No:	Subject: Bengali Class Type: Subjective Teacher: Akter Hossain Room No:	Subject: Bengali Class Type: Subjective Teacher: Akter Hossain Room No:	Subject: Bengali Class Type: Subjective Teacher: Akter Hossain Room No:
Mon	Subject: Bengali Class Type: Subjective Teacher: Akter Hossain Room No:	Subject: Bengali Class Type: Subjective Teacher: Akter Hossain Room No:	Subject: Bengali Class Type: Subjective Teacher: Akter Hossain Room No:	Subject: Bengali Class Type: Subjective Teacher: Akter Hossain Room No:		Subject: Bengali Class Type: Subjective Teacher: Akter Hossain Room No:	Subject: Bengali Class Type: Subjective Teacher: Akter Hossain Room No:	Subject: Bengali Class Type: Subjective Teacher: Akter Hossain Room No:	Subject: Bengali Class Type: Subjective Teacher: Akter Hossain Room No:

Figure 40: Student Class Routine

8.7.4 Teacher's Schedule

This UI is generated Teacher's Schedule. Just Select Shift, Year and Teacher Name and show the routine. It's a class schedule for individual teachers with date –time and room number. Teacher's can print their schedule for further use and also make pdf or excel file from here.



The screenshot shows a software interface for generating a teacher's schedule. At the top, there are tabs: 'Routine Slot Entry', 'Routine Entry', 'Student Class Routine', and 'Teachers Schedule'. Below the tabs, there are input fields for 'Shift' (set to 'Day'), 'Year' (set to '2013'), and 'Teacher' (set to 'Akter Hossain'). There are 'Show' and 'Reset' buttons. Below the input fields, there is a header for 'Shaikh Burhanuddin Post Graduate College' with address '62, Nazimuddin Road, Dhaka-1100.' and 'Student Class Routine For Session: 2013, Shift: Day'. The main table shows the schedule for 'Teacher Name: Akter Hossain'. The table has columns for 'Time / Day' and eight periods (1st to 8th). The rows are grouped by day (Sat, Sun, Mon, Tue) and then by subject (Bengali (Subjective), General (Play Group), Play (Section A), Room No.).


Time / Day	1st Period 7:00 AM - 7:30 AM	2nd Period 7:30 AM - 8:00 AM	3rd Period	4th Period 8:30 AM - 9:00 AM	5th Period 9:15 AM - 9:45 AM	6th Period 9:45 AM - 10:15 AM	7th Period 10:15 AM - 10:45 AM	8th Period 10:45 AM - 11:15 AM
Sat	Subject: Bengali (Subjective) Group: General (Play Group) Class: Play (Section A) Room No: sdddf	Subject: Bengali (Subjective) Group: General (Play Group) Class: Play (Section A) Room No: sdddf		Subject: Bengali (Subjective) Group: General (Play Group) Class: Play (Section A) Room No: fdf	Subject: Bengali (Subjective) Group: General (Play Group) Class: Play (Section A) Room No: fdfdfdf	Subject: Bengali (Subjective) Group: General (Play Group) Class: Play (Section A) Room No: sdf	Subject: Bengali (Subjective) Group: General (Play Group) Class: Play (Section A) Room No: ddfdf	Subject: Bengali (Subjective) Group: General (Play Group) Class: Play (Section A) Room No: sddf
Sun	Subject: Bengali (Subjective) Group: General (Play Group) Class: Play (Section A) Room No:	Subject: Bengali (Subjective) Group: General (Play Group) Class: Play (Section A) Room No:	Subject: Bengali (Subjective) Group: General (Play Group) Class: Play (Section A) Room No:	Subject: Bengali (Subjective) Group: General (Play Group) Class: Play (Section A) Room No:	Subject: Bengali (Subjective) Group: General (Play Group) Class: Play (Section A) Room No:	Subject: Bengali (Subjective) Group: General (Play Group) Class: Play (Section A) Room No:	Subject: Bengali (Subjective) Group: General (Play Group) Class: Play (Section A) Room No:	Subject: Bengali (Subjective) Group: General (Play Group) Class: Play (Section A) Room No:
Mon	Subject: Bengali (Subjective) Group: General (Play Group) Class: Play (Section A) Room No:	Subject: Bengali (Subjective) Group: General (Play Group) Class: Play (Section A) Room No:	Subject: Bengali (Subjective) Group: General (Play Group) Class: Play (Section A) Room No:	Subject: Bengali (Subjective) Group: General (Play Group) Class: Play (Section A) Room No:	Subject: Bengali (Subjective) Group: General (Play Group) Class: Play (Section A) Room No:	Subject: Bengali (Subjective) Group: General (Play Group) Class: Play (Section A) Room No:	Subject: Bengali (Subjective) Group: General (Play Group) Class: Play (Section A) Room No:	Subject: Bengali (Subjective) Group: General (Play Group) Class: Play (Section A) Room No:
Tue	Subject: Bengali (Subjective) Group: General (Play Group) Class: Play (Section A) Room No:	Subject: Bengali (Subjective) Group: General (Play Group) Class: Play (Section A) Room No:	Subject: Bengali (Subjective) Group: General (Play Group) Class: Play (Section A) Room No:	Subject: Bengali (Subjective) Group: General (Play Group) Class: Play (Section A) Room No:	Subject: Bengali (Subjective) Group: General (Play Group) Class: Play (Section A) Room No:	Subject: Bengali (Subjective) Group: General (Play Group) Class: Play (Section A) Room No:	Subject: Bengali (Subjective) Group: General (Play Group) Class: Play (Section A) Room No:	Subject: Bengali (Subjective) Group: General (Play Group) Class: Play (Section A) Room No:

Figure 41: Teacher's Schedule

8.8 Accounts

8.8.1 Debit Head

We can create all expense head as Debit Head. We create debit head as parent head. If we have a child head under parent head then mark is parent head. If this head is linked with class then select linked with class and select class.



The screenshot shows a software interface for managing debit heads. On the left, there is a 'Debit Head List' with a scrollable list of expense heads. The first head is '1001000 (House Rent)'. On the right, there is a form to edit a head. The form has fields for 'Is Parent Head?' (checkbox), 'Parent Head Code' (text box with '1001000'), 'Parent Head Name' (text box with 'House Rent'), 'Head Code' (text box with '1001001'), 'Head Name' (text box), 'Fees Collection Receipt Head?' (checkbox), 'Is Linked with Class?' (checkbox), and 'Class' (dropdown menu). There are 'Save', 'Reset', and 'Cancel' buttons at the bottom.

Debit Head List	Form Fields
1001000 (House Rent)	Is Parent Head? ☐
1002000 (Electricity Bill)	Parent Head Code: 1001000
1003000 (Entertainment Cost)	Parent Head Name: House Rent
1004000 (Water Bill)	Head Code: 1001001
1005000 (Stuff Salary)	Head Name:
1006000 (Accessories Cost)	Fees Collection Receipt Head? ☐
1007000 (Development Cost)	Is Linked with Class? ☐
1008000 (Floor Fund)	Class:
1009000 (Salary (Government))	Save Cancel Reset
1010000 (Bonus (Government))	
1011000 (Salary (School) & Others)	
1012000 (Schools provided allowance & Others)	
1013000 (C. L. Allowance)	
1014000 (Development)	
1015000 (Private donations)	
1016000 (Travel)	
1017000 (Sports Sector)	
1018000 (Library Sector)	
1019000 (Scout Sector)	
1020000 (Examination Sector)	
1021000 (Milad)	
1022000 (Poor Fund)	
1023000 (Hut/Bazar & Pond)	
1024000 (Testimonial Bill)	
1025000 (Admission Form)	
1026000 (Others/Extras/Agriculture)	

Figure 42: Debit Head

8.8.2 Credit Head

We can create all income head as Credit Head. We create credit head as parent head. If we have a child head under parent head then mark is parent head and under parent head we create child head. If this head is linked with class then select linked with class and select class.

Figure 43: Debit Head

8.9.1 Bank Deposit

Bank Deposit

Bank Name

Branch Name

Amount

Remarks

Save


Cancel

Reset

	Bank Name	Branch Name	Amount	EntryBy
▶	Sonali Bank	Chawkbazar	12000	admin
	Dutch Bangla Ba...	Najimuddin Road	10000	admin

8.9.2 Bank Withdraw

When an institute withdraws any amount of money from a bank they can input withdraw information into this system like bank name, branch name, deposit amount with time and date. Institute can use this information for any further query.




The image shows a 'Bank Withdraw' form on the left and a table on the right. The form has fields for Bank Name, Branch Name, Amount, and Remarks, along with Save, Delete, and Reset buttons. The table has columns for Bank Name, Branch Name, Amount, Entry By, and Entry date.

Bank Name	Branch Name	Amount	Entry By	Entry date
BDBL	Chawak Bazar	100500	admin	6/13/2015 5:51:...
IBBL	Nazimuddin Road	200000	admin	6/13/2015 5:52:...

Figure 45: Bank Deposit

8.9.3 Income

Income UI is most crucial in Accounts module. By income UI we save income source with credit head and amount of income. We simply click into head code and select credit head code for income source. Head name is automatically inputted into head name. Income is need for all accounts report.



The image shows an 'Income' form on the left and a table on the right. The form has fields for Head Code, Head Name, Amount, Transaction Date, and Remarks, along with Save, Delete, and Reset buttons. The table has columns for Head Code, Head Name, Transaction Date, Amount (BDT), and Remarks.

Head Code	Head Name	Transaction Date	Amount (BDT)	Remarks
2001011	IT Charge => Cla...	4/29/2013	100.00	FEES COLLEC
2002001	Admission Fee =>...	3/29/2013	2000.00	FEES COLLEC
2002001	Admission Fee =>...	5/2/2013	2000.00	FEES COLLEC
2002001	Admission Fee =>...	9/29/2013	1500.00	FEES COLLEC
2002001	Admission Fee =>...	9/29/2013	2000.00	FEES COLLEC
2002001	Admission Fee =>...	9/29/2013	1000.00	FEES COLLEC
2002001	Admission Fee =>...	9/29/2013	2000.00	FEES COLLEC
2002001	Admission Fee =>...	10/6/2013	300.00	FEES COLLEC
2002001	Admission Fee =>...	10/26/2013	500.00	FEES COLLEC
2002001	Admission Fee =>...	2/22/2014	500.00	FEES COLLEC
2002001	Admission Fee =>...	10/6/2013	200.00	FEES COLLEC
2002001	Admission Fee =>...	9/29/2013	1000.00	FEES COLLEC
2002001	Admission Fee =>...	9/29/2013	1500.00	FEES COLLEC

Figure 46: Bank Deposit

8.9.4 Expense

Expense UI is also crucial in Accounts module. By expense UI we save expense source with debit head and amount of income. We simply click into head code and select debit head code for income source. Head name is automatically inputted into head name. Expense is need for all accounts report.

The screenshot displays the 'Expense' module interface. On the left is a form with fields for 'Head Code', 'Head Name', 'Amount', 'Transaction Date' (set to Saturday, June 13, 2015), and 'Remarks'. Below these fields are 'Save', 'Cancel', and 'Reset' buttons. On the right is a table listing transactions with columns for Head Code, Head Name, Transaction Date, Amount (BDT), and Remarks.

	Head Code	Head Name	Transaction Date	Amount (BDT)	Remarks
▶	1001000	House Rent	1/26/2012	12000.00	
	1001000	House Rent	1/4/2013	14000.00	
	1002000	Electricity Bill	2/2/2012	1300.00	
	1002000	Electricity Bill	2/1/2013	900.00	
	1003000	Entertainment Cost	3/3/2012	350.00	
	1003000	Entertainment Cost	3/8/2013	800.00	
	1004000	Water Bill	4/5/2012	600.00	
	1004000	Water Bill	2/1/2013	5453.00	
	1009000	Salary (Government)	5/1/2013	20000.00	
	1011000	Salary(School) & ...	5/10/2012	20000.00	
	1013000	C.L. Allowance	9/11/2013	900.00	
	1014000	Development	6/7/2012	1000.00	
	1016000	Travel	7/1/2012	500.00	

Figure 47: Bank Deposit

Chapter 9

Future Works and conclusion

9 Future Expandability

We are analysis User Management, Student Profile Management, Routine Management, Result Management, Employee Management and Accounts Management etc. We are complete software that has included this entire requirement.

All good software may have some limitations this software may be some limitations. We are trying to fix it as per possible.

9.1 Conclusion

The application Education Management Software is the total package for the school or college management system requirements. With the help of menu bar users can interact with software very easily almost every object has been provided with tool bar.

This application is also supports terminal services so that database will be more secure by centralized the database.

In fine we want to say we are not yet an experienced system analyst, but tried our best to fulfill this project.

References

www.w3school.com

www.wikipedia.org

www.csharppoint.com

www.plularsight.com

www.msdn.com

www.click1me.com

Researcher References

Researcher reference

Acharya, Kamal. "STUDENT INFORMATION MANAGEMENT SYSTEM." *Authorea Preprints* (2023).

Acharya, Kamal. "Library Management System." Available at SSRN4807104 (2019).

ACHARYA, KAMAL, et al. "LIBRARY MANAGEMENT SYSTEM." (2019).

Acharya, Kamal. "Online bus reservation system project report." *Authorea Preprints* (2024).

Acharya, Kamal. "Online bus reservation system project report." (2024).

Acharya, Kamal. "Online Bus Reservation System." *SSRN ElectroNIC ASIA Journal* (2024): n. pag.

Acharya, Kamal. "Student Information Management System Project." *SSRN ElectroNIC ASIA Journal* (2024): n. pag.

Acharya, Kamal. "ATTENDANCE MANAGEMENT SYSTEM." *International Research Journal of Modernization in Engineering Technology and Science* (2023): n. pag.

Acharya, Kamal. "College Information Management System." *SSRN ElectroNIC ASIA Journal* (2024): n. pag.

Acharya, Kamal, Attendance Management System Project (April 28, 2024). Available at

SSRN: <https://ssrn.com/abstract=4810251> or <http://dx.doi.org/10.2139/ssrn.4810251>

Acharya, Kamal, Online Food Order System (May 2, 2024). Available at

SSRN: <https://ssrn.com/abstract=4814732> or <http://dx.doi.org/10.2139/ssrn.4814732>

Acharya, Kamal, University management system project. (May 1, 2024). Available at

SSRN: <https://ssrn.com/abstract=4814103> or <http://dx.doi.org/10.2139/ssrn.4814103>

Acharya, Kamal, Online banking management system. (May 1, 2024). Available at

SSRN: <https://ssrn.com/abstract=4813597> or <http://dx.doi.org/10.2139/ssrn.4813597>
 Acharya, Kamal, Online Job Portal Management System (May 5, 2024). Available at
 SSRN: <https://ssrn.com/abstract=4817534> or <http://dx.doi.org/10.2139/ssrn.4817534>
 Acharya, Kamal, Employee leave management system. (May 7, 2024). Available
 at SSRN: <https://ssrn.com/abstract=4819626> or <http://dx.doi.org/10.2139/ssrn.4819626>
 Acharya, Kamal, Online electricity billing project report. (May 7, 2024). Available at
 SSRN: <https://ssrn.com/abstract=4819630> or <http://dx.doi.org/10.2139/ssrn.4819630>
 Acharya, Kamal, POLICY MANAGEMENT SYSTEM PROJECT REPORT. (December 10,
 2023). Available at
 SSRN: <https://ssrn.com/abstract=4831694> or <http://dx.doi.org/10.2139/ssrn.4831694>
 Acharya, Kamal, Online job placement system project report. (January 10, 2023).
 Available at
 SSRN: <https://ssrn.com/abstract=4831638> or <http://dx.doi.org/10.2139/ssrn.4831638>
 Acharya, Kamal, Software testing for project report. (May 16, 2023). Available at
 SSRN: <https://ssrn.com/abstract=4831028> or <http://dx.doi.org/10.2139/ssrn.4831028>
 Acharya, Kamal, ONLINE CRIME REPORTING SYSTEM PROJECT. (August 10, 2022).
 Available at
 SSRN: <https://ssrn.com/abstract=4831015> or <http://dx.doi.org/10.2139/ssrn.4831015>
 Acharya, Kamal, Burber ordering system project report. (October 10, 2022). Available at
 SSRN: <https://ssrn.com/abstract=4832704> or <http://dx.doi.org/10.2139/ssrn.4832704>
 Acharya, Kamal, Teachers Record Management System Project Report (December 10,
 2023). Available at
 SSRN: <https://ssrn.com/abstract=4833821> or <http://dx.doi.org/10.2139/ssrn.4833821>
 Acharya, Kamal, Dairy Management System Project Report (December 20, 2020).
 Available at
 SSRN: <https://ssrn.com/abstract=4835231> or <http://dx.doi.org/10.2139/ssrn.4835231>
 Acharya, Kamal, Electrical Shop Management System Project (December 10, 2019).
 Available at
 SSRN: <https://ssrn.com/abstract=4835238> or <http://dx.doi.org/10.2139/ssrn.4835238>
 Acharya, Kamal, Online book store management system project report. (February 10,
 2020). Available at
 SSRN: <https://ssrn.com/abstract=4835277> or <http://dx.doi.org/10.2139/ssrn.4835277>
 Acharya, Kamal, Paint shop management system project report. (January 10, 2019).
 Available at
 SSRN: <https://ssrn.com/abstract=4835441> or <http://dx.doi.org/10.2139/ssrn.4835441>
 Acharya, Kamal, Supermarket billing system project report. (August 10, 2021). Available
 at SSRN: <https://ssrn.com/abstract=4835474> or <http://dx.doi.org/10.2139/ssrn.4835474>