Performance Report

IndiaMart Perf Suite · Lighthouse Audit

98

Avg Performance Score

Run ID	cc30010d-818f-4a7a-bd36-4dfd0f21173d
Generated	9 April 2026 at 5:06 pm
Pages	30 pages audited
Method	Lighthouse median of 3 runs

30	98	30/30	29/30
PAGES AUDITED	AVG PERF SCORE	GOOD LCP	GOOD CLS

category-21

https://www.indiamart.com/vinbro-plastic/plastics-chair-4080.html

3 Lighthouse runs · median

Performance	Accessibility	Best Practices	SEO
98	85	100	92

METRIC	VALUE	THRESHOLD	STATUS
LCP Largest Contentful Paint	1.04s	≤ 2.5s	Good
CLS Cumulative Layout Shift	0.001	≤ 0.1	Good
INP Interaction to Next Paint	—	≤ 200ms	Na
FCP First Contentful Paint	0.81s	≤ 1.8s	Good
TTFB Time to First Byte	36ms	≤ 800ms	Good
TBT Total Blocking Time	54ms	≤ 200ms	Good
Speed Index Visual load speed	0.81s	≤ 3.4s	Info

category-22

https://www.indiamart.com/gunjals-industries/container-corner-iso-1161.ht...

3 Lighthouse runs · median

Performance	Accessibility	Best Practices	SEO
98	86	100	92

METRIC	VALUE	THRESHOLD	STATUS
LCP Largest Contentful Paint	0.99s	≤ 2.5s	Good
CLS Cumulative Layout Shift	0.000	≤ 0.1	Good
INP Interaction to Next Paint	—	≤ 200ms	Na
FCP First Contentful Paint	0.82s	≤ 1.8s	Good
TTFB Time to First Byte	38ms	≤ 800ms	Good
TBT Total Blocking Time	70ms	≤ 200ms	Good
Speed Index Visual load speed	0.82s	≤ 3.4s	Info

category-23

https://www.indiamart.com/jiya-enterprise-pune/mega-mass-4000.html

3 Lighthouse runs · median

Performance	Accessibility	Best Practices	SEO
98	86	100	92

METRIC	VALUE	THRESHOLD	STATUS
LCP Largest Contentful Paint	1.03s	≤ 2.5s	Good
CLS Cumulative Layout Shift	0.000	≤ 0.1	Good
INP Interaction to Next Paint	—	≤ 200ms	Na
FCP First Contentful Paint	0.81s	≤ 1.8s	Good
TTFB Time to First Byte	36ms	≤ 800ms	Good
TBT Total Blocking Time	61ms	≤ 200ms	Good
Speed Index Visual load speed	0.81s	≤ 3.4s	Info

category-24

https://www.indiamart.com/triveni-creation/micro-velvet-9000.html

3 Lighthouse runs · median

Performance	Accessibility	Best Practices	SEO
98	86	100	92

METRIC	VALUE	THRESHOLD	STATUS
LCP Largest Contentful Paint	1.10s	≤ 2.5s	Good
CLS Cumulative Layout Shift	0.000	≤ 0.1	Good
INP Interaction to Next Paint	—	≤ 200ms	Na
FCP First Contentful Paint	0.75s	≤ 1.8s	Good
TTFB Time to First Byte	39ms	≤ 800ms	Good
TBT Total Blocking Time	53ms	≤ 200ms	Good
Speed Index Visual load speed	0.77s	≤ 3.4s	Info

category-25

https://www.indiamart.com/radhey-creationsurat/velvet-9000.html

3 Lighthouse runs · median

Performance	Accessibility	Best Practices	SEO
98	85	100	92

METRIC	VALUE	THRESHOLD	STATUS
LCP Largest Contentful Paint	1.06s	≤ 2.5s	Good
CLS Cumulative Layout Shift	0.000	≤ 0.1	Good
INP Interaction to Next Paint	—	≤ 200ms	Na
FCP First Contentful Paint	0.82s	≤ 1.8s	Good
TTFB Time to First Byte	41ms	≤ 800ms	Good
TBT Total Blocking Time	54ms	≤ 200ms	Good
Speed Index Visual load speed	0.82s	≤ 3.4s	Info

category-26

https://www.indiamart.com/sri-ramdev-general-store/plastics-chair-4080....

3 Lighthouse runs · median

Performance	Accessibility	Best Practices	SEO
98	86	100	92

METRIC	VALUE	THRESHOLD	STATUS
LCP Largest Contentful Paint	1.04s	≤ 2.5s	Good
CLS Cumulative Layout Shift	0.000	≤ 0.1	Good
INP Interaction to Next Paint	—	≤ 200ms	Na
FCP First Contentful Paint	0.83s	≤ 1.8s	Good
TTFB Time to First Byte	38ms	≤ 800ms	Good
TBT Total Blocking Time	43ms	≤ 200ms	Good
Speed Index Visual load speed	0.83s	≤ 3.4s	Info

category-27

https://www.indiamart.com/omegaagencies/plastics-chair-4080.html

3 Lighthouse runs · median

Performance	Accessibility	Best Practices	SEO
96	86	100	92

METRIC	VALUE	THRESHOLD	STATUS
LCP Largest Contentful Paint	1.17s	≤ 2.5s	Good
CLS Cumulative Layout Shift	0.000	≤ 0.1	Good
INP Interaction to Next Paint	—	≤ 200ms	Na
FCP First Contentful Paint	0.77s	≤ 1.8s	Good
TTFB Time to First Byte	36ms	≤ 800ms	Good
TBT Total Blocking Time	113ms	≤ 200ms	Good
Speed Index Visual load speed	0.91s	≤ 3.4s	Info

category-28

https://www.indiamart.com/goodearth-machines/kk-ic-8626.html

3 Lighthouse runs · median

Performance	Accessibility	Best Practices	SEO
98	86	96	92

METRIC	VALUE	THRESHOLD	STATUS
LCP Largest Contentful Paint	0.98s	≤ 2.5s	Good
CLS Cumulative Layout Shift	0.000	≤ 0.1	Good
INP Interaction to Next Paint	—	≤ 200ms	Na
FCP First Contentful Paint	0.81s	≤ 1.8s	Good
TTFB Time to First Byte	41ms	≤ 800ms	Good
TBT Total Blocking Time	51ms	≤ 200ms	Good
Speed Index Visual load speed	0.81s	≤ 3.4s	Info

category-29

https://www.indiamart.com/sri-spatiha-traders/electric-motor-kk-im4-103...

3 Lighthouse runs · median

Performance	Accessibility	Best Practices	SEO
98	86	100	92

METRIC	VALUE	THRESHOLD	STATUS
LCP Largest Contentful Paint	0.97s	≤ 2.5s	Good
CLS Cumulative Layout Shift	0.006	≤ 0.1	Good
INP Interaction to Next Paint	—	≤ 200ms	Na
FCP First Contentful Paint	0.82s	≤ 1.8s	Good
TTFB Time to First Byte	36ms	≤ 800ms	Good
TBT Total Blocking Time	49ms	≤ 200ms	Good
Speed Index Visual load speed	0.82s	≤ 3.4s	Info

category-30

https://www.indiamart.com/vetrivel-furnitures/plastics-chair-4080.html

3 Lighthouse runs · median

Performance	Accessibility	Best Practices	SEO
98	86	100	92

METRIC	VALUE	THRESHOLD	STATUS
LCP Largest Contentful Paint	1.06s	≤ 2.5s	Good
CLS Cumulative Layout Shift	0.001	≤ 0.1	Good
INP Interaction to Next Paint	—	≤ 200ms	Na
FCP First Contentful Paint	0.82s	≤ 1.8s	Good
TTFB Time to First Byte	37ms	≤ 800ms	Good
TBT Total Blocking Time	47ms	≤ 200ms	Good
Speed Index Visual load speed	0.82s	≤ 3.4s	Info

other-1

https://www.indiamart.com/stalwart-industries-private-limited/stainless-st...

3 Lighthouse runs · median

Performance	Accessibility	Best Practices	SEO
98	85	100	92

METRIC	VALUE	THRESHOLD	STATUS
LCP Largest Contentful Paint	0.96s	≤ 2.5s	Good
CLS Cumulative Layout Shift	0.000	≤ 0.1	Good
INP Interaction to Next Paint	—	≤ 200ms	Na
FCP First Contentful Paint	0.84s	≤ 1.8s	Good
TTFB Time to First Byte	37ms	≤ 800ms	Good
TBT Total Blocking Time	39ms	≤ 200ms	Good
Speed Index Visual load speed	0.84s	≤ 3.4s	Info

other-10

https://www.indiamart.com/grado-pumps/products.html

3 Lighthouse runs · median

Performance	Accessibility	Best Practices	SEO
98	85	100	92

METRIC	VALUE	THRESHOLD	STATUS
LCP Largest Contentful Paint	1.05s	≤ 2.5s	Good
CLS Cumulative Layout Shift	0.000	≤ 0.1	Good
INP Interaction to Next Paint	—	≤ 200ms	Na
FCP First Contentful Paint	0.82s	≤ 1.8s	Good
TTFB Time to First Byte	46ms	≤ 800ms	Good
TBT Total Blocking Time	47ms	≤ 200ms	Good
Speed Index Visual load speed	0.82s	≤ 3.4s	Info

other-2

https://www.indiamart.com/g-r-k-imitation-jewellery/artificial-jewellery.html

3 Lighthouse runs · median

Performance	Accessibility	Best Practices	SEO
97	86	100	92

METRIC	VALUE	THRESHOLD	STATUS
LCP Largest Contentful Paint	1.09s	≤ 2.5s	Good
CLS Cumulative Layout Shift	0.000	≤ 0.1	Good
INP Interaction to Next Paint	—	≤ 200ms	Na
FCP First Contentful Paint	0.82s	≤ 1.8s	Good
TTFB Time to First Byte	35ms	≤ 800ms	Good
TBT Total Blocking Time	55ms	≤ 200ms	Good
Speed Index Visual load speed	0.82s	≤ 3.4s	Info

other-3

https://www.indiamart.com/saru-aikoh-chemicals-private-limited/products...

3 Lighthouse runs · median

Performance	Accessibility	Best Practices	SEO
98	85	100	92

METRIC	VALUE	THRESHOLD	STATUS
LCP Largest Contentful Paint	0.99s	≤ 2.5s	Good
CLS Cumulative Layout Shift	0.000	≤ 0.1	Good
INP Interaction to Next Paint	—	≤ 200ms	Na
FCP First Contentful Paint	0.81s	≤ 1.8s	Good
TTFB Time to First Byte	38ms	≤ 800ms	Good
TBT Total Blocking Time	48ms	≤ 200ms	Good
Speed Index Visual load speed	0.84s	≤ 3.4s	Info

other-4

https://www.indiamart.com/hs-racks-tirupati/photos.html

3 Lighthouse runs · median

Performance	Accessibility	Best Practices	SEO
88	85	100	92

METRIC	VALUE	THRESHOLD	STATUS
LCP Largest Contentful Paint	0.98s	≤ 2.5s	Good
CLS Cumulative Layout Shift	0.214	≤ 0.1	Needs Improvement
INP Interaction to Next Paint	—	≤ 200ms	Na
FCP First Contentful Paint	0.81s	≤ 1.8s	Good
TTFB Time to First Byte	38ms	≤ 800ms	Good
TBT Total Blocking Time	56ms	≤ 200ms	Good
Speed Index Visual load speed	0.81s	≤ 3.4s	Info

other-5

https://www.indiamart.com/sairam-collection-mumbai/products-and-servi...

3 Lighthouse runs · median

Performance	Accessibility	Best Practices	SEO
97	85	100	92

METRIC	VALUE	THRESHOLD	STATUS
LCP Largest Contentful Paint	1.06s	≤ 2.5s	Good
CLS Cumulative Layout Shift	0.000	≤ 0.1	Good
INP Interaction to Next Paint	—	≤ 200ms	Na
FCP First Contentful Paint	0.82s	≤ 1.8s	Good
TTFB Time to First Byte	38ms	≤ 800ms	Good
TBT Total Blocking Time	45ms	≤ 200ms	Good
Speed Index Visual load speed	0.85s	≤ 3.4s	Info

other-6

https://www.indiamart.com/inaaya-fashion/aboutus.html

3 Lighthouse runs · median

Performance	Accessibility	Best Practices	SEO
96	86	100	92

METRIC	VALUE	THRESHOLD	STATUS
LCP Largest Contentful Paint	1.24s	≤ 2.5s	Good
CLS Cumulative Layout Shift	0.000	≤ 0.1	Good
INP Interaction to Next Paint	—	≤ 200ms	Na
FCP First Contentful Paint	0.79s	≤ 1.8s	Good
TTFB Time to First Byte	50ms	≤ 800ms	Good
TBT Total Blocking Time	45ms	≤ 200ms	Good
Speed Index Visual load speed	0.92s	≤ 3.4s	Info

other-7

https://www.indiamart.com/omsaipackaging-faridabad/aboutus.html

3 Lighthouse runs · median

Performance	Accessibility	Best Practices	SEO
96	86	100	92

METRIC	VALUE	THRESHOLD	STATUS
LCP Largest Contentful Paint	1.24s	≤ 2.5s	Good
CLS Cumulative Layout Shift	0.000	≤ 0.1	Good
INP Interaction to Next Paint	—	≤ 200ms	Na
FCP First Contentful Paint	0.80s	≤ 1.8s	Good
TTFB Time to First Byte	40ms	≤ 800ms	Good
TBT Total Blocking Time	44ms	≤ 200ms	Good
Speed Index Visual load speed	0.86s	≤ 3.4s	Info

other-8

https://www.indiamart.com/shankh-designer/ladies-saree.html

3 Lighthouse runs · median

Performance	Accessibility	Best Practices	SEO
96	86	100	92

METRIC	VALUE	THRESHOLD	STATUS
LCP Largest Contentful Paint	1.37s	≤ 2.5s	Good
CLS Cumulative Layout Shift	0.000	≤ 0.1	Good
INP Interaction to Next Paint	—	≤ 200ms	Na
FCP First Contentful Paint	0.73s	≤ 1.8s	Good
TTFB Time to First Byte	41ms	≤ 800ms	Good
TBT Total Blocking Time	51ms	≤ 200ms	Good
Speed Index Visual load speed	1.00s	≤ 3.4s	Info

other-9

https://www.indiamart.com/hetronic-systems-india-pvt-ltd-new-delhi/univ...

3 Lighthouse runs · median

Performance	Accessibility	Best Practices	SEO
98	85	100	92

METRIC	VALUE	THRESHOLD	STATUS
LCP Largest Contentful Paint	0.98s	≤ 2.5s	Good
CLS Cumulative Layout Shift	0.000	≤ 0.1	Good
INP Interaction to Next Paint	—	≤ 200ms	Na
FCP First Contentful Paint	0.83s	≤ 1.8s	Good
TTFB Time to First Byte	35ms	≤ 800ms	Good
TBT Total Blocking Time	48ms	≤ 200ms	Good
Speed Index Visual load speed	0.83s	≤ 3.4s	Info

supplier-11

https://www.indiamart.com/moksh-entps-gurgaon/

3 Lighthouse runs · median

Performance	Accessibility	Best Practices	SEO
98	85	100	92

METRIC	VALUE	THRESHOLD	STATUS
LCP Largest Contentful Paint	1.03s	≤ 2.5s	Good
CLS Cumulative Layout Shift	0.000	≤ 0.1	Good
INP Interaction to Next Paint	—	≤ 200ms	Na
FCP First Contentful Paint	0.82s	≤ 1.8s	Good
TTFB Time to First Byte	42ms	≤ 800ms	Good
TBT Total Blocking Time	44ms	≤ 200ms	Good
Speed Index Visual load speed	0.82s	≤ 3.4s	Info

supplier-12

https://www.indiamart.com/bliss-thai-spa/

3 Lighthouse runs · median

Performance	Accessibility	Best Practices	SEO
98	84	100	92

METRIC	VALUE	THRESHOLD	STATUS
LCP Largest Contentful Paint	0.86s	≤ 2.5s	Good
CLS Cumulative Layout Shift	0.000	≤ 0.1	Good
INP Interaction to Next Paint	—	≤ 200ms	Na
FCP First Contentful Paint	0.84s	≤ 1.8s	Good
TTFB Time to First Byte	36ms	≤ 800ms	Good
TBT Total Blocking Time	63ms	≤ 200ms	Good
Speed Index Visual load speed	0.84s	≤ 3.4s	Info

supplier-13

https://www.indiamart.com/star-enterprise-limla/

3 Lighthouse runs · median

Performance	Accessibility	Best Practices	SEO
98	84	100	92

METRIC	VALUE	THRESHOLD	STATUS
LCP Largest Contentful Paint	0.85s	≤ 2.5s	Good
CLS Cumulative Layout Shift	0.001	≤ 0.1	Good
INP Interaction to Next Paint	—	≤ 200ms	Na
FCP First Contentful Paint	0.83s	≤ 1.8s	Good
TTFB Time to First Byte	37ms	≤ 800ms	Good
TBT Total Blocking Time	79ms	≤ 200ms	Good
Speed Index Visual load speed	0.83s	≤ 3.4s	Info

supplier-14

https://www.indiamart.com/jaincomputer-gallery/

3 Lighthouse runs · median

Performance	Accessibility	Best Practices	SEO
96	86	100	92

METRIC	VALUE	THRESHOLD	STATUS
LCP Largest Contentful Paint	1.21s	≤ 2.5s	Good
CLS Cumulative Layout Shift	0.001	≤ 0.1	Good
INP Interaction to Next Paint	—	≤ 200ms	Na
FCP First Contentful Paint	0.82s	≤ 1.8s	Good
TTFB Time to First Byte	38ms	≤ 800ms	Good
TBT Total Blocking Time	72ms	≤ 200ms	Good
Speed Index Visual load speed	0.94s	≤ 3.4s	Info

supplier-15

https://www.indiamart.com/sumitcool-home-appliances/

3 Lighthouse runs · median

Performance	Accessibility	Best Practices	SEO
97	86	100	92

METRIC	VALUE	THRESHOLD	STATUS
LCP Largest Contentful Paint	1.12s	≤ 2.5s	Good
CLS Cumulative Layout Shift	0.000	≤ 0.1	Good
INP Interaction to Next Paint	—	≤ 200ms	Na
FCP First Contentful Paint	0.81s	≤ 1.8s	Good
TTFB Time to First Byte	40ms	≤ 800ms	Good
TBT Total Blocking Time	71ms	≤ 200ms	Good
Speed Index Visual load speed	0.86s	≤ 3.4s	Info

supplier-16

https://www.indiamart.com/jyotiplywood/

3 Lighthouse runs · median

Performance	Accessibility	Best Practices	SEO
97	86	100	92

METRIC	VALUE	THRESHOLD	STATUS
LCP Largest Contentful Paint	1.16s	≤ 2.5s	Good
CLS Cumulative Layout Shift	0.002	≤ 0.1	Good
INP Interaction to Next Paint	—	≤ 200ms	Na
FCP First Contentful Paint	0.81s	≤ 1.8s	Good
TTFB Time to First Byte	36ms	≤ 800ms	Good
TBT Total Blocking Time	68ms	≤ 200ms	Good
Speed Index Visual load speed	0.90s	≤ 3.4s	Info

supplier-17

https://www.indiamart.com/bharat-bearings-hosur/

3 Lighthouse runs · median

Performance	Accessibility	Best Practices	SEO
98	85	100	92

METRIC	VALUE	THRESHOLD	STATUS
LCP Largest Contentful Paint	0.99s	≤ 2.5s	Good
CLS Cumulative Layout Shift	0.006	≤ 0.1	Good
INP Interaction to Next Paint	—	≤ 200ms	Na
FCP First Contentful Paint	0.78s	≤ 1.8s	Good
TTFB Time to First Byte	37ms	≤ 800ms	Good
TBT Total Blocking Time	50ms	≤ 200ms	Good
Speed Index Visual load speed	0.78s	≤ 3.4s	Info

supplier-18

https://www.indiamart.com/shubha-s-chennai/

3 Lighthouse runs · median

Performance	Accessibility	Best Practices	SEO
98	85	100	92

METRIC	VALUE	THRESHOLD	STATUS
LCP Largest Contentful Paint	1.05s	≤ 2.5s	Good
CLS Cumulative Layout Shift	0.000	≤ 0.1	Good
INP Interaction to Next Paint	—	≤ 200ms	Na
FCP First Contentful Paint	0.79s	≤ 1.8s	Good
TTFB Time to First Byte	37ms	≤ 800ms	Good
TBT Total Blocking Time	49ms	≤ 200ms	Good
Speed Index Visual load speed	0.80s	≤ 3.4s	Info

supplier-19

https://www.indiamart.com/da-phone/

3 Lighthouse runs · median

Performance	Accessibility	Best Practices	SEO
98	84	100	92

METRIC	VALUE	THRESHOLD	STATUS
LCP Largest Contentful Paint	0.84s	≤ 2.5s	Good
CLS Cumulative Layout Shift	0.000	≤ 0.1	Good
INP Interaction to Next Paint	—	≤ 200ms	Na
FCP First Contentful Paint	0.84s	≤ 1.8s	Good
TTFB Time to First Byte	39ms	≤ 800ms	Good
TBT Total Blocking Time	89ms	≤ 200ms	Good
Speed Index Visual load speed	0.84s	≤ 3.4s	Info

supplier-20

https://www.indiamart.com/company/52004055/

3 Lighthouse runs · median

Performance	Accessibility	Best Practices	SEO
98	84	100	92

METRIC	VALUE	THRESHOLD	STATUS
LCP Largest Contentful Paint	0.87s	≤ 2.5s	Good
CLS Cumulative Layout Shift	0.000	≤ 0.1	Good
INP Interaction to Next Paint	—	≤ 200ms	Na
FCP First Contentful Paint	0.86s	≤ 1.8s	Good
TTFB Time to First Byte	36ms	≤ 800ms	Good
TBT Total Blocking Time	58ms	≤ 200ms	Good
Speed Index Visual load speed	0.86s	≤ 3.4s	Info