Assessing The Effect of Stimuli Complexity in Web-Based Visual Foraging

Enilda M. Velazquez, *University of Central Florida*, enilda.velazquez@ucf.edu
Nelson A. Roque, *The Pennsylvania State University*, nur375@psu.edu

Scan to demo our foraging task!

Background

- **Single vs. Multi-target Search**
  - Single target search: looking for **one target** among distractors.
  - Multi-target search: looking for **many targets** among= distractors.
- **Visual Foraging Task**
  - Developed to address concerns of ecological validity in single target search tasks: the **real world** is rarely comprised of single targets.
  - A multi-target search task in which observers are instructed to search for all of one kind of target among many distractors [2]
- **Information Processing → Search Strategy: Theories**
  - Optimal Foraging Theory [1]: observers maximize target acquisition for targets with maximum information and lowest energetic cost.
  - Increasing the information necessary for acquisition → increases cost to acquire target → observer changes search strategy or search slows [1, 3, 4]

Research Question

How does increasing stimuli complexity impact multi-target search behavior in a foraging task?

Hypothesis

As the stimuli become more complex, mean inter-target time is expected to become larger.

Data Preparation

- All preparation done in R (v 4.2.2) and Python (v 3.11).
- Foraging task embedded into Qualtrics produced 2 databases: surveys + task.
- Event level task data → trial level aggregates by block
- Device meta-data retrieved from user-agent string and parsed.
- Qualtrics loaded and scored.
- Survey + task data joined in long format.
- 251 participants recruited. 221 participants in final sample (N = 221).

Methods

- 14 block foraging task
- Conjunctive search for 2 experimental sets of stimuli and 1 control set of stimuli.
  - Experimental sets were composed of images one additional layer of features per image.
  - (1) background layer, (2) border layer, (3) writing layer

- Each block presented multiple pages of a pairwise stimuli combination.
- Each page contained 6 targets and 6 distractors.
- Participants foraged through as many pages as possible per block for 45 seconds.
- Counterbalancing of block-stimuli assignment was utilized.



Yield Sign Performance

Predictors	*Estimates*	*CI*	*t*	*p*
Intercept	606.96	547.84 – 666.07	20.12	**<0.001**
Page	-1.4	-2.09 – -0.72	-4.03	**<0.001**
Device Type	-162.34	-258.33 – -66.34	-3.31	**0.001**
(N) Target Layers	23.6	9.24 – 37.97	3.22	**0.001**
(N) Distractor Layers	27.64	13.27 – 42.01	3.77	**<0.001**
Random Effects				
σ^2				20841.97
$\tau_{00\ Individual}$				45124.02
$\tau_{00\ Block}$				304.12
ICC				0.69
N_{Block}				13
$N_{Individual}$				215
Observations				13905
Marginal R^2 / Conditional R^2	0.049 / 0.701			

Stop Sign Performance

Predictors	*Estimates*	*CI*	*t*	*p*
Intercept	1433.79	1081.00 – 1786.57	7.97	**<0.001**
Page	-5.55	-6.76 – -4.34	-9	**<0.001**
Device Type	-112.63	-212.25 – -13.02	-2.22	**0.027**
(N) Target Layers	-163.68	-265.56 – -61.79	-3.15	**0.002**
(N) Distractor Layers	-153.02	-254.90 – -51.14	-2.94	**0.003**
Random Effects				
σ^2				59690.89
$\tau_{00\ Individual}$				47898.32
$\tau_{00\ Block}$				17598.62
ICC				0.52
N_{Block}				13
$N_{Individual}$				216
Observations				12946
Marginal R^2 / Conditional R^2	0.131 / 0.586			

Results

- **Finding 1:** ITT increased as the number of feature layers increased for all categories except the 3-layer stop sign condition.
- **Finding 2:** Low between-individual variation of ITT across categories.
- **Finding 3:** Performance variability was higher for the experimental categories vs the control category.
- **Exploratory Finding:** Using a mobile device for the task decreased ITT, compared to using a non-mobile device.

Conclusions

- **Main hypothesis supported:** as stimuli complexity increased, ITT increased, except for the 3-layer stop sign condition. This finding is consistent with existing theory [2, 3, 4].
- Stimuli complexity slowed foraging until the difference in complexity between target and distractor turned the search task from conjunctive search into a pop-out search.
- Low between-individual variation suggests that individuals forage at different baseline foraging rates that are consistent across categories.
- **Main Limitation:** when observers searched for the 3-layer stop sign paired with other stop signs, observer performance exhibited the performance predicted by the pop-out search effect.
  - Thus, complexity defined by number of feature layers may not fully capture how complexity impacts 'real-world' foraging.

References

[1] Stephens, D. W., & Krebs, J. R. (1986). Foraging theory. In *Foraging theory*. Princeton university press. https://doi.org/10.2307/j.ctvs32s6b

[2] Kristjánsson, Á., Ólafsdóttir, I. M., & Kristjánsson, T. (2019). Visual Foraging Tasks Provide New Insights into the Orienting of Visual Attention: Methodological Considerations. In *Spatial Learning and Attention Guidance* (pp. 3–21). https://doi.org/10.1007/7657_2019_21

[3] Treisman, A., & Gelade, G. (1980). A Feature-Integration Theory of Attention. *Cognitive Psychology*. https://doi.org/10.1016/0010-0285(80)90005-5

[4] Wolfe, J. M. (2021). Guided Search 6.0: An updated model of visual search. *Psychonomic Bulletin & Review*, *28*(4), 1060–1092. https://doi.org/10.3758/s13423-020-01859-9

UCF MIT² Minds in Technology Machines in Thought PennState CASCADE Lab