

```
BJIT@DESKTOP-3N9TI6I MINGW64 ~/Downloads (master)
$ git clone git@github.com:enisha121/BugBusters.git
Cloning into 'BugBusters'...
remote: Enumerating objects: 3, done.
remote: Counting objects: 100% (3/3), done.
remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
Receiving objects: 100% (3/3), done.

BJIT@DESKTOP-3N9TI6I MINGW64 ~/Downloads (master)
$ cd BugBusters/

BJIT@DESKTOP-3N9TI6I MINGW64 ~/Downloads/BugBusters (main)
$ git branch
* main
```

```
BJIT@DESKTOP-3N9TI6I MINGW64 ~/Downloads/BugBusters (main)
$ git pull origin development
From github.com:enisha121/BugBusters
 * branch                development -> FETCH_HEAD
 * [new branch]          development -> origin/development
Already up to date.

BJIT@DESKTOP-3N9TI6I MINGW64 ~/Downloads/BugBusters (main)
$ git branch
* main

BJIT@DESKTOP-3N9TI6I MINGW64 ~/Downloads/BugBusters (main)
$ git branch -r
origin/HEAD -> origin/main
origin/development
origin/main
```

```
BJIT@DESKTOP-3N9TI6I MINGW64 ~/Downloads/BugBusters (main)
$ git checkout -b Tajwar
Switched to a new branch 'Tajwar'

BJIT@DESKTOP-3N9TI6I MINGW64 ~/Downloads/BugBusters (Tajwar)
$ git status
On branch Tajwar
Untracked files:
  (use "git add <file>..." to include in what will be committed)
    BugBusters/
    Tajwar.md

nothing added to commit but untracked files present (use "git add" to track)

BJIT@DESKTOP-3N9TI6I MINGW64 ~/Downloads/BugBusters (Tajwar)
$ git add .
warning: adding embedded git repository: BugBusters
hint: You've added another git repository inside your current repository.
hint: Clones of the outer repository will not contain the contents of
hint: the embedded repository and will not know how to obtain it.
hint: If you meant to add a submodule, use:
hint:   git submodule add <url> BugBusters
hint: If you added this path by mistake, you can remove it from the
hint: index with:
hint:   git rm --cached BugBusters
hint: See "git help submodule" for more information.
warning: in the working copy of 'Tajwar.md', LF will be replaced by CRLF the next time Git touches it
```

```
BJIT@DESKTOP-3N9TI6I MINGW64 ~/Downloads/BugBusters (Tajwar)
$ git status
On branch Tajwar
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
    new file:   BugBusters
    new file:   Tajwar.md

BJIT@DESKTOP-3N9TI6I MINGW64 ~/Downloads/BugBusters (Tajwar)
$ git commit -m "git profile commit"
[Tajwar 65a3083] git profile commit
2 files changed, 29 insertions(+)
create mode 160000 BugBusters
create mode 100644 Tajwar.md

BJIT@DESKTOP-3N9TI6I MINGW64 ~/Downloads/BugBusters (Tajwar)
$ |
```

```
BJIT@DESKTOP-3N9TI6I MINGW64 ~/Downloads/BugBusters (Tajwar)
$ git status
On branch Tajwar
Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   README.md

no changes added to commit (use "git add" and/or "git commit -a")

BJIT@DESKTOP-3N9TI6I MINGW64 ~/Downloads/BugBusters (Tajwar)
$ git add .

BJIT@DESKTOP-3N9TI6I MINGW64 ~/Downloads/BugBusters (Tajwar)
$ git commit -m "markdown working commit"
[Tajwar 05937a1] markdown working commit
1 file changed, 18 insertions(+), 1 deletion(-)

BJIT@DESKTOP-3N9TI6I MINGW64 ~/Downloads/BugBusters (Tajwar)
$
```

```
BJIT@DESKTOP-3N9TI6I MINGW64 ~/Downloads/BugBusters (Tajwar)
$ git pull origin ArkoMazhar
remote: Enumerating objects: 11, done.
remote: Counting objects: 100% (11/11), done.
remote: Compressing objects: 100% (8/8), done.
remote: Total 9 (delta 4), reused 6 (delta 1), pack-reused 0
Unpacking objects: 100% (9/9), 2.77 KiB | 81.00 KiB/s, done.
From github.com:enisha121/BugBusters
 * branch                ArkoMazhar -> FETCH_HEAD
 * [new branch]           ArkoMazhar -> origin/ArkoMazhar
Auto-merging README.md
CONFLICT (content): Merge conflict in README.md
Automatic merge failed; fix conflicts and then commit the result.

BJIT@DESKTOP-3N9TI6I MINGW64 ~/Downloads/BugBusters (Tajwar|MERGING)
$
```

```
README - Notepad
File Edit Format View Help
<<<<<< HEAD
## Usage

- **Search for Restaurants:** Use the search functionality to find dining options based on your preferences.
- **Explore Restaurant Profiles:** Click on a restaurant to view its detailed profile, including menu items and reviews.
- **Read and Write Reviews:** Share your dining experiences by leaving reviews and ratings for restaurants.
- **Save Favourites:** Create an account to save your favourite restaurants and receive personalized recommendations.
- **Get Directions:** Click on the map integration to get directions to the selected restaurant

Thank you to the following contributors who have helped to improve this project:

| Name | Email | Phone |
|---|---|---|
|Tajwar |tajwar@bjitacademy.com |0167774424 |
|Arko |arko@bjitacademy.com |0167774425 |
|Enisha |enisha@bjitacademy.com |0167774426 |
|Nigah |nigah@bjitacademy.com |0167774427 |
|Rezone |rezone@bjitacademy.com |0167774428 |
=====
# Getting Started

*Follow these steps to get Local Dining Guide up and running on your local machine.*

## Prerequisites:
**Web Browser:** Ensure you have a modern web browser installed to access the Local Dining Guide interface.

**Internet Connection:** A stable internet connection is required to fetch restaurant data and images.

## Installation
1. **Clone the Repository:** Start by cloning this repository to your local machine.
`git clone https://github.com/yourusername/local-dining-guide.git`
2. **Navigate to Directory:** Move into the project directory.
`cd local-dining-guide`
3. **Launch the Application:** Open the index.html file in your web browser.
`cd local-dining-guide`
# Local Dining Guide
```

```
BJIT@DESKTOP-3N9TI6I MINGW64 ~/Downloads/BugBusters (Tajwar)
$ git pull origin ArkoMazhar
remote: Enumerating objects: 11, done.
remote: Counting objects: 100% (11/11), done.
remote: Compressing objects: 100% (8/8), done.
remote: Total 9 (delta 4), reused 6 (delta 1), pack-reused 0
Unpacking objects: 100% (9/9), 2.77 KiB | 81.00 KiB/s, done.
From github.com:enisha121/BugBusters
 * branch                ArkoMazhar -> FETCH_HEAD
 * [new branch]          ArkoMazhar -> origin/ArkoMazhar
Auto-merging README.md
CONFLICT (content): Merge conflict in README.md
Automatic merge failed; fix conflicts and then commit the result.

BJIT@DESKTOP-3N9TI6I MINGW64 ~/Downloads/BugBusters (Tajwar|MERGING)
$ git add .

BJIT@DESKTOP-3N9TI6I MINGW64 ~/Downloads/BugBusters (Tajwar|MERGING)
$ git commit -m "conflct resolved"
[Tajwar 236c174] conflct resolved

BJIT@DESKTOP-3N9TI6I MINGW64 ~/Downloads/BugBusters (Tajwar)
$ git push origin Tajwar
Enumerating objects: 16, done.
Counting objects: 100% (16/16), done.
Delta compression using up to 4 threads
Compressing objects: 100% (12/12), done.
Writing objects: 100% (12/12), 4.03 KiB | 2.01 MiB/s, done.
Total 12 (delta 7), reused 0 (delta 0), pack-reused 0
remote: Resolving deltas: 100% (7/7), completed with 1 local object.
To github.com:enisha121/BugBusters.git
   05937a1..236c174  Tajwar -> Tajwar

BJIT@DESKTOP-3N9TI6I MINGW64 ~/Downloads/BugBusters (Tajwar)
$
```