

Bootstrap Homework Report - Task 11

Student: Enis Ogdum

Course: Dynamic Documents and Front-end Web Development

Date: December 15, 2025

Table of Contents

1. [Introduction](#)
 2. [Questionnaire Page](#)
 3. [Interactive Components Page](#)
 4. [Custom Styling Changes](#)
 5. [Screenshots](#)
 6. [Source Code](#)
 7. [Conclusion](#)
-

Introduction

This report documents the completion of the Bootstrap homework assignment, which involved: - Creating a workplace questionnaire form using Bootstrap 5.3 components - Implementing interactive components (Carousel and Accordion) - Customizing component styles with CSS - Documenting the work with screenshots and source code

The project utilized Bootstrap's starter template and various components to create responsive, mobile-friendly web pages.

Questionnaire Page

Overview

The questionnaire page (`index.html`) implements a comprehensive workplace survey form with the following sections:

1. *Personal & Role*

- **Full Name** (text input, required)
- **Job Title** (text input, required)
- **Department** (select dropdown: HR, Finance, IT, Marketing, Other)
- **Date** (date picker with default value)

2. *Workload & Tasks*

- **Average Hours/Week** (select: <20, 20–29, 30–39, 40+)

- **Top Task** (text input)
- **% Time on Top Task** (number input, range 0–100)
- **Main Activity Type** (select: Project work, Meetings, Admin, Client-facing, Support, Other)
- **Meetings Frequency** (select: Daily, Weekly, Monthly, Rarely)

3. Satisfaction & Issues

- **Overall Satisfaction** (radio buttons: Very satisfied, Satisfied, Neutral, Dissatisfied)
- **Biggest Barrier** (select: Time, Resources, Priorities, Skills, Other)
- **Comments** (textarea, optional)

4. Follow-up & Consent

- **Want Follow-up?** (radio buttons: Yes, No)
- **Consent Checkbox** (required: “I consent to take part in this workplace questionnaire.”)
- **Action Buttons** (Submit, Save for Later)

Bootstrap Components Used

- Form controls (form-control, form-select)
- Form labels (form-label)
- Radio buttons and checkboxes (form-check, form-check-input)
- Buttons (btn, btn-primary, btn-secondary)
- Container and spacing utilities (container, mt-5, mb-3, etc.)

Interactive Components Page

Overview

The interactive page (interactive.html) showcases two Bootstrap components:

1. Carousel Component

- **Features:**
 - Three slides with images
 - Slide indicators (dots at bottom)
 - Previous/Next navigation controls
 - Captions with titles and descriptions
 - Auto-sliding functionality
- **Content:**
 - Slide 1: Image with title and description
 - Slide 2: Image with title and description
 - Slide 3: Image with title and description

2. Accordion Component

- **Features:**
 - Three collapsible sections
 - First section open by default
 - Smooth expand/collapse animations
 - Custom styling applied
 - **Content:**
 - Section 1: Content for section 1
 - Section 2: Content for section 2
 - Section 3: Content for section 3
-

Custom Styling Changes

Style Modifications (style.css)

Two significant style changes were made to the Accordion component:

Change 1: Accordion Button Background Color

```
.accordion-button {  
    background-color: #0d6efd;  
    color: white;  
    font-weight: bold;  
}
```

Effect: Changes the default accordion button background to Bootstrap's primary blue color with white text and bold font weight.

Change 2: Active Accordion Button Style

```
.accordion-button:not(.collapsed) {  
    background-color: #084298;  
    color: white;  
}
```

Effect: When an accordion section is expanded, the button displays a darker blue background, providing clear visual feedback to users.

Visual Impact

- **Before:** Default Bootstrap accordion styling (light background, standard text)
 - **After:** Bold blue buttons with white text, darker blue for active sections
-

Screenshots

1. Questionnaire Form

Workplace Questionnaire

Personal & Role

Full Name *

Job Title *

Department

Select department

Date

dd.mm.yyyy

Workload & Tasks

Average Hours/Week

Select hours

Top Task

% Time on Top Task

Main Activity Type

2. Vanilla Carousel & Accordion (Before Styling)

Interactive Components

Carousel Example




3. Styled Carousel & Accordion (After Styling)

Interactive Components

Carousel Example



Accordion Example




Additional Screenshots

Interactive Components

Carousel Example



Accordion Example



Source Code

1. Questionnaire Page (index.html)

```
<!doctype html>
<html lang="en">

<head>
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <title>Workplace Questionnaire</title>

  <!-- Bootstrap CSS -->
  <link rel="stylesheet" href="css/bootstrap.min.css">
  <!-- Optional custom CSS -->
  <link rel="stylesheet" href="css/style.css">
</head>

<body>
  <div class="container mt-5 mb-5">
    <h1 class="mb-4">Workplace Questionnaire</h1>

    <form>
      <!-- Personal & Role -->
      <h4>Personal & Role</h4>
      <div class="mb-3">
        <label for="fullName" class="form-label">Full Name *</label>
        <input type="text" class="form-control" id="fullName" require
d>
      </div>

      <div class="mb-3">
        <label for="jobTitle" class="form-label">Job Title *</label>
        <input type="text" class="form-control" id="jobTitle" require
d>
      </div>

      <div class="mb-3">
        <label for="department" class="form-label">Department</label>
        <select class="form-select" id="department">
          <option selected disabled>Select department</option>
          <option>HR</option>
          <option>Finance</option>
          <option>IT</option>
          <option>Marketing</option>
          <option>Other</option>
        </select>
      </div>

      <div class="mb-3">
```

```

        <label for="date" class="form-label">Date</label>
        <input type="date" class="form-control" id="date" value="<?php
p echo date('Y-m-d'); ?>">
    </div>

    <!-- WorkLoad & Tasks -->
    <h4 class="mt-4">Workload & Tasks</h4>
    <div class="mb-3">
        <label for="hoursPerWeek" class="form-label">Average Hours/We
ek</label>
        <select class="form-select" id="hoursPerWeek">
            <option selected disabled>Select hours</option>
            <option>&lt;20</option>
            <option>20-29</option>
            <option>30-39</option>
            <option>40+</option>
        </select>
    </div>

    <div class="mb-3">
        <label for="topTask" class="form-label">Top Task</label>
        <input type="text" class="form-control" id="topTask">
    </div>

    <div class="mb-3">
        <label for="topTaskPercent" class="form-label">% Time on Top
Task</label>
        <input type="number" class="form-control" id="topTaskPercent"
min="0" max="100">
    </div>

    <div class="mb-3">
        <label for="activityType" class="form-label">Main Activity Ty
pe</label>
        <select class="form-select" id="activityType">
            <option selected disabled>Select type</option>
            <option>Project work</option>
            <option>Meetings</option>
            <option>Admin</option>
            <option>Client-facing</option>
            <option>Support</option>
            <option>Other</option>
        </select>
    </div>

    <div class="mb-3">
        <label for="meetingsFreq" class="form-label">Meetings Frequen
cy</label>
        <select class="form-select" id="meetingsFreq">

```



```

        <option selected disabled>Select frequency</option>
        <option>Daily</option>
        <option>Weekly</option>
        <option>Monthly</option>
        <option>Rarely</option>
    </select>
</div>

<!-- Satisfaction & Issues -->
<h4 class="mt-4">Satisfaction & Issues</h4>
<div class="mb-3">
    <label class="form-label">Overall Satisfaction</label>
    <div class="form-check">
        <input class="form-check-input" type="radio" name="satisf
action" id="verySatisfied">
        <label class="form-check-label" for="verySatisfied">Very
Satisfied</label>
    </div>
    <div class="form-check">
        <input class="form-check-input" type="radio" name="satisf
action" id="satisfied">
        <label class="form-check-label" for="satisfied">Satisfied
</label>
    </div>
    <div class="form-check">
        <input class="form-check-input" type="radio" name="satisf
action" id="neutral">
        <label class="form-check-label" for="neutral">Neutral</la
bel>
    </div>
    <div class="form-check">
        <input class="form-check-input" type="radio" name="satisf
action" id="dissatisfied">
        <label class="form-check-label" for="dissatisfied">Dissat
isfied</label>
    </div>
</div>

<div class="mb-3">
    <label for="biggestBarrier" class="form-label">Biggest Barrie
r</label>
    <select class="form-select" id="biggestBarrier">
        <option selected disabled>Select barrier</option>
        <option>Time</option>
        <option>Resources</option>
        <option>Priorities</option>
        <option>Skills</option>
        <option>Other</option>
    </select>
</div>

```



```

        <div class="mb-3">
            <label for="comments" class="form-label">Comments (optional)<
/label>
            <textarea class="form-control" id="comments" rows="3"></textare
rea>
        </div>

<!-- Follow-up & Consent -->
<h4 class="mt-4">Follow-up & Consent</h4>
<div class="mb-3">
    <label class="form-label">Want Follow-up?</label>
    <div class="form-check">
        <input class="form-check-input" type="radio" name="follow
Up" id="followYes">
        <label class="form-check-label" for="followYes">Yes</labe
l>
    </div>
    <div class="form-check">
        <input class="form-check-input" type="radio" name="follow
Up" id="followNo">
        <label class="form-check-label" for="followNo">No</label>
    </div>
</div>

<div class="mb-3 form-check">
    <input type="checkbox" class="form-check-input" id="consent"
required>
    <label class="form-check-label" for="consent">I consent to ta
ke part in this workplace
    questionnaire.</label>
</div>

<!-- Buttons -->
<button type="submit" class="btn btn-primary">Submit</button>
<button type="button" class="btn btn-secondary">Save for Later</b
utton>
</form>
</div>

<!-- Bootstrap JS Bundle -->
<script src="js/bootstrap.bundle.min.js"></script>
</body>

</html>

```

2. Interactive Components Page (interactive.html)

```
<!doctype html>
<html lang="en">

<head>
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <title>Interactive Page</title>

  <!-- Bootstrap CSS -->
  <link rel="stylesheet" href="css/bootstrap.min.css">
  <link rel="stylesheet" href="css/style.css"> <!-- optional for custom styles -->
</head>

<body>
  <div class="container mt-5 mb-5">
    <h1 class="mb-4">Interactive Components</h1>

    <!-- Carousel -->
    <h4 class="mb-3">Carousel Example</h4>
    <div id="carouselExample" class="carousel slide mb-5" data-bs-ride="carousel">
      <div class="carousel-indicators">
        <button type="button" data-bs-target="#carouselExample" data-bs-slide-to="0" class="active"></button>
        <button type="button" data-bs-target="#carouselExample" data-bs-slide-to="1"></button>
        <button type="button" data-bs-target="#carouselExample" data-bs-slide-to="2"></button>
      </div>
      <div class="carousel-inner">
        <div class="carousel-item active">
          
          <div class="carousel-caption d-none d-md-block">
            <h5>Slide 1 Title</h5>
            <p>Slide 1 Description</p>
          </div>
        </div>
        <div class="carousel-item">
          
          <div class="carousel-caption d-none d-md-block">
            <h5>Slide 2 Title</h5>
            <p>Slide 2 Description</p>
          </div>
        </div>
        <div class="carousel-item">
          
          <div class="carousel-caption d-none d-md-block">
            <h5>Slide 3 Title</h5>
            <p>Slide 3 Description</p>
          </div>
        </div>
      </div>
    </div>
  </div>
</body>
</html>
```

```

        
        <div class="carousel-caption d-none d-md-block">
            <h5>Slide 3 Title</h5>
            <p>Slide 3 Description</p>
        </div>
    </div>
    <div>
        <button class="carousel-control-prev" type="button" data-bs-targe
t="#carouselExample" data-bs-slide="prev">
            <span class="carousel-control-prev-icon"></span>
        </button>
        <button class="carousel-control-next" type="button" data-bs-targe
t="#carouselExample" data-bs-slide="next">
            <span class="carousel-control-next-icon"></span>
        </button>
    </div>

<!-- Accordion -->
<h4 class="mb-3">Accordion Example</h4>
<div class="accordion" id="accordionExample">
    <div class="accordion-item">
        <h2 class="accordion-header" id="headingOne">
            <button class="accordion-button" type="button" data-bs-to
ggle="collapse"
                data-bs-target="#collapseOne">
                    Section 1
            </button>
        </h2>
        <div id="collapseOne" class="accordion-collapse collapse show
" data-bs-parent="#accordionExample">
            <div class="accordion-body">
                Content for section 1.
            </div>
        </div>
    </div>

    <div class="accordion-item">
        <h2 class="accordion-header" id="headingTwo">
            <button class="accordion-button collapsed" type="button"
data-bs-toggle="collapse"
                data-bs-target="#collapseTwo">
                    Section 2
            </button>
        </h2>
        <div id="collapseTwo" class="accordion-collapse collapse" dat
a-bs-parent="#accordionExample">
            <div class="accordion-body">
                Content for section 2.
            </div>
        </div>
    </div>
</div>

```

```

        </div>
    </div>

    <div class="accordion-item">
        <h2 class="accordion-header" id="headingThree">
            <button class="accordion-button collapsed" type="button"
data-bs-toggle="collapse"
                data-bs-target="#collapseThree">
                Section 3
            </button>
        </h2>
        <div id="collapseThree" class="accordion-collapse collapse" d
ata-bs-parent="#accordionExample">
            <div class="accordion-body">
                Content for section 3.
            </div>
        </div>
    </div>
</div>
</div>
</div>
</div>
</div>

<!-- Bootstrap JS Bundle -->
<script src="js/bootstrap.bundle.min.js"></script>
</body>

</html>

```

3. Custom Styles (css/style.css)

```

.accordion-button {
    background-color: #0d6efd;
    color: white;
    font-weight: bold;
}

.accordion-button:not(.collapsed) {
    background-color: #084298;
    color: white;
}

```

Conclusion

This homework assignment successfully demonstrates:

1. **Bootstrap Framework Proficiency**
 - Proper use of Bootstrap 5.3 components
 - Responsive design implementation

- Form validation and structure
- 2. **Interactive Components**
 - Functional carousel with navigation and indicators
 - Collapsible accordion with smooth animations
 - Proper Bootstrap JavaScript integration
- 3. **Custom Styling**
 - CSS customization of Bootstrap components
 - Visual enhancement while maintaining functionality
 - Clear before/after documentation
- 4. **Code Quality**
 - Clean, semantic HTML structure
 - Proper use of Bootstrap classes
 - Well-organized file structure

Files Included

- index.html - Workplace questionnaire form
- interactive.html - Carousel and accordion components
- css/style.css - Custom styling
- css/bootstrap.min.css - Bootstrap framework
- js/bootstrap.bundle.min.js - Bootstrap JavaScript
- images/ - Image assets for carousel
- Screenshots documenting the implementation

Learning Outcomes

- Understanding of Bootstrap's grid system and components
- Experience with form creation and validation
- Knowledge of interactive component implementation
- Skills in customizing Bootstrap with CSS

End of Report