



Ministry of Housing,
Communities &
Local Government

bre



2019/20

Digital pen procedure

1. Surveyor name

1) Write surveyor name

2. Edit form

2) Mark the 'Edit form' box

3) Write unique survey number (01-99)

Survey Code

3.

4) Code unique survey number

4.

0	0
1	1
2	2
3	3
4	4
5	5
6	6
7	7
8	8
9	9


1. Survey record

	Visit 1		Visit 2		Visit 3		Visit 4		Visit 5	
Visit / telephone call made	Y	N	Y	N	Y	N	Y	N	Y	N
Was this a booked appointment?	Y	N	Y	N	Y	N	Y	N	Y	N
	Day	Month	Day	Month	Day	Month	Day	Month	Day	Month
Record date of this call										
(24 hour clock)	Hr	mm	Hr	mm	Hr	mm	Hr	mm	Hr	mm
Start time										
Finish time										
Outcome										
Full/completed survey	1		1		1		1		1	
Partial survey/comeback to finish	2		2		2		2		2	
Partial survey then refusal	3		3		3		3		3	
Refusal on doorstep	4		4		4		4		4	
HQ refusal after surveyor visit			5		5		5		5	
Household missed appointment - no / unproductive contact	6		6		6		6		6	
Household missed appointment - rescheduled	7		7		7		7		7	
Surveyor missed appointment - no contact	8		8		8		8		8	
Surveyor missed appointment - rescheduled	9		9		9		9		9	
Speculative call - no / unproductive contact	10		10		10		10		10	
Speculative call - appointment scheduled	11		11		11		11		11	
Address untraceable	13		13		13		13		13	
Dwelling derelict	14		14		14		14		14	
Dwelling demolished	15		15		15		15		15	
No longer usable as dwelling	16		16		16		16		16	
Other reason for non-survey	17		17		17		17		17	

Reason for non survey:

2. Dwelling identification

Is the dwelling address passed on to you by the interviewer a single dwelling?



3. Dwelling description and occupancy

Type of occupancy
(clarify with household)

Single family dwelling 1	Shared house 2	Household with lodgers 3	Bedsits or flatlets 4	Purpose built with shared amenities 5	Hostel/ B&B 6
-----------------------------	-------------------	-----------------------------	--------------------------	--	------------------

HMO premises: discuss with RM if necessary complete questions on page 8

Dwelling type (clarify with household)

House/bungalow						Flat		
End terrace 1	Mid terrace 2	Semi detached 3	Detached 4	Temporary 5	Park home 9	Purpose built 6	Converted 7	Non residential plus flat 8

Tenure (clarify with household)

Owner occupied 1	Private rented 2	Local authority 3	Housing association (RSL) 4
---------------------	---------------------	----------------------	--------------------------------

Construction date (clarify with household)

Estimate actual construction date

--	--	--	--

Pre 1850 1	1850-1899 2	1900-1918 3	1919-1944 4	1945-1964 5	1965-1974 6	1975-1980 7	1981-1990 8	1991-1995 9	1996-2002 10	Post 2002 11
---------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------	-----------------

Occupancy (ask where possible)

Occupied 1	Vacant						
	Awaiting another owner 2	Awaiting another tenant 3	Awaiting demolition 4	Being modernised 5	New never occupied 6	Being used for other purpose 7	Other (specify) 8

If occupied: how long have the current occupants lived here?

Years Months

If vacant: how long has the dwelling been vacant?

Years Months

If occupants have moved in within the last 6 months, ask for date:-

Day Month Year

Source of information on tenure and occupancy

Occupant 1	Neighbour 2	Caretaker/ warden/agent 3	Estimate/ appearance 4	Other (specify): 5
---------------	----------------	------------------------------	---------------------------	-----------------------

IDENTIFY MODULE NOW

4. Module associated with the address surveyed

House (single unit) 1	Converted building (multiple units) 2	Purpose built flats (multiple units) 3
--------------------------	--	---

Have all the accommodation units exclusive use of key amenities?

Yes - sole use 1	Mix (e.g. some sole use, some shared amenities) 2	No (all units share at least one amenity) 3
---------------------	--	--

Go to Section 5

Number of units with exclusive use of amenities	
Number of units which share amenities	

5. Interior

Does room exist?

Level (B, G, 1, 2, 3 etc)

Function (L, K, S, T, D, B, U, C, X)

Room inspected?

Ceiling height (metres)

Width (metres)

Depth (metres)

Ceilings (answer in tenths)

Faults?

Take down and renew

Isolated repair, fill cracks

Leave

Floors (answer in tenths)

Solid floors?

Faults?

Replace structure

Replace only boards or screed

Leave

Walls (answer in tenths)

Faults?

Rebuild partition wall

Hack-off, replaster

Isolated repair, fill cracks

Leave

Dry lining present?

Internal insulation

Doors (answer in numbers)

Faults?

Renew

Repair/rehang

Windows/Frames

Faults?

Means of escape?

Secondary glazing for sound insulation?

Trickle vents to room?

Heating & Services

CH/prog. appliance?

Fixed other heater?

Defects

Rising (ground level) damp

Penetrating (higher level) damp

Serious condensation/mould growth

Inadequate natural light

Inadequate artificial light

Inadequate room ventilation

Inadequate appliance ventilation

Wood boring insect attack

Dry/wet rot

Evidence of mice

Evidence of rats

Living room	Kitchen	Bedroom	Bathroom	Circulation
Y N	Y N	Y N	Y N	Y N
Y N	Y N	Y N	Y N	Y N

Y	N	Y	N	Y	N	Y	N	Y	N

Y	N	Y	N	Y	N	Y	N	Y	N

Y	N	Y	N	Y	N	Y	N	Y	N

Y	N	Y	N	Y	N	Y	N	Y	N

Y	N	Y	N	Y	N	Y	N	Y	N

Y	N	Y	N	Y	N	Y	N	Y	N

Y	N	Y	N	Y	N	Y	N	Y	N

Living room	Kitchen	Bedroom	Bathroom	Circulation	Other rooms
Y	Y	Y	Y	Y	Y
Y	Y	Y	Y	Y	Y
Y	Y	Y	Y	Y	Y
Y	Y	Y	Y	Y	Y
Y	Y	Y	Y	Y	Y
Y	Y	Y	Y	Y	Y
Y	Y	Y	Y	Y	Y
Y	Y	Y	Y	Y	Y
Y	Y	Y	Y	Y	Y
Y	Y	Y	Y	Y	Y
Y	Y	Y	Y	Y	Y

Integral garage	Integral balcony	Extra room 1	Extra room 2	Extra room 3	Extra room 4	Extra room 5	Extra room 6	Extra room 7
Y N	Y N	Y N	Y N	Y N	Y N	Y N	Y N	Y N

Habitable rooms (specify No)

Stairs within dwelling

Present?

Open Plan?

Faults?

Replace structure

Replace treads

Replace balustrades

Repair/refix treads/balustrades

Y	N
Y	N
Y	N
Y	
Y	
Y	
Y	

Security of dwelling

Main entrance door

Other external doors

Accessible windows

High	Fairly high	Fairly low	Low	Very low	Not Apply
1	2	3	4	5	
1	2	3	4	5	8
1	2	3	4	5	8

Burglar alarm present?

Door viewer present?

Smoke detector(s)

Carbon monoxide detector? Clarify with household

Sprinkler / mister system present inside dwelling?

Y	N
Y	N
Y	N
Y	N
Y	N

Adaptions and accessibility

Flush threshold <15mm?

Room on entrance level suitable for bedroom?

Bathroom at entrance level?

WC at entrance level?

Wheelchair accessible WC at entrance level?

Change in floor level/trip steps at entrance level?

Doorsets and circulation meet requirement M4(1)?

Straight stairs with landings >900mm?

Y	N
Y	N
Y	N
Y	N
Y	N
Y	N
Y	N
Y	N

Adaptations for disabled people

Ramps?

Grab rails?

Stair lift/through floor lift?

Hoists?

Electrical modifications?

Y	N
Y	N
Y	N
Y	N
Y	N

HHSRS

Falling on stairs etc

Falling on level surfaces

Falling between levels

Fire

Flames, hot surfaces, etc

Damp and mould growth

Significantly lower risk than average

Average risk

Significantly higher risk than average

1	2	3
1	2	3
1	2	3
1	2	3
1	2	3
	2	3

If '3', score HHSRS in Section 22

Entry by intruders

Noise

Collisions and entrapment

Excess heat

Lighting

Domestic hygiene, pests and refuse

Significantly lower risk than average	Average risk	Significantly higher risk than average	Extreme risk
1	2	3	4
1	2	3	4
1	2	3	4
1	2	3	4
1	2	3	4
1	2	3	4

Describe 'extreme risk' in Section 22

5. Interior – amenities

Kitchen amenities

	Present		Working		Action				
	Y	N	Y	N	None	Minor repair	Major repair	Replace	Install
Cold water drinking supply?	Y	N	Y	N	1	2	3	4	5
Hot water?	Y	N	Y	N	1	2	3	4	5
Sink?	Y	N	Y	N	1	2		4	5
Fixed waste?	Y	N	Y	N	1	2		4	5
Cooking provision?	Y	N	Y	N	1	2	3	4	5
Cupboards?	Y	N	Y	N	1	2	3	4	5
Worktop	Y	N	Y	N	1	2	3	4	5
Extractor fan?	Y	N	Y	N					

Drinking water supply pipework

	Pipework seen		Lead present		Mains	
Before stopcock?	Y	N	Y	N	Y	N
After stopcock?	Y	N	Y	N		

Y	N	Adequate cooker space?
Y	N	Adequate cupboard units?
Under 1.5m	1.5 - 3m	Over 3m
1	2	3

Worktop (metres)

Are there significant problems with: Space

Y	N
---	---

Kitchen adapted for disabled use?

Y	N
---	---

Layout

Y	N
---	---

Cleanability

Y	N
---	---

	Original	Pre 1960	1960's	1970's	1980's	1990's	2000's	2010's	In progress
Kitchen amenities last refurbished	9	1	2	3	4	5	6	7	8

Actual date of kitchen refurbishment (if known)

--	--	--	--

Bathroom amenities

	Present		Working		Hot & cold water		Action					Floor		Specify	Badly located?		No. of external surfaces	
	Y	N	Y	N	Y	N	None	Minor repair	Major repair	Replace	Install	Basement	Ground		Y	N		
Bath/shower?	Y	N	Y	N	Y	N	1	2		4	5	BB	GG		Y	N		
Wash hand basin?	Y	N	Y	N	Y	N	1	2		4	5	BB	GG					
W.C.?	Y	N	Y	N			1	2	3	4	5	BB	GG		Y	N	Y	N
Extractor fan in bathroom?	Y	N	Y	N														

Are there significant problems with: Space

Y	N
---	---

Is any bathroom adapted for disabled use?

Y	N
---	---

Layout

Y	N
---	---

Cleanability

Y	N
---	---

Is any bathroom wheelchair accessible?

Y	N
---	---

Location

Y	N
---	---

	Original	Pre 1960	1960's	1970's	1980's	1990's	2000's	2010's	In progress
Bath/shower last refurbished	9	1	2	3	4	5	6	7	8

Actual date of bath/shower refurbishment (if known)

--	--	--	--

Does any shower have level access?

Y	N
---	---

Basement	Floor	Ground	Specify
BB	GG		

Secondary amenities

	Present		Working		Hot & cold water		Floor			In bedroom/en-suite	
	Y	N	Y	N	Y	N	Basement	Ground	Specify	Y	N
Second kitchen?	Y	N			Y	N	BB	GG			
Second bath/shower?	Y	N	Y	N	Y	N	BB	GG		Y	N
Second wash hand basin?	Y	N	Y	N	Y	N	BB	GG		Y	N
Second W.C.?	Y	N	Y	N			BB	GG		Y	N

Internal?

Y	N
---	---

HHSRS - hazards relating to whole dwelling interior

Hazards that may pose an extreme risk

Falls associated with baths etc.
Water Supply
Food Safety
Personal hygiene, sanitation and drainage
Position and operability of amenities

Significantly lower risk than average	Average risk	Significantly higher risk than average	Extreme risk
1	2	3	4
1	2	3	4
1	2	3	4
1	2	3	4
1	2	3	4

Describe 'extreme risk' in Section 22

5. Interior - Primary services

Gas system

		Action			
		None	Minor Repair	Major Repair	Replace
Present?	Y N	1	2	3	4
Mains supply?	Y N				
Smart meter?	Y N U				

		Significantly lower risk than average	Average risk	Significantly higher risk than average	Extreme risk
Housing Health and Safety Rating System (HHSRS)	Uncombusted fuel gas	1	2	3	4
	Explosions	1	2	3	4
	Describe 'extreme risk' in Section 22				

Electrical system

Present?	Y N	Normal mains supply?	Y N	Smart meter?	Y N U	Off-peak supply?	Y N
----------	---	----------------------	---	--------------	--	------------------	---

Location of meters	Under stairs or on wall 1	Special cupboard 2	External access to meter 3	Mixture 4	Unknown 5
Type of wiring	Lead or rubber covered 1	PVC sheathed 2		Mixture 4	Unknown 5
Earthing wires	Unsheathed or green cover 1	Yellow and green sheath 2		Mixture 4	Unknown 5
Consumer unit arrangement	Separate fuse boxes for each circuit 1	One or two "covered boxes" 2	One or two "accessible boxes" 3	Mixture 4	Unknown 5
Overload protection	Wire fuses 1	Cartridge fuses 2	MCB's 3	Mixture 4	Unknown 5
Personal protection	No RCD's 1	RCD in consumer unit 2	Separate RCD's 3	Mixture 4	Unknown 5
Type of Consumer unit	Metal 1	Plastic 2			Unknown 5
Is there room to add additional circuits within the Consumer unit?	Yes 1	No 2			Unknown 5
Action	None 1	Minor Repair 2	Major Repair 3	Replace 4	Install 5

		Significantly lower risk than average	Average risk	Significantly higher risk than average	Extreme risk
Housing Health and Safety Rating System (HHSRS)	Electrical safety	1	2	3	4
	Describe 'extreme risk' in Section 22				

% of fixed lighting that is low energy

00	10	20	30	40	50	60	70	80	90	100
----	----	----	----	----	----	----	----	----	----	-----

Cavity wall insulation

Is there any evidence of cavity wall insulation in/around the electricity or gas meters?	Y N
--	---

Whole House Ventilation

		Centralised Distribution Systems			
		Without Heat Recovery		With Heat Recovery (MVHR)	
None / Windows 1	Intermittent fans 2	Continuous Individual fans 3	Passive Stack 4	5	6

Total number of open fireplaces

--	--

5. Interior – space heating

Primary heating

Present?		If present:	Main heat source in winter? (ask household)		Location of system				If communal, number of dwellings served
Y	N		Y	N	Individual 1	Communal system Estate 2 Block 3 Group of dwellings 4			

If present:

Primary heating group					
Central heating (wet) 1	Storage heaters 2	Warm air 3	Communal/CHP 4	Electric ceiling/underfloor 5	Room heaters 6

Distribution type	
Radiators 1	Underfloor 2

Primary heating fuel

Gas			Oil	Solid fuel			Biomass	Electricity				Communal		
Mains 01	Bulk LPG 02	Bottled 03	04	Coal 05	Smokeless fuel 06	Anthracite 07	08	Standard 09	7 hr tariff 10	10 hr tariff 11	24 hr tariff 12	CHP/Waste heat 13	From boiler not Biomass 14	From boiler Biomass 15

Biomass type				
Wood chips 1	Wood logs 2	Wood pellets 3	Gas 4	Oil 5

Primary heating type

Standard (non condensing) 1	Back boiler 2	Combination (non condensing) 3	Condensing 4	Condensing Combi 5	Combined primary storage unit 6	No boiler 7	Heat pump 8	Unknown 9
--------------------------------	------------------	-----------------------------------	-----------------	-----------------------	------------------------------------	----------------	----------------	--------------

passive flue gas heat recovery device	
Y	N

CRITICAL INFORMATION FROM TABLE

Primary heating appliance
First digit should match code for primary heating group

Code

--	--

Clarify with household

Primary heating system working?

Y	N
---	---

Clarify with household

Primary heating appliance

None	Minor repair	Major repair	Replace	Age
1	2	3	4	

Primary heating distribution

1	2	3	4	
---	---	---	---	--

If boiler (or heat pump) system:

Manufacturer name:	
Model name/number:	

Primary heating controls

Non storage heaters (answer all)

Boiler thermostat	No	Yes		Unknown
Programmer	No	One	More than 1	Unknown
Room thermostat	No	One	More than 1	Unknown
TRVs / appliance thermostat	No	Some	All emitters	Unknown
Bypass	No	Yes		Unknown
Weather compensator	No	Yes		Unknown
Time and temperature zone control	No	Yes		Unknown

Are TRVs networked?

Y	N	U
---	---	---

Bypass in stat room?

Y	N	U
---	---	---

Storage heaters (answer all)

Manual charge control	Y	N	U
Automatic charge control	Y	N	U
Select type control	Y	N	U

Other heating

Present?	Type of system																	
	Mains gas fires									LPG	Electric heaters			Solid fuel heaters		Heat pumps	Other	
Y	N	Open flue 01	Balanced flue 02	Fan assisted 03	Condensing 04	Live effect - sealed to chimney 05	Live effect fan assisted flue 06	Decorative open to chimney 07	Flueless 08	Unknown 09	Fixed heaters 10	Panel, convector or radiant 11	Portable 12	Individual storage heater 13	Open fire 14	Stove/space heater 15		Heat pumps 16

Main heat source in winter? (ask household)

Y	N
---	---

Action					Age
None	Minor repair	Major repair	Replace		
1	2	3	4		

HHSRS

Significantly lower risk than average	Average risk	Significantly higher risk than average	Extreme risk
1	2	3	4

Carbon monoxide and fuel combustion products

Describe 'extreme risk' in Section 22

Hot water system

Present?

Y	N
---	---

If present indicate all systems available

	Present?	Main water heating system	Fuel	Action													
				None	Minor repair	Major repair	Replace	Age									
Boiler with central heating	Y	N	Y														
Boiler (water heating only)	Y	N	Y	Mains gas 01	Bulk LPG 02	Bottled gas 03	Oil 04	Coal 05	Smokeless 06	Anthracite 07	Biomass 08	1	2	3	4		
Back boiler (water heating only)	Y	N	Y	Mains gas 01	Bulk LPG 02	Bottled gas 03	Oil 04	Coal 05	Smokeless 06	Anthracite 07	Biomass 08	1	2	3	4		
Single immersion heater	Y	N	Y	Standard 09	7 hr tariff 10	10 hr tariff 11	24 hr tariff 12					1	2	3	4		
Dual immersion heater	Y	N	Y	Standard 09	7 hr tariff 10	10 hr tariff 11	24 hr tariff 12					1	2	3	4		
Instantaneous Single Point	Y	N	Y	Mains gas 01	Bulk LPG 02	Bottled gas 03	Oil 04	Standard 09					1	2	3	4	
Instantaneous Multi Point	Y	N	Y	Mains gas 01	Bulk LPG 02	Bottled gas 03	Oil 04	Standard 09					1	2	3	4	
Instantaneous electric shower	Y	N	Y	Standard 09	7 hr tariff 10	10 hr tariff 11					1	2	3	4			
Communal	Y	N	Y	CHP/waste 13	From boiler 14												
Other	Y	N	Y	Specify:						Fuel from facing page							

Cylinder present?

Y	N	U
---	---	---

Cylinder seen?

Y	N
---	---

If cylinder seen:

Size/volume

450 x 900mm (110 l) 1	450 x 1050mm (140 l) 2	450 x 1500mm (210 l) 3	450 x 1650mm (245 l) 4
--------------------------	---------------------------	---------------------------	---------------------------

Cylinder insulation

Foam Factory insulated 1	Jacket Loose jacket 2	Other 3	None 4
-----------------------------	--------------------------	------------	-----------

Cylinder insulation thickness

0 1	12.5mm 2	25mm 3	38mm 4	50mm 5	80mm 6	100mm 7	150mm 8
--------	-------------	-----------	-----------	-----------	-----------	------------	------------

Water heating controls?

Present?

Seperate time control for water heating

Y	N	U
---	---	---

Cylinder thermostat

Y	N	U
---	---	---

6. Loft inspection**Inspect all houses and top floor flats**

	House/ Bungalow 1	Top floor flat 2	Mid floor flat 3	Ground floor flat 4	Basement flat 5							
						GO TO SECTION 7						
Loft information from:	Inspection 1	Occupant 2	No loft (flat or very shallow pitched roof) 8	no information 9								
						GO TO SECTION 7						
Type of loft	Fully boarded 1	No boarding or partial boarding 2	Room(s) with permanent stairs 3	Don't know 9								
Roof insulation above living space?	Yes 1	No 2	Don't know 9									
Type of loft Insulation	Mineral wool/ fibre glass 1	Vermiculite beads 2	High performance quilt 3	Rigid foam board 4	Not applicable 8	Don't know 9						
Approximate thickness of loft insulation	No insulation 00	25mm 01	50mm 02	75mm 03	100mm 04	125mm 05	150mm 06	200mm 07	250mm 08	300mm 09	>300mm 10	Don't know thickness 99
Any roof structure problems seen?	Y	N	Is there any evidence of cavity wall insulation in the loft?								Y	N
If yes , describe and transfer to Section 21												

7. Household questionnaire

Questions asked?

1. Do you have **cavity wall insulation**?

Record in elevation features (section 16) if seen and complete wall insulation summary (section 19)

2. Do you have **internal wall insulation**?

Record in walls (section 5) if seen and complete wall insulation summary (section 19)

3. Do you have **external wall insulation**?

Record in elevation features (section 16) if seen and complete wall insulation summary (section 19)

4a. Are any of your **floors in contact with the ground insulated**?

4b. **Percentage of floors in contact with the ground with insulation present**

5. Do you have a **working smoke detector on every floor of the dwelling**?

6. Do you have access to a **garage/private parking space**?

7. Do you have a water meter?

8. **If yes**, are you charged according to the amount you use?

9. Are you directly connected to mains drainage operated by a water/sewage company?

10. Does any part of your home get uncomfortably hot?

(even when your heating is off and the windows are open)

11. **If yes**, which rooms are particularly affected.

Bedrooms

Living rooms

Attic room

Conservatory

12. Do you have a smart room thermostat which you can control via your phone or tablet device?

COMPLETE FOR HMO USE ONLY

Number of accommodation units in dwelling

Number of households in dwelling/occupied units

Total number of occupants in dwelling

Number of shared kitchens

Total number of WC's

Number of shared WC's

8. Details of flat

Draw plan of module and locate flat within it. Show if measurements have been rectangularised

[illegible]

Tenths of wall exposed

(Columns add up to 10)

[illegible]

(For Fenestration area, include windows and doors, use whole numbers only)

Entry floor to dwelling proper (level of first actual accommodation)	Basement BB	Ground GG	Specify 	Unknown 99
---	----------------	--------------	------------------------	---------------

Dimensions of flat (internal and rectangularised)

The diagram illustrates the data entry process for a building's structural details. It starts with a table for 'No. of floors in flat' with two rows: 'Main floor' and 'Next floor'. The 'Main floor' row has a single box for 'Level (B, G, 1, 2 etc)' containing 'Basement BB' and 'Ground GG'. The 'Next floor' row has three boxes for 'Level (B, G, 1, 2 etc)' containing 'None exists NN', 'Basement BB', and 'Ground GG'. A decision box 'Y N' follows. If 'Y', it leads to a table for 'Width (metres)' and 'Depth (metres)' with 'Same as above SSS' in the first column. If 'N', it leads to a table for 'Width (metres)' and 'Depth (metres)' with 'Same as above SSS' in the first column. A final instruction 'If yes, record at section 13' is shown at the bottom.

No. of floors in flat	Level (B, G, 1, 2 etc)
Main floor	Basement BB Ground GG
Next floor	None exists NN Basement BB Ground GG

External dimensions same as module

Width (metres)

Depth (metres)

Y N

Same as above SSS

Same as above SSS

If yes, record at section 13

9. Common parts of module.

Common parts exist

Y N IF NO, GO TO SECTION 10

Does access/area exist?

Balcony/Deck/Corridor/Lobby

Spacious/Average/Tight

Enclosed?

In module?

Working?

Accessway					
Main horizontal of typical/upper level		Stairway on typical/upper level		Main entrance to module	
Y	N	Y	N	Y	N
Y	N	Y	N	Y	N
Y	N	Y	N	Y	N

Lift controls accessible to wheelchair user?

Lift controls accessible to a visually impaired person?

Lifts	
Y	N
Y	N
Y	N
Y	N

Floors/ treads (answer in m²)

Faults?

Modify structure

Renew surface

Repair surface

Y	N	Y	N	Y	N

Walls (answer in m²)

Faults?

Modify structure

Renew surface

Repair surface

Repaint surface

Y	N	Y	N	Y	N

Ceilings/soffits (answer in m²)

Faults?

Modify structure

Renew surface

Repair surface

Repaint surface

Y	N	Y	N	Y	N

Access doors/screens (answer in numbers)

Faults?

Replace

Repair/rehang

Repaint

Y	N	Y	N	Y	N

Accessway windows (answer in numbers)

Faults?

Replace

Repair

Repaint

Y	N	Y	N	Y	N

Accessway lighting (answer in numbers)

Faults?

Replace light fittings

Replace light switches

Y	N	Y	N	Y	N

Balustrades (answer in metre lengths)

Faults?

Replace

Repair

Y	N	Y	N	Y	N

Security of module

Type of access

Multiple access	Single access	Restricted access
1	2	3

Concierge system

Door entry system

Present?		Working?		In module?	
Y	N	Y	N	Y	N
Y	N	Y	N	Y	N

Fire safety of flat surveyed

Escape route from flat surveyed to final exit from building

Flat is final exit	Through another flat	Through another flat and common areas	Through common areas
1	2	3	4

Fire precautions

Protection to stairs/lobbies?
Self closing fire doors?
Fire extinguishers?
Emergency lighting?
Sign posting?
Safe practices?
Alternative route?
Alarm system?
Sprinkler / mister system?

Present		Action			
		None	Minor	Major	Renew
Y	N	1	2	3	4
Y	N	1	2	3	4
Y	N	1	2	3	4
Y	N	1	2	3	4
Y	N	1			4
Y	N				
Y	N				
Y	N	1	2	3	4
Y	N				

Contribution to problems (within survey module)

	None	Minor	Major
Vandalism	1	2	3
Graffiti	1	2	3
Litter/rubbish	1	2	3

HHSRS - common areas (affecting flat surveyed)

	Significantly lower risk than average	Average risk	Significantly higher risk than average
Falling on stairs etc	1	2	3
Falling on level surfaces	1	2	3
Falling between levels	1	2	3
Fire	1	2	3
Flames, hot surfaces, etc	1	2	3
Damp and mould growth		2	3

If '3', score HHSRS in Section 22

10. Number of flats in module

This section is critical. Make every attempt to record correct number of flats in module

Number of flats in module

Specify 	Unknown 999
---	----------------

DOUBLE CHECK the number of flats against what you have defined as your module in **Section 8** before continuing

Level of lowest flat

Basement B	Ground floor G	Floor 	Unknown 9
---------------	-------------------	---	--------------

Use of ground floor

Dwelling only 1	Dwelling and services 2	Services only 3	Dwelling and non residential 4	Non residential only 5	Dwelling and void 6	Other 7
--------------------	----------------------------	--------------------	-----------------------------------	---------------------------	------------------------	------------

Use of basement

No basement 8	Dwelling only 1	Dwelling and services 2	Services only 3	Dwelling and non residential 4	Non residential only 5	Dwelling and void 6	Other 7
------------------	--------------------	----------------------------	--------------------	-----------------------------------	---------------------------	------------------------	------------

Non residential use

If any non residential use, % total floor area of module in non residential use

If 'dwelling with non residential': non residential use

No non residential 88				Specify % 	Unknown 99		
Not 'dwelling with non residential' 8	Shop/business 1	Office 2	Industrial/Institutional 3	Surgery 4	Public House 5	Hotel 6	Other 7 _____

If 'dwelling with non residential':

Does the non-residential use include the handling/processing of food for commercial purposes?

Y	N	U
---	---	---

Other flats in module

Are they?

Survey flat is only one in module 8	Mostly same as survey dwelling 1	Mostly small flats 2	Mostly large flats 3	Mixture of small/large flats 4	Mixture of flats/maisonettes 5	Unknown 9
--	-------------------------------------	-------------------------	-------------------------	-----------------------------------	-----------------------------------	--------------

Approximate number of vacant flats in module

Survey flat is only one in module 888	Specify
--	---

11. Shared facilities and services *(within 100m of survey dwelling)*

Do shared facilities/services exist? IF NO, GO TO SECTION 12

Stores and common rooms

	Present?		Location		Action		
			Integral?	Not Integral?	None	Minor	Major
Tenant stores	Y	N	1	2	1	2	3
Bin stores	Y	N	1	2	1	2	3
Paladin stores	Y	N	1	2	1	2	3
Laundry	Y	N	1	2	1	2	3
Drying room	Y	N	1	2	1	2	3
Community room	Y	N	1	2	1	2	3
Warden caretaker office	Y	N	1	2	1	2	3

Common/electrical services

	Present?		Action		
			None	Minor	Major
CCTV	Y	N	1	2	3
TV reception	Y	N	1	2	3
Lightning conductors	Y	N	1	2	3
Communal heating	Y	N	1	2	3
Burglar alarm system	Y	N	1	2	3
External lighting	Y	N	1	2	3

Communal parking facilities

	Present?		Location		Action		
			Integral?	Not Integral?	None	Minor	Major
Garages	Y	N	1	2	1	2	3
Multi storey parking	Y	N	1	2	1	2	3
Underground parking	Y	N	1	2	1	2	3
Roof parking	Y	N	1	2	1	2	3
Other covered parking	Y	N	1	2	1	2	3
Open air parking bays	Y	N			1	2	3

If communal spaces are present how many are there?

1-9 10 or more

Contribution to problems in condition *(outside survey module)*

	None	Minor	Major
Vandalism	1	2	3
Graffiti	1	2	3
Litter/rubbish	1	2	3

Surfaces and fences

	Present?		Action		
			None	Minor	Major
Drying areas	Y	N	1	2	3
Children's play areas	Y	N	1	2	3
Unadopted estate roads	Y	N	1	2	3

Landscaping

	Present?		Action		
			None	Minor	Major
Paths	Y	N	1	2	3
Walls/fences	Y	N	1	2	3
Hard landscaping	Y	N	1	2	3
Grass/planting	Y	N	1	2	3

Design of paths

ANSWER IF PATHS PRESENT

('Y' IN BOX ABOVE)

Paths	Yes	No	Not applicable
At least 900mm wide?	1	2	3
Gradient gentler than 1 in 12?	1	2	3
Protected from adjacent drops?	1	2	3

Accessibility

Number of steps from pavement to entrance of module

Level Access	No step but slope > 1:20	1 step	2 step	3 or more steps
8	7	1	2	3
Space for ramp				
Not applicable	8	Yes 1	No 2	
Is path firm and even?				
		Y	N	
Is entrance adequately lit?				
		Y	N	
Is entrance covered?				
		Y	N	

HHSRS - shared areas

(affecting dwelling surveyed)

	Significantly lower risk than average	Average risk	Significantly higher risk than average
Falling on stairs etc	1	2	3
Falling on level surfaces	1	2	3
Falling between levels	1	2	3

If '3', score HHSRS in Section 22

12. House/module shape

Draw plan													Back												
Left																									Right
													Front												

Location of additional part	No additional part 77	Front elevation			Back elevation			Left elevation			Right elevation		
		Left 01	Centre 02	Right 03	Left 04	Centre 05	Right 06	Front 07	Centre 08	Back 09	Front 10	Centre 11	Back 12

Attic/basement in house/module	Attic only 1	Basement only 2	Both 3	Neither 4
--------------------------------	-----------------	--------------------	-----------	--------------

Entry floor to house/module	Basement B	Ground G	Floor
-----------------------------	---------------	-------------	--

13. External dimensions of house/module

	No. of floors	Level (B, G, 1, 2 etc)			Width (metres)			Depth (metres)		
Main structure			Basement BB	Ground GG						
		None exists NN	Basement BB	Ground GG		Same as above SSS			Same as above SSS	
		None exists NN	Basement BB	Ground GG		Same as above SSS			Same as above SSS	
Additional part	No. of floors 		Basement BB	Ground GG						
		None exists NN	Basement BB	Ground GG		Same as above SSS			Same as above SSS	
		None exists NN	Basement BB	Ground GG		Same as above SSS			Same as above SSS	

14. Material and construction of house/module (code one type only)

Code	Material	Construction	Type	If external wall is stone, what is the proportion (tenths) of wall that is stone?										
01	Masonry	Boxwall	Solid	N/A	1	2	3	4	5	6	7	8	9	10
02	Masonry	Boxwall	Cavity											
03	Masonry	Crosswall												
04	Concrete	Boxwall	In-situ	Proprietary system? Y N U If Yes, name: 										
05	Concrete	Boxwall	Precast panel <1m wide											
06	Concrete	Boxwall	Precast panel >1m wide											
07	Concrete	Crosswall	In-situ											
08	Concrete	Crosswall	Precast panel	Type of stone? Granite 1 sandstone 2 limestone 3 whin 4 other 5 unknown 9 If other, specify: 										
09	Concrete	Frame	In-situ											
10	Concrete	Frame	Precast											
11	Timber	Frame	Pre 1919											
12	Timber	Frame	Post 1919											
13	Metal	Frame												
14	Other, please specify if known													

15. Improvements/alterations (to the house/module since original construction) Code most recent (or most significant)

Clarify with Household

	None	Pre 1964	1965-1984	1985-1995	1996-2002	2003-2011	2012-present	In progress
Conversion to more than one dwelling	1	2	3	4	5	6	7	8
Conversion to HMO use	1	2	3	4	5	6	7	8
Conversion from non-residential use	1	2	3	4	5	6	7	8
Two or more dwellings combined	1	2	3	4	5	6	7	8
Complete refurbishment/modernisation	1	2	3	4	5	6	7	8
Rearrangement of internal space	1	2	3	4	5	6	7	8
Extension added for amenities	1	2	3	4	5	6	7	8
Extension added for living space	1	2	3	4	5	6	7	8
Alteration of external appearance	1	2	3	4	5	6	7	8
Over-cladding	1	2	3	4	5	6	7	8
Loft conversion	1	2	3	4	5	6	7	8
Radon remedial works (check postcode)	1	2	3	4	5	6	7	8

ASK HOUSEHOLD

Exact year of
loft conversion

16. Elevation features

Front face	Left face	Is part of face unattached?	Right face	Back face
Y N	Y N		Y N	Y N
		Gables (<i>tenths</i>)		
		Parapets (<i>tenths</i>)		
		Mono supporting walls (<i>tenths</i>)		
		Base walls (<i>tenths</i>)		
		Main walls (<i>tenths</i>)		
		Valley gutters (<i>number</i>)		
Y N PV m ²	Y N PV m ²	Solar water heating panels?	Y N PV m ²	Y N PV m ²
Y N	Y N	Solar photovoltaic (PV)?	Y N	Y N
Y N	Y N	Evidence of cavity wall insulation?	Y N	Y N
Y N	Y N	External insulation?	Y N	Y N
window void wall	window void wall	Fenestration (<i>tenths</i>)	window void wall	window void wall

17. Specification of views

Back view B	10/10 attached A	Not seen N
Tenths attached		
PV	Y N	
BACK FACE		
MAIN PART		
FRONT FACE		
Front view F	10/10 attached A <td>Not seen N</td>	Not seen N
Tenths attached		
PV	Y N	
Front view F	10/10 attached A <td>Not seen N</td>	Not seen N
Tenths attached		

Is there any evidence
from the air bricks of
cavity wall insulation?

Y N

Wind turbine present?

Y N

Roof Pitch (deg.)

Flat -15	16 - 26	27 - 39	40 - 50	50+
1	2	3	4	5

Orientation of Front Face

NW	N	NE
W		E
SW	S	SE

18. Exterior – of house/module

FRONT VIEW

Masonry		Other	
Y	N	Y	N
Y	N	Y	N
Y	N	Y	N

Pitched	Mansard	Flat	Chalet
Y	N	Y	N
Y	N	Y	N

Natural slate/stone/ shingle	Man made slate	Clay tile	Concrete tile	Asphalt	Felt	Glass/ metal/ laminate	Thatch
Y	N	Y	N	Y	N	Y	N
Y	N	Y	N	Y	N	Y	N

Fascias	Valley gutters/ flashings	Gutters/ down-pipes	Stacks/ wastes	Party parapets	
Y	N	Y	N	Y	N
Y	N	Y	N	Y	N
Y	N	Y	N	Y	N

Chimney stacks

(Number)

Present?
Number
Age
Faults?
Rebuild
Part rebuild
Repoint/refix pot
Leave
Urgent?
Replacement period

Roof structure

(Tenths of area)

Tenths of area
Age
Faults?
Replace
Strengthen
Leave
Urgent?
Replacement period

Roof covering

(Tenths of area)

Tenths of area
Age
Faults?
Renew
Isolated repairs
Leave
Urgent?
Replacement period

Roof features and drainage

(Tenths of length)

Present?
Faults?
Replace
Repair
Leave
Urgent?
Replacement period

BACK VIEW

Masonry		Other	
Y	N	Y	N
Y	N	Y	N
Y	N	Y	N

Pitched	Mansard	Flat	Chalet
Y	N	Y	N
Y	N	Y	N

Natural slate/stone/ shingle	Man made slate	Clay tile	Concrete tile	Asphalt	Felt	Glass/ metal/ laminate	Thatch
Y	N	Y	N	Y	N	Y	N
Y	N	Y	N	Y	N	Y	N

Fascias	Valley gutters/ flashings	Gutters/ down-pipes	Stacks/ wastes	Party parapets	
Y	N	Y	N	Y	N
Y	N	Y	N	Y	N
Y	N	Y	N	Y	N

18. Exterior – of house/module (continued)

FRONT VIEW

Masonry cavity 1	Masonry cavity 2	Masonry single leaf	9" solid	>9" solid	In situ concrete	Concrete panels	Wood/metal/plastic panels
Y	N	Y	N	Y	N	Y	N
Y	N	Y	N	Y	N	Y	N

Wall

(Tenths of area)

Net tenths of area

Age

Wall thickness (cm)

Faults?

Rebuild/renew

Repair

Leave

Urgent?

Replacement period

BACK VIEW

Masonry cavity 1	Masonry cavity 2	Masonry single leaf	9" solid	>9" solid	In situ concrete	Concrete panels	Wood/metal/plastic panels
Y	N	Y	N	Y	N	Y	N
Y	N	Y	N	Y	N	Y	N

Wall finish

(Tenths of area)

Net tenths of area

Age

Faults?

Render

Renew/repoint

Isolated repairs

Paint

Leave

Urgent?

Replacement period

Masonry pointing	Non-masonry natural	Rendered	Shiplap timber	Tile hung	Slip/tile faced	Wood/metal/plastic panels
Y	N	Y	N	Y	N	Y
Y	N	Y	N	Y	N	Y

Masonry pointing	Non-masonry natural	Rendered	Shiplap timber	Tile hung	Slip/tile faced	Wood/metal/plastic panels
Y	N	Y	N	Y	N	Y
Y	N	Y	N	Y	N	Y

Bays		Dormers		Porches		Conservatories		Balconies	
Single storey	Multi storey	Standard	Roof extension	Standard	Roof extension	(Survey dwelling)	(Survey dwelling)	Standard	Roof extension
Y	N	Y	N	Y	N	Y	N	Y	N
Y	N	Y	N	Y	N	Y	N	Y	N
Y	N	Y	N	Y	N	Y	N	Y	N

Dormers and bays

(Number)

Present?

Number

Age

Faults?

Rebuild roof and walls

Rebuild roof only

Rebuild wall only

Major repairs

Minor repairs

Demolish

Leave

Urgent?

Replacement period

Bays		Dormers		Porches		Conservatories		Balconies	
Single storey	Multi storey	Standard	Roof extension	Standard	Roof extension	(Survey dwelling)	(Survey dwelling)	Standard	Roof extension
Y	N	Y	N	Y	N	Y	N	Y	N
Y	N	Y	N	Y	N	Y	N	Y	N
Y	N	Y	N	Y	N	Y	N	Y	N

Damp proof course

(Tenths of length)

Tenths of length

Faults?

Replace/install

Leave

Urgent?

Replacement period

Physical barrier	Injection DPC	None
Y	N	Y
Y	N	Y

Physical barrier	Injection DPC	None
Y	N	Y
Y	N	Y

For all conservatories

Closable door between conservatory and dwelling

Y	N
---	---

Footprint of conservatory (Sq m)
(Whole numbers only)

--	--

Conservatory window type

SG	DG
----	----

Conservatory roof

Glass	Poly	Solid
-------	------	-------

Fixed radiator or other fixed heater present?

Y	N
---	---

BACK VIEW

[illegible]

Number

Age

Faults?

Replace

Repair/replace sash/member

Ease sashes etc/reglaze

Repaint/reputty

Leave

Urgent?

Replacement period

[illegible]

Wood		UPVC		Metal		Composite	
Y	N	Y	N	Y	N	Y	N
Y	N	Y	N	Y	N	Y	N

Doors/frames to survey dwelling

Replacement period

(Number)

Number

Age

Faults?

Replace

Repair/glaze

Ease/replace/adjust ironmongery

Paint

Leave

Urgent?

Replacement period

Wood		UPVC		Metal		Composite	
Y	N	Y	N	Y	N	Y	N
Y	N	Y	N	Y	N	Y	N

18. Exterior – plot of survey dwelling (Not shared plots)

Private plot exists	No private or shared plot	Shared plot / facilities only
Complete all this section	Complete accessibility + HHSRS	Complete section 11 only
1	2	3

Accessibility

Number of steps from gate/pavement to entrance
note: entrance maybe in either view

Level Access	No step but slope > 1:20	1 step	2 step	3 or more steps
8	7	1	2	3
Space for ramp				
Not applicable 8		Yes 1	No 2	

Is path firm and even?	Y	N
Is path at least 900mm wide?	Y	N
Is gradient less than 1:12?	Y	N
Is entrance adequately lit?	Y	N
Is entrance covered?	Y	N

	Front plot	
Exists	Y	N
Depth (m)		
	Y	N
	Y	
	Y	
	Y	N

Width of plot

Width (m)	Same as module
	88

Tenths hard

Tenths soft

Faults?

Bridged DPC

Inadequate/reverse falls

Excavation (m^3)

Internal tanking (m^2)

Repair/renew paving (m^2)

Repair/renew retaining wall (m)

Repair/renew steps (no.)

Install gully?

Rear plot		
Y	N	Exists
		Depth (m)
Y	N	
Y		
Y		
Y	N	

HHSRS - of plot

note: include front and rear plots

	Significantly lower risk than average	Average risk	Significantly higher risk than average
Falling on stairs etc	1	2	3
Falling on level	1	2	3
Falling between levels	1	2	3
Damp and mould growth		2	3

If '3', score HHSRS in Section 22

19. Around the house/module

Underground drainage

Mains drainage present

Y	N
---	---

Faults to drains

Y	N
---	---

HHSRS	Significantly lower risk than average	Average risk	Significantly higher risk than average	Extreme risk
Personal hygiene sanitation and drainage	1	2	3	4
Describe 'extreme risk' in Section 22				

Rats and mice outside house/module

Evidence of mice?

Y	N
---	---

 Type of evidence: (inside and outside house / module)

Evidence of rats?

Y	N
---	---

Pets/livestock kept outside?

Y	N
---	---

Litter/rubbish around house/module

None	Minor	Major
1	2	3

Traps seen?	Chemicals?	Other visual evidence?						
<table><tr><td>Y</td><td>N</td></tr></table>	Y	N	<table><tr><td>Y</td><td>N</td></tr></table>	Y	N	<table><tr><td>Y</td><td>N</td></tr></table>	Y	N
Y	N							
Y	N							
Y	N							

HHSRS	Significantly lower risk than average	Average risk	Significantly higher risk than average	Extreme risk
Domestic hygiene pests and refuse	1	2	3	4
Describe 'extreme risk' in Section 22				

Parking provision of survey dwelling

ASK HOUSEHOLD

ASK HOUSEHOLD

	Present?		On plot?		Car spaces
Integral garage	Y	N	Y	N	
Attached garage	Y	N	Y	N	
Detached garage	Y	N	Y	N	
Car port	Y	N	Y	N	
Designated parking space(s)	Y	N	Y	N	

Street parking	Adequate	Inadequate	None
	1	2	3

Is there any off-plot parking located within 30 meters of the entrance to dwelling/module, with an even access route of less than 1:12 gradient?

Y	N
---	---

Cavity wall insulation summary

Evidence of cavity wall insulation:

<table border="1"><tr><td>Y</td><td>N</td></tr></table>	Y	N	Area around meters (P5)
Y	N		
<table border="1"><tr><td>Y</td><td>N</td></tr></table>	Y	N	Loft space (P7)
Y	N		
<table border="1"><tr><td>Y</td><td>N</td></tr></table>	Y	N	Occupant response (P8)
Y	N		
<table border="1"><tr><td>Y</td><td>N</td></tr></table>	Y	N	Elevation features (P14)
Y	N		
<table border="1"><tr><td>Y</td><td>N</td></tr></table>	Y	N	Air bricks (P14)
Y	N		

% of cavity walls with CWI present

0%	25%	50%	75%	100%
0	1	2	3	4

Internal / external insulation summary

Evidence of internal / external insulation:

<table border="1"><tr><td>Y</td><td>N</td></tr></table>	Y	N	Internal wall insulation (P3)
Y	N		
<table border="1"><tr><td>Y</td><td>N</td></tr></table>	Y	N	Occupant response (P8)
Y	N		
<table border="1"><tr><td>Y</td><td>N</td></tr></table>	Y	N	External wall insulation (P14)
Y	N		

% of walls with internal / external insulation present

0%	25%	50%	75%	100%
0	1	2	3	4

Exposure

Is the **dwelling** in an exposed position?

Not exposed	Slightly exposed	Exposed	Very exposed
1	2	3	4

What is the average level of overshadowing of the **dwelling** windows?

None or very little	Modest	Significant	Heavy
1	2	3	4

What is the level of overshadowing to the **module** roof?

None or very little	Modest	Significant	Heavy
1	2	3	4

20. Block

Number of houses/modules in block

Detached house/module 01	Specify number 	More than 50 75
-----------------------------	-------------------------------	------------------------

Approximate number of houses/modules in disrepair in block

Specify number <table border="1"><tr><td></td></tr></table>	

21. Structural defects

Any structural defects present?

☐ Y ☐ N

IF YES, DESCRIBE BELOW

IF YES OR NO, COMPLETE HHSRS ASSESSMENT AT BOTTOM OF PAGE

Defect	Action required?		Monitor/ examine further?		Action described elsewhere on form?		Action required on assumption problem is progressive								
	Y	N	Y	N	Y	N	Any additional action required that is not accounted for elsewhere								
							Treatment?			Extent					
Roof sagging	Y	Y	N	Y	N	Y	N								
Roof humping	Y	Y	N	Y	N	Y	N								
Roof spreading	Y	Y	N	Y	N	Y	N	Tie-ing	Y	N	Number:				
								Other	Y	N	Specify				
Sulphate attack	Y	Y	N	Y	N	Y	N	Chimney-liner	Y	N	Linear metres	m			
								Other	Y	N	Specify				
Unstable parapets	Y	Y	N	Y	N	Y	N								
Wall bulging	Y	Y	N	Y	N	Y	N	Tie rods	Y	N	Number:				
								Strapping	Y	N	Number:				
								Other	Y	N	Specify				
Differential movement	Y	Y	N	Y	N	Y	N	Movement-joint	Y	N	Linear metres	m			
								Other	Y	N	Specify				
Lintel failure	Y	Y	N	Y	N	Y	N	Replace lintels	Y	N	Number:				
Wall tie failure	Y	Y	N	Y	N	Y	N	Insert wall ties	Y	N	Wall area:	m ²			
Unstable floors, stairs or ceilings	Y	Y	N	Y	N	Y	N								
Dry rot/Wet rot	Y	Y	N	Y	N	Y	N	Wall & timber treatment	Y	N	Basement 1	One room 2	One floor 3	Loft 4	Most of building 5
Wood-borer infestation	Y	Y	N	Y	N	Y	N	Timber treatment	Y	N	Basement 1	One room 2	One floor 3	Loft 4	Most of building 5
Adequacy of balconies / projections	Y	Y	N	Y	N	Y	N	Replace fixings	Y	N	Total number:				
								Other	Y	N	Specify				
Foundation settlement	Y	Y	N	Y	N	Y	N	Underpin	Y	N	Linear metres	m			
								Other	Y	N	Specify				
Integrity of structural frame	Y	Y	N	Y	N	Y	N	Making-good	Y	N	Wall area	m ²			
								Replace frame	Y	N					
Integrity of wall panels	Y	Y	N	Y	N	Y	N	Replace fixings	Y	N	Total number:				
								Other	Y	N	Specify				
Boundary wall - unsafe height	Y	Y	N	Y	N		N	}	Replace	Y	N	Wall area	m ²		
Boundary wall - out of plumb	Y	Y	N	Y	N		N		Repair	Y	N	Wall area	m ²		
Boundary wall - horizontal cracking	Y	Y	N	Y	N		N		Demolish	Y	N	Wall area	m ²		
Unstable retaining wall	Y	Y	N	Y	N	Y	N								
Any other problems	Y	Y	N	Y	N	Y	N	Specify				Specify			

HHSRS

Structural collapse
and falling elements

Significantly lower risk than average	Average risk	Significantly higher risk than average	Extreme risk
1	2	3	4
Describe 'extreme risk' in Section 22			

22. Housing Health and Safety Rating System

Refer back to all the HHSRS flags. Consider each of the following hazards in turn in relation to the dwelling as a whole. Decide whether any hazards are significantly worse than average and need to be scored individually on pages 21 - 22. Decide if there are any other hazards listed below which represent an extreme risk. If yes, indicate below and describe risk. If there are no hazards to score move to the Local Area section on page 23.

HAZARDS WHICH MAY REQUIRE SCORING

Hazard	Review whole survey form, especially:	Significantly lower risk than average	Average risk	Significantly higher risk than average
Falling on stairs etc	Check flags on pages 3, 10, 12, 17	1	2	3
Falling on level surfaces	Check flags on pages 3, 10, 12, 17	1	2	3
Falling between levels	Check flags on pages 3, 10, 12, 17	1	2	3
Fire	Check flags on pages 3, 10	1	2	3
Flames, hot surfaces, etc	Check flags on pages 3, 10	1	2	3
Damp and mould growth	Check flags on pages 3, 10, 17		2	3

Are any hazards significantly higher than average (code 3)?
If Yes, describe below and score hazard on pages 21-22

Y	N
---	---

OTHER HAZARDS IDENTIFIED AS POSING AN EXTREME RISK

Hazard	Review whole survey form, especially:	Extreme risk?
Falls associated with baths etc	Check flag on page 4	Y
Entry by intruders	Check flag on page 3	Y
Noise	Check flag on page 3	Y
Collision and entrapment	Check flag on page 3	Y
Excess heat	Check flag on page 3	Y
Lighting	Check flag on page 3	Y
Water supply for domestic purposes	Check flag on page 4	Y
Food safety	Check flag on page 4	Y
Personal hygiene, sanitation and drainage	Check flags on pages 4, 18	Y
Position and operability of amenities	Check flag on page 4	Y
Uncombusted fuel gas	Check flag on page 5	Y
Explosions	Check flag on page 5	Y
Electrical safety	Check flag on page 5	Y
Carbon monoxide and fuel combustion products	Check flag on page 6	Y
Domestic hygiene, pests and refuse	Check flags on pages 3, 18	Y
Structural collapse and falling elements	Check flag on page 19	Y

If Yes, to any of the above, describe extreme risk below and specify treatment

Falling on stairs etc.Significantly higher
than average

Y N

Average
Pre 1919Likelihood of a person over 60 having
a fall leading to harm

		1800	1000	560	320	180	100	56	32	18	6	2
--	--	------	------	-----	-----	-----	-----	----	----	----	---	---

Likely outcome if
a person over 60
should fall

Class 1 Extreme %

0.1	0.2	0.5	1	2.2	4.6	10	21.5	31.6	46.4	100
-----	-----	-----	---	-----	-----	----	------	------	------	-----

Class 2 Severe %

0.1	0.2	0.5	1	2.2	4.6	10	21.5	31.6	46.4	100
-----	-----	-----	---	-----	-----	----	------	------	------	-----

Class 3 Serious %

0.1	0.2	0.5	1	2.2	4.6	10	21.5	31.6	46.4	100
-----	-----	-----	---	-----	-----	----	------	------	------	-----

Must not
add up to
>100.2%

Action required

Action required?	Action	Coded elsewhere?		Quantity	
Y	Install handrail	Y	N	Metres:	
Y	Install balustrade	Y	N	Metres:	
Y	Cover dangerous balustrade/guarding	Y	N	Metres:	
Y	Repair/replace internal staircase (S5)	Y			
Y	Redesign internal, common or external staircase (design, not condition)		N	Number:	
Y	Repair/replace external/common staircase (S9)	Y			
Y	Repair/replace external steps (S11, S18)	Y	N	Number:	
Y	Cover slippery stairs	Y	N	Flights:	
Y	Repair/replace/provide additional lighting (S5, S9, S11)	Y	N	Number:	
Y	Remove obstacle		N	Number:	

Falling on level surfaces etc.Significantly higher
than average

Y N

Average

Likelihood of a person over 60 having
a fall leading to harm

			1000	560	320	180	100	56	32	18	6	2
--	--	--	------	-----	-----	-----	-----	----	----	----	---	---

Likely outcome if
a person over 60
should fall

Class 1 Extreme %

0.1	0.2	0.5	1	2.2	4.6	10	21.5	31.6	46.4	100
-----	-----	-----	---	-----	-----	----	------	------	------	-----

Class 2 Severe %

0.1	0.2	0.5	1	2.2	4.6	10	21.5	31.6	46.4	100
-----	-----	-----	---	-----	-----	----	------	------	------	-----

Class 3 Serious %

0.1	0.2	0.5	1	2.2	4.6	10	21.5	31.6	46.4	100
-----	-----	-----	---	-----	-----	----	------	------	------	-----

Must not
add up to
>100.2%

Action required

Action required?	Action	Coded elsewhere?		Quantity	
Y	Repair floors (S5, S9)	Y			
Y	Repair paths/external surfaces (S11, S18)	Y			
Y	Remove trip steps (S5, S9)		N	Number:	
Y	Redesign external pathways (S11, S18)		N	Metres:	
Y	Cover slippery surfaces	Y	N	Sq m:	
Y	Repair/replace/provide additional lighting (S5, S9, S11)	Y	N	Number:	
Y	Remove obstacle		N	Number:	

Falling between levelsSignificantly higher
than average

Y N

Average

Likelihood of a child under 5 having
a fall leading to harm

5600	3200	1800	1000	560	320	180	100	56	32	18	6	2
------	------	------	------	-----	-----	-----	-----	----	----	----	---	---

Likely outcome if
a child under 5
should fall

Class 1 Extreme %

0.1	0.2	0.5	1	2.2	4.6	10	21.5	31.6	46.4	100
-----	-----	-----	---	-----	-----	----	------	------	------	-----

Class 2 Severe %

0.1	0.2	0.5	1	2.2	4.6	10	21.5	31.6	46.4	100
-----	-----	-----	---	-----	-----	----	------	------	------	-----

Class 3 Serious %

0.1	0.2	0.5	1	2.2	4.6	10	21.5	31.6	46.4	100
-----	-----	-----	---	-----	-----	----	------	------	------	-----

Must not
add up to
>100.2%

Action required

Action required?	Action	Coded elsewhere?		Quantity	
Y	Install window safety catches	Y	N	Number:	
Y	Repair/replace/provide additional lighting (S5, S9, S11)	Y	N	Number:	
Y	Brick-up dangerous opening / raise cill height		N	Number:	
Y	Repair/replace balconies (S9, S18)	Y			
Y	Repairs to plot (S11, S18)	Y			
Y	Repair/replace existing guarding/balustrading (S5, S9, S11, S18)	Y			
Y	Install new guarding/balustrading/cover		N	Metres:	
Y	Remove obstacle		N	Number:	

Fire

Significantly higher
than average

Y N

Average Ave flat

Likelihood of a fire occurring leading to
harm if occupied by a person over 60Likely outcome if
occupied by a
person over 60

Class 2 Severe %

Class 3 Serious %

Action required

Action required?	Action	Coded elsewhere?		Quantity	
Y	Repair/replace electrical system (S5)	Y			
Y	Provide additional sockets		N	Number:	
Y	Repair/replace or reposition heater (S5)	Y	N	Number:	
Y	Relocate cooker		N	Number:	
Y	Re-fit, extend, re-site kitchen (S5)	Y	N	Number:	
Y	Repair/Install precautions to common areas (S9)	Y	N	Sq m:	
Y	Replace non fire resistant/smoke permeable structure/poly. tiles	Y	N	Sq m:	
Y	Upgrade stairway to protected route	Y	N	Flights:	
Y	Replace inadequate heating system		N		
Y	Provide fire stop wall to loft space		N	Number:	
Y	Provide self-closing doors	Y	N	Number:	
Y	Install smoke detection measures	Y	N	Number:	
Y	Provide suitable openable windows/doors for MOE (S5, S9)		N	Number:	
Y	Provide fire escape		N	Flights:	
Y	Remove obstacle		N	Number:	

Must not
add up to
>100.2%

Flames, hot surfaces etc.

Significantly higher
than average

Y N

Likelihood of a child under 5 being
burnt/scaldedLikely outcome if
a child under 5 is
burnt/scalded

Class 1 Extreme %

Class 2 Severe %

Class 3 Serious %

Action required

Action required?	Action	Coded elsewhere?		Quantity	
Y	Repair, replace or reposition heater, heating or hot water pipes, or cover (S5)	Y	N	Number:	
Y	Relocate cooker		N	Number:	
Y	Re-fit, extend, re-site kitchen (S5)	Y	N	Number:	
Y	Remove obstacle		N	Number:	

Must not
add up to
>100.2%

Damp and Mould Growth

Significantly higher
than average

Y N

Likelihood of a person under 15
suffering illness

Action required

Action required?	Action	Coded elsewhere?		Quantity	
Y	Treat rising damp (S5, S18)	Y			
Y	Treat penetrating damp, leaking pipes and services (S5, S18)	Y	N	Number:	
Y	Condensation - extractor fans to install/repair (S5)		N	Number:	
Y	Condensation - repair/provide opening window (S9, S18)	Y	N	Number:	
Y	Repair/replace/improve heating system (S5)	Y	N	Number:	
Y	Improve Insulation (S5, S6, S16, S18)	Y			

24. Local area

Clearly define an area of manageable size before completing this page.

Nature of area

Urban			Rural		
Commercial City/town centre 1	Urban 2	Suburban residential 3	Rural residential 4	Village centre 5	Rural 6

Number of dwellings in area

Under 25 1	25-49 2	50-99 3	100-299 4	300-499 5	500+ 6	Isolated 7	If isolated go to visual quality
---------------	------------	------------	--------------	--------------	-----------	---------------	----------------------------------

Predominant age

Pre 1919 1	1919-1944 2	1945-1964 3	1965-1980 4	Post 1980 5	None 6
---------------	----------------	----------------	----------------	----------------	-----------

Predominant residential building type

Houses				Flats				Mixed houses and flats 9
Terraced 1	Semi-detached 2	Detached 3	Mixed houses 4	Converted flats 5	Low rise flats 6	High rise flats 7	Mixed flats 8	

Predominant tenure as built

Privately built 1	Local authority built 2	Housing association built 3	Mixed tenure 4	Impossible to ascertain 9
----------------------	----------------------------	--------------------------------	-------------------	------------------------------

Estate

Number of dwellings on estate

Not on estate 8	Same as area 1	Under 25 2	25-49 3	50-99 4	100-299 5	300-499 6	500+ 7
--------------------	-------------------	---------------	------------	------------	--------------	--------------	-----------

If area is L.A. estate, % of RTB dwellings

Not on L.A. estate 8	None (0%) 1	1-10% 2	11-25% 3	26-50% 4	51-75% 5	76-99% 6	100% 7
-------------------------	----------------	------------	-------------	-------------	-------------	-------------	-----------

Visual quality of local area

Best						Worst
1	2	3	4	5	6	7

Problems in local area

	No problems			Major problems	
Litter/rubbish/dumping	1	2	3	4	5
Graffiti	1	2	3	4	5
Vandalism	1	2	3	4	5
Dog/other excrement	1	2	3	4	5
Condition of dwellings	1	2	3	4	5
Vacant sites	1	2	3	4	5
Intrusive industry	1	2	3	4	5
Non-conforming uses	1	2	3	4	5
Vacant/boarded-up buildings	1	2	3	4	5
Ambient air quality	1	2	3	4	5
Heavy traffic	1	2	3	4	5
Intrusion from motorways/main roads	1	2	3	4	5
Railway/aircraft noise	1	2	3	4	5
Nuisance from street parking	1	2	3	4	5
Scruffy gardens/landscaping	1	2	3	4	5
Scruffy/neglected buildings	1	2	3	4	5
Condition of road, pavements and street furniture	1	2	3	4	5

Notes: