



Ministry of Housing,
Communities &
Local Government

bre



2019/20

Digital pen procedure

1. Surveyor name

1) Write surveyor name

2. Edit form

2) Mark the 'Edit form' box

3) Write unique survey number (01-99)

Survey Code

3.

4) Code unique survey number

4.

0

0

1

1

2

2

3

3

4

4

5

5

6

6

7

7

8

8

9

9

SPSS FIRSTIMP

1. Survey record

	FRECL1... Visit 1	FRECL2... Visit 2	FRECL3... Visit 3	FRECL4... Visit 4	FRECL5... Visit 5	
Visit / telephone call made	...VM	Y	N	Y	N	
Was this a booked appointment?	...AP	Y	N	Y	N	
	Day	Month	Day	Month	Day	Month
Record date of this call	...DY	...MT				
(24 hour clock)	Hr	mm	Hr	mm	Hr	mm
Start time	...SH	...SM				
Finish time	...FH	...FM				
Outcome	...CO					
Full/completed survey	1	1	1	1	1	
Partial survey/comeback to finish	2	2	2	2	2	
Partial survey then refusal	3	3	3	3	3	
Refusal on doorstep	4	4	4	4	4	
HQ refusal after surveyor visit		5	5	5	5	
Household missed appointment - no / unproductive contact	6	6	6	6	6	
Household missed appointment - rescheduled	7	7	7	7	7	
Surveyor missed appointment - no contact	8	8	8	8	8	
Surveyor missed appointment - rescheduled	9	9	9	9	9	
Speculative call - no / unproductive contact	10	10	10	10	10	
Speculative call - appointment scheduled	11	11	11	11	11	
Address untraceable	13	13	13	13	13	
Dwelling derelict	14	14	14	14	14	
Dwelling demolished	15	15	15	15	15	
No longer usable as dwelling	16	16	16	16	16	
Other reason for non-survey	17	17	17	17	17	


Reason for non survey:

FRENOSV

SPSS FIRSTIMP

2. Dwelling identification

Is the dwelling address passed on to you by the interviewer a single dwelling?



3. Dwelling description and occupancy **SPSS FIRSTIMP**

Type of occupancy **FODISHMO**
(clarify with household)

Single family dwelling 1	Shared house 2	Household with lodgers 3	Bedsits or flatlets 4	Purpose built with shared amenities 5	Hostel/ B&B 6
-----------------------------	-------------------	-----------------------------	--------------------------	--	------------------

HMO premises: discuss with RM if necessary complete questions on page 8

Dwelling type (clarify with household) **FODDTYPE**

House/bungalow						Flat		
End terrace 1	Mid terrace 2	Semi detached 3	Detached 4	Temporary 5	Park home 9	Purpose built 6	Converted 7	Non residential plus flat 8

Tenure (clarify with household) **FODTENUR**

Owner occupied 1	Private rented 2	Local authority 3	Housing association (RSL) 4
---------------------	---------------------	----------------------	--------------------------------

Construction date (clarify with household) **FODCONST**

Estimate actual construction date

FODCONAC

Pre 1850 1	1850-1899 2	1900-1918 3	1919-1944 4	1945-1964 5	1965-1974 6	1975-1980 7	1981-1990 8	1991-1995 9	1996-2002 10	Post 2002 11
---------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------	-----------------

Occupancy (ask where possible) **FODOCCUP**

Occupied 1	Vacant						
	Awaiting another owner 2	Awaiting another tenant 3	Awaiting demolition 4	Being modernised 5	New never occupied 6	Being used for other purpose 7	Other (specify) 8

If occupied: how long have the current occupants lived here?

Years
FODLIVEY

Months
FODLIVEM

If vacant: how long has the dwelling been vacant?

Years
FODVACNY

Months
FODVACNM

FODOCOTH

If occupants have moved in within the last 6 months, ask for date:-

Day
FODEXDAY

Month
FODEXMON

Year
FODEXYRS

Source of information on tenure and occupancy **FODSORCE**

Occupant 1	Neighbour 2	Caretaker/ warden/agent 3	Estimate/ appearance 4	Other (specify): 5
---------------	----------------	------------------------------	---------------------------	-----------------------

FODSOTH

IDENTIFY MODULE NOW

SPSS FIRSTIMP

4. Module associated with the address surveyed

House (single unit) 1	Converted building (multiple units) 2	Purpose built flats (multiple units) 3
--------------------------	--	---

FMODULE

Have all the accommodation units exclusive use of key amenities? **FMODISSC**

Yes - sole use 1	Mix (e.g. some sole use, some shared amenities) 2	No (all units share at least one amenity) 3
---------------------	--	--

Go to Section 5

Number of units with exclusive use of amenities	FMODSC
Number of units which share amenities	FMODNON

SPSS INTERIOR

5. Interior

	..LIV.. Living room	..KIT.. Kitchen	..BED.. Bedroom	..BAT.. Bathroom	..CIR.. Circulation
Does room exist?	FIN...EX	Y N	Y N	Y N	Y N
Level (B, G, 1, 2, 3 etc)	FIN...LE				
Function (L, K, S, T, D)	FIN...FU				
Room inspected?	FIN...IN	Y N	Y N	Y N	Y N
Ceiling height (metres)	FIN...CL				
Width (metres)	FIN...WI				
Depth (metres)	FIN...DE				

Ceilings (answer in tenths)

Faults?	FINCLGFL	Y N	Y N	Y N	Y N
Take down and re...	FINCLGRN				
Isolated repair, fill cracks	FINCLGRP				
Leave	FINCLGLV				

Floors (answer in tenths)

Solid floors?	FINFLRSF	Y N	Y N	Y N	Y N
Faults?	FINFLRFL	Y N	Y N	Y N	Y N
Replace structure	FINFLRRN				
Replace only boards or screed	FINFLRRP				
Leave	FINFLRLV				

Walls (answer in tenths)

Faults?	FINWLSFL	Y N	Y N	Y N	Y N
Rebuild partition wall	FINWLSRN				
Hack-off, replaster	FINWLSPL				
Isolated repair, fill cracks	FINWLSRP				
Leave	FINWLSLV				
Dry lining present?	FINWLSDL	Y N	Y N	Y N	Y N
Internal insulation	FINWLSII	Y N	Y N	Y N	Y N

Doors (answer in numbers)

Faults?	FINDRSFL	Y N	Y N	Y N	Y N
Renew	FINDRSRN				
Repair/rehang	FINDRSRP				

Windows/Frames

Faults?	FINWNDFL	Y N	Y N	Y N	Y N
Means of escape?	FINWNDES	Y N	Y N	Y N	Y N
Secondary glazing for sound insulation?	FINWNDSI				
Trickle vents to room?	FINWNDTV	Y N	Y N	Y N	Y N

Heating & Services

CH/prog. appliance?	FINHTGCH	Y N	Y N	Y N	Y N
Fixed other heater?	FINHTGFX	Y N	Y N	Y N	Y N

Defects FINDFX...

	Living room	Kitchen	Bedroom	Bathroom	Circulation
Rising (ground level) damp	..RD	Y	Y	Y	Y
Penetrating (higher level) damp	..PD	Y	Y	Y	Y
Serious condensation/mould growth	..MO	Y	Y	Y	Y
Inadequate natural light	..NL	Y	Y	Y	Y
Inadequate artificial light	..AL	Y	Y	Y	Y
Inadequate room ventilation	..RV	Y	Y	Y	Y
Inadequate appliance ventilation	..VT	Y	Y	Y	Y
Wood boring insect attack	..IN	Y	Y	Y	Y
Dry/wet rot	..RT	Y	Y	Y	Y
Evidence of mice	FINVERMS	Y	Y	Y	Y
Evidence of rats	FINVERAT	Y	Y	Y	Y

SPSS INTROOMS

	..GAR.. Integral garage	..BAL.. Integral balcony	..EX1.. Extra room 1	..EX2.. Extra room 2	..EX3.. Extra room 3	..EX4.. Extra room 4	..EX5.. Extra room 5	..EX6.. Extra room 6	..EX7.. Extra room 7
Does room exist?	Y N	Y N	Y N	Y N	Y N	Y N	Y N	Y N	Y N
Level (B, G, 1, 2, 3 etc)									
Function (L, K, S, T, D)									
Room inspected?	Y N	Y N	Y N	Y N	Y N	Y N	Y N	Y N	Y N
Ceiling height (metres)									
Width (metres)									
Depth (metres)									

FINROOMS

Stairs within dwelling FINSTR...

Present?	...PR	Y	N
Open Plan?	...OP	Y	N
Faults?	...FL	Y	N
Replace structure	...RN	Y	
Replace treads	...TR	Y	
Replace balustrades	...BL	Y	
Repair/refix treads/balustrades	...RP	Y	

Security of dwelling FINSEC...

	High	Fairly high	Fairly low	Low	Very low	Not Apply
Main entrance door	..ME 1	2	3	4	5	
Other external doors	..OT 1	2	3	4	5	8
Accessible windows	..WN 1	2	3	4	5	8

Burglar alarm present?	..BA	Y	N
Door viewer present?	..VW	Y	N
Smoke detector(s)	..SM	Y	N
Carbon monoxide detector? Clarify with household	..CO	Y	N
Sprinkler / mister system present inside dwelli	..SS	Y	N

Adaptions and accessibility

Flush threshold <15mm?	Y	FINFLUSH
Room on entrance level suitable for bedroom?	Y	FINBEDEN
Bathroom at entrance level?	Y	FINBATEN
WC at entrance level?	Y	FINWCEN
Wheelchair accessible WC at entrance level?	Y	FINWAWEN
Change in floor level/trip steps at entrance level?	Y	FINTRPEN
Doorsets and circulation meet requirement M4(1)?	Y	FINCIRCU
Straight stairs with landings >900mm?	Y	FINLANDS

Adaptations for disabled people

Ramps?	Y	FINRAMPS
Grab rails?	Y	FINGRABR
Stair lift/through floor lift?	Y	FINLIFTS
Hoists?	Y	FINHOIST
Electrical modifications?	Y	FINELECM

HHSRS FINHS...

	Significantly lower risk than average	Average risk	Significantly higher risk than average
Falling on stairs etc	..STR 1	2	3
Falling on level surfaces	..LVL 1	2	3
Falling between levels	..BTW 1	2	3
Fire	..FIR 1	2	3
Flames, hot surfaces, etc	..HOT 1	2	3
Damp and mould growth	..DAM	2	3

If '3', score HHSRS in Section 22

FINHS...

	Significantly lower risk than average	Average risk	Significantly higher risk than average	Extreme risk
Entry by intruders	..ENT 1	2	3	4
Noise	..NOI 1	2	3	4
Collisions and entrapment	..CEN 1	2	3	4
Excess heat	..EXH 1	2	3	4
Lighting	..LIT 1	2	3	4
Domestic hygiene, pests and refuse	..DHY 1	2	3	4

Describe 'extreme risk' in Section 22

SPSS AMENITY

5. Interior – amenities

Kitchen amenities

		..PR		..WK		..AC			
		Present	Working	None	Minor repair	Major repair	Replace	Install	
Cold water drinking supply?	FINCLD...	Y	N	1	2	3	4	5	
Hot water?	FINHOT...	Y	N	1	2	3	4	5	
Sink?	FINSNK...	Y	N	1	2		4	5	
Fixed waste?	FINWST...	Y	N	1	2		4	5	
Cooking provision?	FINCOK...	Y	N	1	2	3	4	5	
Cupboards?	FINCUP...	Y	N	1	2	3	4	5	
Worktop	FINWRK...	Y	N	1	2	3	4	5	
Extractor fan?	FINKXT...	Y	N	Y	N				

Drinking water supply pipework

	Pipework seen	Lead present	Mains
Before stopcock?	FINPIPEB	FINLEADB	FINMAINS
After stopcock?	FINPIPEA	FINLEADA	

Y	N	Adequate cooker space?	FINCOOKR
Y	N	Adequate cupboard units?	FINCUPUN
Under 1.5m	1.5 - 3m	Over 3m	Worktop (metres)
1	2	3	FINWORKT

Are there significant problems with: Space

Y	N	Layout	FINKDFSP
Y	N	Cleanability	FINKDFLA
Y	N	Cleanability	FINKDFCB

Kitchen adapted for disabled use?

Y	N	FINKITDU
---	---	----------

FINKITLR

	Original	Pre 1960	1960's	1970's	1980's	1990's	2000's	2010's	In progress
Kitchen amenities last refurbished	9	1	2	3	4	5	6	7	8

Actual date of kitchen refurbishment (if known)

FINKITRE

Bathroom amenities

		..PR		..WK		..HC		..AC				Floor		Specify	Badly located?	No. of external surfaces
		Present	Working	Hot & cold water	None	Minor repair	Major repair	Replace	Install	Basement	Ground					
Bath/shower?	FINBAT...	Y	N	Y	N	1	2		4	5	BB	GG		FINBADLO	FINSURFA	
Wash hand basin?	FINWHB...	Y	N	Y	N	1	2		4	5	BB	GG				
W.C.?	FINLOO...	Y	N	Y	N	1	2	3	4	5	BB	GG		FININ	FINWH	
Extractor fan in bathroom?	FINBXT...	Y	N	Y	N									FINBA	FINEX	

Are there significant problems with: Space

Y	N	Layout	FINBDFSP
Y	N	Cleanability	FINBDFLA
Y	N	Location	FINBDFCB
Y	N	Location	FINBDFLO

Is any bathroom adapted for disabled use?

Y	N	FINBATDU
---	---	----------

FINBATLR

	Original	Pre 1960	1960's	1970's	1980's	1990's	2000's	2010's	In progress
Bath/shower last refurbished	9	1	2	3	4	5	6	7	8

Actual date of bath/shower refurbishment (if known)

FINBATRE

Does any shower have level access?

Y	N	FINSWRLA
Y	N	FINSWRLF

Secondary amenities

		..PR		..WK		..HC		..FL			Floor		..ES	
		Present	Working	Hot & cold water	None	Minor repair	Major repair	Replace	Install	Basement	Ground	Specify	In bedroom/en-suite	
Second kitchen?	FIN2KI...	Y	N	Y	N	BB	GG							
Second bath/shower?	FIN2BT...	Y	N	Y	N	BB	GG					Y	N	
Second wash hand basin?	FIN2WH...	Y	N	Y	N	BB	GG					Y	N	
Second W.C.?	FIN2LO...	Y	N	Y	N	BB	GG					Y	N	

Internal?

HHSRS - hazards relating to whole dwelling interior

Hazards that may pose an extreme risk

		than average		than average	
Falls associated with baths etc.	FINHSFBA	1	2	3	4
Water Supply	FINHSWAT	1	2	3	4
Food Safety	FINHSFOD	1	2	3	4
Personal hygiene, sanitation and drainage	FINHSPHY		2	3	4
Position and operability of amenities	FINHSPOA	1	2	3	4

Describe 'extreme risk' in Section 22

SPSS SERVICES

5. Interior - Primary services

FINGASAC

Gas system

		Action					
		None	Minor Repair	Major Repair	Replace		
Present?	FINGASPR	Mains supply?	FINGASMS	1	2	3	4

		Significantly lower risk than average	Average risk	Significantly higher risk than average	Extreme risk	
Smart meter?	FINGASTM	Housing Health and Safety Rating System (HHSRS)				
		Uncombusted fuel gas				
		FINHSUNG	2	3	4	
		Explosions				
		FINHSEXP	1	2	3	4
Describe 'extreme risk' in Section 22						

Electrical system

Present?	FINELEPR	Normal mains supply?	FINELEMS	Smart meter?	FINELETM	Off-peak supply?	FINOPELE
----------	----------	----------------------	----------	--------------	----------	------------------	----------

Location of meters	FINELEDC	Under stairs or on wall	Special cupboard	External access to meter	Mixture	Unknown
		1	2	3	4	5

Type of wiring	FINELEWI	Lead or rubber covered	PVC sheathed		Mixture	Unknown
		1	2		4	5

Earthing wires	FINELEEA	Unsheathed or green cover	Yellow and green sheath		Mixture	Unknown
		1	2		4	5

Consumer unit arrangement	FINELECU	Separate fuse boxes for in circuit	One or two "covered boxes"	One or two "accessible boxes"	Mixture	Unknown
		1	2	3	4	5

Overload protection	FINELEOP	Wire fuses	Cartridge fuses	MCB's	Mixture	Unknown
		1	2	3	4	5

Personal protection	FINELEPP	No RCD's	RCD in consumer unit	Separate RCD's	Mixture	Unknown
		1	2	3	4	5

Type of Consumer unit	FINELETC	Metal	Plastic			Unknown
		1	2			5

Is there room to add additional circuits within the Consumer unit?	FINELEAD	Yes	No			Unknown
		1	2			5

		None	Minor Repair	Major Repair	Replace	Install
Action	FINELEAC	1	2	3	4	5

		Significantly lower risk than average	Average risk	Significantly higher risk than average	Extreme risk
Housing Health and Safety Rating System (HHSRS)		FINHSELS			
		Electrical safety			
		1	2	3	4
Describe 'extreme risk' in Section 22					

% of fixed lighting that is low energy

FINLOWLI	00	10	20	30	40	50	60	70	80	90	100
----------	----	----	----	----	----	----	----	----	----	----	-----

Cavity wall insulation

Is there any evidence of cavity wall insulation in/around the electricity or gas meters? FINCWIME

Whole House Ventilation

None / Windows	FINWHVEN	Intermittent fans	Continuous Individual fans	Passive Stack	Centralised Distribution Systems	
					Without Heat Recovery	With Heat Recovery (MVHR)
1		2	3	4	5	6

Total number of open fireplaces

FINNOFIR

SPSS SERVICES

5. Interior – space heating

Primary heating

FINCHLOC
Location of system

Present? **FINCHEAT** present: **FINCHPHS**

Main heat source in winter? (ask household)

Individual 1

Communal system

Estate 2

Block 3

Group of dwellings 4

If communal, number of dwellings served **FINCHNOD**

If present: **Primary heating group**

Central heating (wet) 1

Storage heaters 2

Warm air **FINCHTYP** 3

Unal/CHP 4

Electric ceiling/underfloor 5

Room heaters 6

Distribution type

Radiators 1 **FINDISTY**

Underfloor 2

Primary heating fuel **FINMHFUE**

Gas			Oil	Solid fuel			Biomass	Electricity				Communal		
Mains	Bulk LPG	Bottled		Coal	Smokeless fuel	Anthracite		Standard	7 hr tariff	10 hr tariff	24 hr tariff	CHP/Waste heat	From boiler not Biomass	From boiler Biomass
01	02	03	04	05	06	07	08	09	10	11	12	13	14	15

Biomass type

Wood chips **FINMHBIT**

Wood logs 3

Wood pellets 4

Gas 5

Oil 6

Primary heating type **FINMHBOI**

Standard (non condensing)	Back boiler	Combination (non condensing)	Condensing	Condensing Combi	Combined primary storage unit	No boiler	Heat pump	Unknown
1	2	3	4	5	6	7	8	9

passive flue gas heat recovery

Y **FINPHHRD** N

CRITICAL INFORMATION FROM TABLE

Primary heating appliance
First digit should match code for primary heating group

Code **FINCHBCD**

Clarify with household

Primary heating system working? **FINCHWRK**

Primary heating appliance

Action

None Minor repair Major repair Replace Age

FINCHBAC 2 3 4 **FINCHBAG**

Primary heating distribution

FINCHDAC 2 3 4 **FINCHDAG**

Clarify with household

If boiler (or heat pump) system:

Manufacturer name: **FINCHBMA**

Model name/number: **FINCHBMO**

Primary heating controls

Non storage heaters (answer all)

Boiler thermostat	FINCHTHE	No	Yes		Unknown
Programmer	FINCHPRO	No	One	More than 1	Unknown
Room thermostat	FINCHROM	No	One	More than 1	Unknown
TRVs / appliance thermostat	FINCHTRV	Some	All emitters		Unknown
Bypass	FINCHBYP	No	Yes		Unknown
Weather compensator	FINCHWCM	Yes			Unknown
Time and temperature zone control	FINCHTZC	Yes			Unknown

Storage heaters (answer all)

Manual charge control	Y	FINCHMCC
Automatic charge control	Y	FINCHACC
Select type control	Y	FINCHCTC

Are TRVs networked?

FINCHNET

Bypass in stat room?

FINCHBST

Other heating

Type of system

Present? **FINOHEAT**

Main heat source in winter? (ask household)

FINOPHS

FINOHTYP

Mains gas fires								LPG	Electric heaters				Solid fuel heaters		Heat pumps	Other
Open flue	Balanced flue	Fan assisted	Condensing	Live effect - sealed to chimney	Live effect fan assisted flue	Decorative open to chimney	Flueless	Unknown	Fixed heaters	Panel, convector or radiant	Portable	Individual storage heater	Open fire	Stove/ space heater	Heat pumps	
01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17

Action

None Minor repair Major repair Replace Age

FINOHAET 3 4 **FINOHAGE**

HHSRS **FINHSCO**

Carbon monoxide and fuel combustion products

Significantly lower risk than average	Average risk	Significantly higher risk than average	Extreme risk
1	2	3	4

Describe 'extreme risk' in Section 22

SPSS SERVICES

Hot water system

Present?
FINWHEAT

If present indicate all system **...MH** available

	...PR Present?	Main water heating system	...TY Fuel	Action				...AG Age
				None	Minor repair	Major repair	Replace	
Boiler with central heating FINWHC...	N	Y						
Boiler (water heating only) FINWHO...	N	Y	Mains gas 01 Bulk LPG 02 Bottled gas 03 Oil 04 Coal 05 Smokeless 06 Anthracite 07 Biomass 08	1	2	3	4	
Back boiler (water heating only) FINWHX...	Y	Y	Mains gas 01 Bulk LPG 02 Bottled gas 03 Oil 04 Coal 05 Smokeless 06 Anthracite 07 Biomass 08	1	2	3	4	
Single immersion heater FINWSI...	N	Y	Standard 09 7 hr tariff 10 10 hr tariff 11 24 hr tariff 12	1	2	3	4	
Dual immersion heater FINWDI...	Y	Y	Standard 09 7 hr tariff 10 10 hr tariff 11 24 hr tariff 12	1	2	3	4	
Instantaneous Single Point FINWSP...	Y	N	Mains gas 01 Bulk LPG 02 Bottled gas 03 Oil 04 Standard 09	1	2	3	4	
Instantaneous Multi Point FINWMP...	N	Y	Mains gas 01 Bulk LPG 02 Bottled gas 03 Oil 04 Standard 09	1	2	3	4	
Instantaneous electric shower FINWES...	N	Y	Standard 09 7 hr tariff 10 10 hr tariff 11	1	2	3	4	
Communal FINWHL...	Y	N	Y					
Other FINWOT...	Y	N	Y	Specify:				

Cylinder present?

FINWHCYL

Cylinder seen?

FINWHCSN

If cylinder seen:

Size/volume

450 x 900mm (110 l) 1	450 x 1050mm (140 l) 2	450 x 1500mm (210 l) 3	450 x 1650mm (245 l) 4
--------------------------	---------------------------	---------------------------	---------------------------

FINWHSIZ

Cylinder insulation

Foam Factory insulated 1	Jacket Loose jacket 2	Other 3	None 4
-----------------------------	--------------------------	------------	-----------

FINWHINS

Cylinder insulation thickness

0 1	12.5mm 2	25mm 3	38mm 4	50mm 5	80mm 6	100mm 7	150mm 8
--------	-------------	-----------	-----------	-----------	-----------	------------	------------

FINWHMMS

Water heating controls?

Present?

Separate time control for water heating

Y	N	U
---	---	---

FINWHCEN

Cylinder thermostat

Y	N	U
---	---	---

FINWHTHE

6. Loft inspection

SPSS SERVICES

Inspect all houses and top floor flats

FINLOPOS	House/Bungalow 1	Top floor flat 2	Mid floor flat 3	Ground floor flat 4	Basement flat 5							
GO TO SECTION 7												
Loft information from:	Inspection 1	Occupant 2	No loft (flat or very shallow pitched roof) 8	no information 9								
GO TO SECTION 7												
Type of loft	Fully boarded 1	No boarding or partial boarding 2	Room(s) with permanent stairs 3	Don't know 9								
Roof insulation above living space?	Yes 1	No 2	Don't know 9									
Type of loft Insulation	Mineral wool/fibre glass 1	Vermiculite beads 2	High performance quilt 3	Rigid foam board 4	Not applicable 8	Don't know 9						
Approximate thickness of loft insulation	No insulation 00	25mm 01	50mm 02	75mm 03	100mm 04	125mm 05	150mm 06	200mm 07	250mm 08	300mm 09	>300mm 10	Don't know thickness 99
Any roof structure problems seen?	FLIPROBS		Is there any evidence of cavity wall insulation in the loft?									
If yes, describe and transfer to Section 21	FLIDESC											

SPSS HQ

7. Household questionnaire

Questions asked?

Y	N	FHQASKED
---	---	----------

1. Do you have **cavity wall insulation**?

Record in elevation features (section 16) if seen and complete wall insulation summary (section 19)

Y	N	U	FHQCAVIT
---	---	---	----------

2. Do you have **internal wall insulation**?

Record in walls (section 5) if seen and complete wall insulation summary (section 19)

Y	N	U	FHQINSWI
---	---	---	----------

3. Do you have **external wall insulation**?

Record in elevation features (section 16) if seen and complete wall insulation summary (section 19)

Y	N	U	FHQEXTWI
---	---	---	----------

4a. Are any of your **floors in contact with the ground insulated**?

Y	N	U	FHQFLINS
---	---	---	----------

4b. **Percentage of floors in contact with the ground with insulation present**

25%	50%	75%	100%	FHQPERCE
1	2	3	4	

5. Do you have a **working smoke detector on every floor of the dwelling**?

Y	N	U	FHQSMOKE
---	---	---	----------

6. Do you have access to a **garage/private parking space**?

Y	N	U	FHQGARAG
---	---	---	----------

7. Do you have a water meter?

Y	N	U	FHQWAMET
---	---	---	----------

8. **If yes**, are you charged according to the amount you use?

Y	N	U	FHQWMCH
---	---	---	---------

9. Are you directly connected to mains drainage operated by a water/sewage company?

Y	N	U	FHQWASTE
---	---	---	----------

10. Does any part of your home get uncomfortably hot?

(even when your heating is off and the windows are open)

Y	N	U	FHQOHANY
---	---	---	----------

11. **If yes**, which rooms are particularly affected.

Bedrooms	Living rooms	Attic room	Conservatory
FHQOHBED	FHQOHLIV	FHQOHATT	FHQOHCON

12. Do you have a smart room thermostat which you can control via your phone or tablet device?

Y	N	U	FHQSMART
---	---	---	----------

COMPLETE FOR HMO USE ONLY

Number of accommodation units in dwelling

FMONUMAC

Number of shared kitchens

FMOSHKIT

Number of households in dwelling/occupied units

FMONUMHH

Total number of WC's

FMOTOTWC

Total number of occupants in dwelling

FMONUMOC

Number of shared WC's

FMOSHWC

SPSS FLATDETS

Draw plan of module and locate flat within it. Show if measurements have been rectangularised

										Back									
Left																			Right
										Front									

Tenths of wall exposed

(Columns add up to 10)

	Front wall Fenestration area m ²		Back wall Fenestration area m ²		Left wall Fenestration area m ²		Right wall Fenestration area m ²	
To outside air	FDFFROOA		FDFBCKOA		FDLFTOA		FDFRIGOA	
To internal accessways	FDFFROIA		FDFBCKIA		FDLFTIA		FDFRIGIA	
To other flats	FDFFROOF		FDFBCKOF		FDLFTOF		FDFRIGOF	

(For Fenestration area, include windows and doors, use whole numbers only)

FDFENTRY

Entry floor to dwelling proper
(level of first actual accommodation)

Basement	Ground	Specify	Unknown
BB	GG	FDFENTYN	99

Dimensions of flat (internal and rectangularised)

The diagram illustrates the naming convention for flat modules. It shows a grid of modules with labels for floor level, level, width, and depth. A central module is labeled 'FDFSAMED' with an arrow pointing to the right, indicating that the width and depth dimensions are the same as the module it is adjacent to.

No. of floors in flat	Level (B, G, 1, 2 etc)	Width (metres)	Depth (metres)
Main floor	Ground GG		
Next floor	Ground GG		

Labels for modules:

- Main floor: FDFFLOOR, FDFMAINL, FDFMAINN
- Next floor: FDFNEXTL, FDFNEXTN
- Width: FDFMAINW, FDFNEXTW
- Depth: FDFMAIND, FDFNEXTD
- Central module: FDFSAMED

Annotations:

- External dimensions same as module (pointing to FDFSAMED)
- Same as above (pointing to FDFNEXTW and FDFNEXTD)

If yes, record at section 13

SPSS COMM MAC

9. Common parts of module.

Common parts exist

FCPPRES NO, GO TO SECTION 10

Does access/area exist? FCPEXIST

Balcony/Deck/Corridor/Lobby FCPTYPES

Spacious/Average/Tight FCPSIZES

Enclosed? FCPENCLO

In module? FCPINMOD

Working?

Accessway					
Main horizontal of typical/upper level		Stairway on typical/upper level		Main entrance to module	
Y	N	Y	N	Y	N
Y	N	Y	N	Y	N
Y	N	Y	N	Y	N
Y	N	Y	N	Y	N

Lift controls accessible to wheelchair user?

Lift controls accessible to a visually impaired person?

Floors/ treads (answer in m²)

Faults?	FCPFLRFL	Y	N	Y	N	Y	N
Modify structure	FCPFLRMO						
Renew surface	FCPFLRRN						
Repair surface	FCPFLRRP						

Walls (answer in m²)

Faults?	FCPWLSFL	Y	N	Y	N	Y	N
Modify structure	FCPWLSMO						
Renew surface	FCPWLSRN						
Repair surface	FCPWLSRP						
Repaint surface	FCPWLSPA						

Ceilings/soffits (answer in m²)

Faults?	FCPCLNFL	Y	N	Y	N	Y	N
Modify structure	FCPCLNMO						
Renew surface	FCPCLNRN						
Repair surface	FCPCLNRP						
Repaint surface	FCPCLNPA						

Access doors/screens (answer in numbers)

Faults?	FCPAXDFL	Y	N	Y	N	Y	N
Replace	FCPAXDRN						
Repair/rehang	FCPAXDRP						
Repaint	FCPAXDPA						

Accessway windows (answer in numbers)

Faults?	FCPAXWFL	Y	N	Y	N	Y	N
Replace	FCPAXWRN						
Repair	FCPAXWRP						
Repaint	FCPAXWPA						

Accessway lighting (answer in numbers)

Faults?	FCPAXLFL	Y	N	Y	N	Y	N
Replace light fittings	FCPAXLFT						
Replace light switches	FCPAXLSW						

Balustrades (answer in metre lengths)

Faults?	FCPBALFL	Y	N	Y	N	Y	N
Replace	FCPBALRN						
Repair	FCPBALRP						

SPSS COMMON

Security of module

FCPACCES

Type of access

Multiple access	Single access	Restricted access
1	2	3

...PR

Present?

...WK

Working?

...IN

In module?

FCPCON...

Concierge system

FCPENT...

Door entry system

Y	N	Y	N	Y	N
Y	N	Y	N	Y	N

Fire safety of flat surveyed

Escape route from flat surveyed to final exit from building

FCPESCAP

Flat is final exit	Through another flat	Through another flat and common areas	Through common areas
1	2	3	4

Fire precautions

...PR

Present

Action ...AC				
None	Minor	Major	Renew	
1	2	3	4	
1	2	3	4	
1	2	3	4	
1	2	3	4	
1	2	3	4	
1	2	3	4	
1	2	3	4	
1	2	3	4	
1	2	3	4	

Contribution to problems (within survey module)

	None	Minor	Major
Vandalism FCPVANDA	1	2	3
Graffiti FCPGRAFF	1	2	3
Litter/rubbish FCPLITTR	1	2	3

HHSRS - common areas (affecting flat surveyed)

	Significantly lower risk than average	Average risk	Significantly higher risk than average
FCPHSSTR Falling on stairs etc	1	2	3
FCPHSLVL Falling on level surfaces	1	2	3
FCPHSBTW Falling between levels	1	2	3
FCPHSFIR Fire	1	2	3
FCPHSHOT Flames, hot surfaces, etc	1	2	3
FCPHSDAM Damp and mould growth		2	3

If '3', score HHSRS in Section 22

SPSS NUMFLATS

10. Number of flats in module

This section is critical. Make every attempt to record correct number of flats in module

Number of flats
in module

Specify FNOFLATS	Unknown 999
---------------------	----------------

DOUBLE CHECK the number of flats against what you have defined as your module in **Section 8** before continuing

Level of lowest flat

FNOLOWES

Basement B	Ground floor G	Floor 	Unknown 9
---------------	-------------------	-------------------------------	--------------

Use of ground floor

FNOGRUSE

Dwelling only 1	Dwelling and services 2	Services only 3	Dwelling and non residential 4	Non residential only 5	Dwelling and void 6	Other 7
--------------------	----------------------------	--------------------	-----------------------------------	---------------------------	------------------------	------------

Use of basement

FNOBSUSE

No basement 8	Dwelling only 1	Dwelling and services 2	Services only 3	Dwelling and non residential 4	Non residential only 5	Dwelling and void 6	Other 7
------------------	--------------------	----------------------------	--------------------	-----------------------------------	---------------------------	------------------------	------------

Non residential use

FNORESAR

If any non residential use,
% total floor area of
module in non residential
use

If 'dwelling with
non residential':
non residential use

No non residential 88				Specify % 	Unknown 99		
Not 'dwelling with non residential' 8	Shop/ business 1	Office 2	Industrial/ Institutional 3	Surgery 4	Public House 5	Hotel 6	Other 7 FNOREOTH

If 'dwelling with non residential':
Does the non-residential use include the handling/processing of food for commercial purposes?

FNORESFD

Other flats in module

Are they? FNOOTHER

Survey flat is only one in module 8	Mostly same as survey dwelling 1	Mostly small flats 2	Mostly large flats 3	Mixture of small/large flats 4	Mixture of flats/maisonettes 5	Unknown 9
--	-------------------------------------	-------------------------	-------------------------	-----------------------------------	-----------------------------------	--------------

Approximate
number of vacant
flats in module

FNOVACNT

Survey flat is only one in module 888	Specify
--	---------------------------------

SPSS SHARED

11. Shared facilities and services (within 100m of survey dwelling)

Do shared facilities/services exist **FFCSHARE** = NO, GO TO SECTION 12

Stores and common rooms

	...PR		Location ...LO		Action ...AC		
	Present?		Integral?	Not Integral?	None	Minor	Major
Tenant stores FFCTEN...	Y	N	1	2	1	2	3
Bin stores FFCBIN...	Y	N	1	2	1	2	3
Paladin stores FFCPAL...	Y	N	1	2	1	2	3
Laundry FFCLAU...	Y	N	1	2	1	2	3
Drying room FFCDRY...	Y	N	1	2	1	2	3
Community room FFCCOM...	Y	N	1	2	1	2	3
Warden caretaker office FFCWAR...			1	2	1	2	3

Common/electrical services

	...PR		Action ...AC		
	Present?		None	Minor	Major
CCTV FFCCCT...	Y	N	1	2	3
TV reception FFCTVR...	Y	N	1	2	3
Lightning conductors FFCHTG...			1	2	3
Communal heating FFCHEA...	N		1	2	3
Burglar alarm system FFCBUR...			1	2	3
External lighting FFCLIT...	Y	N	1	2	3

Communal parking facilities

	...PR		Location ...LO		Action ...AC		
	Present?		Integral?	Not Integral?	None	Minor	Major
Garages FFCGAR...	Y	N	1	2	1	2	3
Multi storey parking FFCMUL...	N		1	2	1	2	3
Underground parking FFCUND...			1	2	1	2	3
Roof parking FFCROO...	Y	N	1	2	1	2	3
Other covered parking FFCCOV...			1	2	1	2	3
Open air parking bays FFCAIR...					1	2	3

If communal spaces are present how many are there? **FFCSPACE**

1-9	10 or more
1	2

Surfaces and fences

	...PR		Action ...AC		
	Present?		None	Minor	Major
Drying areas FFCDAR...	Y	N	1	2	3
Children's play areas FFCPLA...			1	2	3
Unadopted estate roads FFCRDS...			1	2	3

Landscaping

	...PR		Action ...AC		
	Present?		None	Minor	Major
Paths FFCPAT...	Y	N	1	2	3
Walls/fences FFCWAL...	Y	N	1	2	3
Hard landscaping FFCHRD...	N		1	2	3
Grass/planting FFCGRA...	Y	N	1	2	3

Contribution to problems in condition (outside survey module)

	None	Minor	Major
Vandalism FFCVAND	1	2	3
Graffiti FFCGRAFF	1	2	3
Litter/rubbish FFCLITTR	1	2	3

Design of paths

ANSWER IF PATHS PRESENT

('Y' IN BOX ABOVE)

Paths	Yes	No	Not applicable
At least 900mm wide? FFCPAT90	1	2	3
Gradient gentler than 1 in 12? FFCPATGR		2	3
Protected from adjacent drops? FFCPATAD		2	3

Accessibility

Number of steps from pavement to entrance of module **FFCASTEP**

Level Access	No step but slope > 1:20	1 step	2 step	3 or more steps
8	7	1	2	3
Space for ramp				
Not applicable	8	Yes 1	No 2	FFCARAMP
Is path firm and even?				
		Y	N	FFCAFIRM
Is entrance adequately lit?				
		Y	N	FFCALIT
Is entrance covered?				
		Y	N	FFCACOVR

HHSRS - shared areas

(affecting dwelling surveyed)

	Significantly lower risk than average	Average risk	Significantly higher risk than average	
Falling on stairs etc	1	2	3	FFCHSSTR
Falling on level surfaces	1	2	3	FFCHSLVL
Falling between levels	1	2	3	FFCHSBTW

If '3', score HHSRS in Section 22

SPSS SHAPE

15. Improvements/alterations

(to the house/module since original construction)
Code most recent (or most significant)

Clarify with Household

		None	Pre 1964	1965-1984	1985-1995	1996-2002	2003-2011	2012-present	In progress	
Conversion to more than one dwelling	FALMOED		2	3	4	5	6	7	8	
Conversion to HMO use	FALHMOED	1	2	3	4	5	6	7	8	
Conversion from non-residential use	FALNORES		2	3	4	5	6	7	8	
Two or more dwellings combined	FALCOMBI	1	2	3	4	5	6	7	8	
Complete refurbishment/modernisation	FALREFUR		2	3	4	5	6	7	8	
Rearrangement of internal space	FALSPACE	1	2	3	4	5	6	7	8	
Extension added for amenities	FALEXTAM	1	2	3	4	5	6	7	8	
Extension added for living space	FALEXLIV	1	2	3	4	5	6	7	8	
Alteration of external appearance	FALAPEAR		2	3	4	5	6	7	8	
Over-cladding	FALOCLAD	1	2	3	4	5	6	7	8	
Loft conversion	FALLOFTS	1	2	3	4	5	6	7	8	
Radon remedial works (check postcode)	FALLRAD		2	3	4	5	6	7	8	

ASK HOUSEHOLD
Exact year of
loft conversion

FALYELCO

16. Elevation features

SPSS ELEVATE

16. Elevation features

...FF Front face			...LF Left face			SPSS ELEVATE			...RF Right face			...BF Back face			
Y	N		Y	N	FELEXP.. Is part of face unattached?	Y	N		Y	N		Y	N		
					FELGAB.. Gables (<i>tenths</i>)										
					FELPAR.. Parapets (<i>tenths</i>)										
					FELSUP.. Mono supporting walls (<i>tenths</i>)										
					FELBAS.. Base walls (<i>tenths</i>)										
					FELMAW.. Main walls (<i>tenths</i>)										
					FELGUT.. Valley gutters (<i>number</i>)										
Y	N	PV m ²	Y	N	FELSOL.. Solar water heating panels?	Y	N	PV m ²	Y	N	PV m ²	Y	N	PV m ²	
Y	N		Y	N	FELPV.. Solar photovoltaic (PV)?	Y	N		Y	N		Y	N		
Y	N		Y	N	FELCAV.. Evidence of cavity wall insulation?	Y	N		Y	N		Y	N		
Y	N		Y	N	FELEXT.. External insulation?	Y	N		Y	N		Y	N		
window	void	wall	window	void	wall	FELFEN.. Fenestration (<i>tenths</i>)	window	void	wall	window	void	wall	window	void	wall
...FW	...FV	...FN	...LW	...LV	...LN		...RW	...RV	...RN	...BW	...BV	...BN			

17. Specification of views

17. Specification of views

FWWSPEBF

Back view B	10/10 attached A	Not seen N
-----------------------	----------------------------	----------------------

Tenths attached
FVWTENBF

PV

FVWPVBF

BACK FACE

LEFT FACE

Front view F	Back view B	10/10 attached A	Not seen N
------------------------	-----------------------	----------------------------	----------------------

Tenths attached
FVWTENLF

PV

FVWPVLF

MAIN PART

FRONT FACE

Front view F

Tenths attached
FVWTENFF

PV

FVWPVFF

Is there any evidence from the air bricks of cavity wall insulation?

Wind turbine present?

Roof Pitch (deg.) FELROOFP

Flat -15	16 - 26	27 - 39	40 - 50	50+
1	2	3	4	5

Orientation of Front Face FELORIEN

NW	N	NE
W		E
SW	S	SE

18. Exterior – of house/module

SPSS CHIMNEY FEXCS1.. Chimney stacks FEXCS2.. BACK VIEW

Masonry		Other	
Y	N	Y	N
Y	N	Y	N
Y	N	Y	N

Chimney stacks

(Number)

Present?

..PR

Number

..NO

Age

..AG

Faults?

..FL

Rebuild

..RN

Part rebuild

..PT

Repoint/refix pot

..RE

Leave

..LV

Urgent?

..UR

Replacement period

..TM

Masonry		Other	
Y	N	Y	N
Y	N	Y	N
Y	N	Y	N

SPSS ROOFSTRUC FEXRS1..

Roof structure

(Tenths of area)

Tenths of area

..TE

Age

..AG

Faults?

..FL

Replace

..RN

Strengthen

..ST

Leave

..LV

Urgent?

..UR

Replacement period

..TM

Pitched	Mansard	Flat	Chalet
Y	N	Y	N
Y	N	Y	N

SPSS ROOFCOV FEXRC1..

Roof covering

(Tenths of area)

Tenths of area

..TE

Age

..AG

Faults?

..FL

Renew

..RN

Isolated repairs

..IS

Leave

..LV

Urgent?

..UR

Replacement period

..TM

Natural slate/stone/shingle	Man made slate	Clay tile	Concrete tile	Asphalt	Felt	Glass/metal/laminate	Thatch
Y	N	Y	N	Y	N	Y	N
Y	N	Y	N	Y	N	Y	N

SPSS ROOFEAT FEXRF1..

Roof features and drainage

(Tenths of length)

Present?

..PR

Faults?

..FL

Replace

..RN

Repair

..RP

Leave

..LV

Urgent?

..UR

Replacement period

..TM

Fascias	Valley gutters/flashings	Gutters/down-pipes	Stacks/wastes	Party parapets
Y	N	Y	N	Y
Y	N	Y	N	Y
Y	N	Y	N	Y

SPSS WALLSTRU of house/module (continued)

FRONT VIEW FEXWS1..														Wall														BACK VIEW FEXWS2..													
Masonry cavity 1		Masonry cavity 2		Masonry single leaf		9" solid		>9" solid		In situ concrete		Concrete panels		Wood/metal/plastic panels		(Tenths of area)		Masonry cavity 1		Masonry cavity 2		Masonry single leaf		9" solid		>9" solid		In situ concrete		Concrete panels		Wood/metal/plastic panels									
														Net tenths of area		..TE																									
														Age		..AG																									
														Wall thickness (cm)		..WT																									
Y	N	Y	N	Y	N	Y	N	Y	N	Y	N	Y	N	Y	N	Y	N	Y	N	Y	N	Y	N	Y	N	Y	N	Y	N	Y	N										
														Faults?		..FL																									
														Rebuild/renew		..RN																									
														Repair		..RP																									
														Leave		..LV																									
Y	N	Y	N	Y	N	Y	N	Y	N	Y	N	Y	N	Y	N	Y	N	Y	N	Y	N	Y	N	Y	N	Y	N	Y	N	Y	N										
														Urgent?		..UR																									
														Replacement period		..TM																									

SPSS WALLFIN FEXWF1..														Wall finish (Tenths of area)														FEXWF2..													
Natural		Rendered		Shiplap timber		Tile hung		Slip/tile faced		Wood/metal/plastic panels		Masonry pointing		Non-masonry natural		Rendered		Shiplap timber		Tile hung		Slip/tile faced		Wood/metal/plastic panels																	
														Net tenths of area		..TE																									
														Age		..AG																									
Y	N	Y	N	Y	N	Y	N	Y	N	Y	N	Y	N	Y	N	Y	N	Y	N	Y	N	Y	N	Y	N	Y	N														
														Faults?		..FL																									
														Render		..RE																									
														Renew/repoint		..RN																									
														Isolated repairs		..RP																									
														Paint		..PA																									
														Leave		..LV																									
Y	N	Y	N	Y	N	Y	N	Y	N	Y	N	Y	N	Y	N	Y	N	Y	N	Y	N	Y	N	Y	N	Y	N														
														Urgent?		..UR																									
														Replacement period		..TM																									

SPSS DORMERS FEXDB1..														Dormers and bays (Number)														FEXDB2..													
Single storey		Multi storey		Standard		Roof extension		Porches		Conservatories (Survey dwelling)		Bays		Single storey		Multi storey		Standard		Roof extension		Porches		Conservatories (Survey dwelling)																	
Y	N	Y	N	Y	N	Y	N	Y	N	Y	N	Y	N	Y	N	Y	N	Y	N	Y	N	Y	N	Y	N																
														Present?		..PR																									
														Number		..NO																									
														Age		..AG																									
Y	N	Y	N	Y	N	Y	N	Y	N	Y	N	Y	N	Y	N	Y	N	Y	N	Y	N	Y	N	Y	N																
														Faults?		..FL																									
														Rebuild roof and walls		..RW																									
														Rebuild roof only		..RO																									
														Rebuild wall only		..WO																									
														Major repairs		..MJ																									
														Minor repairs		..MN																									
														Demolish		..DE																									
														Leave		..LV																									
Y	N	Y	N	Y	N	Y	N	Y	N	Y	N	Y	N	Y	N	Y	N	Y	N	Y	N	Y	N	Y	N																
														Urgent?		..UR																									
														Replacement period		..TM																									

SPSS DAMPPC FEXDP1..														Damp proof course (Tenths of length)														FEXDP2..													
Physical barrier		Injection DPC		None		Physical barrier		Injection DPC		None		Physical barrier		Injection DPC		None																									
														Tenths of length		..TE																									
Y	N	Y	N	Y	N	Y	N	Y	N	Y	N	Y	N	Y	N	Y	N																								
														Faults?		..FL																									
														Replace/install		..RN																									
														Leave		..LV																									
Y	N	Y	N	Y	N	Y	N	Y	N	Y	N	Y	N	Y	N	Y	N																								
														Urgent?		..UR																									
														Replacement period		..TM																									

SPSS INTERIOR FEXDB2..															
Closable door between conservatory and dwelling														FINCODOR	
Footprint of conservatory (Sq m) (Whole numbers only)														FINCOSIZ	
Conservatory window type														FINCOWIN	
Conservatory roof														FINCOROF	
Fixed radiator or other fixed heater present?														FINCORAD	

SPSS WINDOWS of survey dwelling

FRONT VIEW FEXWN1..							
Single-glazed				Double-glazed			
Wood casement	Wood sash	UPVC	Metal	Wood	UPVC	Metal	
Y	N	Y	N	Y	N	Y	N
Y	N	Y	N	Y	N	Y	N

Windows/frames to survey dwelling

Number	..NO
Age	..AG
Faults?	..FL
Replace	..RN
Repair/replace sash/member	..RP
Ease sashes etc/reglaze	..EA
Repaint/reputty	..PA
Leave	..LV
Urgent?	..UR
Replacement period	..TM

BACK VIEW FEXWN2..							
Single-glazed				Double-glazed			
Wood casement	Wood sash	UPVC	Metal	Wood	UPVC	Metal	
Y	N	Y	N	Y	N	Y	N
Y	N	Y	N	Y	N	Y	N

SPSS DOORS

Wood	UPVC	Metal	Composite
Y	N	Y	N
Y	N	Y	N

Doors/frames to survey dwelling

Number	..NO
Age	..AG
Faults?	..FL
Replace	..RN
Repair/glaze	..RP
Ease/replace/adjust ironmongery	..EA
Paint	..PA
Leave	..LV
Urgent?	..UR
Replacement period	..TM

Wood	UPVC	Metal	Composite
Y	N	Y	N
Y	N	Y	N

18. Exterior – plot of survey dwelling (Not shared plots)

SPSS AROUND

Private plot exists Complete all this section	No private or shared plot Complete accessibility + HHSRS	Shared plot / facilities only Complete section 11 only
1	FEXPLTYP	3

Exists	Front plot FEXPLOTF	Width of plot Width (m) Same as module FEXPLOTR	Exists
Depth (m)	FEXP1FDP	FEXPWIDTH	Depth (m)
		FEXP2FDP	

Accessibility FEXD...

Number of steps from gate/pavement to entrance
note: entrance maybe in either view

Level Access	No step but slope > 1:20	1 step	2 step	3 or more steps
8	7	1	2	3
Space for ramp				
Not applicable 8		Yes 1	No 2	
Is path firm and even?	Y	N	..FIRM	
Is path at least 900mm wide?	Y	N	..ESWI	
Is gradient less than 1:12?	Y	N	..ESGR	
Is entrance adequately lit?	Y	N	..ESFE	
Is entrance covered?	Y	N	..COVR	

FEXPF..		..TH	Tenths h	SPSS PLOTLVL
	..TS		Tenths soft	
Y	..FL		Faults?	Y
Y	..BD		Bridged DPC	Y
Y	..IN		Inadequate/reverse falls	Y
	..EX		Excavation (m³)	
	..TA		Internal tanking (m²)	
	..RN		Repair/renew paving (m²)	
	..RW		Repair/renew retaining wall (m)	
	..RP		Repair/renew steps (no.)	
Y	..GU		Install gully?	Y

HHSRS - of plot

note: include front and rear plots

FEXHS...	Significantly lower risk than average	Average risk	Significantly higher risk than average
Falling on stairs etc ..STR	1	2	3
Falling on level ..LVL	1	2	3
Falling between levels ..BTW	1	2	3
Damp and mould growth ..DAM		2	3

If '3', score HHSRS in Section 22

SPSS AROUND

19. Around the house/module

Underground drainage

Mains drainage present ☐ Y ☐ N **FCUDRAIN**Faults to drains ☐ Y ☐ N **FCUFAUL**

HHSRS	Significantly lower risk than average	Average risk	Significantly higher risk than average	Extreme risk
FEXHSPHY Personal hygiene sanitation and drainage	1	2	3	4
Describe 'extreme risk' in Section 22				

Rats and mice outside house/module **FCU...**

Evidence of mice? **..VERMC**

Evidence of rats? **..VERAT**

Pets/livestock kept outside? **..PETSL**

Litter/rubbish around house/module

None	Minor	Major
1	2	3

..LITTR

Type of evidence: (inside and outside house / module)

Traps seen? **..TRAPS**

Chemicals? **..CHEMS**

Other visual evidence? **..VISUA**

HHSRS	Significantly lower risk than average	Average risk	Significantly higher risk than average	Extreme risk
FEXHSDHY Domestic hygiene pests and refuse	1	2	3	4
Describe 'extreme risk' in Section 22				

Parking provision of survey dwelling

ASK HOUSEHOLD

..PR **..LO**

Present? On plot? Car space: **..SP**

	Y	N	Y	N	
Integral garage FCUINT...					
Attached garage FCUATT..					
Detached garage FCUDET..					
Car port FCUPOR..					
Designated parking space(s) FCUSPA..					

Street parking FCUSTR	Adequate	Inadequate	None
	1	2	3

Is there any off-plot parking located within 30 meters of the entrance to dwelling/module, with an even access route of less than 1:12 gradient?

FCUOPP

Cavity wall insulation summary

FCWICH...

Evidence of cavity wall insulation:

Y ..ME	Area around meters (P5)
Y ..LS	Loft space (P7)
Y ..OR	Occupant response (P8)
Y ..EF	Elevation features (P14)
Y ..AB	Air bricks (P14)

FCWIPROP

% of cavity walls with CWI present

0%	25%	50%	75%	100%
0	1	2	3	4

Internal / external insulation summary

FSWIWINT Internal wall insulation (P3)

FSWIOCCR Occupant response (P8)

FSWIWEXT External wall insulation (P14)

Evidence of internal / external insulation:

FSWIPROP

% of walls with internal / external insulation present

0%	25%	50%	75%	100%
0	1	2	3	4

Exposure

Is the dwelling in an exposed position? **FCUEXPOS**

Not exposed	Slightly exposed	Exposed	Very exposed
1	2	3	4

What is the average level of overshadowing of the dwelling windows? **FCUOSDW**

None or very little	Modest	Significant	Heavy
1	2	3	4

What is the level of overshadowing to the module roof? **FCUOSMR**

None or very little	Modest	Significant	Heavy
1	2	3	4

20. Block SPSS AROUND

Number of houses/modules in block

Detached house/module	Specify number	More than 50
01		75

FBLBLOCK

Approximate number of houses/modules in disrepair in block

Specify number

FBLDEFEC

SPSS STRUCTURE

21. Structural defects

Any structural defects present?

FSTPRES

IF YES, DESCRIBE BELOW

IF YES OR NO, COMPLETE HHSRS ASSESSMENT AT BOTTOM OF PAGE

FST...	Defect ..DE	Action required?			Monitor/ examine further?		Action described elsewhere on form?	Action required on assumption problem is progressive							
		..AC	..MN	..EL	Treatment?			Any additional action required that is not accounted for elsewhere							
					Extent										
Roof sagging ..SAG..	Y	Y	N	Y	N	Y	N								
Roof humping ..HUM..	Y	Y	N	Y	N	Y	N								
Roof spreading ..SPR..	Y	Y	N	Y	N	Y	N	Tie-ing ..TI	Y	N	Number: ..NO				
								Other ..OT	Y	N	Specify ..SP				
Sulphate attack ..SUL..	Y	Y	N	Y	N	Y	N	Chimney-liner ..CL	Y	N	Linear metres ..LM				
								Other ..OT	Y	N	Specify ..SP				
Unstable parapets ..PAR..	Y	Y	N	Y	N	Y	N								
Wall bulging ..BUL..	Y	Y	N	Y	N	Y	N	Tie rods ..TR	Y	N	Number: ..TN				
								Strapping ..ST	Y	N	Number: ..SN				
								Other ..OT	Y	N	Specify ..SP				
Differential movement ..MOV..	Y	N	Y	N	Y	N	Movement-joint ..MJ	N		Linear metres ..LM					
							Other ..OT	Y	N	Specify ..SP					
Lintel failure ..LIN..	Y	Y	N	Y	N	Y	N	Replace lintels ..RN	Y	N	Number: ..NO				
Wall tie failure ..TIE..	Y	Y	N	Y	N	Y	N	Insert wall ties ..IN	Y	N	Wall area: ..WA				
Unstable floors, stairs or ceilings ..UNS..	Y	Y	N	Y	N	Y	N								
Dry rot/Wet rot ..ROT..	Y	Y	N	Y	N	Y	N	Wall & timber treatment ..TR	Y	N	Basement 1	One room 2	One floor 3 ..EX	Loft 4	Most of building 5
Wood-borer infestation ..BOR..	Y	Y	N	Y	N	Y	N	Timber treatment ..TR	Y	N	Basement 1	One room 2	One floor 3 ..EX	Loft 4	Most of building 5
Adequacy of balconies / projections ..BAL..	Y	Y	N	Y	N	Y	N	Replace fixings ..RN	N		Total number: ..NO				
								Other ..OT	Y	N	Specify ..SP				
Foundation settlement ..FOU..	Y	Y	N	Y	N	Y	N	Underpin ..UN	Y	N	Linear metres ..LM				
								Other ..OT	Y	N	Specify ..SP				
Integrity of structural frame ..ISF..	Y	Y	N	Y	N	Y	N	Making-good ..MG	Y	N	Wall area ..WA				
								Replace frame ..RN	Y	N					
Integrity of wall panels ..IWP..	Y	Y	N	Y	N	Y	N	Replace fixings ..RN	N		Total number: ..NO				
								Other ..OT	Y	N	Specify ..SP				
Boundary wall - unsafe height ..BWH..	Y	Y	N	Y	N		N	} Replace FSTBWRE	Y	N	Wall area FSTBWREA				
Boundary wall - out of plumb ..BWP..	Y	Y	N	Y	N		N		Repair FSTBWRP	Y	N	Wall area FSTBWRPA			
Boundary wall - horizontal cracking ..BWC..	Y	N	Y	N		N	Demolish FSTBWDM		Y	N	Wall area FSTBWDMA				
Unstable retaining wall ..RET..	Y	Y	N	Y	N	Y	N								
Any other problems ..OTH..	Y	N	Y	N	Y	N		Specify ..ST			Specify ..SE				

HHSRS

FSTHSSCO Structural collapse
and falling elements

Significantly lower risk than average	Average risk	Significantly higher risk than average	Extreme risk
1	2	3	4
Describe 'extreme risk' in Section 22			

22. Housing Health and Safety Rating System

SPSS HHSRS

Refer back to all the HHSRS flags. Consider each of the following hazards in turn in relation to the dwelling as a whole. Decide whether any hazards are significantly worse than average and need to be scored individually on pages 21 - 22. Decide if there are any other hazards listed below which represent an extreme risk. If yes, indicate below and describe risk. If there are no hazards to score move to the Local Area section on page 23.

HAZARDS WHICH MAY REQUIRE SCORING

Hazard	FHS...	Review whole survey form, especially:	Significantly lower risk than average	Average risk	Significantly higher risk than average
Falling on stairs etc	..STAIR	Check flags on pages 3, 10, 12, 17	1	2	3
Falling on level surfaces	..ONLEV	Check flags on pages 3, 10, 12, 17	1	2	3
Falling between levels	..BTLEV	Check flags on pages 3, 10, 12, 17	1	2	3
Fire	..FIRE	Check flags on pages 3, 10	1	2	3
Flames, hot surfaces, etc	..HOTSF	Check flags on pages 3, 10	1	2	3
Damp and mould growth	..DAMP	Check flags on pages 3, 10, 17		2	3

Are any hazards significantly higher than average (code 3)?
If **Yes**, describe below and score hazard on pages 21-22

FHSAHWA
FHSMEAS

OTHER HAZARDS IDENTIFIED AS POSING AN EXTREME RISK

Hazard	Review whole survey form, especially:	Extreme risk?
Falls associated with baths etc	FHSFBATH	Y
Entry by intruders	FHSEENTRY	Y
Noise	FHSNOISE	Y
Collision and entrapment	FHSCENT	Y
Excess heat	FHSEXHT	Y
Lighting	FHSLIGHT	Y
Water supply for domestic purposes	FHSWATER	Y
Food safety	FHSFOOD	Y
Personal hygiene, sanitation and drainage	FHSPHYG	Y
Position and operability of amenities	FHSPOA	Y
Uncombusted fuel gas	FHSUNGAS	Y
Explosions	FHSEXPLO	Y
Electrical safety	FHSELS	Y
Carbon monoxide and fuel combustion products	FHSCO	Y
Domestic hygiene, pests and refuse	FHSDHYG	Y
Structural collapse and falling elements	FHSSCOLL	Y

If **Yes**, to any of the above, describe extreme risk below and specify treatment

FHSXRISK

SPSS HHSRS

Falling on stairs etc.

FHSST...

Significantly higher
than average

FHSSTWA

Y N

Average
Pre 1919Likelihood of a person over 60 having
a fall leading to harm

..LIK				1800	1000	560	320	180	100	56	32	18	6	2
-------	--	--	--	------	------	-----	-----	-----	-----	----	----	----	---	---

Likely outcome if
a person over 60
should fall

Class 1 Extreme %

..EX	0.1	0.2	0.5	1	2.2	4.6	10	21.5	31.6	46.4	100
------	-----	-----	-----	---	-----	-----	----	------	------	------	-----

Class 2 Severe %

..SV	0.1	0.2	0.5	1	2.2	4.6	10	21.5	31.6	46.4	100
------	-----	-----	-----	---	-----	-----	----	------	------	------	-----

Class 3 Serious %

..SR	0.1	0.2	0.5	1	2.2	4.6	10	21.5	31.6	46.4	100
------	-----	-----	-----	---	-----	-----	----	------	------	------	-----

Must not
add up to
>100.2%

Action required

FHSST...	Action required?	Action	Coded elsewhere?	Quantity
..IHA	Y	Install handrail	..IHD Y N	Metres: ..IHQ
..IBA	Y	Install balustrade	..IBD Y N	Metres: ..IBQ
..CVA	Y	Cover dangerous balustrade/guarding	..CVD Y N	Metres: ..CVQ
..RPA	Y	Repair/replace internal staircase (S5)	..RPD Y	
..RDA	Y	Redesign internal, common or external staircase (design, not condition)	..RDD N	Number: ..RDQ
..COA	Y	Repair/replace external/common staircase (S9)	..COD Y	
..EXA	Y	Repair/replace external steps (S11, S18)	..EXD Y N	Number: ..EXQ
..CSA	Y	Cover slippery stairs	..CSD Y N	Flights: ..CSQ
..LIA	Y	Repair/replace/provide additional lighting (S5, S9, S11)	..LID Y N	Number: ..LIQ
..ROA	Y	Remove obstacle	..ROD N	Number: ..ROQ

Falling on level surfaces etc.

FHSLV...

Significantly higher
than average

Y N

FHSLVWA

Average

Likelihood of a person over 60 having
a fall leading to harm

..LIK				1000	560	320	180	100	56	32	18	6	2
-------	--	--	--	------	-----	-----	-----	-----	----	----	----	---	---

Likely outcome if
a person over 60
should fall

Class 1 Extreme %

..EX	0.1	0.2	0.5	1	2.2	4.6	10	21.5	31.6	46.4	100
------	-----	-----	-----	---	-----	-----	----	------	------	------	-----

Class 2 Severe %

..SV	0.1	0.2	0.5	1	2.2	4.6	10	21.5	31.6	46.4	100
------	-----	-----	-----	---	-----	-----	----	------	------	------	-----

Class 3 Serious %

..SR	0.1	0.2	0.5	1	2.2	4.6	10	21.5	31.6	46.4	100
------	-----	-----	-----	---	-----	-----	----	------	------	------	-----

Must not
add up to
>100.2%

Action required

FHSLV...	Action required?	Action	Coded elsewhere?	Quantity
..RFA	Y	Repair floors (S5, S9)	..RFD Y	
..RPA	Y	Repair paths/external surfaces (S11, S18)	..RPD Y	
..RTA	Y	Remove trip steps (S5, S9)	..RTD N	Number: ..RTQ
..RDA	Y	Redesign external pathways (S11, S18)	..RDD N	Metres: ..RDQ
..CVA	Y	Cover slippery surfaces	..CVD Y N	Sq m: ..CVQ
..LIA	Y	Repair/replace/provide additional lighting (S5, S9, S11)	..LID Y N	Number: ..LIQ
..ROA	Y	Remove obstacle	..ROD N	Number: ..ROQ

Falling between levels

FHSBT...

Significantly higher
than average

Y N

FHSBTWA

Average

Likelihood of a child under 5 having a
fall leading to harm

..LIK	5600	3200	1800	1000	560	320	180	100	56	32	18	6	2
-------	------	------	------	------	-----	-----	-----	-----	----	----	----	---	---

Likely outcome if
a child under 5
should fall

Class 1 Extreme %

..EX	0.1	0.2	0.5	1	2.2	4.6	10	21.5	31.6	46.4	100
------	-----	-----	-----	---	-----	-----	----	------	------	------	-----

Class 2 Severe %

..SV	0.1	0.2	0.5	1	2.2	4.6	10	21.5	31.6	46.4	100
------	-----	-----	-----	---	-----	-----	----	------	------	------	-----

Class 3 Serious %

..SR	0.1	0.2	0.5	1	2.2	4.6	10	21.5	31.6	46.4	100
------	-----	-----	-----	---	-----	-----	----	------	------	------	-----

Must not
add up to
>100.2%

Action required

FHSBT...	Action required?	Action	Coded elsewhere?	Quantity
..WCA	Y	Install window safety catches	..WCD N	Number: ..WCQ
..LIA	Y	Repair/replace/provide additional lighting (S5, S9, S11)	..LID N	Number: ..LIQ
..BAA	Y	Brick-up dangerous opening / raise cill height	..BUD N	Number: ..BUQ
..BUA	Y	Repair/replace balconies (S9, S18)	..BAD	
..PLA	Y	Repairs to plot (S11, S18)	..PLD	
..GBA	Y	Repair/replace existing guarding/balustrading (S5, S9, S11, S18)	..GBD	
..GIA	Y	Install new guarding/balustrading/cover	..GID N	Metres: ..GIQ
..ROA	Y	Remove obstacle	..ROD N	Number: ..ROQ

Fire

SPSS HHSRS

Significantly higher
than average

Y N

FHSFRWA

Average Ave flat

Likelihood of a fire occurring leading to
harm if occupied by a person over 60

5600	3200	1800	1000	560	320	180	100	56	32	18	6	2
------	------	------	------	-----	-----	-----	-----	----	----	----	---	---

Likely outcome if
occupied by a
person over 60

Class 1 Extreme %

..EX

0.1	0.2	0.5	1	2.2	4.6	10	21.5	31.6	46.4	100
-----	-----	-----	---	-----	-----	----	------	------	------	-----

Class 2 Severe %

..SV

0.1	0.2	0.5	1	2.2	4.6	10	21.5	31.6	46.4	100
-----	-----	-----	---	-----	-----	----	------	------	------	-----

Class 3 Serious %

..SR

0.1	0.2	0.5	1	2.2	4.6	10	21.5	31.6	46.4	100
-----	-----	-----	---	-----	-----	----	------	------	------	-----

Must not
add up to
>100.2%

Action required

FHSFR...	Action required?	Action	Coded elsewhere?	Quantity
..ELA	Y	Repair/replace electrical system (S5)	..ELD Y	
..SOA	Y	Provide additional sockets	..SOD N	Number: ..SOQ
..HTA	Y	Repair/replace or reposition heater (S5)	..HTD Y N	Number: ..HTQ
..RCA	Y	Relocate cooker	..RCD N	Number: ..RCQ
..RKA	Y	Re-fit, extend, re-site kitchen (S5)	..RKD Y N	Number: ..RKQ
..CAA	Y	Repair/Install precautions to common areas (S9)	..CAD Y N	Sq m: ..CAQ
..PSA	Y	Replace non fire resistant/smoke permeable structure/poly. tiles	..PSD Y N	Sq m: ..PSQ
..USA	Y	Upgrade stairway to protected route	..USD Y N	Flights: ..USQ
..HSA	Y	Replace inadequate heating system	..HSD N	
..FWA	Y	Provide fire stop wall to loft space	..FWD N	Number: ..FWQ
..SCA	Y	Provide self-closing doors	..SCD Y N	Number: ..SCQ
..IDA	Y	Install smoke detection measures	..IDD Y N	Number: ..IDQ
..OWA	Y	Provide suitable openable windows/doors for MOE (S5, S9)	..OWD N	Number: ..OWQ
..FEA	Y	Provide fire escape	..FED N	Flights: ..FEQ
..ROA	Y	Remove obstacle	..ROD N	Number: ..ROQ

Flames, hot surfaces etc.

Significantly higher
than average

Y N

FHSHWSA

Average

FHSHS...

Likelihood of a child under 5 being
burnt/scalded

..LIK

			1000	560	320	180	100	56	32	18	6	2
--	--	--	------	-----	-----	-----	-----	----	----	----	---	---

Likely outcome if
a child under 5 is
burnt/scalded

Class 1 Extreme %

..EX

<0.1	0.2	0.5	1	2.2	4.6	10	21.5	31.6	46.4	100
------	-----	-----	---	-----	-----	----	------	------	------	-----

Class 2 Severe %

..SV

0.1	0.2	0.5	1	2.2	4.6	10	21.5	31.6	46.4	100
-----	-----	-----	---	-----	-----	----	------	------	------	-----

Class 3 Serious %

..SR

0.1	0.2	0.5	1	2.2	4.6	10	21.5	31.6	46.4	100
-----	-----	-----	---	-----	-----	----	------	------	------	-----

Must not
add up to
>100.2%

Action required

FHSHS...	Action required?	Action	Coded elsewhere?	Quantity
..RHA	Y	Repair, replace or reposition heater, heating or hot water pipes, or cover (S5)	..RHD N	Number: ..RHQ
..RCA	Y	Relocate cooker	..RCD N	Number: ..RCQ
..RKA	Y	Re-fit, extend, re-site kitchen (S5)	..RKD Y N	Number: ..RKQ
..ROA	Y	Remove obstacle	..ROD N	Number: ..ROQ

Damp and Mould Growth

Significantly higher
than average

Y N

FHSDAWA

Average

Likelihood of a person under 15
suffering illness

..LIK

				560	320	180	100	56	32	18	6	2
--	--	--	--	-----	-----	-----	-----	----	----	----	---	---

Action required

FHSDA...	Action required?	Action	Coded elsewhere?	Quantity
..RDA	Y	Treat rising damp (S5, S18)	..RDD Y	
..PDA	Y	Treat penetrating damp, leaking pipes and services (S5, S18)	..PDD Y N	Number: ..PDQ
..EXA	Y	Condensation - extractor fans to install/repair (S5)	..EXD N	Number: ..EXQ
..WIA	Y	Condensation - repair/provide opening window (S9, S18)	..WID Y N	Number: ..WIQ
..HTA	Y	Repair/replace/improve heating system (S5)	..HTD Y N	Number: ..HTQ
..INA	Y	Improve Insulation (S5, S6, S16, S18)	..IND Y	

24. Local area

SPSS AROUND

Clearly define an area of manageable size before completing this page.

Nature of area

FARNATUR

Urban			Rural		
Commercial City/town centre 1	Urban 2	Suburban residential 3	Rural residential 4	Village centre 5	Rural 6

Number of dwellings in area

FARDWELL

Under 25 1	25-49 2	50-99 3	100-299 4	300-499 5	500+ 6	Isolated 7	If isolated go to visual quality
---------------	------------	------------	--------------	--------------	-----------	---------------	----------------------------------

Predominant age

FARPRAGE

Pre 1919 1	1919-1944 2	1945-1964 3	1965-1980 4	Post 1980 5	None 6
---------------	----------------	----------------	----------------	----------------	-----------

Predominant residential building type

FARTYPES

Houses				Flats				Mixed houses and flats 9
Terraced 1	Semi-detached 2	Detached 3	Mixed houses 4	Converted flats 5	Low rise flats 6	High rise flats 7	Mixed flats 8	

Predominant tenure as built

FARTENUR

Privately built 1	Local authority built 2	Housing association built 3	Mixed tenure 4	Impossible to ascertain 9
----------------------	----------------------------	--------------------------------	-------------------	------------------------------

Estate

Number of dwellings on estate

FARESTAT

Not on estate 8	Same as area 1	Under 25 2	25-49 3	50-99 4	100-299 5	300-499 6	500+ 7
--------------------	-------------------	---------------	------------	------------	--------------	--------------	-----------

If area is L.A. estate, % of RTB dwellings

FARRTB

Not on L.A. estate 8	None (0%) 1	1-10% 2	11-25% 3	26-50% 4	51-75% 5	76-99% 6	100% 7
-------------------------	----------------	------------	-------------	-------------	-------------	-------------	-----------

Visual quality of local area	Best				Worst		
	1	2	3	4	5	6	7
FARQUALI							

Problems in local area

		No problems			Major problems		
		1	2	3	4	5	
Litter/rubbish/dumping	FARLITTR	1	2	3	4	5	
Graffiti	FARGRAFF	1	2	3	4	5	
Vandalism	FARVANDA	1	2	3	4	5	
Dog/other excrement	FAREXCRE	1	2	3	4	5	
Condition of dwellings	FARCOND	1	2	3	4	5	
Vacant sites	FARSITES	1	2	3	4	5	
Intrusive industry	FARINDUS	1	2	3	4	5	
Non-conforming uses	FARNOCON	1	2	3	4	5	
Vacant/boarded-up buildings	FARVACNT	1	2	3	4	5	
Ambient air quality	FARAIRQU	1	2	3	4	5	
Heavy traffic	FARTRAFF	1	2	3	4	5	
Intrusion from motorways/main roads	FARMOTOR	1	2	3	4	5	
Railway/aircraft noise	FARRAILS	1	2	3	4	5	
Nuisance from street parking	FARPARKS	1	2	3	4	5	
Scruffy gardens/landscaping	FARGRDNS	1	2	3	4	5	
Scruffy/neglected buildings	FARBLDGS	1	2	3	4	5	
Condition of road, pavements and street furniture	FARROADS		2	3	4	5	

Notes: