

## **DIGITAL PEN PROCEDURE**

### **1.0.14**

**Ensure the pen is charged, remove pen lid and;**

- 1. Mark Edit Form box,**
- 2. Write unique survey number,**
- 3. Code unique survey number.**

Choose a new two-digit survey code; the code must be a number that has not previously been used by you during the survey year.

After uploading your survey to the BRE website the system will add your surveyor number and the year of the survey to this unique two-digit number to make up the usual six digit survey number.

## 1. SURVEY RECORD

1.1

Indicate if a visit was made and if it was a pre-booked appointment, by yourself or the CADS helpline.

Give the date, start and finish times (**using the 24-hour clock**) of each visit made. At the end of each visit you should indicate what the outcome was.

1. **Full/completed survey.** A full survey has been achieved, or a partial survey from a previous visit has been added to and completed.
2. **Partial survey/come back to finish.** A survey has been started and it is intended to come back and complete it at a later date.
3. **Partial survey then refusal.** A survey has been started, but has been terminated at the request of the household/owner. There will be no opportunity to come back and complete it.
4. **Refusal on doorstep,** regardless of whether or not an appointment was made.
5. **HQ refusal after surveyor visit – after the surveyor visit the respondent contacts either CADS or the surveyor direct to refuse a survey.**
6. **Household missed appointment – no/unproductive contact.** You arrive to complete a survey at a specified time, but there is nobody in or contact is made but no access achieved and no future appointment agreed
7. **Household missed appointment – rescheduled.** You arrive to complete a survey at a specified time, but it is not convenient and you re-arrange the appointment.
8. **Surveyor missed appointment – no contact.** You are too late/early for your specified appointment and there is nobody to let you in.
9. **Surveyor missed appointment – rescheduled.** You are too late/early for your appointment. It is not convenient and so you re-schedule the visit.
10. **Speculative call – no/unproductive contact.** It has not been possible to arrange/re-arrange an appointment so you make a speculative call, but do not make contact or contact is made but no access achieved and no future appointment agreed.
11. **Speculative call – appointment scheduled.** Use this code if, on a speculative call, you are able to make an appointment to return at a later time to carry out a survey. This will typically occur following a broken appointment or when attempting to access a vacant property.
13. **Address untraceable.** Address not found despite searches. [Contact CADS HQ].
14. **Dwelling derelict.** Dwelling is derelict and cannot be entered safely.
15. **Dwelling demolished.** Dwelling has recently been demolished but there is clear evidence that it existed.
16. **No longer usable as dwelling.** Dwelling so structurally altered that it could not be used for residential accommodation.
17. **Other reason for non-survey.** Write in reason on notes page of form. If ringed, category will then be recorded as a final outcome. Use this only if the reason for the non survey cannot reasonably be recorded under the other available options. Use this code if you determine that the address is a second home or holiday home.

If you are likely to undertake more than five visits, do not complete the final visit column until you are sure that it is indeed to be the last visit.

**Remember, you need to complete the relevant parts of pages 1 and 2 of the survey form for all addresses referred to you where you have made at least 1 visit. – Please refer to the manual for exceptions e.g. dwellings demolished.**

## 2. DWELLING IDENTIFICATION

1.2

**Is the dwelling address passed on to you by the interviewer a single dwelling?**

1.2.2

If address is a single dwelling, ring **Yes** and go directly to Section 3. If address is not a single dwelling, ring **No** and specify whether:

1. **The address referred by interviewer is only part of a dwelling.** Write in the number of addresses that combine to make a dwelling.
2. **The address referred by interviewer is more than one dwelling.** Write in the number of dwellings present at the address. Select one dwelling from the KISH grid below.
3. **The address referred by interviewer includes some non-residential use.** [Confirm with CADS if unsure]. Write in the number of dwellings at the address. 'Use KISH grid below to select 1 dwelling if necessary'.

### Kish Grid

**Remember to ring either the Helpline or your RM to obtain the address ID. Please note (This is NOT the survey case number or the number that appears on the bar code label).**

|            |    | NUMBER OF DWELLINGS AT ADDRESS |   |   |   |   |   |   |   |   |    |    |    |    |    |    |
|------------|----|--------------------------------|---|---|---|---|---|---|---|---|----|----|----|----|----|----|
|            |    | 1                              | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 |
| ADDRESS ID | 01 | 1                              | 1 | 1 | 2 | 3 | 4 | 5 | 5 | 5 | 5  | 5  | 5  | 6  | 6  | 6  |
|            | 02 | 1                              | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 |
|            | 03 | 1                              | 2 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9  | 10 | 11 | 12 | 13 | 14 |
|            | 04 | 1                              | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 1  | 1  | 2  | 2  | 2  |
|            | 05 | 1                              | 2 | 3 | 3 | 2 | 3 | 4 | 4 | 4 | 4  | 4  | 4  | 5  | 5  | 5  |
|            | 06 | 1                              | 1 | 2 | 1 | 1 | 2 | 2 | 2 | 2 | 2  | 2  | 2  | 3  | 3  | 3  |
|            | 07 | 1                              | 1 | 1 | 2 | 2 | 1 | 3 | 3 | 3 | 3  | 3  | 3  | 4  | 4  | 4  |
|            | 08 | 1                              | 2 | 3 | 4 | 5 | 6 | 7 | 6 | 7 | 8  | 9  | 10 | 11 | 12 | 13 |
|            | 09 | 1                              | 2 | 2 | 3 | 4 | 4 | 5 | 6 | 6 | 7  | 7  | 8  | 9  | 10 | 11 |
|            | 10 | 1                              | 1 | 2 | 2 | 3 | 3 | 4 | 5 | 5 | 6  | 6  | 7  | 8  | 9  | 10 |
|            | 11 | 1                              | 2 | 3 | 4 | 5 | 5 | 6 | 8 | 9 | 8  | 8  | 9  | 10 | 11 | 12 |
|            | 12 | 1                              | 1 | 1 | 1 | 3 | 2 | 2 | 3 | 3 | 3  | 3  | 6  | 7  | 7  | 8  |
|            | 13 | 1                              | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 1  | 1  | 1  | 1  | 1  |
|            | 14 | 1                              | 2 | 3 | 3 | 4 | 3 | 3 | 4 | 4 | 4  | 4  | 3  | 3  | 8  | 9  |
|            | 15 | 1                              | 1 | 2 | 2 | 2 | 2 | 1 | 2 | 2 | 2  | 2  | 2  | 1  | 1  | 7  |
|            | 16 | 1                              | 2 | 3 | 4 | 3 | 6 | 4 | 7 | 8 | 7  | 8  | 7  | 7  | 7  | 7  |
|            | 17 | 1                              | 1 | 1 | 1 | 1 | 4 | 2 | 2 | 6 | 5  | 6  | 5  | 5  | 5  | 5  |
|            | 18 | 1                              | 2 | 2 | 2 | 2 | 5 | 3 | 3 | 7 | 6  | 7  | 6  | 6  | 6  | 6  |
|            | 19 | 1                              | 2 | 3 | 4 | 5 | 4 | 7 | 6 | 7 | 10 | 11 | 10 | 11 | 12 | 12 |
|            | 20 | 1                              | 1 | 2 | 3 | 4 | 3 | 6 | 5 | 5 | 9  | 10 | 9  | 9  | 9  | 9  |
|            | 21 | 1                              | 2 | 1 | 2 | 3 | 2 | 5 | 4 | 4 | 5  | 9  | 8  | 8  | 8  | 8  |
|            | 22 | 1                              | 1 | 1 | 1 | 2 | 1 | 3 | 1 | 3 | 3  | 5  | 4  | 4  | 4  | 3  |
|            | 23 | 1                              | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 |
|            | 24 | 1                              | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 8  | 9  | 11 | 12 | 13 | 13 |
|            | 25 | 1                              | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 2  | 3  | 2  | 2  | 1  |
|            | 26 | 1                              | 2 | 3 | 3 | 3 | 4 | 4 | 4 | 6 | 6  | 5  | 7  | 10 | 10 | 10 |
|            | 27 | 1                              | 1 | 2 | 2 | 1 | 2 | 2 | 2 | 2 | 2  | 3  | 4  | 5  | 3  | 2  |
|            | 28 | 1                              | 2 | 2 | 4 | 4 | 5 | 5 | 6 | 6 | 7  | 7  | 9  | 10 | 11 | 11 |
|            | 29 | 1                              | 2 | 3 | 4 | 5 | 6 | 6 | 8 | 8 | 9  | 10 | 11 | 12 | 13 | 14 |
|            | 30 | 1                              | 1 | 1 | 1 | 2 | 3 | 2 | 3 | 3 | 4  | 4  | 5  | 6  | 6  | 4  |

**Address surveyed same as address referred to by interviewer?**

1.2.2

If the address of the dwelling you will survey is the same as the address passed on by the interviewer, ring **yes** and continue to Section 3. If the address is not the same as that referred by Interviewer, ring **No** and notify your regional manager of amended address.

### 3. DWELLING DESCRIPTION AND OCCUPANCY

1.3

#### Type of occupancy

1.3.1

**Single family dwelling.** One household, extended family or mortgage sharers.

**Shared house.** Typically, students/others who club together to rent a house/flat as a group.

**Household with lodgers.** One or more paying lodgers.

**Bedsits or flatlets.** Dwelling converted to provide bedsits/flatlets/rooms occupied by separate households. Two or more households must share amenities.

**Purpose built with shared amenities.** Purpose built version of 4 above, often sheltered accommodation.

**Hostel/B&B.** Accommodation provided on a commercial basis.

For the purposes of the EHS, an HMO is defined as a dwelling where households share one or more key amenities with other households.

A household is one person living alone, or a group of people, who may or may not be related, living at the same dwelling, who share at least one living or sitting room and/or have a regular arrangement to share at least one meal a day.

**If codes 4, 5 or 6 are used, these dwellings are defined as HMOs, at this point you must phone your RM to talk through the property if it is an address that has not been allocated to you as an HMO by them.**

**N.B the HMO definition is for EHS purposes only and is not the definition found under the current Housing Acts.**

You should confirm the tenure, construction date and occupancy with the household (or neighbour if vacant). However, if you disagree with their views (i.e. on construction date) you should enter your own judgement.

#### DWELLING TYPE

1.3.3

5. Include prefabs, caravans, mobile homes, houseboats but exclude park homes.
9. A 'park home' is a temporary dwelling which is located on a managed site, alongside other similar homes.
6. Originally constructed as flats; include flats above shops with separate access.
7. Converted to flats which have been defined as separate dwellings (if not separate dwellings, define building as appropriate house type).
8. Residents have to pass through non-residential to gain access to residential.

#### TENURE

1.3.4

Ask occupant, or neighbour if property vacant/access not gained.

1. Outright owners/buying with a mortgage/shared owners.
2. Renting from private landlord, private company/other organisation/relative/friend.
3. Renting from local authority.
4. Renting from a housing association (RSL) / co - operative/housing charitable trust.

#### CONSTRUCTION DATE

1.3.5

Record date of original construction. If a property has a large later extension or been partially rebuilt, record age of the oldest part even if it accounts for less than half of the area of dwelling. In all cases, you need to enter the actual construction date within the overall age band chosen. If possible, use any definite information available e.g. Date from wall plaque, reliable owner information. If there is no clear indication of an exact date enter your best guess based on your own judgement. The purpose of this information is to give more accurate dates within the date bands for dwelling identification and to be able to link dwellings to the building regulations implementation for insulation purposes.

If the dwelling has been converted from original use e.g. from

a barn or warehouse then the construction date of the barn or warehouse should be recorded here. The date of conversion

from *non-residential use* is then recorded in Section 15.

#### OCCUPANCY

1.3.6

##### Whether Occupied

1. Obvious signs of being inhabited.
2. Unoccupied sale/sold notice outside or information from neighbour.
3. Unoccupied and rental/to let signs or information from neighbour.
4. Part of a group in process of being demolished or demolition notice on dwelling.
5. Building work in progress.
6. Newly constructed dwelling or new conversion.
7. In non-residential use but could be converted back without undertaking major works.
8. Vacant for reason other than above.

Write in figures for year/months either occupied or vacant. If less than one month, round up to 01.

If the occupants have lived at the address for 6 months or less, ask for the actual date they moved in and write the date in the relevant box.

1.3.7

#### SOURCE OF INFORMATION

1.3.10

### 4. MODULE ASSOCIATED WITH ADDRESS

1.4

This refers to the module or building associated with the address surveyed which may not be the same as the survey dwelling.

1.4.1

1. Include all single-family houses, shared houses and households with lodgers and houses with "granny annexes" and prefabs.
2. A converted building which now contains more than one unit of accommodation.
3. A building containing more than one unit of accommodation and originally constructed as flats.

#### Have all the accommodation units' exclusive use of key amenities?

1.4.2

NB: Shared amenities means that the WC, bathroom and/or kitchen are used by more than one household.

1. All units have exclusive use of their own WC, bathroom and kitchen.
2. Some accommodation units have exclusive use of their own WC, bathroom or kitchen whilst others share these amenities with other households.
3. All the accommodation units share at least one WC, bathroom or kitchen with other households.

#### Number of units with exclusive use of amenities

1.4.3

Write in the number.

#### Number of units with shared amenities

1.4.4

Count the number of possible lettings which share WC, bathroom or kitchens in the whole module (i.e. not just the actual number that share a particular amenity) and write in.

that room.

## HEATING AND SERVICES 1.5.22

Record presence, not condition.

## DEFECTS 1.5.25

Record any significant problems that will impact on your HHSRS assessments. Include any problems you may have found in other rooms which are not required to be surveyed in detail.

## RATS AND MICE 1.5.35

Code if evidence seen.

## STAIRS WITHIN DWELLING 1.5.36

**Faults** – relate to condition of structure of staircase, not design 1.5.39

## SECURITY OF DWELLING 1.5.40

### Entrance Door – High 1.5.41

Solid/double glazed with auto deadlocks

### Accessible Windows – High 1.5.43

Double glazed with key locks

### Burglar alarms / smoke detectors 1.5.46

Do not test. Record yes if present and probably working. Record no if not present or clearly not working.

### Carbon monoxide detector 1.5.47

Code 'Y' if an audible detector is present and in working order. Record 'N' if not present or clearly not in working order.

### Sprinkler / mister system 1.5.48

Code 'Y' if a sprinkler or mister system is present inside the survey dwelling.

## ADAPTIONS AND ACCESSIBILITY 1.5.49

Is the dwelling accessible to wheelchair users?

### Flush threshold – no obstruction>15mm 1.5.50

### Room on entry floor suitable for bedroom 1.5.51

Large enough to accommodate single bed, provide privacy and be heated. Not main living room, kitchen, bathroom.

### Bathroom at entrance level 1.5.52

### WC at entrance level (internal) 1.5.53

### Wheelchair accessible WC at entrance level 1.5.54

WC with minimum 750mm outwards opening door, 450mm from centre of cistern to wall at each side of WC compartment, 750mm in front of WC. Wheelchair user able to enter amenities unaided. WC at entrance or principal storey of dwelling.

### Changes in floor level/trip steps at entrance level within the dwelling 1.5.55

### Doorsets and circulation meet Part M4(1) 1.5.56

Record **Yes** if the doors and circulation space serving habitable rooms + kitchen, bathroom and WC comply with Part M4(1) regs, as follows:

### Minimum widths of corridors and passageways for a range of doorway widths

| Doorway clear opening width (mm) | Corridor/passageway width (mm)   |
|----------------------------------|----------------------------------|
| 750 or wider                     | 900 (when approach head-on)      |
| 750                              | 1200 (when approach not head-on) |
| 775                              | 1050 (when approach not head-on) |
| 800                              | 900 (when approach not head-on)  |

### Straight stairs with landings>900mm 1.5.57

## ADAPTATIONS FOR DISABLED PEOPLE 1.5.58

### Ramps – must not be steep. 1.5.59

### Grab rails – at an appropriate height. 1.5.60

### Stair lift/through floor lift – proprietary type. 1.5.61

### Hoists – proprietary type. 1.5.62

### Electrical modifications – power points at appropriate height. 1.5.63

## HHSRS 1.5.64

Average risk = average for age and type of dwelling. Significantly higher than average risks will advertise themselves to you. If significantly worse than average score in Section 22.

## 5. INTERIOR 1.5

### INTEGRAL GARAGE 1.5.3

Include if >5m<sup>2</sup> within dwelling floor area.

### INTEGRAL BALCONY 1.5.3

Include if majority does not protrude from face of module. Integral balconies are included in the measurements of the house/module on page 13. If present within flats they are not included in the measurements on page 9.

### HABITABLE ROOMS 1.5.4

Number which provide living accommodation. Include kitchen if space to provide a dining area (enough to accommodate table and chairs, typically an additional space 2m wide by 2m deep).

### DOES ROOM EXIST? 1.5.6

If coded N leave rest of column blank.

### LEVEL 1.5.7

Code the level in relation to the ground floor of the module.

### FUNCTION 1.5.8

Describes intended function (rather than current use, if different) **L** living rooms, studies, offices, playrooms; **K** kitchens; **S** single bedrooms; **T** twin/double bedrooms; **D** dining, living-dining, kitchen-dining rooms; **B** bathrooms; **U** utility rooms; **C** cupboards (at least 3m<sup>2</sup>), store rooms; **X** bedsits.

In the specified living room column only record L, D or X; kitchen column only record K, D or X; bedroom column only record S, T or X.

If only one living room, code this as D providing sufficient space to include living and dining furniture. If more than one dining room only code one as D, code other(s) as L. Only one room can normally be coded as D unless there is also kitchen-diner. Use table to decide whether bedrooms are single or twin/double, unless clear evidence to overrule this.

| Width & depth (metres) | 2.4 or less | 2.5-2.9 | 3.0-3.4 | 3.5-3.9 | 4.0 & above |
|------------------------|-------------|---------|---------|---------|-------------|
| 2.4 or less            | S           | S       | S       | S       | T           |
| 2.5-2.9                | S           | S       | S       | T       | T           |
| 3.0-3.4                | S           | S       | T       | T       | T           |
| 3.5-3.9                | S           | T       | T       | T       | T           |
| 4.0 & above            | T           | T       | T       | T       | T           |

### CEILING HEIGHT 1.5.10

Measure to nearest 10cm (0.1m).

### WIDTH/DEPTH 1.5.11

Internal measurements. Follow 3 general principles:

- Nooks and crannies - do not measure into them
- L-shaped rooms & rooms with non-parallel walls - measure the largest rectangle
- Rooms with fitted cupboards/wardrobes - measure from wall to wall

### ELEMENT BY ELEMENT ASSESSMENT 1.5.12

**N** no faults, go to next element

**Y** faults, complete column.

Treatments in tenths of numbers must add up to 10.

### WALLS: Internal insulation = could be mineral wool between studs, insulated plaster board. Clarify with householder 1.5.17

**Dry lining** the presence of dry lining does not automatically indicate the presence of insulation. If both are present record each individually.

### DOORS - Count doors for room they open into. Doors to "outside" are external and not assessed here. 1.5.18

### WINDOWS/FRAMES 1.5.19

If no window present circle N for Faults, Means of Esc, Sec Glazing

### MEANS OF ESCAPE 1.5.20

Minimum size = 450m x 650mm

Secondary Glazing = sound insulation.

### TRICKLE VENTS TO ROOM 1.5.21

Record 'Y' if a trickle vent is present in any door or window in

Extreme risk – only code 4 in very unusual circumstances, describe in Section 22.

## 5. INTERIOR – AMENITIES

### DRINKING WATER SUPPLY PIPEWORK

Indicate whether pipework seen before and after stopcock. If seen indicate whether lead present.

### AMENITIES GENERAL

#### PRESENT

Y even if had been present but now removed.

#### WORKING

Y even if minor repairs required.

#### ACTION

Answer regardless of whether present or in working order. When not present and never been present, action is install. If present but cannot be used, action is replace.

### KITCHEN AMENITIES

If more than one kitchen, select main kitchen.

### COLD WATER DRINKING SUPPLY

**Present** = include even if only a standpipe in the kitchen.

### HOT WATER

**Present** = fixed supply.

**Working** = capable of supplying steady stream of hot water.

### SINK

**Present** = fixed.

**Working** = has draining board/second bowl; non-porous; connected to fixed waste.

### FIXED WASTE

### COOKING PROVISION

**Present** = cooker point (30 AMP); gas outlet permanently piped; stove or range.

**Adequate space** = 500mm.

### CUPBOARDS

**Adequate** = sufficient storage space for dwelling.

1-2-person min = 1m high level and 1 m accessible base.

3+ person min. = 1.5m high level 1.5 accessible base.

### WORKTOP

**Working** = permanent non-porous/min. 500mm deep.

Measure only “working” worktop.

Exclude draining board.

### EXTRACTOR FAN

Must be electrically powered.

### ARE THERE SIGNIFICANT PROBLEMS WITH:

These are flags which inform the HHSRS. Code ‘Y’ if significantly worse than average.

For Kitchens assess space, layout and cleanability.

### KITCHEN ADAPTED FOR DISABLED USE

Code ‘Y’ if special taps, low work surfaces etc.

### AMENITIES LAST REFURBISHED

Take majority situation, for kitchens. For bathrooms, take age of bath / shower.

**Code 9** - original, used in dwellings of all ages.

### ACTUAL DATE OF REFURBISHMENT

Ask household if this is known. Leave blank if reliable information not available.

### BATHROOM AMENITIES

Include main WC.

### BATH/SHOWER

**Present** = permanently connected to a waste water system.

### HOT AND COLD WATER

Y If both present. Must be fixed supply.

### FLOOR

Where appropriate give location.

**Badly located** = the only bath/shower is located in or accessed through a bedroom.

**External wall surfaces** include walls, ceilings and floors if more than 50% exposed externally.

### WASH HAND BASIN

Kitchen sink does not count as WHB.

### WC INTERNAL

**N** to be external, the entrance door of WC will be open to the outside air.

### WC CLOSE TO WHB

Y WHB in same room, next door or across hall.

### WC IN BATHROOM

Y WC in same room.

### WC EXTRACTOR FAN

Complete only where WC not in bathroom

### EXTRACTOR FAN IN BATHROOM

Must be electrically powered.

### ARE THERE SIGNIFICANT PROBLEMS WITH:

These are flags which inform the HHSRS. Code ‘Y’ if significantly worse than average.

For Bathrooms assess space, layout, cleanability and location.

### ANY BATHROOM ADAPTED FOR DISABLED USE

Code ‘Y’ if there are special adaptations such as hoists, door entry baths, grab rails etc, present in any bathroom.

### ANY BATHROOM WHEELCHAIR ACCESSIBLE

To record **Yes** to this question, the bathroom should be designed for ease of access for a wheelchair user to the bath, WC and wash hand basin and incorporate: -

- Turning circle of minimum 1500mm diameter within the bathroom allowing sufficient space for a wheelchair user to access the amenities.
- 750mm space adjacent to the WC to provide sufficient space for side access to the WC.
- 700mm x 1100mm space adjacent to the bath preferably at the tap end, to provide sufficient space for access to the bath.
- 700mm x 1100mm space adjacent to the wash hand basin to provide sufficient space for access.

### DOES ANY SHOWER HAVE LEVEL ACCESS?

Record the presence and floor location of any shower in the dwelling which has level access. To record ‘Y’ there must be no lip present.

### SECONDARY AMENITIES

Same principles employed above.

### EXTREME RISKS

Falls associated with baths.

Extreme risks – only code 4 in very unusual circumstances. Describe in Section 22.

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>5. INTERIOR – PRIMARY SERVICES</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | <b>1.5.110</b> |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>GAS SYSTEM</b><br>Include non-mains gas system e.g. Liquid Petroleum Gas (LPG).<br><br><b>Action</b> - Code 'action' whether or not a system is currently present. When a system has been but is no longer present code 'Replace'. Only use 'repair' if there is definite evidence of a fault. Refer to Part 2 of the manual for examples of faults and treatments.                                                                                                                                                                                                                                                                                                                                               | <b>1.5.113</b> | <b>Cartridge fuses</b><br>These are similar to the ones used in modern electrical plugs, and are simply thrown away and replaced if they 'blow'.<br><br><b>Miniature circuit breakers (MCBs)</b><br>They are only found in the modern type of consumer unit. They take up a single width of the modular slots, and are identifiable by the small 'handle' which is used to open or close the circuit manually, or which is 'tripped' automatically if the current exceeds the overload level printed on the front of the MCB (e.g. B6, B32, referring to 6A, 32A, etc.).                                                                                                                                                                                |
| <b>HHSRS</b><br>Uncombusted fuel gas, explosions<br>Extreme risks – only code 4 in very unusual circumstances.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | <b>1.5.115</b> | <b>Personal protection</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>ELECTRICAL SYSTEM</b><br>Include non-mains electrical system<br><br><b>SMART METERS</b><br>This question is asked separately of both gas and electricity meters (if present).<br><br>Record 'Y' if the meter found is a new 'smart' meter.<br>Record 'N' if the meter is a standard non-smart meter and ONLY record 'U' (unknown) if you are unable to gain access to the meter.<br><br><b>Off peak supply</b> – Check for existence of second meter or multi-tariff meter. Enquire from occupant if not seen.                                                                                                                                                                                                    | <b>1.5.116</b> | <b>Residual current devices in the consumer unit</b><br>If the consumer unit was originally provided as a 'ready wired' version with RCDs there will often be a label on the front of the unit indicating that the RCD should be tested quarterly to comply with wiring regulations of the given date. Individual RCDs may be identified by the button on the front marked 'test'; the limiting current printed on the front (normally 30mA or 100mA); and they are often 2 modules wide.<br><br><b>Separate RCDs</b><br>RCDs, intended to protect single circuits or sockets, and contained in special boxes, or within the body of a socket. Often separate RCDs are later addition to the system intended to protect supplies to a garden or garage. |
| <b>DESCRIPTION OF THE ELECTRICAL SYSTEM</b><br>Make observations:<br><br>at the meter,<br>at the consumer unit and<br>throughout the dwelling.<br><br>Information will give an indication of the age of the system, and identify hybrid systems.<br><br>Generally, a code of 1 indicates an old component, codes of 2 or 3 more modern components, and code 4 is reserved for components of 'mixed' ages.                                                                                                                                                                                                                                                                                                            | <b>1.5.118</b> | <b>Type of Consumer Unit</b><br>When at the consumer unit consider whether it is constructed of either metal or plastic.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Location of meters</b><br>If there is external access to the meter you should record this, wherever the other components of distribution are situated.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | <b>1.5.119</b> | <b>Additional circuits</b><br>When at the consumer unit please check whether there is room within it to add additional circuits.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>Type of wiring</b><br>Look at the cabling from the input supply point, through the meters and consumer units and leading out into the dwelling.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | <b>1.5.120</b> | <b>Action</b> - Refer to Part 2 of the manual for what constitutes major/minor repair for electricians.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Earthing wires</b><br>These are the relevant wires joining the components at the distribution centre, and possibly connecting with water or gas pipes.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | <b>1.5.121</b> | You should record only what you have evidence for, although you may infer, for example, that defective wiring at the distribution point is associated with defective wiring more generally. If you have no evidence for a fault, record 'no action' (code 1). You should not record action intended solely to modernise the system.                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Consumer unit arrangement</b><br><i>Separate fuse boxes for each circuit</i><br>Switch and fuse boxes of heavy-duty metal or bakelite construction, each serving an individual circuit.<br><i>One or more 'covered boxes'</i><br>More modern and smaller metal or plastic boxes. containing wire fuses serving several circuits<br><i>One or two 'accessible' boxes</i><br>The present day the consumer unit with a more 'designed look'. They are generally of plastic, with an easily openable (often transparent) cover through which the MCBs and RCDs are accessible The boxes are designed in a modular fashion to receive not only MCBs, and RCDs, but also various timers or off-peak supply controllers. | <b>1.5.122</b> | <b>HHSRS</b><br>Electrical safety.<br>Extreme risk – only code 4 in very unusual circumstances.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>Overload protection</b><br><i>Wire fuses</i><br>Wire screwed between two terminals on the mounting, which melts when the current exceeds the set level. Older versions were mounted on porcelain plug-in components. Later, plastic plug-in components coloured to indicate their current rating were used. They are always contained within a box, and cannot be seen without removing the box cover                                                                                                                                                                                                                                                                                                             | <b>1.5.123</b> | <b>% OF FIXED LOW ENERGY LIGHTING</b><br>Please record to the nearest 10% the % of fixed lights in the dwelling which are considered low energy.<br><br>Low energy lighting includes both fluorescent tubes and the various types of compact fluorescent light bulbs as well as all light emitting diodes (LEDs) and strip lights. Decorative or indirect lighting such as that found in stairs and kitchen cupboards is included as long as it is fixed.<br><br>Do not include lamps or moveable lighting of any kind in your assessment.                                                                                                                                                                                                              |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                | <b>EVIDENCE OF CAVITY WALL INSULATION</b><br>Check in and around the gas/electricity pipes and meters to look for evidence of cavity wall insulation.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                | <b>VENTILATION</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                | <b>Whole house ventilation</b><br>Please record the appropriate system. To be considered 'whole house' and therefore selected here the system would need to be present in at least <b>75%</b> of the rooms. If in less than <b>75%</b> of rooms please record <b>option 1 'none / windows'</b> .<br><br><b>Open fireplaces</b><br>Total number of open fireplaces in dwelling, do not include any fireplaces which have been boarded up.                                                                                                                                                                                                                                                                                                                |

## 5. INTERIOR – SPACE HEATING

1.5.132

### Mixed Heating System

If a dwelling has, for example, 2 gas fires and 2 storage heaters the primary system is the one that is present in the main living area. If one system is predominant then that system should be coded as the primary system.

### Primary Heating codes

1.5.142

|   | Fuel       | Description                             |                                      |                                  | Code |     |
|---|------------|-----------------------------------------|--------------------------------------|----------------------------------|------|-----|
| 1 | Gas        | With fan assisted flue or modern system | With electric ignition               | Low thermal capacity             | 101  |     |
|   |            |                                         |                                      | High or unknown thermal capacity | 102  |     |
|   |            |                                         | With permanent pilot light / unknown | Low thermal capacity             | 103  |     |
|   |            |                                         |                                      | High or unknown thermal capacity | 104  |     |
|   |            | Balanced/ open flue                     | Wall mounted                         |                                  |      | 105 |
|   |            |                                         | Floor mounted or back boiler         |                                  |      | 106 |
|   |            |                                         | Unknown                              |                                  |      | 107 |
|   |            | Unknown flue type                       |                                      |                                  |      | 108 |
|   | Oil        | All types                               |                                      |                                  | 109  |     |
|   | Solid fuel | Manual Feed                             | In heated space                      |                                  | 110  |     |
|   |            |                                         | In unheated space                    |                                  | 111  |     |
|   |            |                                         | Unknown                              |                                  | 112  |     |
|   |            | Auto Feed                               | In heated space                      |                                  | 113  |     |
|   |            |                                         | In unheated space                    |                                  | 114  |     |
|   |            |                                         | Unknown                              |                                  | 115  |     |
|   |            | Back boiler                             | Open fire                            |                                  | 116  |     |
|   |            |                                         | Closed fire                          |                                  | 117  |     |
|   |            |                                         | Unknown                              |                                  | 118  |     |
|   |            | Unknown                                 |                                      |                                  |      | 119 |
|   | Elec       | In heated space                         |                                      |                                  | 120  |     |
|   |            | In unheated space                       |                                      |                                  | 121  |     |
|   |            | Unknown                                 |                                      |                                  | 122  |     |
|   | Heat pumps |                                         | Ground Source                        |                                  | 123  |     |
|   |            |                                         | Water Source                         |                                  | 124  |     |
|   |            |                                         | Air Source                           |                                  | 125  |     |
|   | Unknown    |                                         |                                      |                                  | 129  |     |
| 2 | Electric   | Old - Large volume                      |                                      |                                  | 201  |     |
|   |            | Modern slimline / convector             |                                      |                                  | 202  |     |
|   |            | Modern slimline with fan                |                                      |                                  | 203  |     |
|   |            | Unknown                                 |                                      |                                  | 204  |     |
| 3 | Gas/Oil    | With fan assisted flue                  | Ducted                               |                                  | 301  |     |
|   |            |                                         | Room heater, with in-floor ducts     |                                  | 302  |     |
|   |            |                                         | Unknown                              |                                  | 303  |     |
|   |            | With balanced/ open flue                | Ducted                               | On-off control                   |      | 304 |
|   |            |                                         |                                      | Modulating control               |      | 305 |
|   |            |                                         |                                      | With heat recovery               |      | 306 |
|   |            |                                         |                                      | Unknown                          |      | 307 |
|   |            |                                         | Stub ducted                          | No flue recovery                 |      | 308 |
|   |            |                                         |                                      | With flue recovery               |      | 309 |
|   |            |                                         |                                      | Unknown                          |      | 310 |
|   |            | Condensing                              |                                      |                                  | 311  |     |
|   |            | Unknown                                 |                                      |                                  | 312  |     |
|   |            | Electricaire                            |                                      |                                  |      | 313 |
|   |            | Heat Pump                               |                                      | Ground source                    |      | 314 |
|   |            |                                         |                                      | Water source                     |      | 315 |
|   |            |                                         |                                      | Air source                       |      | 316 |
|   | Unknown    |                                         |                                      |                                  | 319  |     |

### CLASSIFICATION OF PRIMARY HEATING SYSTEMS 1.5.143

**High thermal capacity boilers** (codes 102 & 104) are heavier than low thermal capacity boilers and more likely to be floor mounted.

**Low thermal capacity boilers** (codes 101 & 103) are likely to be smaller, wall hung and more modern (less than 15 years old).

### Passive Flue Gas Heat Recovery

This is usually a second additional box that matches the boilers cover and sits on top of the actual boiler.

|   | Fuel               | Description                                      |                                    | Code |     |
|---|--------------------|--------------------------------------------------|------------------------------------|------|-----|
| 4 | COMMUNAL / CHP     | Communal system                                  | With dedicated boilers             | 401  |     |
|   |                    |                                                  | With waste heat from power station | 402  |     |
|   |                    |                                                  | Unknown                            | 403  |     |
|   |                    | CHP system                                       |                                    |      | 404 |
|   |                    | Micro/domestic CHP                               | warm air                           | 406  |     |
|   |                    |                                                  | wet with rads                      | 407  |     |
|   |                    | Unknown                                          |                                    |      | 405 |
| 5 | ELECTRIC CEILING / | Electric                                         | Electric ceiling heating           | 501  |     |
|   |                    |                                                  | Electric underfloor heating        | 502  |     |
|   |                    |                                                  | Unknown                            | 503  |     |
| 6 | Gas / LPG          | Open flue                                        |                                    | 601  |     |
|   |                    | Balanced flue                                    |                                    | 602  |     |
|   |                    | Fan assisted flue                                |                                    | 603  |     |
|   |                    | Condensing                                       |                                    | 604  |     |
|   |                    | Flush fitting live fuel effect gas fire          | Sealed to chimney                  |      | 605 |
|   |                    |                                                  | Fan assisted flue                  |      | 606 |
|   |                    | Decorative fuel effect gas fire, open to chimney |                                    | 607  |     |
|   |                    | Flueless gas fire                                |                                    | 608  |     |
|   |                    | Unknown                                          |                                    | 609  |     |
|   | OIL                | Fixed heaters                                    |                                    | 610  |     |
|   | Electric (direct)  | Panel, convector or radiant heaters              |                                    | 611  |     |
|   |                    | Unknown                                          |                                    | 614  |     |
|   | Solid fuel         | Open fire                                        | in grate                           | 615  |     |
|   |                    |                                                  | in grate with throat restrictor    | 616  |     |
|   |                    |                                                  | With back boiler - no radiators    | 617  |     |
|   |                    | Closed room heater                               | Only                               | 618  |     |
|   |                    |                                                  | With back boiler – no radiators    | 619  |     |
|   | Unknown            |                                                  | 620                                |      |     |
|   | Unknown            |                                                  | 621                                |      |     |

### Programmable room stat

1.5.147

If you encounter a programmable roomstat then record as present for both the 'Programmer' and 'Room thermostat' categories.

### TRVs

Record whether TRVs are present on the emitters. Code 'No' if none are present. Code 'some' if there are one or more present. Code 'all emitters' if all have a TRV or if all except one have a TRV.

### Bypass in stat room?

1.5.149

Code 'Y' if the bypass is the same room/space as the room thermostat.

### HHSRS

1.5.157

Carbon Monoxide and fuel combustion products.

Extreme risks – only code 4 in very unusual circumstances.

5. INTERIOR - WATER HEATING

1.5.158

HOT WATER SYSTEM

Code all systems, if present or not. If Y, code the appropriate fuel as detailed below.

MAIN WATER HEATING SYSTEM

You must record which system is the main water heating system. This should be the system providing the majority of the hot water during the winter months (when the heating is on). You can only select one such system. You may wish to check with the householder.

| Fuel           |                 | Description/identifier                                                                                                                                                                                                                                                    | Code |
|----------------|-----------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|
| Gas            | Mains gas       | Mains gas meter present.                                                                                                                                                                                                                                                  | 01   |
|                | Bulk LPG        | Large "fixed" cylindrical storage tank outside. Tends to be used for central heating.                                                                                                                                                                                     | 02   |
|                | Bottled gas     | Smaller "portable" cylinder. Tends to be used for individual room/water heaters.                                                                                                                                                                                          | 03   |
|                | Oil             | Large metal cuboid or dark plastic storage tank outside.                                                                                                                                                                                                                  | 04   |
| Solid          | House coal      | Can be used in stoves/ open fires                                                                                                                                                                                                                                         | 05   |
|                | Smokeless       | Can be used in stoves / open fires in "Smoke control areas" and in non-gravity fed boilers.                                                                                                                                                                               | 06   |
|                | Anthracite      | Can be used in gravity fed boilers, stoves and in 'smoke control areas'.                                                                                                                                                                                                  | 07   |
|                | Biomass         | Can be used in boilers or stoves/open fires.                                                                                                                                                                                                                              | 08   |
| Electricity    | Standard        | Mains electricity supply and single tariff meter.                                                                                                                                                                                                                         | 09   |
|                | 7 hour tariff   | Mains electricity supply with Economy 7 dual tariff meter.                                                                                                                                                                                                                | 10   |
|                | 10 hour tariff  | This tariff provides three periods of off peak electricity for space and water heating only. The meters can usually be identified by having at least two readings and a sticker or form of identification such as "heatwise". This is only available in certain areas.    | 11   |
|                | 24 hour tariff  | This tariff is used only with whole-house electric heating systems designed for about 60% storage and 40% direct-acting heaters. This is only available in certain areas.                                                                                                 | 12   |
| Communal / CHP | CHP/ waste heat | This includes waste heat from power stations distributed through community heating schemes. The waste heat is the primary heat source - secondary boilers of conventional design are used when the available waste heat is insufficient to meet the instantaneous demand. | 13   |
|                | From boiler     | Heat produced by a dedicated boiler only.                                                                                                                                                                                                                                 | 14   |
| Other          | Solar           | Solar panels on the roof.                                                                                                                                                                                                                                                 | 15   |
|                | Heat Pump       | Ground Source                                                                                                                                                                                                                                                             | 16   |
|                |                 | Water Source                                                                                                                                                                                                                                                              | 17   |
|                |                 | Air Source                                                                                                                                                                                                                                                                | 18   |
|                | Other           |                                                                                                                                                                                                                                                                           | 19   |

FUEL

1.5.167

If primary heating fuel is 10 or 24hr tariff, any electric water heating should use the same tariff.

INSTANTANEOUS ELECTRIC SHOWER

1.5.170

This is a shower unit in which the water is heated electrically on demand. The unit will normally be wall mounted with a visible cold water inlet. There should be an isolator switch for the unit (normally in the form of a pull chord).

ACTION

1.5.173

Code for each hot water system present.

AGE

1.5.174

If mixture of old and new, record the age of the oldest.

CYLINDER

1.5.175-178

Code if present or not and if physically seen. If a cylinder has been seen then go on to record the size / volume and cylinder insulation type and thickness. If the cylinder cannot be seen e.g. it is in a locked cupboard or in an inaccessible roof space then record 'Y' for cylinder present and 'N' for cylinder seen. You should still attempt to answer the size / volume and cylinder insulation type using information from the occupant

WATER HEATING CONTROLS

1.5.179

Code if present or not.

6. LOFT SPACE

1.6

Inspect **ALL** houses and top floor flats where practical.

If an inspection is not possible, ask the occupant the loft questions and obtain the best answers that you can. If the occupant does not know, indicate using the appropriate codes.

TYPE OF LOFT

1.6.3

Code the most appropriate from a physical inspection or from asking the occupant.

ROOF INSULATION ABOVE LIVING SPACE

1.6.4

Code 'Y' if there is roof insulation present and it is above the majority of the living space.

Code 'N' if there is no roof insulation present or there is some but it only covers a small area above the living space.

If the responses are from the occupant and they are unsure code 'Don't know'.

THICKNESS OF INSULATION

1.6.5


Record the 'average' thickness of the loft insulation.

ANY ROOF STRUCTURE PROBLEMS

1.6.6

If yes, describe and also record work/action in section 18 and/or 21. If you can't gain access to the loft space please record 'N'.

DIAGRAM SHOWING LOCATION OF LOFT INSULATION



If the floor area of the addition (floor area 2) accounts for 40% or more of the total of floor area 1 + floor area 2, then record the roof insulation found in the addition for the dwelling. Otherwise, record the roof insulation found in the main part.

EVIDENCE OF CAVITY WALL INSULATION IN THE LOFT? 1.6.7

Look in loft at gable end walls and junction of main walls and roof for evidence of cavity wall insulation. If you can't gain access to the loft space please record 'N'



|                                                                                                                                                                                                                                                                    |               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>7. HOUSEHOLD QUESTIONNAIRE</b>                                                                                                                                                                                                                                  | <b>1.7</b>    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>QUESTION ASKED Y, N</b>                                                                                                                                                                                                                                         | <b>1.7.2</b>  | <b>HMOs</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| If the dwelling is occupied, ask all questions and code Y.<br>If the dwelling is vacant, or if the household refuses to answer the questions, code N and skip to next relevant section.                                                                            |               | <b>NUMBER OF ACCOMMODATION UNITS, HOUSEHOLDS AND OCCUPANTS</b> <b>1.7.13</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>CAVITY WALL INSULATION</b>                                                                                                                                                                                                                                      | <b>1.7.3</b>  | You will have to ask the person who lets you in/shows you round how many accommodation units or lettings there are in total in the HMO. The number of accommodation units,                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Note the cross reference with section 16 (elevation features) and section 19 (cavity wall insulation summary) and the need to record information there.                                                                                                            |               | households and people must relate to the <b>dwelling</b> you have defined. You then need to establish how many households live in the HMO – this will normally be the same as the number of occupied units. Finally, you will need to check on the total number of people. We need to know the numbers <b>currently</b> living in the HMO including anyone who is away on holiday, or in the case of students including anyone who has gone home for the vacation but will be back for the new term. Include any babies or young children in this count.                                                                                                                               |
| <b>INTERNAL AND EXTERNAL INSULATION</b>                                                                                                                                                                                                                            |               | <b>NUMBER OF SHARED KITCHENS</b> <b>1.7.14</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| Note the cross reference with section 16 (elevation features), section 5 (Wall Interior) and section 19 (Internal / external insulation summary) and the need to record information there.                                                                         |               | You will probably already have a pretty good idea what is present from the internal inspection, but it is best to check this out with someone in the house/flat. Normally, you will find only one type of cooking facilities within an HMO – either lettings/units will share a kitchen(s) or each letting/unit will have its own facilities. Where lettings or units have kitchen facilities for their own exclusive use they will normally consist of kitchen facilities located in a bedsit room or a room adjoining a bedsit room. Occasionally, you may find that occupants of one bedsit or a collection of rooms let to them have their own separate kitchen for exclusive use. |
| <b>ARE ANY OF YOUR FLOORS IN CONTACT WITH THE GROUND INSULATED?</b>                                                                                                                                                                                                | <b>1.7.4</b>  | Record the number of <b>shared</b> kitchens. You may not be able to get access to all the rooms, so check with one of the occupants. If the occupant is unsure, get their best estimate (it is better than no information at all). If the occupant is unable to provide any estimate then please provide this yourself using your professional judgement                                                                                                                                                                                                                                                                                                                               |
| Answer <b>Y</b> if any of the floors in contact with the ground are insulated.                                                                                                                                                                                     |               | Unless it is a large HMO, there will probably be only one. Remember to record the number of <b>shared</b> kitchens.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>PERCENTAGE OF FLOORS IN CONTACT WITH GROUND THAT ARE INSULATED</b>                                                                                                                                                                                              |               | <b>TOTAL NUMBER OF WC'S</b> <b>1.7.15</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| From the floors that are in contact with the ground record the % <b>area</b> that is insulated.                                                                                                                                                                    |               | Record the total no of WC's within the dwelling, this will include the number of shared WC's. Do not include any external WC's in your count or assessment.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>DO YOU HAVE A WORKING SMOKE DETECTOR ON EVERY FLOOR OF THE DWELLING?</b>                                                                                                                                                                                        | <b>1.7.5</b>  | If you are unable to obtain an estimate of numbers from your inspection or from the occupant, please use your professional Judgement to estimate the total number of WC's.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Answer <b>Y</b> if there is a working smoke detector on every floor of the dwelling. This will include basements and attic rooms.                                                                                                                                  |               | <b>NUMBER OF SHARED WC'S</b> <b>1.7.16</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>WASTE WATER DISPOSAL</b>                                                                                                                                                                                                                                        | <b>1.7.7</b>  | To be recorded as 'shared' all WC's must be in rooms directly off shared halls or landings <b>and</b> nobody has to pass through the shared bathroom or WC to gain access to their bedroom or bedsit.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Note the cross reference with section 19 and the need to record information there.                                                                                                                                                                                 |               | Do not include any external WCs in your count or assessment.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>DO YOU HAVE A WATER METER?</b>                                                                                                                                                                                                                                  | <b>1.7.8</b>  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Answer <b>Y</b> if the occupants have a water meter, answer <b>N</b> if they do not, and <b>U</b> if unknown.                                                                                                                                                      |               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>ARE YOU CHARGED ACCORDING TO THE AMOUNT YOU USE?</b>                                                                                                                                                                                                            | <b>1.7.9</b>  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| For those households who confirm they have a water meter ask if they pay on the basis of how much water they actually use. Code <b>Y</b> if they do pay according to how much water they use; <b>N</b> if they pay on a fixed price basis and <b>U</b> if unknown. |               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>DOES ANY PART OF YOUR HOME GET UNCOMFORTABLY HOT?</b>                                                                                                                                                                                                           | <b>1.7.10</b> |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Record ' <b>Y</b> ' if the occupant reports that at any time of the year any part of the home gets uncomfortably hot even when the heating is off and the windows are open. In other words they are unable to cool it down.                                        |               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| If ' <b>Yes</b> ' then please record which rooms of the house are particularly affected by the overheating, more than one room can be affected therefore tick all that apply.                                                                                      |               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>DO YOU HAVE A 'SMART' ROOM THERMOSTAT</b>                                                                                                                                                                                                                       | <b>1.7.12</b> |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Record ' <b>Y</b> ' if the occupant has a 'smart' room thermostat which can be controlled via a phone or tablet device?                                                                                                                                            |               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |

8. DETAILS OF FLAT

1.8

PLAN OF FLAT

1.8.2

The shape of the flat is treated in a similar way to the shape of the house or module, but the plan form is described as one rectangle only. Any irregularities in the plan form or any supplementary rectangles should be subsumed within a simple rectangle.

LOCATE FLAT IN MODULE

1.8.3

Indicate the location of the flat within the module. First draw a rough plan of the module, and then the flat plan at the appropriate location within it indicating the position of any adjoining dwellings and accessways. Provide information about the upper floor(s) of a maisonette if different to the lower floor. Take care to get the orientations correct, the front of the module and the front of the flat must always have the same orientation.

If the plan type is complex, indicate how it is to be 'remodelled' into a 'rectangle' form for the measurement of the dimensions.

TENTHS OF WALL EXPOSED

1.8.4

For each wall of the main part indicate the proportion of the total wall (in tenths of overall area including windows) which is exposed to the outside air. Each column should add up to 10.

Record the tenths of the total area of walls enclosing the flat including the windows, doors, etc.

To outside air – walls adjacent to garages, refuse chutes or other unheated facilities should be regarded as exposed walls. Do not treat walls adjacent to internal corridors, stairwells or lobbies as exposed.

To internal accessways – walls adjacent to internal corridors, stairwells or entrance halls should be recorded here.

To other flats – walls which are adjacent to other flats or houses should be recorded here.

Area of fenestration exposed to outside air – record in m² the fenestration area exposed to outside air for each face (consider the hole left in the wall if the window / door was removed). Include the frames in your measurement.

Include doors (though not garage doors) as well as all forms of windows. For conservatories, consider the hole left in the wall if the conservatory was removed. Dormer and roof windows **to the survey dwelling** should also be considered. Use whole numbers only.

ENTRY FLOOR TO DWELLING PROPER

1.8.5

Floor on which access is first gained to habitable accommodation of the survey dwelling.

DIMENSIONS OF FLAT

1.8.6

This **section** must be completed when access is gained to flat. Rectangularise any irregularities or extra parts into one simple rectangle.

NUMBER OF FLOORS IN FLAT

1.8.8

Ensure main floor and next floor are same as those referred to in "Wall area exposed". Enter total number of floors in flat, include habitable attics and basements.

LEVEL

1.8.9

Enter appropriate code for floor measured.

NN Code if this level does not exist.

BB Code if this is the basement level.

GG Code if this is the ground floor.

01, 02 etc Code if this is the first, second floor etc.

Next floor does not need to be measured with a tape. Dimensions can be estimates with reference to main floor.

DIMENSIONS SAME AS MODULE

1.8.10

If external dimensions are the same there is no need to measure internal dimensions of flat.

WIDTH

1.8.11

Always measure width first. This is measured to nearest 10 centimetres (0.1m) across left to right of front or back. These are internal measurements.


DEPTH

1.8.12

Always measure depth second. Measure to nearest 10 centimetres (0.1m) from front to back taken down the side or through the centre.

TENTHS OF WALL EXPOSED EXAMPLE

8a, eighth floor flat in a high slab block served by three staircases / lift shafts.



Our flat 8a is at the back of the block. The 'front' of the flat is therefore the wall which faces into the building.

| Tenths of wall exposed | Front wall | Back wall | Left wall | Right wall |
|------------------------|------------|-----------|-----------|------------|
| (Columns add up to 10) |            |           |           |            |
| To outside air         | 0   0      | 1   0     | 0   0     | 0   3      |
| To internal accessways | 0   2      | 0   0     | 0   0     | 0   0      |
| To other flats         | 0   8      | 0   0     | 1   0     | 0   7      |

|                                                                                                                                                                                                               |               |                                                                                                                                                                                                               |               |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| <b>9. COMMON PARTS OF MODULE</b>                                                                                                                                                                              | <b>1.9</b>    |                                                                                                                                                                                                               |               |
| <b>COMMON PARTS EXIST?</b>                                                                                                                                                                                    | <b>1.9.1</b>  | <b>ENCLOSED?</b>                                                                                                                                                                                              | <b>1.9.11</b> |
| If there are no common parts in the module in which the survey flat is located, ring No and continue to Section 10.                                                                                           |               | <b>Y</b> generally enclosed from elements                                                                                                                                                                     |               |
| <b>NEED FOR INFORMATION</b>                                                                                                                                                                                   | <b>1.9.2</b>  | <b>IN MODULE?</b>                                                                                                                                                                                             | <b>1.9.12</b> |
| If access to the common parts cannot be gained, then complete all questions using your professional judgement based upon the general observed condition of the dwelling and the exterior of the module.       |               | <b>N</b> located in part of building which has not been defined as the module.                                                                                                                                |               |
| <b>DEFINITION OF ACCESSWAY</b>                                                                                                                                                                                | <b>1.9.3</b>  | <b>WORKING?</b>                                                                                                                                                                                               | <b>1.9.13</b> |
| Collective term for all the circulation space within module accessway has three components:                                                                                                                   |               | <b>ELEMENT BY ELEMENT ASSESSMENT</b>                                                                                                                                                                          | <b>1.9.14</b> |
| <ul style="list-style-type: none"> <li>'horizontal' = flat door to vertical;</li> <li>'vertical' = stairs;</li> <li>'entrance' = hall/lobby on entrance level.</li> </ul>                                     |               | Record in square metres, metre lengths or numbers of element.                                                                                                                                                 |               |
| <b>MAIN HORIZONTAL</b>                                                                                                                                                                                        | <b>1.9.4</b>  | <b>FLOOR TREADS</b>                                                                                                                                                                                           | <b>1.9.15</b> |
| Horizontal component at chosen typical/upper level, include lift lobby unless included in stairwell.                                                                                                          |               | Include floor treads and risers when assessing stairway.                                                                                                                                                      |               |
| <b>STAIRWAY</b>                                                                                                                                                                                               | <b>1.9.5</b>  | <b>WALLS</b>                                                                                                                                                                                                  | <b>1.9.16</b> |
| Main access stairway. Assess only part between chosen level and floor below.                                                                                                                                  |               | Exclude any wall which is part of the elevation.                                                                                                                                                              |               |
| <b>MAIN ENTRANCE TO MODULE</b>                                                                                                                                                                                | <b>1.9.6</b>  | <b>CEILING/SOFFITS</b>                                                                                                                                                                                        | <b>1.9.17</b> |
| Any separate area between outside of module and start of stairway/lift lobby/horizontal access to ground floor.                                                                                               |               | Include underside of access balconies/underside of stairs.                                                                                                                                                    |               |
| <b>LIFTS</b>                                                                                                                                                                                                  | <b>1.9.7</b>  | <b>ACCESS DOORS/SCREENS</b>                                                                                                                                                                                   | <b>1.9.18</b> |
| Choose lifts most likely to be used by flat, whether or not in module defined.                                                                                                                                |               | Count screens as equivalent of single doors.                                                                                                                                                                  |               |
| <b>LIFT CONTROLS ACCESSIBLE TO A WHEELCHAIR USER</b>                                                                                                                                                          | <b>1.9.7</b>  | <b>ACCESSWAY WINDOWS</b>                                                                                                                                                                                      | <b>1.9.19</b> |
| To record <b>Yes</b> the landing and car controls should be:                                                                                                                                                  |               | Only consider those which are part of accessway.                                                                                                                                                              |               |
| Positioned at a height of not less than 900mm and not more than 1200 above the landing and the car floor and at a distance of at least 400mm from the front internal wall of the lift.                        |               | <b>ACCESSWAY LIGHTING</b>                                                                                                                                                                                     | <b>1.9.20</b> |
| <b>LIFT CONTROLS ACCESSIBLE TO A VISUALLY IMPAIRED PERSON</b>                                                                                                                                                 | <b>1.9.7</b>  | Ignore missing/broken bulbs/tubes.                                                                                                                                                                            |               |
| To record <b>Yes</b> they should incorporate the following:                                                                                                                                                   |               | <b>BALUSTRADES</b>                                                                                                                                                                                            | <b>1.9.21</b> |
| Suitable tactile indication on the landing and adjacent to the lift call button to identify the storey in question.                                                                                           |               | Assess both internal and external face.                                                                                                                                                                       |               |
| Suitable tactile indication on or adjacent to the lift buttons within the car to confirm the floor selected.                                                                                                  |               | <b>SECURITY OF MODULE</b>                                                                                                                                                                                     | <b>1.9.22</b> |
| A signalling system which gives visual notification that the lift is answering a landing call and a 'dwell time' of five seconds before its doors begin to close after they are fully open.                   |               | A 'working' concierge system is one which is functioning for the purpose for which it was designed.                                                                                                           |               |
| When the lift serves more than three storeys, visual and audible indications of the floor reached.                                                                                                            |               | <b>FIRE SAFETY OF FLAT SURVEYED</b>                                                                                                                                                                           | <b>1.9.25</b> |
| <b>DOES ACCESS/AREA EXIST</b>                                                                                                                                                                                 | <b>1.9.8</b>  | Escape route from survey flat to nearest final exit from building. Ring first option which occurs.                                                                                                            |               |
| Indicate for each of the components described above whether they are present:                                                                                                                                 |               | <b>FIRE PRECAUTIONS</b>                                                                                                                                                                                       | <b>1.9.27</b> |
| <b>TYPE OF ACCESS AREA</b>                                                                                                                                                                                    | <b>1.9.9</b>  | Record items for that part of route which relates to surveyed flat.                                                                                                                                           |               |
| Code using first letter of appropriate type.                                                                                                                                                                  |               | IF FIRE PRECAUTIONS DO NOT EXIST DO NOT SPECIFY ANY ACTION.                                                                                                                                                   |               |
| <b>SIZE OF AREA</b>                                                                                                                                                                                           | <b>1.9.10</b> | <b>CONTRIBUTION TO PROBLEMS</b>                                                                                                                                                                               | <b>1.9.28</b> |
| <b>S Spacious</b> - code if it is easy to manoeuvre bulky loads through the accessway which would be necessary during house removal. There should be room for the easy passage of two buggies or wheelchairs. |               | <ol style="list-style-type: none"> <li>No problems.</li> <li>Minor problem/small impact.</li> <li>Major problem/very significant.</li> </ol>                                                                  |               |
| <b>A Average</b> - code if bulky loads could be moved through the accessway but with difficulty. There is just sufficient room for two buggies or wheelchairs to pass.                                        |               | <b>HHSRS OF COMMON AREAS</b>                                                                                                                                                                                  | <b>1.9.29</b> |
| <b>T Tight</b> - code if bulky loads could not be moved through the accessway. Two buggies or wheelchairs could not pass each other.                                                                          |               | Only consider risks as they impact on the survey dwelling. You should restrict your assessments to the main routes to the front and rear of the dwelling and not to the whole accessway system of the module. |               |
|                                                                                                                                                                                                               |               | Average risk = average for age and type of dwelling. Significantly higher than average risks will advertise themselves to you. If significantly worse than average score in Section 22.                       |               |
|                                                                                                                                                                                                               |               | When assessing fire risk, consider (as well as relevant fire precautions above):                                                                                                                              |               |
|                                                                                                                                                                                                               |               | <b>Distance of travel</b> – one staircase distance in excess of 7.5m is unsatisfactory; two staircases a distance in excess of 30 metres is unsatisfactory.                                                   |               |
|                                                                                                                                                                                                               |               | <b>State of repair</b> – must cause difficulties for escape to represent significant risk.                                                                                                                    |               |
|                                                                                                                                                                                                               |               | <b>Type of finishes</b> – might cause significant risk if does not comply with regulations guidance.                                                                                                          |               |

|                                                                                                                                                                                                                                                                                                                                                                                                                           |               |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| <b>10. NUMBER OF FLATS IN MODULE</b>                                                                                                                                                                                                                                                                                                                                                                                      | <b>1.10</b>   |
| <p>It is very important that the number of flats is accurately produced and surveyors should carefully enter the correct number. <b>More than one method</b> should be used as a means of establishing that results are accurate. <b>Do not</b> rely on door numbers alone.</p> <p><b>Unknown</b> – if access has not been gained and no information outside which helps identify number.</p>                             |               |
| <b>NUMBER OF FLATS IN MODULE</b>                                                                                                                                                                                                                                                                                                                                                                                          | <b>1.10.2</b> |
| <p>Try to obtain accurate information as to the number of flats in the module. Ask the warden or concierge if necessary.</p>                                                                                                                                                                                                                                                                                              |               |
| <b>LEVEL OF LOWEST FLAT</b>                                                                                                                                                                                                                                                                                                                                                                                               | <b>1.10.3</b> |
| <p>Record the floor on which the lowest flat is situated.</p> <p><b>9 Unknown</b> - code if it is impossible to ascertain which floor the lowest flat is on.</p>                                                                                                                                                                                                                                                          |               |
| <b>USE OF GROUND FLOOR/BASEMENT</b>                                                                                                                                                                                                                                                                                                                                                                                       | <b>1.10.4</b> |
| <p>Code use of ground floor and basement (if present).</p>                                                                                                                                                                                                                                                                                                                                                                |               |
| <b>PERCENTAGE OF FLOOR AREA OF MODULE IN NON - RESIDENTIAL USE</b>                                                                                                                                                                                                                                                                                                                                                        | <b>1.10.5</b> |
| <p>If there is any non-residential use in the module, record the percentage of floor area of the module (not just the ground floor area) occupied by the non-residential use(s). This cannot be 100%.</p> <p><b>88 No non-residential use</b><br/> <b>99 Unknown</b> - if there is non-residential use but the area is unknown</p>                                                                                        |               |
| <b>NON-RESIDENTIAL USE</b>                                                                                                                                                                                                                                                                                                                                                                                                | <b>1.10.6</b> |
| <p>If either ground floor or basement includes non-residential use; specify percentage of floor area of whole module which is in non-residential use and describe type of non-residential use.</p> <p>Code whether or not non-residential use is commercial food handling/processing.</p>                                                                                                                                 |               |
| <b>NON-RESIDENTIAL WITH COMMERCIAL FOOD HANDLING / PROCESSING</b>                                                                                                                                                                                                                                                                                                                                                         | <b>1.10.7</b> |
| <p>Does the non-residential use include the handling / processing of food for commercial purposes?</p> <p><b>Y</b> if present,<br/> <b>N</b> if not a food business.</p> <p><b>U Unknown</b> - code only if it is impossible to ascertain whether the non-residential use includes the handling/processing of food.</p> <p>This information is required by DEFRA. Food processing is likely to attract rats and mice.</p> |               |
| <b>OTHER FLATS IN MODULE</b>                                                                                                                                                                                                                                                                                                                                                                                              | <b>1.10.8</b> |
| <p>Code as appropriate.<br/> Small – under 60 sq.m<br/> Large – over 60 sq.m</p>                                                                                                                                                                                                                                                                                                                                          |               |
| <b>APPROXIMATE NUMBER OF VACANT FLATS IN MODULE</b>                                                                                                                                                                                                                                                                                                                                                                       | <b>1.10.9</b> |
| <p>When counting the number of flats, you should establish approximately how many of these are vacant.</p>                                                                                                                                                                                                                                                                                                                |               |

|                                                                                                                                                                                                                                                                                                            |                |                                                                                                                                                                                                                       |                |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| <b>11. SHARED FACILITIES AND SERVICES</b>                                                                                                                                                                                                                                                                  | <b>1.11</b>    | <b>ACCESSIBILITY</b>                                                                                                                                                                                                  | <b>1.11.13</b> |
| Shared facilities are those used by, or provided for, the occupants of more than one dwelling. The shared facilities to consider here are those which are available to be used by the occupants of the survey dwelling. <b>They can apply to houses as well as flats.</b>                                  |                | <b>Accessibility for a wheelchair user.</b><br><b>Entrance = entrance used to access dwelling.</b>                                                                                                                    |                |
| Where paths, driveways and lawns etc. are shared by two (or a few) survey dwellings, they are more convenient to not count as shared facilities. You should proportion them between the dwellings that share them and include in (section 18), plot of survey dwelling. When in doubt do not double count. |                | <b>Number of steps from pavement to entrance of module.</b><br>A step will be any planned change in level, other than the width of the sill at the bottom of the door.                                                |                |
| <b>EXISTS</b><br>If Y, complete the whole of this section.                                                                                                                                                                                                                                                 | <b>1.11.2</b>  | <b>8. Level access</b> = No steps between pavement and entrance door for a wheelchair to negotiate.<br><b>7. No step but slope &gt;1:20.</b> = No steps but the slope is too steep for comfortable wheelchair access. |                |
| For large estates, you should only consider those facilities that are within 100 metres of the survey module.                                                                                                                                                                                              |                | <b>Space for ramp?</b>                                                                                                                                                                                                |                |
| <b>LOCATION</b><br><b>Integral:</b> within a residential module, not necessarily module containing survey dwelling.                                                                                                                                                                                        | <b>1.11.4</b>  | <b>8. Not applicable</b> = No steps to replace with ramp.<br><b>Yes</b> = There are steps but a ramp could be installed.<br><b>No</b> = There are steps, but no space for a permanent ramp of 1 in 20 or shallower.   |                |
| <b>Not integral:</b> in free standing block or building which may be attached to a residential module.                                                                                                                                                                                                     |                | <b>Is path firm and even?</b>                                                                                                                                                                                         |                |
| <b>ACTION</b><br>This section to be completed if the facility is present and has been seen.                                                                                                                                                                                                                | <b>1.11.5</b>  | <b>Yes</b> = Firm, even concrete, paving, or tarmac suitable for a wheelchair.<br><b>No</b> = Loose gravel, grass or poor condition surface unsuitable for wheelchair access.                                         |                |
| <b>None:</b> No visible defects. Costs of any work <5% of total replacement costs.                                                                                                                                                                                                                         |                | <b>Is entrance adequately lit?</b>                                                                                                                                                                                    |                |
| <b>Minor:</b> Patch repairs – isolated renewal of about 15% of component parts.                                                                                                                                                                                                                            |                | <b>Yes</b> = There is an external light at the entrance door.<br><b>No</b> = There is no external light (even if there is a streetlight nearby).                                                                      |                |
| <b>Major:</b> Renew about 60% of facility - include complete demolition and renewal.                                                                                                                                                                                                                       |                | <b>Is entrance covered?</b>                                                                                                                                                                                           |                |
| <b>STORES AND COMMON ROOMS</b>                                                                                                                                                                                                                                                                             | <b>1.11.6</b>  | <b>Yes</b> = Space undercover for a wheelchair user to shelter. Does not need to be fully enclosed.<br><b>No</b> = Even if there is cover, it must be accessible to a wheelchair user.                                |                |
| <b>COMMUNAL PARKING FACILITIES</b><br>Exclude lay-byes.                                                                                                                                                                                                                                                    | <b>1.11.7</b>  | <b>HHSRS OF SHARED AREAS</b>                                                                                                                                                                                          | <b>1.11.14</b> |
| <b>NUMBER OF COMMUNAL PARKING SPACES</b><br>If you have recorded 'Yes' to the existence of any communal parking then please record whether there are less than or more than 10 communal parking spaces present.                                                                                            |                | Only consider risks as they impact on the survey dwelling. You should restrict your assessments to the main routes to the front and rear of the module and not to the wider plot.                                     |                |
| <b>COMMON/ELECTRICAL SERVICES</b><br>Only those for communal use.                                                                                                                                                                                                                                          | <b>1.11.8</b>  | Average risk = average for age and type of dwelling. Significantly higher than average risks will advertise themselves to you.<br>If significantly worse than average score in Section 22.                            |                |
| <b>SURFACES AND FENCES</b><br>Condition only.                                                                                                                                                                                                                                                              | <b>1.11.9</b>  |                                                                                                                                                                                                                       |                |
| <b>LANDSCAPING</b><br>Assess condition only here. Quality and design of path is considered later.                                                                                                                                                                                                          | <b>1.11.10</b> |                                                                                                                                                                                                                       |                |
| <b>CONTRIBUTION TO PROBLEMS</b>                                                                                                                                                                                                                                                                            | <b>1.11.11</b> |                                                                                                                                                                                                                       |                |
| 1. Either no problem or this is not one of the causes.<br>2. Makes a minor contribution to condition problems.<br>3. A major factor in condition problems.                                                                                                                                                 |                |                                                                                                                                                                                                                       |                |
| <b>DESIGN OF PATHS</b><br>Only assess <b>design</b> , not condition. Only answer if shared paths present.                                                                                                                                                                                                  | <b>1.11.12</b> |                                                                                                                                                                                                                       |                |
| Consider complete length of paths within 100m of survey module.                                                                                                                                                                                                                                            |                |                                                                                                                                                                                                                       |                |
| <b>Protected from adjacent drops?</b>                                                                                                                                                                                                                                                                      |                |                                                                                                                                                                                                                       |                |
| <b>Yes</b> Handrail provided for all paths with a drop of 380mm or more adjacent to path.                                                                                                                                                                                                                  |                |                                                                                                                                                                                                                       |                |
| <b>No</b> Handrail not provided for any paths with a drop of 380mm or more.                                                                                                                                                                                                                                |                |                                                                                                                                                                                                                       |                |
| <b>N/A</b> No paths have adjacent drops, or all adjacent drops are less than 380mm or there are no paths.                                                                                                                                                                                                  |                |                                                                                                                                                                                                                       |                |

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                 |               |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| <b>12. HOUSE/MODULE SHAPE</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | <b>1.12</b>                                                                          |                                                                                                                                                                                                                                                                                                                                                                                                 |               |
| <b>PLAN TYPE</b><br>Draw plan in space provided. Show how irregularities or complex plans have been rectangularised. Show where dwelling attached to neighbouring dwellings. Indicate front of building. Show upper floors if different from ground.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | <b>1.12.2</b>                                                                        | <b>3</b> Both – use this code if both are present.<br><b>4</b> Neither – use this code if neither are present.<br><b>9</b> Unknown – use this code if internal access cannot be gained to the module/dwelling, or if is not possible to assess whether the criteria which define an attic or basement are met.                                                                                  |               |
| <b>THE BUILT FORM</b><br>You may subsume any parts of the building which project less than 1.5m from the main structure.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | <b>1.12.3</b>                                                                        | Lofts and cellars refer to areas where no habitable space is provided and should not be coded in this section.                                                                                                                                                                                                                                                                                  |               |
| <b>LOCATION OF ADDITIONAL PART</b><br>Identify elevation of main part on which additional part is located. Describe location on that elevation. Only one code must be ringed. If additional part is attached to two elevations select the elevation which has greater length attached to additional part.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | <b>1.12.4</b>                                                                        | <b>ENTRY FLOOR TO HOUSE/MODULE</b><br>Floor on which main access to dwelling is located. Ring appropriate code:<br><br><b>B</b> basement<br><b>G</b> ground<br><br>Upper specify 1, 2, 3, etc.                                                                                                                                                                                                  | <b>1.12.6</b> |
| <b>ATTIC/BASEMENT – HABITABLE SPACE / LIVING ACCOMMODATION</b><br><br><b>Attic-</b> An attic is a room in the roof with a floor which must be no more than one metre below eaves level. To be classed as an attic it must have, regardless of condition:<br><br><ul style="list-style-type: none"> <li>- fixed serviceable stairs;</li> <li>- a permanent floor over the whole of the useable area;</li> <li>- natural light consistent with its use as a habitable room.</li> </ul> <p>The space within a mansard roof should not be described as an attic as the primary function of this question is to indicate that the top floor of the house will have significantly smaller dimensions than the lower floors, whereas this will not usually be the case with mansard roofs.</p> <p><b>Basement</b> - A basement is normally characterised by having a floor that is one metre or more below ground level.</p> <p>Record the presence of a basement in the module if either:</p> <ul style="list-style-type: none"> <li>- In the case of a module that is a house, one or more rooms (which may include an integral garage) has/have been recorded as being at basement level in section 5 (Interior, page 3)</li> <li>- In the case of a module that contains one or more flats, including the survey dwelling, a basement has been recorded as being present in section 10 (Number of flats in module, page 11). This includes basements that are not used for residential purposes or basements that are wholly or partly occupied by services connected with a residential use elsewhere in the module.</li> </ul> <p>Where a basement is recorded as being present within the module in section 12, the dimensions of this basement must always be recorded on the first line of the dimensions grid in section 13 (main structure and/or additional part).</p> <p>Where a basement is present within the survey dwelling (flat or house) it is important to distinguish between cellars and basements. Normally, basements are characterised by:</p> <ul style="list-style-type: none"> <li>- fixed serviceable stairs (where the dwelling extends over two or more storey's)</li> <li>- a complete floor</li> <li>- natural lighting (except in non-habitable rooms, kitchens, bathrooms, integral garages - all of which can be found in basements and would be recorded as a basement level)</li> </ul> <p>A cellar must not be classed as a basement unless it is being used as habitable space. A basement is counted regardless of whether its entrance is inside or outside the house/module.</p> | <b>1.12.5</b>                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                 |               |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                                                                      | <b>13. EXTERNAL DIMENSIONS OF HOUSE/MODULE</b>                                                                                                                                                                                                                                                                                                                                                  | <b>1.13</b>   |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                                                                      | This section <b>MUST</b> be completed.                                                                                                                                                                                                                                                                                                                                                          |               |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                                                                      | <b>MAIN STRUCTURE/ADDITIONAL PART</b><br>Take separate measurements for main structure and additional part. Rectangularise any irregularities or extra parts.                                                                                                                                                                                                                                   | <b>1.13.3</b> |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                                                                      | <b>NUMBER OF FLOORS</b><br>Enter total number of floors in dwelling for main structure and additional part separately, include attics and basements. If no additional part, code NN.                                                                                                                                                                                                            | <b>1.13.4</b> |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                                                                      | <b>LEVEL</b><br>Enter appropriate code for each floor measured.<br><b>NN</b> level does not exist<br><b>BB</b> basement<br><b>GG:</b> ground<br><b>01, 02</b> etc above ground<br><br>Upper floors need not be measured with a tape – estimate dimensions with reference to lower floor.                                                                                                        | <b>1.13.5</b> |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                                                                      | <b>WIDTH</b><br>Always measure width first. This is measured to the nearest 10 centimetres across left to right of front or back of main part, and left to right across from or back of additional part. These are <b>external</b> measurements, if they have to be taken internally, add on for wall thickness: where attached include half party wall.                                        | <b>1.13.6</b> |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                                                                      | <b>DEPTH</b><br>Always measure depth second. Measure to nearest 10 centimetres from front to back taken down the side or through the centre of the main part and down the side of the additional part.                                                                                                                                                                                          | <b>1.13.7</b> |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                                                                      | <b>14. MATERIAL AND CONSTRUCTION OF HOUSE/MODULE</b>                                                                                                                                                                                                                                                                                                                                            | <b>1.14</b>   |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                                                                      | <b>CONSTRUCTION METHOD</b>                                                                                                                                                                                                                                                                                                                                                                      | <b>1.14.2</b> |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                                                                      | <b>Boxwall</b> structure is rigid 'box'<br><b>Crosswall</b> cross walls loadbearing<br><b>Frame</b> skeleton is supporting structure<br><br><b>Proprietary system</b> – see types in the manual Part 2, Annex B (Construction Methods)                                                                                                                                                          |               |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                                                                      | <b>IF WALL IS STONE, WHAT IS THE PROPORTION THAT IS STONE?</b><br>If the construction of the dwelling is Masonry or timber frame then please record the proportion in tenths that is stone. If the property is purely brick or block, then please record 'n/a'. For cavity wall dwellings we are only interested in the external leaf do not try and guess if the inner leaf is built of stone. |               |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                                                                      | <b>TYPE OF STONE?</b><br>If you recorded that stone is present in the construction of the dwelling then please record the stone type. If there is no stone present then you do not need to answer this question. If more than one type of stone is present then please record the most dominant type.                                                                                           |               |
| <b>1</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | <b>Attic only</b> - use this code if an attic is present but no basement.            |                                                                                                                                                                                                                                                                                                                                                                                                 |               |
| <b>2</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | <b>Basement only</b> - use this code if a basement is present but there is no attic. |                                                                                                                                                                                                                                                                                                                                                                                                 |               |

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                |                                                                                                                                                                                                                                                                                                                                                                                                    |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>15. IMPROVEMENTS/ALTERATIONS</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | <b>1.15</b>    |                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>THE ALTERATIONS</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | <b>1.15.1</b>  |                                                                                                                                                                                                                                                                                                                                                                                                    |
| Record alterations since original construction.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                |                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>CONVERSION TO MORE THAN ONE DWELLING</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                |                                                                                                                                                                                                                                                                                                                                                                                                    |
| Large house divided.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                |                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>CONVERSION TO HMO USE</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                |                                                                                                                                                                                                                                                                                                                                                                                                    |
| House converted and contains some bed-sits/B&B/similar units with shared facilities.                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                |                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>CONVERSION FROM NON-RESIDENTIAL USE</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                |                                                                                                                                                                                                                                                                                                                                                                                                    |
| e.g. barn, warehouse, etc. converted into houses or flats.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                |                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>TWO OR MORE DWELLINGS COMBINED</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                |                                                                                                                                                                                                                                                                                                                                                                                                    |
| e.g. two or more terraced houses 'knocked through' to provide single, larger house. Self-contained flats converted to single family houses.                                                                                                                                                                                                                                                                                                                                                                                                   |                |                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>COMPLETE REFURBISHMENT/ MODERNISATION</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                |                                                                                                                                                                                                                                                                                                                                                                                                    |
| Completely 'gutted.'                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                |                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>REARRANGEMENT OF INTERNAL SPACE</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                |                                                                                                                                                                                                                                                                                                                                                                                                    |
| Original partitions removed, and/or new partitions constructed to create 2 or more rooms from original room.                                                                                                                                                                                                                                                                                                                                                                                                                                  |                |                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>EXTENSION ADDED FOR AMENITIES</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                |                                                                                                                                                                                                                                                                                                                                                                                                    |
| Must be permanent structure, attached to and accessed via main building.                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                |                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>EXTENSION ADDED FOR LIVING SPACE</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                |                                                                                                                                                                                                                                                                                                                                                                                                    |
| Include building over attached garages or other single storey additions. Do not include porches or sun lounges and Conservatories less than 5sqm in area.                                                                                                                                                                                                                                                                                                                                                                                     |                |                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>ALTERATION OF EXTERNAL APPEARANCE</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                |                                                                                                                                                                                                                                                                                                                                                                                                    |
| Window/door openings moved/enlarged/reduced, other changes to elevations.                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                |                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>OVER-CLADDING</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                |                                                                                                                                                                                                                                                                                                                                                                                                    |
| Permanent cladding to exterior walls. Do not include render or other coatings.                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                |                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>LOFT CONVERSION</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                |                                                                                                                                                                                                                                                                                                                                                                                                    |
| Made into habitable room. Ask household exact year of loft conversion, the data will help to give a more accurate indication of the insulation levels.<br>If the householder does not know the exact year of the loft conversion then enter your best guess.                                                                                                                                                                                                                                                                                  |                |                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>RADON REMEDIAL WORKS</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                |                                                                                                                                                                                                                                                                                                                                                                                                    |
| This question need only be completed for older dwellings (pre-1991) in areas in which 30% of homes contain radon levels above the Action Level of 200 Bqm <sup>-3</sup> . A map is provided for surveyors working in these areas. Dwellings in the following postcodes in Devon and Cornwall are most at risk; PL14, PL25, PL26, TQ7, TR13, TR14, TR15, TR16.                                                                                                                                                                                 |                |                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>16. ELEVATION FEATURES</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | <b>1.16</b>    |                                                                                                                                                                                                                                                                                                                                                                                                    |
| Record in relation to all 4 faces of the house/module.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | <b>1.16.1</b>  |                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>IS PART OF FACE UNATTACHED</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | <b>1.16.2</b>  |                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Y</b> face is not fully attached<br><b>N</b> face fully attached.                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                |                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Record "numbers" or tenths, as appropriate, of the unattached portion of wall, state in 10th's how much is gables, parapets, mono supporting walls, base walls and main walls. This section must add up to 10.</b> If the face is not fully attached but cannot be seen then complete as best you can use your professional judgement and knowledge gained of the rest of the survey dwelling. <b>Do not leave blank.</b>                                                                                                                  |                |                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>SOLAR WATER HEATING PANELS</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | <b>1.16.9</b>  |                                                                                                                                                                                                                                                                                                                                                                                                    |
| Record <b>Yes</b> if there are solar panels installed for water heating purposes. If they are on the roof record their presence on the face into which the roof slopes. <b>Note. If solar panels are found record in hot water system "other" fuel, code 15.</b>                                                                                                                                                                                                                                                                              |                |                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>SOLAR PHOTOVOLTAIC (PV) PANELS</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | <b>1.16.10</b> |                                                                                                                                                                                                                                                                                                                                                                                                    |
| Record <b>Yes</b> if there are PV panels present on any face of the dwelling or module and record the size of each in whole m <sup>2</sup> . If on the roof, record their presence on the face into which the roof slopes.                                                                                                                                                                                                                                                                                                                    |                |                                                                                                                                                                                                                                                                                                                                                                                                    |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                | If PV or Solar panels are found on the plot or on garages or outbuildings associated with the dwelling and they supply directly to the dwelling, record on the corresponding face of the dwelling. If that face is completely attached record their presence on the most appropriate unattached face. East and West orientations are equivalent, otherwise choose the nearest more southerly face. |
| <b>FENESTRATION</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | <b>1.16.13</b> |                                                                                                                                                                                                                                                                                                                                                                                                    |
| It is important to give accurate measurements of fenestration. Include integral garages but not dormer windows or roof lights.                                                                                                                                                                                                                                                                                                                                                                                                                |                |                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>EVIDENCE FROM AIR BRICKS OF CAVITY WALL INSULATION</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | <b>1.16.14</b> |                                                                                                                                                                                                                                                                                                                                                                                                    |
| Answer <b>Y</b> if there is evidence of cavity wall insulation in or around the air bricks, or the airbricks are newly installed / replaced as part of the cavity wall treatment.                                                                                                                                                                                                                                                                                                                                                             |                |                                                                                                                                                                                                                                                                                                                                                                                                    |
| If there is no evidence of cavity wall insulation in or around the air bricks, even though the walls have been insulated, you should still code <b>N</b> .                                                                                                                                                                                                                                                                                                                                                                                    |                |                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>WIND TURBINES PRESENT?</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | <b>1.16.15</b> |                                                                                                                                                                                                                                                                                                                                                                                                    |
| Record <b>Yes</b> if there is a wind turbine located within the curtilage of the dwelling. It will usually be attached to the wall or chimney stack. Free-standing turbines supplying power <u>directly</u> to the dwelling / module should also be included.                                                                                                                                                                                                                                                                                 |                |                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>ROOF PITCH</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | <b>1.16.16</b> |                                                                                                                                                                                                                                                                                                                                                                                                    |
| Record the angle of roof pitch. If multiple pitches exist, then see decision tree in manual for guidance on pitch selection.                                                                                                                                                                                                                                                                                                                                                                                                                  |                |                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>ORIENTATION OF FRONT FACE</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | <b>1.16.17</b> |                                                                                                                                                                                                                                                                                                                                                                                                    |
| Code the direction of the front face of the house / module. This is the direction you are looking as you stand with your back to the front face of the house / module.                                                                                                                                                                                                                                                                                                                                                                        |                |                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>17. SPECIFICATION OF VIEWS</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | <b>1.17</b>    |                                                                                                                                                                                                                                                                                                                                                                                                    |
| i) Draw plan of module or dwelling on grid. Central square represents main part. Use surrounding squares to locate additional part. Front is towards bottom of page.                                                                                                                                                                                                                                                                                                                                                                          |                |                                                                                                                                                                                                                                                                                                                                                                                                    |
| ii) Identify four 'faces' of module or dwelling.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                |                                                                                                                                                                                                                                                                                                                                                                                                    |
| iii) Collect faces into views. Side faces have to be allocated to either the front or back views if they are fully or partly exposed.                                                                                                                                                                                                                                                                                                                                                                                                         |                |                                                                                                                                                                                                                                                                                                                                                                                                    |
| iv) Record choice of views by ringing appropriate codes.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                |                                                                                                                                                                                                                                                                                                                                                                                                    |
| v) If module or dwelling is partially attached at one face to neighbouring building indicate that attachment. Write in box below view code proportion of face in tenths which is attached. No attachment enter 0.                                                                                                                                                                                                                                                                                                                             |                |                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>F</b> adjacent face put in front view.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                |                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>B</b> adjacent face put in back view.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                |                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>A</b> adjacent face fully attached to neighbouring module or dwelling.                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                |                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>N</b> adjacent face cannot be seen clearly to make an assessment.                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                |                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>SUITABILITY OF ROOF SLOPE FOR PV INSTALLATION</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | <b>1.17.5</b>  |                                                                                                                                                                                                                                                                                                                                                                                                    |
| Mark ' <b>Y</b> ' for each roof slope orientation that could accommodate a solar panel <i>in addition</i> to what already exists. The important information here is the direction that the solar panel would face were it to be installed. With this in mind the ' <b>Y</b> ' should always be recorded in the direction into which the roof slopes. It is important to note that this may differ from the face into which the roof under consideration is sloping. For the roof slope under consideration to be considered suitable it must: |                |                                                                                                                                                                                                                                                                                                                                                                                                    |
| 1. have enough surface area to fit a 6m <sup>2</sup> panel.<br>E.g. 3m x 2m.                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                |                                                                                                                                                                                                                                                                                                                                                                                                    |
| 2. be in a good state of repair and strong enough to take the weight of any installation. Note that thatch is not considered suitable for photovoltaic installation.                                                                                                                                                                                                                                                                                                                                                                          |                |                                                                                                                                                                                                                                                                                                                                                                                                    |
| 3. be clear from excessive protrusions (such as flues and vents) or roof features (such as roof lights, satellite dishes, dormer windows, chimneys and existing solar panels / photovoltaic's).                                                                                                                                                                                                                                                                                                                                               |                |                                                                                                                                                                                                                                                                                                                                                                                                    |
| Where a roof slope is not suitable please mark an ' <b>N</b> '. Where a module has only flat roofs present, do not complete the PV questions; these are to capture PV potential for sloping roofs only.                                                                                                                                                                                                                                                                                                                                       |                |                                                                                                                                                                                                                                                                                                                                                                                                    |

|                                                                                                                                                                                                                                                   |                |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| <b>18. EXTERIOR - OF HOUSE / MODULE</b>                                                                                                                                                                                                           | <b>1.18</b>    |
| <b>ASSESSMENT OF EXTERNAL CONDITION</b>                                                                                                                                                                                                           | <b>1.18.1</b>  |
| Make separate assessments for front and back views. If material / component does not appear on schedule enter data in column which corresponds most closely in relation to costs of remedial work.                                                |                |
| <b>AGE OF ELEMENT</b>                                                                                                                                                                                                                             | <b>1.18.5</b>  |
| Record age of segment of element in years                                                                                                                                                                                                         |                |
| <b>88.</b> segment is same age as original construction.                                                                                                                                                                                          |                |
| <b>SPECIFY FAULTS</b>                                                                                                                                                                                                                             | <b>1.18.6</b>  |
| For certain elements ring <b>Y</b> if specified fault is present.                                                                                                                                                                                 |                |
| <b>URGENT</b>                                                                                                                                                                                                                                     | <b>1.18.8</b>  |
| If more than one treatment indicates urgency of treatment needed soonest.                                                                                                                                                                         |                |
| <b>Y</b> treatment is required within 1 year.                                                                                                                                                                                                     |                |
| <b>N</b> work needed between 1 and 5 years.                                                                                                                                                                                                       |                |
| <b>REPLACEMENT PERIOD</b>                                                                                                                                                                                                                         | <b>1.18.9</b>  |
| Enter number of years before major intervention required.                                                                                                                                                                                         |                |
| If part replaced in treatment, then replacement period is related to that part of segment not replaced. Whether or not a fault is recorded, if no treatment then replacement period is time before major intervention is required on the segment. |                |
| <b>88.</b> if segment to be totally replaced during initial treatment.                                                                                                                                                                            |                |
| <b>CHIMNEY STACKS</b>                                                                                                                                                                                                                             | <b>1.18.10</b> |
| Count stacks: 1 shared stack = 1                                                                                                                                                                                                                  |                |
| 2 shared stacks, same view = 1                                                                                                                                                                                                                    |                |
| 2 shared stacks, different view = 2                                                                                                                                                                                                               |                |
| <b>Other</b> includes metal, asbestos etc                                                                                                                                                                                                         |                |
| Do not double count stacks by including in both views.                                                                                                                                                                                            |                |
| <b>TREATMENTS</b>                                                                                                                                                                                                                                 | <b>1.18.12</b> |
| Do not consider flashings here, instead code in roof features at the bottom of the page.                                                                                                                                                          |                |
| <b>ROOF STRUCTURE</b>                                                                                                                                                                                                                             | <b>1.18.13</b> |
| Regard roof as 'in the view' if slope faces into view. Mono-pitched roofs should be shared between views.                                                                                                                                         |                |
| Allocate flat roof to view into which slight slope faces, otherwise share between views.                                                                                                                                                          |                |
| A bay under hip or gable end of a full height extension of main roof is part of main roof, not part of bay.                                                                                                                                       |                |
| <b>TREATMENT</b>                                                                                                                                                                                                                                  | <b>1.18.14</b> |
| If the roof covering cannot be seen enter 10 tenths in the most likely category.                                                                                                                                                                  |                |
| <b>ROOF COVERING</b>                                                                                                                                                                                                                              | <b>1.18.15</b> |
| Materials - if covering not described choose closest in terms of costs of remedial works. See the manual for notes on the use of EPDM rubber.                                                                                                     |                |
| <b>TREATMENT</b>                                                                                                                                                                                                                                  | <b>1.18.16</b> |
| Do not include valley gutters or flashings (which are included under roof features and drainage).                                                                                                                                                 |                |
| <b>ROOF FEATURES AND DRAINAGE</b>                                                                                                                                                                                                                 | <b>1.18.17</b> |
| <b>Fascias:</b> include soffits and barge boards. If these need complete repainting, this = 2/10 repair.                                                                                                                                          |                |
| <b>Valley gutter/flashings:</b> include all types of flashing round chimney, dormers, bays etc.                                                                                                                                                   |                |
| <b>Gutters/downpipes:</b> include rainwater goods associated with attached garages or attached outbuildings. Do not include gullies or surface drainage channels.                                                                                 |                |
| <b>Stacks/wastes:</b> include all external waste pipes, soil stacks, vent pipes.                                                                                                                                                                  |                |
| <b>Party parapet:</b> parapets to party walls projecting above roofline between adjacent properties.                                                                                                                                              |                |
| <b>FAULTS</b>                                                                                                                                                                                                                                     | <b>1.18.19</b> |
| If component not present ring <b>N</b> .                                                                                                                                                                                                          |                |
| <b>TREATMENTS</b>                                                                                                                                                                                                                                 | <b>1.18.20</b> |
| Record in tenths of overall length.                                                                                                                                                                                                               |                |



|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>18. EXTERIOR - OF HOUSE / MODULE (continued)</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | <b>1.18</b>    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>WALL</b><br>Massive component of wall.<br>Exclude bays and porches.<br>If wall finish covers structure, guess type of wall structure.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | <b>1.18.22</b> | <b>Bays</b><br>Do not include Bow windows or Oriel windows.<br><b>Single storey:</b> bay of single storey height at any level in the building<br><b>Multi-storey:</b> bay of two or more storey height. Code one multi-storey bay with two bay windows as '2'.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>CONSTRUCTION METHOD AND MATERIAL</b><br><b>Masonry cavity 1</b> – Include all types of masonry (i.e. brick, block, flint, stone etc.) double leaf walling.<br><b>Masonry cavity 2</b> – Include all types of masonry (i.e. brick, block, flint, stone etc.) double leaf walling. This should be completed when a second cavity wall is present that was constructed at a different time to the 1 <sup>st</sup> , e.g. a cavity extension which was added to a dwelling built with a cavity wall.<br><b>Masonry single:</b> a single leaf of masonry less than 200mm.<br><b>Masonry 9 "</b> : solid wall between 200mm and 300mm thick.<br><b>Masonry &gt; 9"</b> : solid wall more than 300mm.<br><b>In-situ concrete:</b> include exposed in-situ concrete frames<br>If makes up 5% surface area.<br><b>Concrete panels:</b> any type of pre-cast concrete panels and thick asbestos cement sheets.<br><b>Wood / Metal / plastic panels:</b> any type of timber / metal / plastic assembly used as structural component of infill or cladding for a frame system.                                                                                                                                                                                                             | <b>1.18.22</b> | <b>Dormers</b><br>Any structure with windows which protrudes from main roof line. Do not include 'Velux' roof lights in a pitched roof, or windows set into brickwork or external wall but projecting above eaves unless whole of the window is above eaves.<br><br><b>Roof extension:</b> Usually retro fitted, flat roof with area of at least one tenth of roof plan area in view.<br><br><b>Standard dormer:</b> any other dormer.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Measuring Wall thickness</b><br><br>All wall types noted in each view should be measured for their thickness. The following conventions should be followed.<br><br><ul style="list-style-type: none"> <li>The measurement should be carried out across a window reveal or door opening, or by internal vs. external measurement comparison. It is likely that the front and back doors will be suitable locations provided they exist and appear in the front and back views respectively.</li> <li>Ensure that any architectural details are ignored such as stone work around doorways.</li> <li>Ensure that door frames, window sills and any other elements that could lead to an incorrect reading are ignored.</li> <li>Where the wall thickness for a given wall type in a particular view varies, please obtain an average (this is likely to only apply to stone walls greater than 9" thick).</li> <li>If a wall type is unmeasurable (e.g. there are no reveals in that wall) then the wall thickness should be estimated based on the walls that can be measured.</li> <li>The measurement is for the module so in the case of flats, the measurement should be made for all wall types found in that view within the module, not just the survey flat.</li> </ul> |                | <b>Porches</b><br>Must be fully enclosed and must project from main structure (i.e. not 'inset' porches).                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                | <b>CONSERVATORIES</b><br><br>Must be fully enclosed and must project from the main structure. First establish if conservatory: - <ul style="list-style-type: none"> <li>Roof must be at least three quarters glazed</li> <li>Walls must be at least half glazed</li> </ul> The conservatory roof may have been partially or fully replaced with a solid roof. If the structure would still otherwise be considered a conservatory then record it as such.<br><br>Where glazing of either element is less than 100% record the type of glazed part. If the glazing of walls or roof is mixed, record predominant type. Anything better than double glazing should be recorded as double glazing.<br><br>A closable door is defined as any door that is similar in design and thermal properties to an external door. For example French windows or patio doors qualify as closable doors. Disregard condition when assessing thermal properties (e.g. condition of draft stripping). |
| <b>TREATMENTS</b><br>Consideration should be given to work on wall finish (e.g. treatment of badly spalling brick), as this might be better dealt with by rebuilding structure.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | <b>1.18.23</b> | <b>Fixed radiator or other fixed heater present? – code Y</b> If a fixed radiator or other fixed heater is present. If a heater is present but is not fixed to the wall or wired in direct to a fused spur then <b>N</b> should be recorded.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>WALL FINISH</b><br>Outer layer or skin of the material of wall structure or any coating applied to wall structure. Do not include bays and porches.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | <b>1.18.24</b> | <b>PLEASE RECORD ALL DETAILS FOR ALL CONSERVATORIES</b><br><br>Where more than one conservatory exists:<br>When establishing if each attachment is a conservatory, assess the glazed proportion of walls and roof for each conservatory separately.<br><br>For attachments that ARE deemed to be conservatories:<br><br>Record the number in the dormers and bays section. Then; <ul style="list-style-type: none"> <li>If all have closable doors record as <b>Y</b></li> <li>If none or only some have closable doors record as <b>N</b></li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>MATERIALS</b><br><b>Masonry pointing:</b> pointing and outer 10mm of fair-faced brickwork or stonework. Include masonry painted with cement-based, bitumen-based or similar products.<br><b>Non-masonry natural:</b> concrete panels, burnished steel or aluminium etc. Include painted panels.<br><b>Rendered:</b> all cement renders, pebbledash and similar surface treatments.<br><b>Shiplap timber:</b> all protective decorative timber.<br><b>Tile hung:</b> tiles mechanically fixed to structure.<br><b>Slip/tile faced:</b> concrete panels faced with brick slips or mosaic tiles.<br><b>Wood/Metal/Plastics:</b> all laminates, thin metal sheets etc.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | <b>1.18.24</b> | <b>Balconies</b><br>These must be part of the individual dwelling and not shared within an apartment building.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>TREATMENTS</b><br>If suggesting action on structure, consider consequent action to finish. Natural or usual finishes will have been included in the action to the structure, but renders and other applied surfaces should be included in wall finish.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | <b>1.18.25</b> | <b>DAMP PROOF COURSE</b><br><br><b>Physical barrier:</b> slate, blue brick, bituminous felt etc.<br><b>Injection DPC:</b> chemical DPC.<br><b>None:</b> no DPC.<br><br>If it is not possible to determine whether or not a DPC is present and if there are signs of rising damp, code 'none', otherwise code 'physical barrier'.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>DORMER AND BAYS</b><br>Refers to the 'structure', i.e. 'wall' and 'roof' but not windows and doors. Quantify components as numbers.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | <b>1.18.26</b> | If you have both a physical barrier and an injected barrier in the same length of wall record the injected barrier, even if this has also failed.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                |                                                                                                                                                                                                                                                              |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>18. EXTERIOR -OF SURVEY DWELLING</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | <b>1.18</b>    | <b>7. No step but slope &gt;1:20.</b> = No steps but the slope is too steep for comfortable wheelchair access.                                                                                                                                               |
| <b>WINDOWS/FRAMES TO DWELLING</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | <b>1.18.30</b> | <b>Space for ramp?</b>                                                                                                                                                                                                                                       |
| Record in numbers.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                | <b>8. Not applicable</b> = No steps to replace with ramp.<br><b>Yes</b> = There are steps but a ramp could be installed.<br><b>No</b> = when there are steps although there is no room for these to be replaced by a permanent ramp of 1 in 20 or shallower. |
| In a flat block these are the windows of the individual flat, not of the module.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                |                                                                                                                                                                                                                                                              |
| A single window is a complete assembly supplied as one component. A 'bay window' or 'glazed wall' might consist of several assemblies, and be recorded as several windows. Do not include 'French windows': do include 'patio doors'. A pair of sliding patio doors=2 windows                                                                                                                                                                                                                                                                                                                                                                                          |                | <b>Is path firm and even?</b>                                                                                                                                                                                                                                |
| Windows over 3sqm's are considered as 2 windows.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                | <b>Yes</b> = Firm, even concrete, paving, or tarmac suitable for a wheelchair.<br><b>No</b> = Loose gravel, grass or poor condition surface unsuitable for wheelchair access.                                                                                |
| 'Double glazed' refers only to factory made, sealed units. Refer to internal assessment (page 3) for notes on window faults.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                | <b>Is path at least 900mm wide?</b>                                                                                                                                                                                                                          |
| <b>TREATMENTS</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | <b>1.18.31</b> | <b>Yes</b> = Path is wide enough for wheelchair access. Include driveways and paving.                                                                                                                                                                        |
| 'Repaint / reputty:' used for windows not subject to other treatments                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                | <b>Is gradient less than 1 in 12?</b><br><b>Yes</b> = It is shallower than 1 in 12.                                                                                                                                                                          |
| <b>DOORS/FRAMES TO DWELLING</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | <b>1.18.32</b> | <b>Is entrance adequately lit?</b>                                                                                                                                                                                                                           |
| Record as number of doors.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                | <b>Yes</b> = There is an external light at the entrance door.<br><b>No</b> = There is no external light (even if there is a streetlight nearby).                                                                                                             |
| In a flat block these are the doors to the individual flat, not to the module. Where the entrance door is onto an internal corridor it can be entered in either front or rear view. Do not include 'patio doors': do include 'French windows'.                                                                                                                                                                                                                                                                                                                                                                                                                         |                | <b>Is entrance covered?</b>                                                                                                                                                                                                                                  |
| Please note the condition of <b>Integral garage doors</b> are recorded at this point. We are not interested in the condition of the doors for any other type of garage.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                | <b>Yes</b> = Space undercover for a wheelchair user to shelter, even if entrance cannot be accessed by a wheelchair. Does not need to be fully enclosed.<br><b>No</b> = No cover over entrance large enough for wheelchair user.                             |
| <b>Composite doors:</b> Most doors that meet the new building regulations will be composite doors which are fairly new to the market. Materials used in composite doors include PVC, wood, steel, aluminium, insulating foam and glass reinforced plastic (GRP), which come together to produce a door that is resistant to the elements, very strong and secure and very energy efficient. In addition, the exterior of the composite door normally consists of a wooden frame covered with the GRP, a material that doesn't fade or crack over time – so they are specifically designed to look like traditional wooden doors, but are essentially maintenance free. |                | <b>PLOT DIMENSIONS</b>                                                                                                                                                                                                                                       |
| <b>TREATMENTS</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | <b>1.18.33</b> | <b>1.18.38</b>                                                                                                                                                                                                                                               |
| <b>Paint:</b> used for doors not subject to other treatments.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                | Dimensions should be paced. 'Rectangularise' irregular plots.                                                                                                                                                                                                |
| <b>PLOT OF SURVEY DWELLING</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | <b>1.18.34</b> | <b>WIDTH OF PLOT</b><br>The measurement from left to right. If width varies, take an average.                                                                                                                                                                |
| This section relates to private plots only. Shared plots are covered in Section 11.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                | <b>88.</b> For flats record the actual width. If the plot is the same width as the module, code "same as module".                                                                                                                                            |
| 1. Private plot exists. Complete the whole of this section                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                | <b>Tenths hard</b> concrete, tarmac, paving, gravel.                                                                                                                                                                                                         |
| 2. No private or shared plot. Complete accessibility questions and HHSRS only.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                | <b>Tenths soft</b> lawn, flowerbeds.                                                                                                                                                                                                                         |
| 3. Shared plot / facilities only. Complete Section 11 and leave this section blank.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                | <b>DEPTH OF PLOT</b><br>Measure from rear of main part to back edge of plot.                                                                                                                                                                                 |
| <b>ACCESSIBILITY</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | <b>1.18.36</b> | <b>PLOT LEVELS AND FALLS</b>                                                                                                                                                                                                                                 |
| <b>Accessibility for a wheelchair user. Entrance = main entrance, which may be in either view.</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                | <b>1.18.39</b>                                                                                                                                                                                                                                               |
| <b>Number of steps from front gate/pavement to entrance</b><br>A step will be any planned change in level, other than the width of the sill at the bottom of the door.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                | <b>HHSRS OF PLOT</b>                                                                                                                                                                                                                                         |
| <b>8. Level access</b> = No steps between gate/pavement and entrance door for a wheelchair to negotiate.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                | <b>1.18.41</b>                                                                                                                                                                                                                                               |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                | Only consider risks as they impact on the survey dwelling. You should restrict your assessments to the main routes to the front and rear of the dwelling and not to the wider plot. Consider how often accessways will be used over a year.                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                | Average risk = average for age and type of dwelling. Significantly higher than average risks will advertise themselves to you.                                                                                                                               |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                | If significantly worse than average complete Section 22.                                                                                                                                                                                                     |

|                                                                                                                                                                                                                                                                                                                                                                                                                                                |                |                                                                                                                                                                                                                                                                                                                                                                                      |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>19. AROUND THE HOUSE/MODULE</b>                                                                                                                                                                                                                                                                                                                                                                                                             | <b>1.19</b>    |                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>RATS AND MICE OUTSIDE</b>                                                                                                                                                                                                                                                                                                                                                                                                                   | <b>1.19.6</b>  | <b>% of walls with internal / external insulation present</b><br>Consider all evidence of internal and external insulation together and assess the percentage of <b>all walls</b> that have internal or external insulation. <b>This question applies to all walls because it is possible to find these systems applied to cavity walls; particularly if they are hard to treat.</b> |
| You should now look for signs of rats and mice around the plots and grounds of houses and flats, and record <b>Yes</b> if either are found, or <b>No</b> if they are not. Signs of vermin found in garages or sheds should be recorded here, as well as those found in open ground. The signs to look for are presented in <b>Part 2</b> .                                                                                                     |                |                                                                                                                                                                                                                                                                                                                                                                                      |
| Record the type of evidence found <b>inside or outside</b> the dwelling at this point.                                                                                                                                                                                                                                                                                                                                                         |                | The % of all walls with internal/external insulation present should only be greater than 0% if you have coded 'Y' for presence of IWI or EWI in one or more of the relevant corresponding parts of the form on pages 3/8/14 OR if you have other evidence that it is present e.g. the estate manager of a vacant property may know of its existence.                                 |
| <b>PETS/LIVESTOCK KEPT OUTSIDE</b>                                                                                                                                                                                                                                                                                                                                                                                                             | <b>1.19.8</b>  | <b>EXPOSURE</b>                                                                                                                                                                                                                                                                                                                                                                      |
| Code <b>Yes</b> if there are rabbit hutches, chicken runs, aviaries, dog kennels, etc. outside (including in garages, sheds and stables) which might attract vermin, or indeed if there is already evidence of them.                                                                                                                                                                                                                           |                | <b>Is the dwelling in an exposed position</b>                                                                                                                                                                                                                                                                                                                                        |
| <b>LITTER/RUBBISH AROUND HOUSE/MODULE</b>                                                                                                                                                                                                                                                                                                                                                                                                      | <b>1.19.9</b>  | This question will be used to help establish the energy rating for the dwelling. By exposure, we mean is it in a very windy/ wet position. For example, a moorland cottage might be very exposed, or a top floor flat in a tower block in Sheffield. But a ground floor flat in the same block might be 'not exposed' if it is surrounded by higher buildings                        |
| You should use the same codes as for litter/rubbish in common areas (Section 9) and litter/rubbish in shared facilities (Section 11), but this time it applies to private gardens and plots.                                                                                                                                                                                                                                                   |                | <b>1. Not exposed</b><br>Dwelling is in a sheltered position, possibly surrounded by other buildings or trees or tucked away in a valley.                                                                                                                                                                                                                                            |
| 'Controlled' compost heaps and bin stores are not considered to be a health problem.                                                                                                                                                                                                                                                                                                                                                           |                | <b>2. Slightly exposed</b><br>Dwelling is quite sheltered but may be buffeted by winds from time to time.                                                                                                                                                                                                                                                                            |
| 1. There is no litter/rubbish problem.                                                                                                                                                                                                                                                                                                                                                                                                         |                | <b>3. Exposed</b><br>Dwelling is open to the elements, possibly on all four sides with little shelter provided by other buildings or natural obstacles.                                                                                                                                                                                                                              |
| 2. There is some litter/rubbish, but not enough to cause concern for the health of the occupants.                                                                                                                                                                                                                                                                                                                                              |                | <b>4. Very exposed</b><br>Dwelling is permanently exposed to the worst that the English elements can offer. Cliff top houses and isolated hill farms might fall into this category.                                                                                                                                                                                                  |
| 3. There is considerable litter/rubbish which affects the health and safety of the occupants of the survey dwelling.                                                                                                                                                                                                                                                                                                                           |                | <b>AVERAGE LEVEL OF OVERSHADING OF THE DWELLING WINDOWS</b>                                                                                                                                                                                                                                                                                                                          |
| <b>HHSRS</b>                                                                                                                                                                                                                                                                                                                                                                                                                                   | <b>1.19.10</b> | Most solar gains through windows are from those facing South so record the winter overshadowing of the windows in the <b>southern-most</b> facing view.                                                                                                                                                                                                                              |
| Personal hygiene, sanitation and drainage.                                                                                                                                                                                                                                                                                                                                                                                                     |                | 1. <b>None / Very little</b> <20% of the average windows overshadowed,                                                                                                                                                                                                                                                                                                               |
| Domestic hygiene, pests and refuse.                                                                                                                                                                                                                                                                                                                                                                                                            |                | 2. <b>Modest - 20% to 60%</b> of the average windows overshadowed,                                                                                                                                                                                                                                                                                                                   |
| Extreme risks – only code 4 in very unusual circumstances.                                                                                                                                                                                                                                                                                                                                                                                     |                | 3. <b>Significant - 60% to 80%</b> of the average windows overshadowed,                                                                                                                                                                                                                                                                                                              |
| Describe in Section 22.                                                                                                                                                                                                                                                                                                                                                                                                                        |                | 4. <b>Heavy &gt;80%</b> of the average windows are overshadowed.                                                                                                                                                                                                                                                                                                                     |
| <b>PARKING PROVISION</b>                                                                                                                                                                                                                                                                                                                                                                                                                       | <b>1.19.11</b> | <b>LEVEL OF OVERSHADING OF THE MODULE ROOF</b>                                                                                                                                                                                                                                                                                                                                       |
| Record number of parking spaces available to household (ask household). Designated parking spaces includes drives.                                                                                                                                                                                                                                                                                                                             |                | Record the level of overshadowing for the roof sloping into the southern-most facing view that is suitable for installation of a photovoltaic / solar panel.                                                                                                                                                                                                                         |
| <b>STREET PARKING</b>                                                                                                                                                                                                                                                                                                                                                                                                                          | <b>1.19.17</b> | 1. <b>None / Very little</b> - <20% of the roof overshadowed,                                                                                                                                                                                                                                                                                                                        |
| Code 'none' if not possible to park in the street on a permanent basis, as a visitor.                                                                                                                                                                                                                                                                                                                                                          |                | 2. <b>Modest – 20% to 60%</b> of the roof overshadowed,                                                                                                                                                                                                                                                                                                                              |
| <b>OFF PLOT PARKING</b>                                                                                                                                                                                                                                                                                                                                                                                                                        | <b>1.19.18</b> | 3. <b>Significant – 60% to 80%</b> of the roof overshadowed,                                                                                                                                                                                                                                                                                                                         |
| Record if parking is less than 30m from the entrance to the dwelling / module, with an even access route of less than 1:12 gradient. Is the parking accessible to an ambulant – disabled person. Always answer 'Y' or 'N', do not leave blank.                                                                                                                                                                                                 |                | 4. <b>Heavy - &gt;80%</b> of the dwelling roof overshadowed.                                                                                                                                                                                                                                                                                                                         |
| <b>CAVITY WALL INSULATION SUMMARY</b>                                                                                                                                                                                                                                                                                                                                                                                                          | <b>1.19.19</b> | <b>20. BLOCK</b>                                                                                                                                                                                                                                                                                                                                                                     |
| This enables surveyors to summarise the cavity wall insulation details obtained throughout the survey. All relevant flags on the form should be <b>reviewed</b> and a final judgement made about the percentage of cavity walls with CWI present. Include as-built (as well as retrofit) insulation if there is evidence it is present, but do not assume all recently constructed dwellings are insulated.                                    |                | A block is a group of dwellings which are part of the same structure.                                                                                                                                                                                                                                                                                                                |
| <b>% of cavity walls with CWI present</b>                                                                                                                                                                                                                                                                                                                                                                                                      |                | <b>NUMBER OF HOUSES/MODULES</b>                                                                                                                                                                                                                                                                                                                                                      |
| Consider all evidence of CWI together and assess the percentage of the <b>cavity walls</b> that have CWI. Record to the nearest 25%. If the amount is exactly between two values, record the lower of the two options.                                                                                                                                                                                                                         |                | Indicate here the total number of houses/ modules in the block.                                                                                                                                                                                                                                                                                                                      |
| The % of cavity walls with CWI present should only be greater than 0% if you have coded 'Y' for presence of CWI in one or more of the relevant corresponding parts of the form on pages 5/7/8/14 OR if you have other evidence that CWI is present e.g. the estate manager of a vacant property may know of its existence.                                                                                                                     |                | <b>Detached house/module</b> - code (01) here if the block is a detached house or detached module.                                                                                                                                                                                                                                                                                   |
| <b>INTERNAL/EXTERNAL INSULATION SUMMARY</b>                                                                                                                                                                                                                                                                                                                                                                                                    | <b>1.19.20</b> | <b>Specify number</b> - where there are between three and fifty houses/modules in the block, count and write in here the number of dwellings/modules in the block.                                                                                                                                                                                                                   |
| This enables surveyors to summarise the internal and external insulation details obtained throughout the survey. All relevant flags on the form should be <b>reviewed</b> and a final judgement made about the percentage of all walls with internal or external insulation present. Include as-built (as well as retrofit) insulation if there is evidence it is present, but do not assume all recently constructed dwellings are insulated. |                | <b>More than 50</b> - where there appear to be more than 50 houses/modules in the block code (75) here. An example will be large, continuous terraces of houses.                                                                                                                                                                                                                     |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                |                | <b>APPROX. NUMBER OF HOUSES / MODULES IN DISREPAIR IN BLOCK</b>                                                                                                                                                                                                                                                                                                                      |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                |                | Impression from external inspection. Including the survey house/module, how many of those in the block look as if they may be in disrepair from an external inspection.                                                                                                                                                                                                              |

|                                                                                                                                                                                                                          |               |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| <b>21. STRUCTURAL DEFECTS</b>                                                                                                                                                                                            | <b>1.21</b>   |
| <b>ANY STRUCTURAL FAULTS PRESENT</b>                                                                                                                                                                                     | <b>1.21.2</b> |
| If Y, complete the relevant parts of this section.                                                                                                                                                                       |               |
| <b>THE SEQUENCE OF DETAILED QUESTIONS</b>                                                                                                                                                                                | <b>1.21.3</b> |
| Work across each row from left to right.                                                                                                                                                                                 |               |
| <b>MONITOR / EXAMINE FURTHER</b>                                                                                                                                                                                         | <b>1.21.5</b> |
| If problem requires monitoring, assume progressive, to answer remaining questions.                                                                                                                                       |               |
| <b>ANY ADDITIONAL ACTION REQUIRED</b>                                                                                                                                                                                    | <b>1.21.7</b> |
| Whether action is or is not described elsewhere on form, consider whether additional action is required here. Review aggregate action to deal with the problem and change what has been recorded elsewhere if necessary. |               |
| <b>DEFECTS/TREATMENTS</b>                                                                                                                                                                                                | <b>1.21.8</b> |
| Use notes page on digitised form if insufficient space for specifying extent of action required.                                                                                                                         |               |
| <b>HHSRS</b>                                                                                                                                                                                                             | <b>1.21.9</b> |
| Structural collapse and falling elements.<br>Extreme risk – only code 4 in very unusual circumstances.                                                                                                                   |               |
| Describe in Section 22.                                                                                                                                                                                                  |               |

22. HOUSING HEALTH AND SAFETY RATING SYSTEM (HHSRS)

1.22

HAZARDS WHICH MAY REQUIRE SCORING

1.22.3

You should first review the HHSRS flags on page 3,10,12 and 17 and transfer the 6 codes for HAZARDS WHICH MAY REQUIRE SCORING to the table.

If any hazards are significantly worse than average (code 3), these should be described here first, and scored in full on pages 21-22. Remember that you should code the highest individual risks that you have identified anywhere in or around the property. Do not average out across the different internal and external flags.

OTHER HAZARDS IDENTIFIED AS EXTREME RISK

1.22.3

You should review the HHSRS flags on pages 3,4,5,6,18, 19 and code 'Y' on the table any that have been identified as 'extreme risks' (code 4) and describe below. Also specify the treatment required to make the dwelling acceptable using quantities, i.e. re-wire the whole dwelling, replace 1 bath, re-build 1 chimney stack.

**Note:** extreme risks are the equivalent of Category 1 hazards (Band A,B,C). We would expect to find no more than 100 cases in an annual EHS of 6,200 surveys. You should confirm with your Regional Manager that you are looking at such a situation.

Likely number in annual survey:

20-40 = falls associated with baths; entry by Intruders; collision and entrapment.  
10-20 = food safety, electrical safety.  
5-10 = personal hygiene; position & operability of amenities; explosions; carbon monoxide etc.  
2-5 = excess heat; un-combusted fuel gas; domestic hygiene; structural collapse; Noise.  
1 = lighting; water supply.

The likelihood of extreme risks

(so long as the outcome remains average)

| Hazard                                | Average likelihood | 'Extreme' likelihood |
|---------------------------------------|--------------------|----------------------|
| Falls associated with baths etc       | 1 in 3,200         | 1 in 25 or less      |
| Entry by intruders                    | 1 in 32            | 1 in 3 or less       |
| Noise                                 | 1 in 1,000         | 1 in 3 or less       |
| Collision and entrapment              | 1 in 32 (entrap't) | 1 in 3 or less       |
| Excess heat                           | 1 in 900,000       | 1 in 320 or less     |
| Lighting                              | 1 in 50,000        | 1 in 3 or less       |
| Water supply                          | 1 in 1,400,000     | 1 in 3 or less       |
| Food safety                           | 1 in 5,000         | 1 in 1               |
| Personal hygiene, sanitation etc      | 1 in 7,750         | 1 in 6 or less       |
| Position and operability of amenities | 1 in 13,000        | 1 in 6 or less       |
| Uncombusted fuel gas                  | 1 in 84,000        | 1 in 18 or less      |
| Explosions                            | 1 in 150,000       | 1 in 100 or less     |
| Electrical safety                     | 1 in 17,000        | 1 in 18 or less      |
| CO and fuel combustion products       | 1 in 1,250         | 1 in 1               |
| Domestic hygiene, pests, refuse       | 1 in 5,500         | 1 in 1               |
| Structural collapse etc               | 1 in 11,000        | 1 in 3 or less       |

SCORING THE 6 DIRECTLY MEASURED HAZARDS

1.22.4

For those hazards identified on page 20 as having a significantly higher risk than average for dwellings of this age and type, score each hazard in turn on pages 21-22. You should consider first the **likelihood** of a harm occurring, assuming the property is occupied by a vulnerable person. Then, consider the expected **outcome** and whether this is likely to differ from the average for dwellings of this age and type. Average likelihoods and outcomes for each hazard for different ages/types of dwelling are provided for reference. When determining the likely outcome, if a harm was to happen, possible outcomes are:

- Class 1, Extreme** = Death, permanent paralysis below the neck, permanent loss of consciousness, 80% burn injuries.
- Class 2, Severe** = Serious fractures, loss of a hand or foot, very serious burns, or loss of consciousness for days.

- Class 3, Serious** = Fractured skull, serious concussion, serious puncture wounds to head or body, loss of a finger, serious strain or sprain injuries, severe burns to hands.
- Class 4, Moderate** = Broken finger, sprained hip, slight concussion, moderate cuts to face or body, severe bruising to body, 10% burns.

USING THE 'LOOK UP TABLE'

1.22.6

Once you have completed the likelihood of a harm occurring and the possible spread of outcomes, the next stage is to look up the HHSRS score you will generate on the 'look-up table'.

This table shows the score (letter) that would be produced if either the **likelihood**, or **Class 1 outcome** (or both) are changed from the average. The changing of other classes of harm from the average will also have an effect, although you will have to move them a long way from the average to have a significant impact on their own. The permutations of this are far too many to present in a two-dimensional table. For each hazard, you should locate the point at which the likelihood and Class 1 outcome intersect on the table and ring the letter. If the result does not match your view of the seriousness of the hazards, you may wish to review the likelihoods and outcomes above and go through the process again. Remember that dwellings with a score of A, B or C would have a Category 1 hazard, which may be appropriate for intervention.

Key to 'look-up table'

|  |                                                                    |
|--|--------------------------------------------------------------------|
|  | Average score for hazard                                           |
|  | Worse than average, but not significantly so                       |
|  | Significantly worse than average                                   |
|  | Significantly worse than average and 'unacceptable' (score > 1000) |
|  | Score better than average – not applicable                         |

A,B,C etc = HHSRS Band. '+' = very close to next band up. '-' = very close to next band down

ACTION REQUIRED

1.22.7

For all hazards considered to be significantly worse than average, you should decide what action you would take to reduce the hazard to an acceptable level. For the purposes of this survey an **acceptable level** would be the 'average' for the age and type of the dwelling, and not the 'optimum' as defined by current building regulations. You should code:

- Which actions are required to rectify the hazard? You can ring more than one box, although remember we are not looking for optimum solutions – merely reducing the hazard to an acceptable level.
- Whether the work has already been coded elsewhere in your survey – for example where rectifying the disrepair identified elsewhere will reduce the HHSRS hazard to an acceptable level.
- If the action required has not been described elsewhere, you should code the quantity, so that we can produce an appropriate cost for making the dwelling healthy and safe.

**If none of the available actions adequately describe the work you feel should be undertaken, use the most similar, in terms of description and likely cost.**

Some HHSRS hazards may pose an imminent danger to the occupants. If, in your professional opinion, you have discovered such a risk of which you need to make the household or another responsible person or organisation aware, refer to the guidance in the administrative section of your manual about the steps you need to take. If possible, please discuss the risk with your RM before raising with the household.

22. HOUSING HEALTH AND SAFETY RATING SYSTEM1.22

SCORING THE HAZARDS1.22.8

Falling on stairs etc.

The hazard includes steps to the dwelling and any changes in levels in excess of 300mm. The average internal stair would be straight and easy to climb (not steep). It would be guarded on each side with either walls or balustrading and with well positioned handrails. There would be no gaps in excess of around 100mm to the stairs or balustrades, no dangerous projections and no significant disrepair. It is recognised that many older house types will have a higher risk than this average but, for the purposes of this survey, it would still be considered to be average if it was of a reasonably safe design, adequately lit and in good repair.

For the most part, a staircase which is significantly worse than average will advertise itself as being unsafe to you.

Average external steps would provide reasonable grip in most weather conditions, be free draining and, where more than two steps, be provided with secure handrails.

You should use the following table to determine the average for this survey dwelling type. Only if the dwelling is significantly worse than this average would you go through the scoring process.

| Falls on stairs<br>Vulnerable group<br>= person over 60 | Average<br>likelihood | Class 1<br>outcome | Class 2<br>outcome | Class 3<br>outcome | Class 4<br>outcome |
|---------------------------------------------------------|-----------------------|--------------------|--------------------|--------------------|--------------------|
| House/bungalow:<br>Pre 1919                             | 180                   | 2.2                | 10.0               | 21.5               | 66.3               |
| House/bungalow:<br>1919-1944                            | 180                   | 2.2                | 10.0               | 21.5               | 66.3               |
| House/bungalow:<br>1945-1979                            | 320                   | 1.0                | 4.6                | 21.5               | 72.9               |
| House/bungalow:<br>1980+                                | 320                   | 1.0                | 4.6                | 21.5               | 72.9               |
| Converted flat/<br>PB flat: Pre 1919                    | 180                   | 4.6                | 10.0               | 21.5               | 66.3               |
| PB flat: 1919-<br>1944                                  | 320                   | 2.2                | 2.2                | 21.5               | 74.1               |
| PB flat: 1945-<br>1979                                  | 320                   | 2.2                | 4.6                | 21.5               | 71.7               |
| PB flat: 1980+                                          | 320                   | 2.2                | 4.6                | 21.5               | 71.7               |

Please note that this table uses the averages from the HHSRS scoring system, unlike that in the supporting guidance which uses actual averages.

| Likelihood<br>Class 1<br>Outcome | 1 in 1800 | 1 in 1000 | 1 in 560 | 1 in 320 | 1 in 180 | 1 in 100 | 1 in 56 | 1 in 32 | 1 in 18 | 1 in 6 | 1 in 2 |
|----------------------------------|-----------|-----------|----------|----------|----------|----------|---------|---------|---------|--------|--------|
| 0.1%                             |           |           |          |          |          |          | E       | D       | C       | B      | A      |
| 0.2%                             |           |           |          |          |          | E-       | E       | D       | C       | B      | A      |
| 0.5%                             |           |           |          |          |          | E        | E       | D       | C       | B      | A      |
| 1.0%                             |           |           |          |          |          | E        | E       | D       | C       | B      | A      |
| 2.2%                             |           |           |          | F        | E-       | E        | E+      | D       | C       | A-     | A      |
| 4.6%                             |           |           |          | E-       | E        | D        | D       | C       | B       | A      | A      |
| 10.0%                            |           |           | E-       | E        | D        | C        | B       | B       | A       | A      | A      |
| 21.5%                            |           |           | D        | C        | B        | B        | A       | A       | A       | A      | A      |
| 31.6%                            |           |           | D        | C        | C        | B        | A       | A       | A       | A      | A      |
| 46.4%                            | E         | D         | C        | B        | B        | A        | A       | A       | A       | A      | A      |
| 100%                             | D         | C-        | C        | B        | A        | A        | A       | A       | A       | A      | A      |

Falling on level surfaces etc.

The average would be a dwelling with no tripping hazards and safe, even surfaces to walk on. Steps to thresholds at external doors should be easy to see and not too low or high. An average pre-1920 terraced house will have a step at the back addition. Carpeted floors would be the average indoors, but other finishes, (such as thermoplastic tiles) should only be scored if they are worn or uneven. Outside, the gradient of paths would be less than 1 in 12 and there would be no dangerous trip hazards or sharp changes of level.

When looking at hazards outside the dwelling, you should restrict your assessments to the main accessways to the front and rear doors, and not to the whole plot, common areas and shared facilities. You should not consider hazards beyond the plot such as roads and watercourses.

Falls on the level are common and, to be significantly worse than average, they should advertise themselves to the surveyor as being a real potential safety hazard.

You should use the following table to determine the average for this survey dwelling type. Only if the dwelling is significantly worse than this average would you go through the scoring process.

| Likelihood<br>Class 1<br>Outcome | 1 in 5600 | 1 in 3200 | 1 in 1800 | 1 in 1000 | 1 in 560 | 1 in 320 | 1 in 180 | 1 in 100 | 1 in 56 | 1 in 32 | 1 in 18 | 1 in 6 | 1 in 2 |
|----------------------------------|-----------|-----------|-----------|-----------|----------|----------|----------|----------|---------|---------|---------|--------|--------|
| 0.1%                             |           |           | J         | H         | H        | G        | F        | E-       | E       | E       | E       | B      | A      |
| 0.2%                             |           |           | I         | H         | H        | G        | F        | E        | E       | E       | E       | B      | A      |
| 0.5%                             |           |           | I         | H         | H        | G        | F        | E        | E       | E       | E       | B      | A      |
| 1.0%                             |           |           | I         | H         | H        | G        | F        | E        | E       | E       | E       | B      | A      |
| 2.2%                             |           |           | I         | H         | H        | G        | F        | E        | E       | E       | E       | B      | A      |
| 4.6%                             |           |           | I         | H         | H        | G        | F        | E        | E       | E       | E       | B      | A      |
| 10.0%                            | H         | H         | G         | F         | E        | D        | D        | C        | B       | B       | A       | A      | A      |
| 21.5%                            | H         | G         | F         | E         | D        | D        | C        | B        | B       | A       | A       | A      | A      |
| 31.6%                            | G         | F         | F         | E         | D        | C-       | C        | B        | B       | A       | A       | A      | A      |
| 46.4%                            | G         | F         | E         | E         | D        | C        | B        | B        | A       | A       | A       | A      | A      |
| 100%                             | F         | E         | D         | C+        | C        | B        | A        | A        | A       | A       | A       | A      | A      |

| Falls on the level<br>Vulnerable group<br>= person over 60 | Average<br>likelihood | Class 1<br>outcome | Class 2<br>outcome | Class 3<br>outcome | Class 4<br>outcome |
|------------------------------------------------------------|-----------------------|--------------------|--------------------|--------------------|--------------------|
| House/bungalow:<br>Pre 1919                                | 100                   | 0.2                | 10.0               | 31.6               | 58.2               |
| House/bungalow:<br>1919-1944                               | 180                   | 0.2                | 10.0               | 31.6               | 58.2               |
| House/bungalow:<br>1945-1979                               | 180                   | 0.2                | 10.0               | 31.6               | 58.2               |
| House/bungalow:<br>1980+                                   | 100                   | 0.1                | 10.0               | 31.6               | 58.3               |
| Converted flat/<br>PB flat: Pre 1919                       | 100                   | 0.1                | 10.0               | 21.5               | 68.4               |
| PB flat: 1919-<br>1944                                     | 100                   | 0.2                | 10.0               | 21.5               | 68.3               |
| PB flat: 1945-<br>1979                                     | 180                   | 0.2                | 10.0               | 21.5               | 68.3               |
| PB flat: 1980+                                             | 100                   | 0.1                | 21.5               | 21.5               | 56.9               |

Please note that this table uses the averages from the HHSRS scoring system, unlike that in the supporting guidance which uses actual averages.

| Likelihood<br>Class 1<br>Outcome | 1 in 1000 | 1 in 560 | 1 in 320 | 1 in 180 | 1 in 100 | 1 in 56 | 1 in 32 | 1 in 18 | 1 in 6 | 1 in 2 |
|----------------------------------|-----------|----------|----------|----------|----------|---------|---------|---------|--------|--------|
| 0.1%                             |           |          |          |          | E-       | E       | D       | C       | B+     | A      |
| 0.2%                             |           |          |          |          | E        | E       | D+      | C       | A-     | A      |
| 0.5%                             |           |          |          |          | E        | D       | D       | C       | A      | A      |
| 1.0%                             |           |          |          |          | E        | D       | D       | C       | A      | A      |
| 2.2%                             |           |          |          |          | D-       | D       | C       | B       | A      | A      |
| 4.6%                             |           |          | E        | E        | D        | C       | B       | B       | A      | A      |
| 10.0%                            |           | E        | E        | D        | C        | B       | B       | A       | A      | A      |
| 21.5%                            | E         | E        | D        | C        | B        | B       | A       | A       | A      | A      |
| 31.6%                            | E         | D        | C        | C+       | B        | A       | A       | A       | A      | A      |
| 46.4%                            | E+        | D        | C        | B        | B        | A       | A       | A       | A      | A      |
| 100%                             | C-        | C        | B        | A        | A        | A       | A       | A       | A      | A      |

Falling between levels.

The average dwelling would have landing balustrades, window and balcony guardings in a good state of repair. They should not be easy for a young child to climb. Windows on higher floors would have restrictors to stop someone falling out. Ideally internal sills to windows would be around 1,100mm above floor level. Any glazing below 1,100mm would be of safety glass.

Serious falls between levels are very uncommon and, to be significantly worse than average, they should advertise themselves as being a real potential safety hazard. Even when considered to be significantly worse than average, such hazards are unlikely to score A, B or C.

You should use the following table to determine the average for this survey dwelling type. Only if the dwelling is significantly worse than this average would you go through the scoring process.

| Falls between levels<br>Vulnerable group =<br>child under 5 | Average<br>likelihood | Class 1<br>outcome | Class 2<br>outcome | Class 3<br>outcome | Class 4<br>outcome |
|-------------------------------------------------------------|-----------------------|--------------------|--------------------|--------------------|--------------------|
| House / bungalow:<br>Pre 1919                               | 1800                  | 0.1                | 0.0                | 10.0               | 89.9               |
| House / bungalow:<br>1919-1944                              | 1800                  | 0.2                | 2.2                | 10.0               | 87.6               |
| House / bungalow:<br>1945-1979                              | 1000                  | 0.2                | 2.2                | 10.0               | 87.6               |
| House / bungalow:<br>1980+                                  | 1800                  | 0.1                | 0.1                | 21.5               | 88.3               |
| Converted flat/PB<br>flat: Pre 1919                         | 3200                  | 0.5                | 2.2                | 4.6                | 92.7               |
| PB flat: 1919-1944                                          | 3200                  | 0.5                | 2.2                | 4.6                | 92.7               |
| PB flat: 1945-1979                                          | 1800                  | 0.5                | 2.2                | 4.6                | 92.7               |
| PB flat: 1980+                                              | 1000                  | 0.5                | 2.2                | 4.6                | 92.7               |

Please note that this table uses the averages from the HHSRS scoring system, unlike that in the supporting guidance which uses actual averages.



22. HOUSING HEALTH AND SAFETY RATING SYSTEM 1.22.8

Fire

The average dwelling should meet the building regulations or bye laws for its age and type. Flats and HMOs should have appropriate fire precautions, including alarm systems and a safe means of escape. Houses should have safe opportunities to exit, which could include openable windows of adequate size.

Around 80% of dwellings now contain a smoke detector. The lack of a smoke detector will change both the likelihood of a fire spreading and the harm outcomes but the lack of a smoke detector in itself is unlikely to increase the risk significantly above average.

You should use the following table to determine the average for this survey dwelling type. Only if the dwelling is significantly worse than this average would you go through the scoring process.

Remember, the assessment of the likelihood is not about whether a fire might start. It is about whether it will start, spread and cause harm requiring treatment. Full guidance is provided in Part 5 of the manual

| Hot surfaces<br>Vulnerable group =<br>child under 5 | Average<br>likelihood | Class 1<br>outcome | Class 2<br>outcome | Class 3<br>outcome | Class 4<br>outcome |
|-----------------------------------------------------|-----------------------|--------------------|--------------------|--------------------|--------------------|
| House/bungalow:<br>Pre 1919                         | 180                   | 0.1                | 1.0                | 21.5               | 77.4               |
| House/bungalow:1<br>919-1944                        | 180                   | 0.1                | 2.2                | 21.5               | 76.2               |
| House/bungalow:<br>1945-1979                        | 180                   | 0.1                | 1.0                | 21.5               | 77.4               |
| House/bungalow:<br>1980+                            | 180                   | 0.1                | 1.0                | 21.5               | 77.4               |
| Converted flat/PB<br>flat: Pre 1919                 | 320                   | 0.1                | 2.2                | 21.5               | 76.2               |
| PB flat: 1919-1944                                  | 320                   | 0.2                | 0.1                | 21.5               | 78.8               |
| PB flat: 1945-1979                                  | 180                   | 0.1                | 2.2                | 21.5               | 76.2               |
| PB flat: 1980+                                      | 180                   | 0.1                | 0.1                | 31.6               | 68.2               |

Please note that this table uses the averages from the HHSRS scoring system, unlike that in the supporting guidance which uses actual averages.

| Fire<br>Vulnerable group<br>= person over 60 | Average<br>likelihood | Class 1<br>outcome | Class 2<br>outcome | Class 3<br>outcome | Class 4<br>outcome |
|----------------------------------------------|-----------------------|--------------------|--------------------|--------------------|--------------------|
| House/bungalow:<br>Pre 1919                  | 5600                  | 10.0               | 2.2                | 31.6               | 56.2               |
| House/bungalow:<br>1919-1944                 | 5600                  | 10.0               | 4.6                | 21.5               | 63.9               |
| House/bungalow:<br>1945-1979                 | 5600                  | 4.6                | 4.6                | 31.6               | 59.2               |
| House/bungalow:<br>1980+                     | 5600                  | 4.6                | 0.1                | 31.6               | 63.7               |
| Converted flat/PB<br>flat: Pre 1919          | 1800                  | 4.6                | 0.1                | 31.6               | 63.7               |
| PB flat: 1919-<br>1944                       | 3200                  | 4.6                | 0.1                | 31.6               | 63.7               |
| PB flat: 1945-<br>1979                       | 3200                  | 4.6                | 0.1                | 31.6               | 63.7               |
| PB flat: 1980+                               | 1800                  | 2.2                | 0.1                | 21.5               | 76.2               |

Please note that this table uses the averages from the HHSRS scoring system, unlike that in the supporting guidance which uses actual averages.

| Likelihood<br>Class 1<br>Outcome | 1 in 5600 | 1 in 3200 | 1 in 1800 | 1 in 1000 | 1 in 560 | 1 in 320 | 1 in 180 | 1 in 100 | 1 in 56 | 1 in 32 | 1 in 18 | 1 in 6 | 1 in 2 |
|----------------------------------|-----------|-----------|-----------|-----------|----------|----------|----------|----------|---------|---------|---------|--------|--------|
| 0.1%                             |           |           |           |           |          |          | G        | F-       | F       | E       | E       | C      | A      |
| 0.2%                             |           |           |           |           |          |          | G        | F        | E       | E       | D       | C      | A      |
| 0.5%                             |           |           |           |           |          |          | G        | F        | E       | E       | D       | B      | A      |
| 1.0%                             |           |           |           |           |          |          | G        | F        | E       | E       | D       | B      | A      |
| 2.2%                             |           |           |           |           |          |          | G        | F        | E       | E       | D       | C      | A      |
| 4.6%                             | I         | H         | H         | G         | F-       | F        | F        | E        | D       | C       | C       | B      | A      |
| 10.0%                            | H         | H         | G         | F         | F        | E        | D        | C        | B       | A       | A       | A      | A      |
| 21.5%                            | H         | G         | F         | E         | D        | C        | B        | B        | A       | A       | A       | A      | A      |
| 31.6%                            | G         | F-        | F         | E         | D        | C        | C        | B        | B       | A       | A       | A      | A      |
| 46.4%                            | G         | F         | E         | E         | D        | C        | B        | B        | A       | A       | A       | A      | A      |
| 100%                             | F         | E         | D         | C+        | C        | B        | A        | A        | A       | A       | A       | A      | A      |

Flames, hot surfaces etc.

While scalds and burns are mainly caused by occupier behaviour, poor design can increase the risk. For the average dwelling, the layout of the kitchen would allow for safe handling of pans etc. There would be no thoroughfare through the kitchen likely to interfere with the person using the cooker. Hot pipes would not be exposed.

For the most part a dwelling which is significantly worse than average will advertise itself as being unsafe to you.

You should use the following table to determine the average for this survey dwelling type. Only if the dwelling is significantly worse than this average would you go through the scoring process.

Please note that this table uses the averages from the HHSRS scoring system, unlike that in the supporting guidance which uses actual averages.

| Likelihood<br>Class 1<br>Outcome | 1 in 1800 | 1 in 1000 | 1 in 560 | 1 in 320 | 1 in 180 | 1 in 100 | 1 in 56 | 1 in 32 | 1 in 18 | 1 in 6 | 1 in 2 |
|----------------------------------|-----------|-----------|----------|----------|----------|----------|---------|---------|---------|--------|--------|
| 0.1%                             |           |           | I-       | I        | H        | G        | F-      | F       | E       | D+     | A      |
| 0.2%                             |           |           |          |          |          |          |         |         |         |        |        |
| 0.5%                             |           |           |          |          |          |          |         |         |         |        |        |
| 1.0%                             |           |           |          |          |          |          |         |         |         |        |        |
| 2.2%                             |           |           |          |          |          |          |         |         |         |        |        |
| 4.6%                             |           |           |          |          |          |          |         |         |         |        |        |
| 10.0%                            |           |           |          |          |          |          |         |         |         |        |        |
| 21.5%                            |           |           |          |          |          |          |         |         |         |        |        |
| 31.6%                            |           |           |          |          |          |          |         |         |         |        |        |
| 46.4%                            |           |           |          |          |          |          |         |         |         |        |        |
| 100%                             |           |           |          |          |          |          |         |         |         |        |        |

Damp and Mould Growth

The average dwelling will be weathertight and show no signs of rising or penetrating damp. There may be some minor condensation in non-habitable rooms.

You should use the following table to determine the average for this survey dwelling type. Only if the dwelling is significantly worse than this average would you go through the scoring process.

Even when considered to be significantly worse than average, such hazards are unlikely to score A, B or C.

| Damp and Mould<br>Growth<br>Vulnerable group<br>person under 15 | Average<br>likelihood | Class 1<br>outcome | Class 2<br>outcome | Class 3<br>outcome | Class 4<br>outcome |
|-----------------------------------------------------------------|-----------------------|--------------------|--------------------|--------------------|--------------------|
| House/bungalow:<br>Pre 1919                                     | 560                   | 0.0                | 1.0                | 10                 | 89                 |
| House/bungalow:<br>1919-1944                                    | 320                   | 0.0                | 1.0                | 10                 | 89                 |
| House/bungalow:<br>1945-1979                                    | 560                   | 0.0                | 1.0                | 10                 | 89                 |
| House/bungalow:<br>1980+                                        | 560                   | 0.0                | 1.0                | 10                 | 89                 |
| Converted flat/PB<br>flat: Pre 1919                             | 560                   | 0.0                | 1.0                | 10                 | 89                 |
| PB flat: 1919-<br>1944                                          | 320                   | 0.0                | 1.0                | 10                 | 89                 |
| PB flat: 1945-<br>1979                                          | 560                   | 0.0                | 1.0                | 10                 | 89                 |
| PB flat: 1980+                                                  | 560                   | 0.0                | 1.0                | 10                 | 89                 |

|                                                                                                                                                                                                                                                                                                                                                                        |               |                                                                                                                                                                                                                              |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>24. LOCAL AREA</b>                                                                                                                                                                                                                                                                                                                                                  | <b>1.24</b>   |                                                                                                                                                                                                                              |
| Clearly define the local area before completing this section. A local area is defined as the <b>‘area around the dwelling of which the dwelling seems to be part’</b> . All questions (apart from the two relating to the estate) must be answered in relation to the whole of this local area. The survey dwelling will not necessarily be at the centre of the area. |               |                                                                                                                                                                                                                              |
| <b>NATURE OF AREA</b>                                                                                                                                                                                                                                                                                                                                                  | <b>1.24.2</b> | <b>PROBLEMS IN LOCAL AREA</b>                                                                                                                                                                                                |
| Code Urban or Rural first.                                                                                                                                                                                                                                                                                                                                             |               | <b>1.24.10</b>                                                                                                                                                                                                               |
| <b>Urban</b> – Built up areas which would include, cities, large and small towns:                                                                                                                                                                                                                                                                                      |               | Assess all problems consistently when walking around your defined local area. For intermittent problems e.g. heavy traffic, make an overall assessment of expected severity of the problem over the course of a typical day. |
| 1. Land use is predominantly commercial.                                                                                                                                                                                                                                                                                                                               |               | <b>Litter/rubbish/dumping</b> Consider quantity of litter/rubbish/dumping in the local area.                                                                                                                                 |
| 2. Area around core of towns, small cities or older urban areas swallowed up by a metropolis.                                                                                                                                                                                                                                                                          |               | <b>Graffiti</b> - Consider the quantity of inappropriate painting or visual defacement on outside surfaces.                                                                                                                  |
| 3. Outer area of towns or cities often characterised by large planned housing estates.                                                                                                                                                                                                                                                                                 |               | <b>Vandalism</b> - Consider the quantity of deliberate damage to either public or private property.                                                                                                                          |
| <b>Rural</b> – Very small towns and villages and other type rural locations:                                                                                                                                                                                                                                                                                           |               | <b>Dog/other excrement</b> - Consider to what extent dog mess / other excrement is a problem in the area.                                                                                                                    |
| 4. Residential areas in rural or suburban areas of villages.                                                                                                                                                                                                                                                                                                           |               | <b>Condition of dwellings</b> - Consider whether run down or unsightly residential properties have a negative visual impact on the local area.                                                                               |
| 5. Traditional villages or centres of suburbanised villages.                                                                                                                                                                                                                                                                                                           |               | <b>Vacant sites</b> - Consider empty plots of formerly developed land which may or may not be fenced off and unsightly.                                                                                                      |
| 6. Agricultural areas with isolated dwellings or small hamlets.                                                                                                                                                                                                                                                                                                        |               | <b>Intrusive Industry</b> - Consider if any local industry has negative impact on local area e.g. through industrial rubbish, noise, visual quality.                                                                         |
| <b>NUMBER OF DWELLINGS IN AREA</b>                                                                                                                                                                                                                                                                                                                                     | <b>1.24.3</b> | <b>Non-conforming uses</b> - Consider whether any domestic premises (including garages) are being used inappropriately e.g. to run car repair business, scrap yards, or haulage businesses.                                  |
| Estimate numbers as <b>accurately as possible</b> .                                                                                                                                                                                                                                                                                                                    |               | <b>Vacant/boarded up buildings</b> - Consider extent of boarded, vacant or derelict shops, houses, public buildings and industrial buildings and how these impact on the local area.                                         |
| 7. Isolated - go to visual quality question.                                                                                                                                                                                                                                                                                                                           |               | <b>Ambient air quality</b> - Consider air quality in the local area by smell and sight, including smoke, smells, fumes, and dust from local industry, roads, trains, rivers, fertilisers etc.                                |
| <b>PREDOMINANT AGE</b>                                                                                                                                                                                                                                                                                                                                                 | <b>1.24.4</b> | <b>Heavy traffic</b> - Consider the volume of traffic including domestic, industrial and commercial traffic.                                                                                                                 |
| Code for the majority of dwellings in area – not necessarily the survey dwelling. Code 6 where no one age group predominates.                                                                                                                                                                                                                                          |               | <b>Intrusion from motorways / main roads</b> Consider both the visual intrusion and the noise levels.                                                                                                                        |
| <b>PREDOMINANT RESIDENTIAL BUILDING TYPE</b>                                                                                                                                                                                                                                                                                                                           | <b>1.24.5</b> | <b>Railway / aircraft noise</b> - Consider any problems where dwellings are close to rail routes or airports.                                                                                                                |
| Relates to <b>the current</b> built form of dwellings. Not necessarily the survey dwelling. Use the ‘mixed’ categories only where no one building type predominates.                                                                                                                                                                                                   |               | <b>Nuisance from street parking</b> - Consider the volume of parked vehicles.                                                                                                                                                |
| <b>PREDOMINANT TENURE AS BUILT</b>                                                                                                                                                                                                                                                                                                                                     | <b>1.24.6</b> | <b>Scruffy gardens / landscaping</b> - Consider the scale of poorly maintained private plots and public open spaces.                                                                                                         |
| Code the tenure for the majority of the buildings in the area as <b>originally built</b> . Not necessarily the tenure of the survey dwelling. Code ‘mixed’ if no one tenure predominates.                                                                                                                                                                              |               | <b>Scruffy / neglected buildings</b> - Consider whether run down or unsightly commercial, civic, or other public buildings have a negative visual impact on the environment.                                                 |
| <b>NUMBER OF DWELLING ON ESTATE</b>                                                                                                                                                                                                                                                                                                                                    | <b>1.24.7</b> | <b>Conditions of roads, pavements and street furniture</b> Consider how well road surfaces, pavements and street furniture are maintained.                                                                                   |
| In indicating size, count only those dwellings apparently built at same time. An estate may be a different size (larger or smaller) to the local area you have selected                                                                                                                                                                                                |               |                                                                                                                                                                                                                              |
| 1. local area defined is an estate.                                                                                                                                                                                                                                                                                                                                    |               |                                                                                                                                                                                                                              |
| <b>IF AREA IS LA ESTATE, % OF RTB DWELLINGS</b>                                                                                                                                                                                                                                                                                                                        | <b>1.24.8</b> |                                                                                                                                                                                                                              |
| <b>LA estates only.</b>                                                                                                                                                                                                                                                                                                                                                |               |                                                                                                                                                                                                                              |
| 8. If the estate did not originally form part of an LA estate.                                                                                                                                                                                                                                                                                                         |               |                                                                                                                                                                                                                              |
| 1-7 If currently/originally an LA estate estimate the percentage of RTBs, even if it appears to have been transferred to a RSL.                                                                                                                                                                                                                                        |               |                                                                                                                                                                                                                              |
| <b>VISUAL QUALITY OF LOCAL AREA</b>                                                                                                                                                                                                                                                                                                                                    | <b>1.24.9</b> |                                                                                                                                                                                                                              |
| This is a national scale of visual attractiveness and relates to all possible local areas found across the country. Consider visual appearance of properties and the surrounding street/landscape, including private gardens, public buildings, open spaces and roadways.                                                                                              |               |                                                                                                                                                                                                                              |





**If found, this form should be returned to:**

**BRE HOUSING  
BRE  
Bucknalls Lane  
Garston  
Herts  
WD25 9XX**