SHIML) CUEADS CTITLED & CITITLE) </MEAD) (BODY> ZHI> Mentally to delleyed C/HI> (section) <447 Needs of our school C/H4> cul style="list-style-image: wd('dl.jpg');"> <117 water <1117 <117 food C/CI> <1p> </section> (section) <nu> Lp7 our scope is to rulp </H4> S/Section> Sections < H37 Objectives</H3> くつしつ Obj 1 4/Li> (Li> Obj 2 C/Li> </section> <HI> Wideo X/MI> <vidus width =13501 height=250' controls >
< Source syc =1 work-mp4' type=' video/mp4'>

Your brown dosen support video </video>

</body> </HTML>

</di>
</di>
</di>
</di>
</di>
</di>

<ing src = 'q.png' width=10px height=10px skyle=' float: left' >

<ing src = 'q.png' width=10px height=10px skyle=' float: left' >

<ing src = 'q.png' width=10px height=10px skyle=' float: left' >

<ing src = 'q.png' width=10px height=10px skyle=' float: left' >

<ing src = 'q.png' width=10px height=10px skyle=' float: left' >

<ing src = 'q.png' width=10px height=10px skyle=' float: left' >

<ing src = 'q.png' width=10px height=10px skyle=' float: left' >

<ing src = 'q.png' width=10px height=10px skyle=' float: left' >

<ing src = 'q.png' width=10px height=10px skyle=' float: left' >

<ing src = 'q.png' width=10px height=10px skyle=' float: left' >

<ing src = 'q.png' width=10px height=10px skyle=' float: left' >

<ing src = 'q.png' width=10px height=10px skyle=' float: left' >

<ing src = 'q.png' width=10px height=10px skyle=' float: left' >

<ing src = 'q.png' width=10px height=10px skyle=' float: left' >

<ing src = 'q.png' width=10px height=10px skyle=' float: left' >

<ing src = 'q.png' width=10px height=10px skyle=' float: left' >

<ing src = 'q.png' width=10px height=10px skyle=' float: left' >

<ing src = 'q.png' width=10px height=10px skyle=' float: left' >

<ing src = 'q.png' width=10px height=10px skyle=' float: left' >

<ing src = 'q.png' width=10px height=10px skyle=' float: left' >

<ing src = 'q.png' width=10px height=10px skyle=' float: left' >

<ing src = 'q.png' width=10px height=10px skyle=' float: left' >

<ing src = 'q.png' width=10px height=10px skyle=' float: left' >

<ing src = 'q.png' width=10px height=10px skyle=' float: left' >

<ing src = 'q.png' width=10px skyle=' float: left' >

<ing src = 'q.png' width=10px skyle=' float: left' >

<ing src =

< div class = 103'>

Sing sre = 'tick-png' width=10px height=10px style='float: left'

div claus='ine style='background-color: lightgreen;'>
Hird">Success
Success
HI class="Hird">Success
HI class="Hird">Hird">Hird">Success
HID
All class="Hird">All class="Hill">All class="Hird">All class="Hird">All class="Hill">All class=

< / HTML>

styles de

01 { background-color: red; borden radius: 12/x; margin-bottom: LOpx; border - style; solid; padding-luft: 21. bordin-colors : red; margin-left: 10% 1. padding hop = 10 px; padding-left = 20px; padding - bottom= 10 px; 4 first & colon-red; } 02 & backywound redoz: yellow; horderradius = LOPX, may in-bottom: 10 pr; border-syle; solid; border-color: yellow; padding left: 21.; y sec { color; yellow; 4 background-color; gleen; border-radius - 10px; mayin-bottom: 10px: bordr-style: solid; border-color; green;

Paddiy-left: 2/3 3

Hird & color : green }