



994. Rotting Oranges

Solved ✓

Medium

Topics

Companies


You are given an $m \times n$ grid where each cell can have one of three values:

- 0 representing an empty cell,
- 1 representing a fresh orange, or
- 2 representing a rotten orange.

Every minute, any fresh orange that is **4-directionally adjacent** to a rotten orange becomes rotten.

Return the minimum number of minutes that must elapse until no cell has a fresh orange. If this is impossible, return -1.

Example 1:



Input: grid = [[2,1,1],[1,1,0],[0,1,1]]

Output: 4

Example 2:

Input: grid = [[2,1,1],[0,1,1],[1,0,1]]

Output: -1

[Description](#) | [Accepted](#) × | [Editorial](#) | [Solutions](#) | [Submissions](#)**Example 3:****Input:** `grid = [[0,2]]`**Output:** `0`**Explanation:** Since there are already no fresh oranges at minute 0, the answer is just 0.**Constraints:**

- `m == grid.length`
- `n == grid[i].length`
- `1 <= m, n <= 10`
- `grid[i][j]` is 0, 1, or 2.

Seen this question in a real interview before? 1/5

Yes

No

Accepted 1.2M | Submissions 2.1M | Acceptance Rate 56.3%



Topics



Companies



Similar Questions



13.8K 172

● 128 Online