
## Scaling Python Data Applications with Dask

#### INTRODUCTION



Paweł Kordek SOFTWARE ENGINEER

@pawel\_kordek https://kordek.github.io



Course overview
Understanding Dask
User interfaces

## Target Audience



#### Target Audience

Any level of Python and data processing experience.



#### Target Audience

Any level of Python and data processing experience.

Looking for ways to easily accommodate 'bigger' data.



## Python for Data



Rich ecosystem

## Python for Data



Rich ecosystem




Accessible


## Python for Data
























#### Change Technology?



Leaving familiar environment





Need for additional tailoring



Operational complexity







# Few Changes to Your Python Code



#### Course Components

Understanding Dask

**Basic Usage** 

Internals and Monitoring

Numpy and Pandas

**Multiple Machines** 



## Key Outcome

Confidence in writing Python data applications that scale.

## Understanding Dask



#### Scalability



**Process larger datasets** 



Perform more intensive computations




By utilizing additional resources

































This is not straightforward











	Count
Α	0
В	0

A B B B A B B B

	Count
Α	1
В	0



	Count
Α	1
В	1



	Count
Α	1
В	2



	Count
Α	1
В	3



	Count
Α	2
В	3



	Count
Α	2
В	4



	Count
Α	3
В	4



	Count
Α	3
В	5



	Count
Α	3
В	6



	Count
Α	3
В	7





	Count
Α	0
В	0

	Count
Α	0
В	0











	Count
Α	1
В	0

	Count
Α	0
В	1











	Count
Α	1
В	1

	Count
Α	1
В	1













	Count
Α	1
В	2

	Count
Α	1
В	2











	Count
Α	1
В	3

	Count
Α	1
В	3











	Count
Α	2
В	3

	Count
Α	1
В	4










	Count
Α	2
В	3


	Count
Α	3
В	7

	Count
Α	1
В	4











## Challenges




No magic here



**Explicit instructions needed** 




### Parallel Computing and Python






#### Underutilization



Hard disk



## APIs





Bag

Unstructured and semi-structured data



```
# Can contain e.g. JSON objects
# { 'a': 2, 'b': 4 }
```

Bag

Unstructured and semi-structured data



```
# Can contain e.g. JSON objects
# { 'a': 2, 'b': 4 }
some_bag \
   .map(lambda x: x['b']) \
   .distinct()
```

#### Bag

Unstructured and semi-structured data



Array

Numerical computations – subset of NumPy



```
# Matrix operations
# [[1, 2],
# [3, 5]]
```

Array

Numerical computations – subset of NumPy



```
# Matrix operations
# [[1, 2],
# [3, 5]]
a1 * a2 # Matrix multiplication
a1 + a2 # Row summation
```

#### Array

Numerical computations - subset of NumPy



DataFrame

Replicates subset of Pandas API



```
# c d
# a 1 3
# b 2 3
df.loc[df.loc['c'] == 1, 'd'] # Gives 3
```

#### DataFrame

Replicates subset of Pandas API



```
# c d
# a 1 3
# b 2 3

df.loc[df.loc['c'] == 1, 'd'] # Gives 3

df.merge(other_df)

df.groupby('d').sum()
```

#### DataFrame

Replicates subset of Pandas API

#### Lower-level APIs

dask.delayed

dask.futures



Spark

Dask

SQL engine

Streaming engine

JVM

Spark

Dask

SQL engine

Streaming engine

JVM

More lightweight

Flexible (at some performance cost)

Accessible

Spark

Dask

SQL engine

Streaming engine

JVM

Standalone

More lightweight

Flexible (at some performance cost)

Accessible

Spark

Dask

SQL engine

More lightweight

Streaming engine

Flexible (at some performance cost)

JVM

Accessible

Standalone

Integrates with other libraries

# Let's go!

