Coursera - Regression Models

Enlik

19 February 2019

Summary

This analysis using dataset comes from `mtcars` package. The data was extracted from the 1974 Motor Trend US magazine and comprises fuel consumption and 10 aspects of automobile design and performance for 32 automobiles (1973-74 models). The main purpose of this analysis is to answer the following two questions:

1. Is an automatic or manual transmission better for MPG
2. Quantify the MPG difference between automatic and manual transmissions

Based on the data, this document shows that the manual transmission is better than the automatic for the mpg: all the models tested say this.

The best model says that the manual transmission allows doing an average of 2.396 miles plus then the automatic.

Read Data

```
data(mtcars)
mtcars$vs <- as.factor(mtcars$vs)
mtcars$am <- as.factor(mtcars$am)

str(mtcars)
```

```
## 'data.frame':    32 obs. of  11 variables:
##  $ mpg : num  21 21 22.8 21.4 18.7 18.1 14.3 24.4 22.8 19.2 ...
##  $ cyl : num  6 6 4 6 8 6 8 4 4 6 ...
##  $ disp: num  160 160 108 258 360 ...
##  $ hp  : num  110 110 93 110 175 105 245 62 95 123 ...
##  $ drat: num  3.9 3.9 3.85 3.08 3.15 2.76 3.21 3.69 3.92 3.92 ...
##  $ wt  : num  2.62 2.88 2.32 3.21 3.44 ...
##  $ qsec: num  16.5 17 18.6 19.4 17 ...
##  $ vs  : Factor w/ 2 levels "0","1": 1 1 2 2 1 2 1 2 2 2 ...
##  $ am  : Factor w/ 2 levels "0","1": 2 2 2 1 1 1 1 1 1 1 ...
##  $ gear: num  4 4 4 3 3 3 3 4 4 4 ...
##  $ carb: num  4 4 1 1 2 1 4 2 2 4 ...
```

```
summary(mtcars)
```

```
##       mpg             cyl             disp             hp       
##  Min.   :10.40   Min.   :4.000   Min.   : 71.1   Min.   : 52.0  
##  1st Qu.:15.43   1st Qu.:4.000   1st Qu.:120.8   1st Qu.: 96.5  
##  Median :19.20   Median :6.000   Median :196.3   Median :123.0  
##  Mean   :20.09   Mean   :6.188   Mean   :230.7   Mean   :146.7  
##  3rd Qu.:22.80   3rd Qu.:8.000   3rd Qu.:326.0   3rd Qu.:180.0  
##  Max.   :33.90   Max.   :8.000   Max.   :472.0   Max.   :335.0  
##       drat             wt             qsec       vs     am     
##  Min.   :2.760   Min.   :1.513   Min.   :14.50   0:18   0:19
```

```
##  1st Qu.:3.080   1st Qu.:2.581   1st Qu.:16.89   1:14   1:13
##  Median :3.695   Median :3.325   Median :17.71
##  Mean   :3.597   Mean   :3.217   Mean   :17.85
##  3rd Qu.:3.920   3rd Qu.:3.610   3rd Qu.:18.90
##  Max.   :4.930   Max.   :5.424   Max.   :22.90
##       gear            carb
##  Min.   :3.000   Min.   :1.000
##  1st Qu.:3.000   1st Qu.:2.000
##  Median :4.000   Median :2.000
##  Mean   :3.688   Mean   :2.812
##  3rd Qu.:4.000   3rd Qu.:4.000
##  Max.   :5.000   Max.   :8.000
```

mtcars dataset have 32 observations and 11 variables:

1. mpg: Miles/(US) gallon
2. cyl: Number of cylinders
3. disp: Displacement (cu.in.)
4. hp: Gross horsepower
5. drat: Rear axle ratio
6. wt: Weight (1000 lbs)
7. qsec: 1/4 mile time
8. vs: V/S
9. am: Transmission (0 = automatic, 1 = manual)
10. gear: Number of forward gears
11. carb: Number of carburetors

```r
boxplot(mpg ~ am, data = mtcars,
         col  = c("green", "yellow"),
         xlab = "Transmission",
         ylab = "Miles per Gallon (MPG)",
         main = "MPG by Transmission Type",
         names= c("automatic","manual"),
         horizontal= T)
```



From boxplot graph above, it seems manual transmission was better than automatic.

```
auto=subset(mtcars,select=mpg,am==0)
manual=subset(mtcars,select=mpg,am==1)
t.test(auto,manual)
```

```
##
##  Welch Two Sample t-test
##
## data:  auto and manual
## t = -3.7671, df = 18.332, p-value = 0.001374
## alternative hypothesis: true difference in means is not equal to 0
## 95 percent confidence interval:
##  -11.280194  -3.209684
## sample estimates:
## mean of x mean of y
##  17.14737  24.39231
```

Simple Linear Regression

```
regSIM <- lm(mpg~am,mtcars)
summary(regSIM)
```

```
##
## Call:
```

```
## lm(formula = mpg ~ am, data = mtcars)
##
## Residuals:
##     Min      1Q  Median      3Q     Max
## -9.3923 -3.0923 -0.2974  3.2439  9.5077
##
## Coefficients:
##             Estimate Std. Error t value Pr(>|t|)
## (Intercept)   17.147      1.125  15.247 1.13e-15 ***
## am1            7.245      1.764   4.106 0.000285 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 4.902 on 30 degrees of freedom
## Multiple R-squared:  0.3598, Adjusted R-squared:  0.3385
## F-statistic: 16.86 on 1 and 30 DF,  p-value: 0.000285
```

R-square = 0.36 means the model have 36% of the variance.

Multivariate Regression

```
regTOT <- lm(mpg~.,mtcars)
summary(regTOT)
```

```
##
## Call:
## lm(formula = mpg ~ ., data = mtcars)
##
## Residuals:
##     Min      1Q  Median      3Q     Max
## -3.4506 -1.6044 -0.1196  1.2193  4.6271
##
## Coefficients:
##             Estimate Std. Error t value Pr(>|t|)
## (Intercept) 12.30337   18.71788   0.657   0.5181
## cyl         -0.11144    1.04502  -0.107   0.9161
## disp         0.01334    0.01786   0.747   0.4635
## hp          -0.02148    0.02177  -0.987   0.3350
## drat         0.78711    1.63537   0.481   0.6353
## wt          -3.71530    1.89441  -1.961   0.0633 .
## qsec         0.82104    0.73084   1.123   0.2739
## vs1          0.31776    2.10451   0.151   0.8814
## am1          2.52023    2.05665   1.225   0.2340
## gear         0.65541    1.49326   0.439   0.6652
## carb        -0.19942    0.82875  -0.241   0.8122
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 2.65 on 21 degrees of freedom
## Multiple R-squared:  0.869,  Adjusted R-squared:  0.8066
## F-statistic: 13.93 on 10 and 21 DF,  p-value: 3.793e-07
```

I use the stepwise regression method for choice the best variables for explain the mpg values.

```r
regSR=step(regTOT,trace=0)
summary(regSR)
```

```
##
## Call:
## lm(formula = mpg ~ wt + qsec + am, data = mtcars)
##
## Residuals:
##     Min      1Q  Median      3Q     Max
## -3.4811 -1.5555 -0.7257  1.4110  4.6610
##
## Coefficients:
##             Estimate Std. Error t value Pr(>|t|)
## (Intercept)   9.6178     6.9596   1.382 0.177915
## wt           -3.9165     0.7112  -5.507 6.95e-06 ***
## qsec          1.2259     0.2887   4.247 0.000216 ***
## am1           2.9358     1.4109   2.081 0.046716 *
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 2.459 on 28 degrees of freedom
## Multiple R-squared:  0.8497, Adjusted R-squared:  0.8336
## F-statistic: 52.75 on 3 and 28 DF,  p-value: 1.21e-11
```

It explains more about mpg values that are wt, qsec and am. This model has 84.97% of the variance and has all the coefficients significative at 5%, so this model is better than the other two. For this model the manual transmission allow to do 2.396 miles plus then the automatic.

```r
anova(regSIM,regSR,regTOT)
```

```
## Analysis of Variance Table
##
## Model 1: mpg ~ am
## Model 2: mpg ~ wt + qsec + am
## Model 3: mpg ~ cyl + disp + hp + drat + wt + qsec + vs + am + gear + carb
##   Res.Df    RSS Df Sum of Sq       F    Pr(>F)
## 1     30 720.90
## 2     28 169.29  2    551.61 39.2687 8.025e-08 ***
## 3     21 147.49  7     21.79  0.4432    0.8636
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

Anova confirm that the model with 3 predictor (wt, qsec, am), is the best choice.

Residuals

Residual plot of the best model:

```r
plot(regSR, which=c(1:1))
```



Conclusion

Based on the data, this document shows that the manual transmission is better than the automatic for the mpg: all the models tested say this.

The best model says that the manual transmission allows doing an average of 2.396 miles plus then the automatic.