





METAL ZONE GENERAL TRADING LLC

Your Trusted Steel Trading Partner







About

Metalzone.

Metal Zone is a leading company based in Dubai, United Arab Emirates, specializing in the stockholding and distribution of piping materials for critical applications. With a strong presence in the region, we primarily cater to industries such as Oil & Gas, water treatment plants, nuclear facilities, and carbon capture projects.

Our commitment to quality is unwavering, driven by professionalism and integrity. We uphold the highest standards, ensuring each product reflects our dedication to excellence. Looking ahead, we aim to expand our capabilities, strengthen partnerships, and drive growth. Our goal is to exceed expectations, setting industry benchmarks and fostering positive change. We thank our customers, suppliers, and team for their unwavering support. Together, we will shape the future of the steel industry, delivering value and reliability in every interaction.



Mission

Our mission at Metal Zone is to be the preferred supplier of high-quality piping materials in the Middle East, providing reliable solutions that meet the stringent requirements of our customers' critical applications. We are committed to delivering excellence through superior products and exceptional service.



Vision

Our vision is to play a pivotal role in the infrastructure development of the Middle East by ensuring the availability of premium piping materials that support sustainable and efficient operations across various industries. We aim to expand our footprint while maintaining our reputation for reliability and expertise.



Values

Quality

We uphold the highest standards of quality in all our products and services.

Integrity

We conduct business with honesty, transparency, and ethical behavior.

Customer Focus

We prioritize understanding and meeting the needs of our customers.

Innovation

We continually seek innovative solutions to improve our products and processes.

Teamwork

We foster a collaborative environment that encourages teamwork and mutual respect.













Industry Focus



Oil & Gas:

Providing materials that meet stringent standards for exploration, production, refining, and distribution within the oil and gas sector.



Water Treatment:

Supplying materials necessary for water purification, desalination, and wastewater treatment processes.



Nuclear Facilities:

Catering to the specialized needs of nuclear power plants and facilities, ensuring materials meet strict safety and operational standards.



Carbon Capture Projects:

Supporting initiatives aimed at reducing carbon emissions through the provision of materials used in carbon capture and storage technologies.




Metal Zone specializes in providing a comprehensive range of high-quality piping materials tailored for critical applications in various industries.



PIPES



FITTINGS



FLANGES



VALVES



TURBINES



BEARINGS



STRUCTURAL STEEL

PIPES

V&M GERMANY SUMITOMO JAPAN JFE JAPAN INTERPIPE UKRAINE MITTAL SA EEW GERMANY TUBOS SPAIN HYUNDAI KOREA SEAH KOREA TUBACEX SPAIN

SEAMLESS ALLOY PIPES / BOILER TUBES



Standards: ASTM, DIN, EN

Steel Grades: A335-P5, P9, P11, P22, P91, 16Mo3,

13CrM04-5, 10CrMo9 • 10, X11CrMo5, X10CrMoVNb9 • 1,

X 20 CrMo V 11-1

Sizes: 1/'l' to 24" ● (10.2mm to 813.0mm)
Schedules: SCH STD - SCH160/XXS

Thickness: 1.5mm to 80.0mm

Ends: Bevelled/Plain

Lengths: SAL 5●8m and DAL 9· 13m **Availability:** Stock I Production

WELDED & SEAMLESS STAINLESS/ DUPLEX



Standards: ASTM, DIN, EN

Steel Grades: TP304L, TP316L, TP316TI, TP304H, TP310S, TP321H, TP347H, TP904L, UNS S31803 (DUPLEX), UNS

S32760 (SUPER DUPLEX)

Sizes: 118" to 36' ● (10.29mm to 914.40mm)

Schedules: SCH STD, SCH XS, SCH XXS, SCH SS,

SCH 10/10S,SCH 20, SCH 30, SCH 40/40S, SCH60,

SCH80/80S, SCH 100, SCH 120, SCH 140, SCH 160

Thickness: 1.5mm to 80.0mm

Ends: Bevelled/Plain

Lengths: SAL 5.8m and DAL 9. 13m **Availability:** Stock / Production

SEAMLESS PIPES CARBON & LOW TEMPERATURE



Standards: ASTM, DIN, EN

Steel Grades: A333 Gr.6, A 106 Gr 81/JJC, API SL X42. X46, X52,X60, X65, X70 (PSL 1 & PSL2), P235HG,P265GH (TC1 & TC2), S355J2H, P355N, P420N, I245NB, I290NB,

ST3Z8, ST35.8

Sizes: 318" lo24' - (10.2mm lo 610.0mm)

Schedules: SCH STD, SCH XS, SCH XXS, SCH20,

SCH40,SCH60,SCH80,SCH100, SCH120,SCH140,SCH160

Thickness: 1.5mm to 60.0mm

Ends: BeveOed.IPlain

lengths: SRL 5-Sm and DRL 9-13m **Availability:** Stock / Production

WELDED PIPES ERW / LSA W / SPW



Standards: ASTM, DIN, EN

Steel Grades: TP304L. TP316L, TP316TI, TP304H, TP310S, TP321H, TP347H, TP904I, UNS S31803 (DUPLEX), UNS

S32760 (SUPER DUPLEX)

Sizes: 118" to 36" ● (10.29mm to 914.40mm)
Schedules: SCH STD, SCH XS, SCH XXS, SCH SS,
SCH 10/10S,SCH 20, SCH 30, SCH 40/40\$, SCH60,
SCH80/80S, SCH 100,SCH 120, SCH 140, SCH 160

Thickness: 1.5mm to 80.0mm

Ends: Bevelled/Plain

Lengths: SRL 5-Srn and DRL 9-13rn **Availability:** Stock / Production

WELDED & SEAMLESS NICKEL ALLOY



Standruds: ASTM, EN

Steel Grades: Alloy 825, Alloy 625, Alloy 600, Alloy 400,

Alloy 201, Inconel C276, Alloy 200


Sizes: 3" to 42'

Schedules: SCH STD - SCH160/XXS

Thkkness: 1.5mm to 60.0mm

Ends: BeveUed.IPlain Lengths: SRL 5-Sm

Availability: Stock I Production



BUTTWELD FITTINGS

ERNE AUSTRIA SCHULZ GERMANY OMR ITALY

SKB KOREA BKL THAILAND BENKEN JAPAN

TK KOREA TECHNOFORGE ITALY

GELDBACH GERMANY

STAINLESS & DUPLEX STEEL



Manufacturing Standards: ASTM, EN, DIN

Fitting Types: 45°/90°/180° LR or SR Elbows, Concentric Reducers, Eccentric Reducers, Equal Tees, Reducing Tees,

Caps.

Process: Seamless and Welded

Steel Grades: WP304L, WP316L. WP316T1, WP317L, WP304H, WP310S, WP321H, WP347H, WP904LUNS S31803 (DUPLEX), UNS S32760 (SUPER DUPLEX)

Sizes: 3/8 to 56-(10.2mm to 1422.4mm) **Schedules:** SCH STD - SCH160/XXS

Thickness: 15mm to 50.0mm

Ends: Bevelled/Plain

Availability: Stock / Production

FITTINGS ALLOY STEEL



Standards: ASTM, DIN EN

Steel Grades: TP304L, TP316L, TP316T), TP304H, TP310S. TP321H. TP347H, TP904L UNS S31803 (DUPLEX), UNS

S32760 (SUPER DUPLEX)

Sizes: 1/8" to 38-(10.29mm to 914.40mm)

Schedules: SCH STD, SCH XS, SCH XXS, SCH 5S, SCH 10/10S, SCH 20, SCH 30, SCH 40/405, SCH60, SCH80/80S, SCH 100. SCH 120, SCH 140, SCH 160

Thickness: 1.5mm to 80.0mm

Ends: Bevelled Plain

Lengths: SRL 5-6m and DRL 9-13m **Availability:** Stock/Production

NICKEL ALLOY STEEL



Standards: ASTM, EN

Steel Grades: Alloy 825 Alloy 625, Alloy 600, Alioy 400,

Alloy 201, Inconel C276, Alloy 200

Sizes: 3 to 42"

Schedules: SCH STD-SCH160/XXS

Trackness: 1.5mm to 60.0mm

Ends: Bevelled/Plain Lengths: SHL 5-6m

Availability: Stock/Production

FORGED FITTINGS

Dimensions to: MSS-SP97

Standards: ASTM ASME ANSI MSS Rating: 3000LBS / 6000LBS / 9000LBS

Materials Carbon Steel: ASTM A 105 / ASTM A350 LF2 Self coloured & Hot Dip Galvanized Materials Stainless Steel: ASTM A182 F304I, F316L,304H, F321, F321H, F347, F347H, F310S,

F317, F904L

Materials Alloy Sleel: ASTM A182 Fl, FS, F9, Fll, F22, F91

Material Duplex Steel: ASTM A 182 F51, F53, FSS, Alloy 825, Alloy 625, Alloy 600. Alloy 400,

Alloy 201. Inconel C276. Alloy 200

FORGED FITTINGS

Elbows 1/8"-4"

Tees 1/8"-4"

Couplings 1/8"-4"

Unions 1/8"-4"Caps

1/8"-4"

Plugs 1/8"-4"

Bushings 3/8"-4"

Inserts 3/8"-4"

OLETS

Weldolets 1/2"-36"

Sockolets 1/2"-4"

Threadolets 1/2"-4"

Nipolets 1/2"-4"

Sweepolets and Nipolet

1/2"-4"

Elbolets and Latrolet

1/2"-24"

Latrolets 1/2"-24"

Sweepolets 1/2"-24"

Nipoflanges 1/2"-4"

PIPE NIPPLES

Pipe Nipples TBE 3" NPT L = 200 MM 1/8"-10"

Pipe Nipples 1/8"-10"

Swage Nipples 1/4"-10"







FLANGES

SOCKET WELD

Standard	ASNI/ASTM B16.5/ 16.36/16.47A/16,47B B2220-2001, DIN252 7/2636/2637/2638/2566/2576l2633/2635/2642/2653/2655. BS 1560-3.1, BS4504-3.1,AS2129-2000
Rate	From 150L8S 10 2500LBS / PN1010 PN400
Size	From 1/2" to 42"
Material	Carbon steel, Stainless steel, Alloy S1eel, Special Alloy.
Туре	RF, FF, RTJ



THREADED

Standard	ASNIIASTM B16.5/ 16.36/16.47A/16.47B B2220-2001, DIN252 712636I26371263812566/257612633/2635/264212653/2655, BS 1560-3.1, BS4504-3.1, AS2129-2000
Rate	From 150LBS 1o 2500LBS/PN10 to PN400
Size	From 1/2" to 42"
Material	Carbon steel, Stainless steel, Alloy S1eel, Special Alloy.
Туре	RF, FF, RTJ



SPECTACLE BLIND

Standard	ASNIIASTM B16.5/ 16.36/16.47A/16.47B B2220-2001, DIN252 712636I26371263812566/257612633/2635/264212653/2655, BS 1560-3.1, BS4504-3.1, AS2129-2000
Rate	From 150LBS 1o 2500LBS/PN10 to PN400
Size	From 1/2' lo 42"
Material	Carbon steel, Stainless steel, Alloy Steel, Special Alloy.



LAP JOINT STUBEND

Standard	ASNIIASTM B16.5/ 16.36/16.47A/16.47B B2220-2001, DIN252 712636I26371263812566/257612633/2635/264212653/2655, BS 1560-3.1, BS4504-3.1, AS2129-2000
Rate	From 150LBS 1o 2500LBS/PN10 to PN400
Size	From 1/2" to 42"
Material	Carbon steel, Stainless steel, Alloy Steel, Special Alloy.
Туре	RF, FF, RTJ



VALVES

KITZ - JAPAN **VIRGO** FZV VIMEC

OMB - ITALY **BONNEYFORGE-ITALY** L&T - INDIA

BALL VALVE



Type: Top Entry Ball Valve, Side Entry Ball Valve, Trunnion Mounted Ball Valve, Floating Ball Valve, One Piece Ball Valve, Two Pieces Ball Valve,

Three Pieces Ball Valve, Fully Welded Ball Valve.

Size: NPS ½ -56'

Temperature: 196° C-550°C Pressure: Class 150.-Class 2, 500

Materials: Garbon Steel, Stainless Steel, Duplex, Inconel, Monel, Bronze

Standard : API 60, BS5351, ASME B16.34, IS017292

Faceto Face: ASME B16.10, API 60

End connection: ASME B16.5, ASME B16.47, ASME B16.25, ASME B16.11

Test Standard ISO 5208, API 60 598

Operators: Manual, Worm Gear, Electric Actuator, Pneumatic Actuator

GATE VALVE



Types: Wedge Gate Valve, Single Disc Gate Valve, Double Disc Gate-Valve(Expanded Gate Valve), Pressure Seal Gale Valve, Cryogenic Gale

Valve-

Size: NPS1/2" - 60"

Temperature: - 196°C~ 550°C Pressure: Class 150- Class 2,500

Materials: Carbon Steel, Stainless Steel, Duplex, Inconel, Monel, Bronze

Standard : API600, API 60 BS 1414 , ASME B16.34,

Face to face: ASME B16.10, API 60

End Connection: ASME B16.5, ASME B16.47, ASME B16.25 ASME B16.11

Test Standard: ISO 5208, API 598

Operators: Manual, Worm Gear, Electric Actuator, Pneumatic Actuator

GLOBE VALVE



Type: Bellow Seals Globe Valve, Pressure Seal Globe Valve, Cryogenic

Globe Valve

Nominal Diameters: NPS 2" -24" Temperature: 196°c-550°C Pressure: Class 150.-Class 2,500

Materials: Carbon Steel, Stainless Steel, Duplex Inconel, Monet, Bronze

Standard: BS1873, ASME B16.5, ASME B16.25

Test Standard: ISO 5208, API 598

Operators: Manual, Electric Actuator, Pneumatic Actuator



Type: Swing Check Valve, Wafer Check Valve, Axial Flow Check Valve,

Pressure Seal Check Valve, Cryogenic Check Valve

Nominal Diameters: NPS 2"~48 Temperature: - 196°c-S50°c Pressure: Class 150-Class 2,500

Materials: Carbon Steel , stainless Steel, Duplex, Inconel, Monel, Bronze

Standard: API6D, BS 1868, ASME 816.34, face to face: ASME 816.1 0, API6D, API 594

End Connection: ASME 816.5, ASME 816.25, ASME 816.47

Test Standard: ISO 5208, API 6D, API 598

BUTTERFLY VALVE



Type: Double Eccentric Butterfly Valve, Triple Eccentric Butterfly Valve, Metal Seal Butterfly Valve, Mon-metal Sealing Butterfly Valve, Concentric

Butterfly Valve, Cryogenic Butterfly Valve

Nominal Diameters: NPS 2" ~80 Temperature: - 196°c~550°c Pressure: Class 150-Class 600

Materials: Carbon Steel, Low Temp, Carbon Steel, Stainless Steel, Duplex,

Inconel, Monel, Bronze

Standard: API 609,MSS SP-68,EN593 face to face: API 609,MSS SP-68,EN 558

End Connection: ASME 816.5, EN 1092, ASME 816.47

Test Standard: ISO 5208, API598

Operators: Manual, worm Gear, Electric Actuator, Pneumatic Actuator

PLUG VALVE



Type:pressure Balanced Plug Valve, Self-lubricating Plug Valve, Twin Plug

/alve

Nominal Diameters: NPS ½ ~ 24" Temperature: 46°C-1 S0°c Pressure: Class 150~ Class 2.500

Materials: Carbon Steel, low Temp. Carbon Steel, Stainless Steel, Duplex,

Inconel, Monel, Bronze

Standard: API 599, API 6D, ASME 816.34 Face to Face : ASME 816.10,API 6D

End Connection: ASME 816.S, ASME 816.25 Test Standard: ISO 5208,

API 6D, API 598

Operators: Manual, Worm Gear, Electric Actuator, Pneumatic Actuator



License No.

Trade Name

Legal Type

Expiry Date

Register No.

D&B D-U-N-S ®





Commercial License

تفاصيل الرخصة / License Details رقم الرخصة 1064218 اسم الشركة ميتال زون للتجارة العامة ذ.م.م Company Name METAL ZONE GENERAL TRADING L.L.C ميتال زون للتجارة العامة ذ.م.م الإسم التجارى شركة ذات مسؤولية محدودة - الشخص الواحد (ذ.م.م.) الشكل القانوني Limited Liability Company - Single Owner(LLC - SO) Issue Date 23/05/2022 تاريخ الإصدار Main License No. 1064218 رقم الرخصة الام

401666

الاطراف / License Members

عضوية الغرقة

رقم الشخص/.No	الإسم / Name	الجنسية / Nationality	الصفة / Role	الحصص / Share
677140	سر هالمانسان الولك فإل الولك	الهند / India	مالك / Shares Owner حصص	100.00%
677140	AND DESCRIPTION OF THE PARTY OF	الهند / India	مدير / Manager	

DCCI No.

نشاط الرخصة التجارية / License Activities

General Trading

تاريخ الإنتهاء

الرقم العالمي

رقم السجل التجارى

Address / العنوان

تجارة عامة

Phone No تليفون P.O. Box صندوق بريد Parcel ID 127-1787 رقم القطعة Fax No فاكس Mobile No 971-55-9179919 هاتف متحرك info@metalzoneuae.com Email / البريد الإلكتروني / Info@metalzoneuae.com

مكتب رقم 302 ملك الشيخ أحمد بن راشد بن سعيد آل مكتوم - هور العنز

الملاحظات / Remarks

14/05/2024 تاريخ الطباعة 13:11

METAL ZONE GENERAL TRADING L.L.C

22/05/2025

0

2298708

Receipt No. 15747135



يمكنك الأن تجديد رخصتك التجارية من خلال الرسائل النصية القصيرة، أرسل رقم الرخصة إلى 6969 (دو/اتصالات) للحصول

Now you can renew your trade license by sending a text message (SMS). Send your trade license number to 6969 (Du/ Etisalat) to receive payment voucher.

Get FREE access to Zoho One for the first year احصل على زوهو ون مجاناً



وثيقة إلكترونية معمدة وصادرة بدون توقيع من دائرة الاقتصاد والسياحة في دبي المراجعة صحة البيانات الواردة في الرخصة يرجي مسح رمز الاستجابة السريعة this is a certified e-document issued without signature by the department of Economy and Tourism .Kindly Scan the QR Code to Verify the certificate

شهادة تسجيل العضوية **Membership Certificate**

License no.	1064218
Membership no	. 401666
Registration no.	2298708
Trade Name	METAL ZONE GENERAL TRADING L.L.C
Legal Status	Limited Liability Company - Sing
Activity	General Trading
Member Since	23/05/2022
Date of Issue	23/05/2022
Expiry Date	22/05/2025

رقم الرخصة	1064218
رقم العضوية	401666
رقم السجل التجاري	2298708
الاسم التجاري	ميتال زون للتجارة العامة ذ.م.م
الشكل القانوني	شركة ذات مسؤولية محدودة - الشخص
نوع النشاط	تجارة عامة
تاريخ الإنتساب	23/05/2022
تاريخ الإصدار	23/05/2022
تاريخ الإنتهاء	22/05/2025

This certificate shall be invalid incase of any alteration without chamber's authorization

For online verification of this Certificate, please visit our website http://www.dubaichamber.ae/verify

غرفــــة تـجـــــارة وصنــــاعــــــة دبـــى Dubai Chamber of Commerce & Industry

P.O. Box 1457 - Dubai, U.A.E. | Tel (Within UAE) 800 CHAMBER (800 2426237) | Tel (Outside UAE) (+971) 4 2280000 هاتف

Fax (+971) 4 2211646 فاكس customercare@dubaichamber.ae | www.dubaichamber.ae

الملاحظات

تعتبر هذه الشهادة لاغية في حال أي كشط أو تعديل عليها دون

للتأكد من صحة بيانات الشهادة يرجى الرجوع إلى موقع الغرفة http://www.dubaichamber.ae/verify









We're excited to invite you to partner with Metal Zone, the leading distributor of piping materials for critical applications in Dubai. Specializing in sectors such as Oil & Gas, water treatment, and nuclear facilities, Metal Zone is committed to excellence, innovation, and client satisfaction. Together, we look forward to harnessing our strengths to deliver cutting-edge solutions that meet the dynamic demands of industries worldwide. Join us in shaping a future of mutual success and growth with Metal Zone.

Team Metalzone



WE ARE HERE TO SERVE YOU WITH EXCELLENCE AND DEDICATION.



METAL ZONE GENERAL TRADING LLC

Yasmeen Building, Office Number : 302, Near Abuhail Metro Station, Abuhail , Dubai , UAE 00971 55 917 9919, 009714 553 2997

www.metalzoneuae.com