Submission

Boogle Dox is a lightweight document editor with import and owner/editor/viewer sharing. Next.js 16, React 19, TypeScript, Tiptap, Supabase Auth and Postgres (hosted), PGlite (local).

Included

Item	Where
Source code	This repository (`src/` , `supabase/migrations/`)
Setup and run instructions	`README.md`
Product requirements and my product thinking	`PRODUCT_REQUIREMENTS.md`
Architecture note	`ARCHITECTURE.md`
AI workflow note	`AI_WORKFLOW.md`
Walkthrough script	`WALKTHROUGH_SCRIPT.md`
PDF copies of the main documents	`docs/pdf/`
Earlier versions (planning pack and pre-final docs)	`docs/archive/`
Demo of the live site (GIF)	`docs/boogledox-live-demo.gif`
Development log with every check and result	`DEVELOPMENT_LOG.md`
Reviewer walkthrough steps	`WALKTHROUGH_NOTES.md`
Demo GIF (hosted mode: import, imported formatting, sharing)	`docs/boogledox-demo.gif`
Walkthrough video URL	`VIDEO_URL.txt`
Live product URL	https://boogledox-144u.vercel.app (Vercel, deployed from `enobot/boogledox` `main`)

Reviewer accounts

Hosted sign-in uses accounts created in the Supabase dashboard: `tracy@boogledox.test` (owner of the demo documents), `nathan@boogledox.test` (editor), `nora@boogledox.test` (viewer). Passwords are provided privately with the submission, not in this public repository.

Locally, with no Supabase variables, the same three people are demo accounts chosen from the account menu. That switcher is not a login.

Status

Working and verified:

- Create, rename, edit, bold, italic, underline, headings 1–3, bulleted and numbered lists, undo and redo, autosave with revision checks, and reopen after refresh. Verified locally and against the live Supabase project.
- Import of `.txt`, `.md`, and `.markdown` up to 500 KB into a new document. Verified through the file picker against Supabase.
- Sharing with one owner and editor or viewer roles. Granting Nathan as editor and Nora as viewer was verified against Supabase. Viewer read-only, editor update, hidden-from-stranger, duplicate share, and invalid role are verified locally in the browser and by automated tests, including tests of the hosted row-level-security SQL.
- 19 automated tests, ESLint, TypeScript, and a production build pass.
- Production without Supabase settings fails closed with 503 instead of using a local database.
- Public deployment on Vercel. Checked on 2026-11-04: signed-out `/` redirects to `/auth/sign-in`, `/api/session` returns 401, a made-up account gets a generic 401 from Supabase, the local demo cookie is ignored, and HSTS is set.

Incomplete:

- Signed-in flows on the public URL are recorded in `DEVELOPMENT_LOG.md` if they were run. Otherwise they were verified only from local development against the same Supabase project.
- Signed in as Nathan or Nora against the live project (editor save, viewer read-only, unauthorized account, copied link) has not been run.
- `anon` and `authenticated` still hold `REFERENCES`, `TRIGGER`, and `TRUNCATE` on the app tables in Supabase. The Data API cannot use them, but they should be revoked.
- Opening a document as owner saves it once with no edits, which bumps its revision.

Next with 2–4 more hours: test the public URL signed in as all three accounts, revoke the extra table privileges, stop the save-on-open, finish the share dialog focus trap, and add export to Markdown.

Deliberately left out

Real-time co-editing and cursors, comments, version history, `.docx` import, Insert and Tools menus, extra formatting such as fonts and colors, and collaborative drafts with voting. Depth in editing, persistence, and access control came first.