
Constant 1D matched log10(P_mono), log10(cbar), and log10(BF) panels, page 1/59 - 175/175 profiles; 8,925 included cells; accuracy_unverified




log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional

Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.

Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.


Constant 1D matched log10(P_mono), log10(cbar), and log10(BF) panels, page 2/59 - 175/175 profiles; 8,925 included cells; accuracy_unverified



Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.

Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.

Constant 1D matched log10(P_mono), log10(cbar), and log10(BF) panels, page 3/59 - 175/175 profiles; 8,925 included cells; accuracy_unverified





log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional


Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.


Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.


Constant 1D matched log10(P_mono), log10(cbar), and log10(BF) panels, page 4/59 - 175/175 profiles; 8,925 included cells; accuracy_unverified
























log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional

Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.

Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.

Constant 1D matched log10(P_mono), log10(cbar), and log10(BF) panels, page 5/59 - 175/175 profiles; 8,925 included cells; accuracy_unverified





log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional


Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.


Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.


Constant 1D matched log10(P_mono), log10(cbar), and log10(BF) panels, page 6/59 - 175/175 profiles; 8,925 included cells; accuracy_unverified

























log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional


Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.


Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.


Constant 1D matched log10(P_mono), log10(cbar), and log10(BF) panels, page 7/59 - 175/175 profiles; 8,925 included cells; accuracy_unverified
























log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional

Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.

Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.


Constant 1D matched log10(P_mono), log10(cbar), and log10(BF) panels, page 8/59 - 175/175 profiles; 8,925 included cells; accuracy_unverified





Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.


Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.


Constant 1D matched log10(P_mono), log10(cbar), and log10(BF) panels, page 9/59 - 175/175 profiles; 8,925 included cells; accuracy_unverified

























log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional


Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.


Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.


Constant 1D matched log10(P_mono), log10(cbar), and log10(BF) panels, page 10/59 - 175/175 profiles; 8,925 included cells; accuracy_unverified

























log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional


Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.


Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.


Constant 1D matched log10(P_mono), log10(cbar), and log10(BF) panels, page 11/59 - 175/175 profiles; 8,925 included cells; accuracy_unverified

























log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional


Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.


Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.


Constant 1D matched log10(P_mono), log10(cbar), and log10(BF) panels, page 12/59 - 175/175 profiles; 8,925 included cells; accuracy_unverified

























log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional


Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.


Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.


Constant 1D matched log10(P_mono), log10(cbar), and log10(BF) panels, page 13/59 - 175/175 profiles; 8,925 included cells; accuracy_unverified

























log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional


Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.


Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.


Constant 1D matched log10(P_mono), log10(cbar), and log10(BF) panels, page 14/59 - 175/175 profiles; 8,925 included cells; accuracy_unverified

























log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional


Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.


Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.


Constant 1D matched log10(P_mono), log10(cbar), and log10(BF) panels, page 15/59 - 175/175 profiles; 8,925 included cells; accuracy_unverified
























log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional

Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.

Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.

Constant 1D matched log10(P_mono), log10(cbar), and log10(BF) panels, page 16/59 - 175/175 profiles; 8,925 included cells; accuracy_unverified





log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional


Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.


Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.


Constant 1D matched log10(P_mono), log10(cbar), and log10(BF) panels, page 17/59 - 175/175 profiles; 8,925 included cells; accuracy_unverified

























log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional


Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.


Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.


Constant 1D matched log10(P_mono), log10(cbar), and log10(BF) panels, page 18/59 - 175/175 profiles; 8,925 included cells; accuracy_unverified
























log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional

Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.

Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.


Constant 1D matched log10(P_mono), log10(cbar), and log10(BF) panels, page 19/59 - 175/175 profiles; 8,925 included cells; accuracy_unverified



Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.

Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.

Constant 1D matched log10(P_mono), log10(cbar), and log10(BF) panels, page 20/59 - 175/175 profiles; 8,925 included cells; accuracy_unverified





log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional


Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.


Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.


Constant 1D matched log10(P_mono), log10(cbar), and log10(BF) panels, page 21/59 - 175/175 profiles; 8,925 included cells; accuracy_unverified
























log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional

Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.

Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.

Constant 1D matched log10(P_mono), log10(cbar), and log10(BF) panels, page 22/59 - 175/175 profiles; 8,925 included cells; accuracy_unverified




log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional

Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.

Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.


Constant 1D matched log10(P_mono), log10(cbar), and log10(BF) panels, page 23/59 - 175/175 profiles; 8,925 included cells; accuracy_unverified





Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.


Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.


Constant 1D matched log10(P_mono), log10(cbar), and log10(BF) panels, page 24/59 - 175/175 profiles; 8,925 included cells; accuracy_unverified

























log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional


Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.


Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.


Constant 1D matched log10(P_mono), log10(cbar), and log10(BF) panels, page 25/59 - 175/175 profiles; 8,925 included cells; accuracy_unverified

























log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional


Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.


Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.


Constant 1D matched log10(P_mono), log10(cbar), and log10(BF) panels, page 26/59 - 175/175 profiles; 8,925 included cells; accuracy_unverified

























log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional


Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.


Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.


Constant 1D matched log10(P_mono), log10(cbar), and log10(BF) panels, page 27/59 - 175/175 profiles; 8,925 included cells; accuracy_unverified

























log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional


Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.


Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.


Constant 1D matched log10(P_mono), log10(cbar), and log10(BF) panels, page 28/59 - 175/175 profiles; 8,925 included cells; accuracy_unverified

























log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional


Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.


Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.


Constant 1D matched log10(P_mono), log10(cbar), and log10(BF) panels, page 29/59 - 175/175 profiles; 8,925 included cells; accuracy_unverified

























log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional


Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.


Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.


Constant 1D matched log10(P_mono), log10(cbar), and log10(BF) panels, page 30/59 - 175/175 profiles; 8,925 included cells; accuracy_unverified
























log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional

Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.

Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.


Constant 1D matched log10(P_mono), log10(cbar), and log10(BF) panels, page 31/59 - 175/175 profiles; 8,925 included cells; accuracy_unverified



Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.

Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.

Constant 1D matched log10(P_mono), log10(cbar), and log10(BF) panels, page 32/59 - 175/175 profiles; 8,925 included cells; accuracy_unverified





log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional


Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.


Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.


Constant 1D matched log10(P_mono), log10(cbar), and log10(BF) panels, page 33/59 - 175/175 profiles; 8,925 included cells; accuracy_unverified

























log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional


Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.


Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.


Constant 1D matched log10(P_mono), log10(cbar), and log10(BF) panels, page 34/59 - 175/175 profiles; 8,925 included cells; accuracy_unverified

























log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional


Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.


Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.


Constant 1D matched log10(P_mono), log10(cbar), and log10(BF) panels, page 35/59 - 175/175 profiles; 8,925 included cells; accuracy_unverified

























log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional


Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.


Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.


Constant 1D matched log10(P_mono), log10(cbar), and log10(BF) panels, page 36/59 - 175/175 profiles; 8,925 included cells; accuracy_unverified

























log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional


Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.


Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.


Constant 1D matched log10(P_mono), log10(cbar), and log10(BF) panels, page 37/59 - 175/175 profiles; 8,925 included cells; accuracy_unverified

























log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional


Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.


Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.


Constant 1D matched log10(P_mono), log10(cbar), and log10(BF) panels, page 38/59 - 175/175 profiles; 8,925 included cells; accuracy_unverified

























log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional


Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.


Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.


Constant 1D matched log10(P_mono), log10(cbar), and log10(BF) panels, page 39/59 - 175/175 profiles; 8,925 included cells; accuracy_unverified

























log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional


Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.


Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.


Constant 1D matched log10(P_mono), log10(cbar), and log10(BF) panels, page 40/59 - 175/175 profiles; 8,925 included cells; accuracy_unverified

























log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional


Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.


Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.


Constant 1D matched log10(P_mono), log10(cbar), and log10(BF) panels, page 41/59 - 175/175 profiles; 8,925 included cells; accuracy_unverified

























log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional


Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.


Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.


Constant 1D matched log10(P_mono), log10(cbar), and log10(BF) panels, page 42/59 - 175/175 profiles; 8,925 included cells; accuracy_unverified

























log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional


Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.


Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.


Constant 1D matched log10(P_mono), log10(cbar), and log10(BF) panels, page 43/59 - 175/175 profiles; 8,925 included cells; accuracy_unverified

























log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional


Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.


Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.


Constant 1D matched log10(P_mono), log10(cbar), and log10(BF) panels, page 44/59 - 175/175 profiles; 8,925 included cells; accuracy_unverified

























log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional


Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.


Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.


Constant 1D matched log10(P_mono), log10(cbar), and log10(BF) panels, page 45/59 - 175/175 profiles; 8,925 included cells; accuracy_unverified

























log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional


Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.


Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.


Constant 1D matched log10(P_mono), log10(cbar), and log10(BF) panels, page 46/59 - 175/175 profiles; 8,925 included cells; accuracy_unverified

























log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional


Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.


Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.


Constant 1D matched log10(P_mono), log10(cbar), and log10(BF) panels, page 47/59 - 175/175 profiles; 8,925 included cells; accuracy_unverified

























log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional


Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.


Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.


Constant 1D matched log10(P_mono), log10(cbar), and log10(BF) panels, page 48/59 - 175/175 profiles; 8,925 included cells; accuracy_unverified

























log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional


Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.


Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.


Constant 1D matched log10(P_mono), log10(cbar), and log10(BF) panels, page 49/59 - 175/175 profiles; 8,925 included cells; accuracy_unverified

























log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional


Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.


Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.


Constant 1D matched log10(P_mono), log10(cbar), and log10(BF) panels, page 50/59 - 175/175 profiles; 8,925 included cells; accuracy_unverified

























log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional


Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.


Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.


Constant 1D matched log10(P_mono), log10(cbar), and log10(BF) panels, page 51/59 - 175/175 profiles; 8,925 included cells; accuracy_unverified

























log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional


Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.


Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.


Constant 1D matched log10(P_mono), log10(cbar), and log10(BF) panels, page 52/59 - 175/175 profiles; 8,925 included cells; accuracy_unverified

























log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional


Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.


Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.


Constant 1D matched log10(P_mono), log10(cbar), and log10(BF) panels, page 53/59 - 175/175 profiles; 8,925 included cells; accuracy_unverified

























log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional


Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.


Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.


Constant 1D matched log10(P_mono), log10(cbar), and log10(BF) panels, page 54/59 - 175/175 profiles; 8,925 included cells; accuracy_unverified

























log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional


Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.


Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.


Constant 1D matched log10(P_mono), log10(cbar), and log10(BF) panels, page 55/59 - 175/175 profiles; 8,925 included cells; accuracy_unverified

























log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional


Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.


Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.


Constant 1D matched log10(P_mono), log10(cbar), and log10(BF) panels, page 56/59 - 175/175 profiles; 8,925 included cells; accuracy_unverified
























log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional

Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.

Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.


Constant 1D matched log10(P_mono), log10(cbar), and log10(BF) panels, page 57/59 - 175/175 profiles; 8,925 included cells; accuracy_unverified





Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.


Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.


Constant 1D matched log10(P_mono), log10(cbar), and log10(BF) panels, page 58/59 - 175/175 profiles; 8,925 included cells; accuracy_unverified

























log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional


Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.

Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.

Constant 1D matched log10(P_mono), log10(cbar), and log10(BF) panels, page 59/59 - 175/175 profiles; 8,925 included cells; accuracy_unverified







log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional

Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.

Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.