
linear 2D matched log10(P_mono), log10(cbar), and log10(BF) panels, page 1/59 - 175/175 profiles; 30,724 included cells; accuracy_unverified




log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional

Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.

Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.


linear 2D matched log10(P_mono), log10(cbar), and log10(BF) panels, page 2/59 - 175/175 profiles; 30,724 included cells; accuracy_unverified




Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.

Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.


DDO161 - log10(P_mono) - 157/2,601 included; 2,444 excluded




DDO161 - log10(cbar) - 157/2,601 included; 2,444 excluded




DDO161 - log10(BF) - 157/2,601 included; 2,444 excluded




DDO168 - log10(P_mono) - 313/2,601 included; 2,288 excluded




DDO168 - log10(cbar) - 313/2,601 included; 2,288 excluded




DDO168 - log10(BF) - 313/2,601 included; 2,288 excluded




DDO170 - log10(P_mono) - 125/2,601 included; 2,476 excluded



DDO170 - log10(cbar) - 125/2,601 included; 2,476 excluded



DDO170 - log10(BF) - 125/2,601 included; 2,476 excluded




log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional


Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.

Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.


ESO079-G014 - log10(P_mono) - 70/2,601 included; 2,531 excluded




ESO079-G014 - log10(cbar) - 70/2,601 included; 2,531 excluded




ESO079-G014 - log10(BF) - 70/2,601 included; 2,531 excluded




ESO116-G012 - log10(P_mono) - 157/2,601 included; 2,444 excluded




ESO116-G012 - log10(cbar) - 157/2,601 included; 2,444 excluded




ESO116-G012 - log10(BF) - 157/2,601 included; 2,444 excluded




ESO444-G084 - log10(P_mono) - 412/2,601 included; 2,189 excluded



ESO444-G084 - log10(cbar) - 412/2,601 included; 2,189 excluded



ESO444-G084 - log10(BF) - 412/2,601 included; 2,189 excluded




log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional

Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.


Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.

linear 2D matched log10(P_mono), log10(cbar), and log10(BF) panels, page 5/59 - 175/175 profiles; 30,724 included cells; accuracy_unverified


ESO563-G021 - log10(P_mono) - 61/2,601 included; 2,540 excluded




ESO563-G021 - log10(cbar) - 61/2,601 included; 2,540 excluded




ESO563-G021 - log10(BF) - 61/2,601 included; 2,540 excluded




F561-1 - log10(P_mono) - 112/2,601 included; 2,489 excluded




F561-1 - log10(cbar) - 112/2,601 included; 2,489 excluded




F561-1 - log10(BF) - 112/2,601 included; 2,489 excluded




F563-1 - log10(P_mono) - 89/2,601 included; 2,512 excluded



F563-1 - log10(cbar) - 89/2,601 included; 2,512 excluded



F563-1 - log10(BF) - 89/2,601 included; 2,512 excluded




log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional


Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.

Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.


F563-V1 - log10(P_mono) - 92/2,601 included; 2,509 excluded




F563-V1 - log10(cbar) - 92/2,601 included; 2,509 excluded




F563-V1 - log10(BF) - 92/2,601 included; 2,509 excluded




F563-V2 - log10(P_mono) - 122/2,601 included; 2,479 excluded




F563-V2 - log10(cbar) - 122/2,601 included; 2,479 excluded




F563-V2 - log10(BF) - 122/2,601 included; 2,479 excluded




F565-V2 - log10(P_mono) - 149/2,601 included; 2,452 excluded



F565-V2 - log10(cbar) - 149/2,601 included; 2,452 excluded



F565-V2 - log10(BF) - 149/2,601 included; 2,452 excluded




log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional


Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.

Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.


F567-2 - log10(P_mono) - 123/2,601 included; 2,478 excluded




F567-2 - log10(cbar) - 123/2,601 included; 2,478 excluded




F567-2 - log10(BF) - 123/2,601 included; 2,478 excluded




F568-1 - log10(P_mono) - 92/2,601 included; 2,509 excluded




F568-1 - log10(cbar) - 92/2,601 included; 2,509 excluded




F568-1 - log10(BF) - 92/2,601 included; 2,509 excluded




F568-3 - log10(P_mono) - 73/2,601 included; 2,528 excluded



F568-3 - log10(cbar) - 73/2,601 included; 2,528 excluded



F568-3 - log10(BF) - 73/2,601 included; 2,528 excluded




log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional


Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.

Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.


F568-V1 - log10(P_mono) - 98/2,601 included; 2,503 excluded




F568-V1 - log10(cbar) - 98/2,601 included; 2,503 excluded




F568-V1 - log10(BF) - 98/2,601 included; 2,503 excluded




F571-8 - log10(P_mono) - 149/2,601 included; 2,452 excluded




F571-8 - log10(cbar) - 149/2,601 included; 2,452 excluded




F571-8 - log10(BF) - 149/2,601 included; 2,452 excluded




F571-V1 - log10(P_mono) - 116/2,601 included; 2,485 excluded



F571-V1 - log10(cbar) - 116/2,601 included; 2,485 excluded



F571-V1 - log10(BF) - 116/2,601 included; 2,485 excluded





log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional


Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.


Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.


linear 2D matched log10(P_mono), log10(cbar), and log10(BF) panels, page 9/59 - 175/175 profiles; 30,724 included cells; accuracy_unverified
























log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional

Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.

Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.

linear 2D matched log10(P_mono), log10(cbar), and log10(BF) panels, page 10/59 - 175/175 profiles; 30,724 included cells; accuracy_unverified




log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional


Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.

Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.


IC4202 - log10(P_mono) - 62/2,601 included; 2,539 excluded




IC4202 - log10(cbar) - 62/2,601 included; 2,539 excluded




IC4202 - log10(BF) - 62/2,601 included; 2,539 excluded




KK98-251 - log10(P_mono) - 394/2,601 included; 2,207 excluded




KK98-251 - log10(cbar) - 394/2,601 included; 2,207 excluded




KK98-251 - log10(BF) - 394/2,601 included; 2,207 excluded




NGC0024 - log10(P_mono) - 162/2,601 included; 2,439 excluded



NGC0024 - log10(cbar) - 162/2,601 included; 2,439 excluded




NGC0024 - log10(BF) - 162/2,601 included; 2,439 excluded



log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional

Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.


Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.



log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional

Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.


Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.



log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional


Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.

Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.




Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.

Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.



Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.


Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.



log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional

Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.

Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.





log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional


Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.


Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.


linear 2D matched log10(P_mono), log10(cbar), and log10(BF) panels, page 18/59 - 175/175 profiles; 30,724 included cells; accuracy_unverified
























log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional

Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.

Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.





log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional


Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.


Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.


linear 2D matched log10(P_mono), log10(cbar), and log10(BF) panels, page 20/59 - 175/175 profiles; 30,724 included cells; accuracy_unverified
























log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional


Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.

Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.


NGC3917 - log10(P_mono) - 87/2,601 included; 2,514 excluded




NGC3917 - log10(cbar) - 87/2,601 included; 2,514 excluded




NGC3917 - log10(BF) - 87/2,601 included; 2,514 excluded




NGC3949 - log10(P_mono) - 130/2,601 included; 2,471 excluded




NGC3949 - log10(cbar) - 130/2,601 included; 2,471 excluded




NGC3949 - log10(BF) - 130/2,601 included; 2,471 excluded




NGC3953 - log10(P_mono) - 84/2,601 included; 2,517 excluded



NGC3953 - log10(cbar) - 84/2,601 included; 2,517 excluded




NGC3953 - log10(BF) - 84/2,601 included; 2,517 excluded



log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional

Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.


Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.





Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.


Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.


linear 2D matched log10(P_mono), log10(cbar), and log10(BF) panels, page 23/59 - 175/175 profiles; 30,724 included cells; accuracy_unverified
























log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional

Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.


Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.





Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.


Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.


linear 2D matched log10(P_mono), log10(cbar), and log10(BF) panels, page 25/59 - 175/175 profiles; 30,724 included cells; accuracy_unverified
























log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional


Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.


Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.





Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.


Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.
























log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional

Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.

Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.




log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional


Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.

Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.


NGC5907 - log10(P_mono) - 64/2,601 included; 2,537 excluded




NGC5907 - log10(cbar) - 64/2,601 included; 2,537 excluded




NGC5907 - log10(BF) - 64/2,601 included; 2,537 excluded




NGC5985 - log10(P_mono) - 61/2,601 included; 2,540 excluded




NGC5985 - log10(cbar) - 61/2,601 included; 2,540 excluded




NGC5985 - log10(BF) - 61/2,601 included; 2,540 excluded




NGC6015 - log10(P_mono) - 94/2,601 included; 2,507 excluded



NGC6015 - log10(cbar) - 94/2,601 included; 2,507 excluded




NGC6015 - log10(BF) - 94/2,601 included; 2,507 excluded



log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional

Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.


Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.



log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional


Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.


Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.





Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.


Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.


























log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional


Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.


Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.
























log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional


Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.

Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.


UGC00731 - log10(P_mono) - 132/2,601 included; 2,469 excluded




UGC00731 - log10(cbar) - 132/2,601 included; 2,469 excluded




UGC00731 - log10(BF) - 132/2,601 included; 2,469 excluded




UGC00891 - log10(P_mono) - 181/2,601 included; 2,420 excluded




UGC00891 - log10(cbar) - 181/2,601 included; 2,420 excluded




UGC00891 - log10(BF) - 181/2,601 included; 2,420 excluded




UGC01230 - log10(P_mono) - 70/2,601 included; 2,531 excluded



UGC01230 - log10(cbar) - 70/2,601 included; 2,531 excluded



UGC01230 - log10(BF) - 70/2,601 included; 2,531 excluded




log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional


Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.

Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.


UGC01281 - log10(P_mono) - 190/2,601 included; 2,411 excluded




UGC01281 - log10(cbar) - 190/2,601 included; 2,411 excluded




UGC01281 - log10(BF) - 190/2,601 included; 2,411 excluded




UGC02023 - log10(P_mono) - 173/2,601 included; 2,428 excluded




UGC02023 - log10(cbar) - 173/2,601 included; 2,428 excluded




UGC02023 - log10(BF) - 173/2,601 included; 2,428 excluded




UGC02259 - log10(P_mono) - 168/2,601 included; 2,433 excluded



UGC02259 - log10(cbar) - 168/2,601 included; 2,433 excluded




UGC02259 - log10(BF) - 168/2,601 included; 2,433 excluded



log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional


Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.

Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.



Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.

Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.




log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional


Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.

Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.


UGC03546 - log10(P_mono) - 91/2,601 included; 2,510 excluded




UGC03546 - log10(cbar) - 91/2,601 included; 2,510 excluded




UGC03546 - log10(BF) - 91/2,601 included; 2,510 excluded




UGC03580 - log10(P_mono) - 105/2,601 included; 2,496 excluded




UGC03580 - log10(cbar) - 105/2,601 included; 2,496 excluded




UGC03580 - log10(BF) - 105/2,601 included; 2,496 excluded




UGC04278 - log10(P_mono) - 178/2,601 included; 2,423 excluded



UGC04278 - log10(cbar) - 178/2,601 included; 2,423 excluded




UGC04278 - log10(BF) - 178/2,601 included; 2,423 excluded





log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional


Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.


Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.
























log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional

Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.


Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.



log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional

Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.

Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.




log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional


Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.

Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.


UGC05750 - log10(P_mono) - 86/2,601 included; 2,515 excluded




UGC05750 - log10(cbar) - 86/2,601 included; 2,515 excluded




UGC05750 - log10(BF) - 86/2,601 included; 2,515 excluded




UGC05764 - log10(P_mono) - 302/2,601 included; 2,299 excluded




UGC05764 - log10(cbar) - 302/2,601 included; 2,299 excluded




UGC05764 - log10(BF) - 302/2,601 included; 2,299 excluded




UGC05829 - log10(P_mono) - 153/2,601 included; 2,448 excluded



UGC05829 - log10(cbar) - 153/2,601 included; 2,448 excluded




UGC05829 - log10(BF) - 153/2,601 included; 2,448 excluded



log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional

Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.


Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.



log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional

Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.

Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.





log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional


Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.


Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.


linear 2D matched log10(P_mono), log10(cbar), and log10(BF) panels, page 45/59 - 175/175 profiles; 30,724 included cells; accuracy_unverified
























log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional

Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.

Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.





log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional


Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.


Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.


linear 2D matched log10(P_mono), log10(cbar), and log10(BF) panels, page 47/59 - 175/175 profiles; 30,724 included cells; accuracy_unverified
























log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional

Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.


Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.



log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional

Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.


Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.





Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.


Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.


linear 2D matched log10(P_mono), log10(cbar), and log10(BF) panels, page 50/59 - 175/175 profiles; 30,724 included cells; accuracy_unverified

























log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional


Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.


Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.


linear 2D matched log10(P_mono), log10(cbar), and log10(BF) panels, page 51/59 - 175/175 profiles; 30,724 included cells; accuracy_unverified


























log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional


Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.


Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.
























log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional

Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.


Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.



log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional

Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.

Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.





log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional


Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.


Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.


linear 2D matched log10(P_mono), log10(cbar), and log10(BF) panels, page 55/59 - 175/175 profiles; 30,724 included cells; accuracy_unverified
























log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional


Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.

Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.


UGC11455 - log10(P_mono) - 62/2,601 included; 2,539 excluded




UGC11455 - log10(cbar) - 62/2,601 included; 2,539 excluded




UGC11455 - log10(BF) - 62/2,601 included; 2,539 excluded




UGC11557 - log10(P_mono) - 126/2,601 included; 2,475 excluded




UGC11557 - log10(cbar) - 126/2,601 included; 2,475 excluded




UGC11557 - log10(BF) - 126/2,601 included; 2,475 excluded




UGC11820 - log10(P_mono) - 121/2,601 included; 2,480 excluded



UGC11820 - log10(cbar) - 121/2,601 included; 2,480 excluded




UGC11820 - log10(BF) - 121/2,601 included; 2,480 excluded



log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional

Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.

Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.




log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional


Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.

Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.


UGC12732 - log10(P_mono) - 115/2,601 included; 2,486 excluded




UGC12732 - log10(cbar) - 115/2,601 included; 2,486 excluded




UGC12732 - log10(BF) - 115/2,601 included; 2,486 excluded




UGCA281 - log10(P_mono) - 273/2,601 included; 2,328 excluded




UGCA281 - log10(cbar) - 273/2,601 included; 2,328 excluded




UGCA281 - log10(BF) - 273/2,601 included; 2,328 excluded




UGCA442 - log10(P_mono) - 222/2,601 included; 2,379 excluded



UGCA442 - log10(cbar) - 222/2,601 included; 2,379 excluded




UGCA442 - log10(BF) - 222/2,601 included; 2,379 excluded





log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional

Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.

Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.







log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional

Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.

Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.