

log-linear 2D matched log10(P_mono), log10(cbar), and log10(BF) panels, page 1/44 - 130/175 profiles; 338,130 included cells; 45 deferred profiles not plotted; accuracy_unverified



Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.

Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.


log-linear 2D matched log10(P_mono), log10(cbar), and log10(BF) panels, page 2/44 - 130/175 profiles; 338,130 included cells; 45 deferred profiles not plotted; accuracy_unverified



Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.

Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.


log-linear 2D matched log10(P_mono), log10(cbar), and log10(BF) panels, page 3/44 - 130/175 profiles; 338,130 included cells; 45 deferred profiles not plotted; accuracy_unverified





Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.


Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.


log-linear 2D matched log10(P_mono), log10(cbar), and log10(BF) panels, page 4/44 - 130/175 profiles; 338,130 included cells; 45 deferred profiles not plotted; accuracy_unverified

























log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional


Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.


Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.


log-linear 2D matched log10(P_mono), log10(cbar), and log10(BF) panels, page 5/44 - 130/175 profiles; 338,130 included cells; 45 deferred profiles not plotted; accuracy_unverified

























log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional


Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.


Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.


log-linear 2D matched log10(P_mono), log10(cbar), and log10(BF) panels, page 6/44 - 130/175 profiles; 338,130 included cells; 45 deferred profiles not plotted; accuracy_unverified

























log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional


Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.


Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.


log-linear 2D matched log10(P_mono), log10(cbar), and log10(BF) panels, page 7/44 - 130/175 profiles; 338,130 included cells; 45 deferred profiles not plotted; accuracy_unverified
























log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional

Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.


Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.



Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.

Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.


log-linear 2D matched log10(P_mono), log10(cbar), and log10(BF) panels, page 9/44 - 130/175 profiles; 338,130 included cells; 45 deferred profiles not plotted; accuracy_unverified



Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.

Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.


log-linear 2D matched log10(P_mono), log10(cbar), and log10(BF) panels, page 10/44 - 130/175 profiles; 338,130 included cells; 45 deferred profiles not plotted; accuracy_unverified



Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.


Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.

log-linear 2D matched log10(P_mono), log10(cbar), and log10(BF) panels, page 11/44 - 130/175 profiles; 338,130 included cells; 45 deferred profiles not plotted; accuracy_unverified



Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.


Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.





Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.


Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.


log-linear 2D matched log10(P_mono), log10(cbar), and log10(BF) panels, page 13/44 - 130/175 profiles; 338,130 included cells; 45 deferred profiles not plotted; accuracy_unverified
























log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional

Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.

Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.


log-linear 2D matched log10(P_mono), log10(cbar), and log10(BF) panels, page 14/44 - 130/175 profiles; 338,130 included cells; 45 deferred profiles not plotted; accuracy_unverified



Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.

Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.


log-linear 2D matched log10(P_mono), log10(cbar), and log10(BF) panels, page 15/44 - 130/175 profiles; 338,130 included cells; 45 deferred profiles not plotted; accuracy_unverified



log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional

Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.


Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.



Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.

Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.


log-linear 2D matched log10(P_mono), log10(cbar), and log10(BF) panels, page 17/44 - 130/175 profiles; 338,130 included cells; 45 deferred profiles not plotted; accuracy_unverified



log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional


Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.

Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.




Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.

Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.




Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.

Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.



Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.


Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.



Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.

Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.


log-linear 2D matched log10(P_mono), log10(cbar), and log10(BF) panels, page 22/44 - 130/175 profiles; 338,130 included cells; 45 deferred profiles not plotted; accuracy_unverified



log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional

Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.

Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.




log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional

Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.

Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.


log-linear 2D matched log10(P_mono), log10(cbar), and log10(BF) panels, page 24/44 - 130/175 profiles; 338,130 included cells; 45 deferred profiles not plotted; accuracy_unverified





Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.


Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.


log-linear 2D matched log10(P_mono), log10(cbar), and log10(BF) panels, page 25/44 - 130/175 profiles; 338,130 included cells; 45 deferred profiles not plotted; accuracy_unverified
























log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional

Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.


Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.





Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.


Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.


log-linear 2D matched log10(P_mono), log10(cbar), and log10(BF) panels, page 27/44 - 130/175 profiles; 338,130 included cells; 45 deferred profiles not plotted; accuracy_unverified
























log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional

Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.

Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.

log-linear 2D matched log10(P_mono), log10(cbar), and log10(BF) panels, page 28/44 - 130/175 profiles; 338,130 included cells; 45 deferred profiles not plotted; accuracy_unverified




log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional

Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.

Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.


log-linear 2D matched log10(P_mono), log10(cbar), and log10(BF) panels, page 29/44 - 130/175 profiles; 338,130 included cells; 45 deferred profiles not plotted; accuracy_unverified





Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.


Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.


log-linear 2D matched log10(P_mono), log10(cbar), and log10(BF) panels, page 30/44 - 130/175 profiles; 338,130 included cells; 45 deferred profiles not plotted; accuracy_unverified
























log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional

Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.

Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.

log-linear 2D matched log10(P_mono), log10(cbar), and log10(BF) panels, page 31/44 - 130/175 profiles; 338,130 included cells; 45 deferred profiles not plotted; accuracy_unverified




log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional

Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.

Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.


log-linear 2D matched log10(P_mono), log10(cbar), and log10(BF) panels, page 32/44 - 130/175 profiles; 338,130 included cells; 45 deferred profiles not plotted; accuracy_unverified



Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.

Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.

log-linear 2D matched log10(P_mono), log10(cbar), and log10(BF) panels, page 33/44 - 130/175 profiles; 338,130 included cells; 45 deferred profiles not plotted; accuracy_unverified




log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional

Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.

Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.

log-linear 2D matched log10(P_mono), log10(cbar), and log10(BF) panels, page 34/44 - 130/175 profiles; 338,130 included cells; 45 deferred profiles not plotted; accuracy_unverified




log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional

Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.

Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.


log-linear 2D matched log10(P_mono), log10(cbar), and log10(BF) panels, page 35/44 - 130/175 profiles; 338,130 included cells; 45 deferred profiles not plotted; accuracy_unverified



Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.

Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.

log-linear 2D matched log10(P_mono), log10(cbar), and log10(BF) panels, page 36/44 - 130/175 profiles; 338,130 included cells; 45 deferred profiles not plotted; accuracy_unverified




log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional

Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.

Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.


log-linear 2D matched log10(P_mono), log10(cbar), and log10(BF) panels, page 37/44 - 130/175 profiles; 338,130 included cells; 45 deferred profiles not plotted; accuracy_unverified



log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional

Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.


Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.



log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional


Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.

Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.



Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.


Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.



log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional

Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.


Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.



log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional


Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.

Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.



Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.


Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.





Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.

Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.

log-linear 2D matched log10(P_mono), log10(cbar), and log10(BF) panels, page 44/44 - 130/175 profiles; 338,130 included cells; 45 deferred profiles not plotted; accuracy_unverified







log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional

Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.

Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.