
Constant 1D matched log10(P_mono), log10(cbar), and log10(BF) panels, page 1/12 - 34/175 profiles; 1,734 included cells; accuracy_unverified




log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional

Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.

Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.


Constant 1D matched log10(P_mono), log10(cbar), and log10(BF) panels, page 2/12 - 34/175 profiles; 1,734 included cells; accuracy_unverified





Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.


Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.


Constant 1D matched log10(P_mono), log10(cbar), and log10(BF) panels, page 3/12 - 34/175 profiles; 1,734 included cells; accuracy_unverified

























log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional


Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.


Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.


Constant 1D matched log10(P_mono), log10(cbar), and log10(BF) panels, page 4/12 - 34/175 profiles; 1,734 included cells; accuracy_unverified

























log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional


Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.


Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.


Constant 1D matched log10(P_mono), log10(cbar), and log10(BF) panels, page 5/12 - 34/175 profiles; 1,734 included cells; accuracy_unverified

























log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional


Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.


Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.


Constant 1D matched log10(P_mono), log10(cbar), and log10(BF) panels, page 6/12 - 34/175 profiles; 1,734 included cells; accuracy_unverified

























log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional


Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.


Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.


Constant 1D matched log10(P_mono), log10(cbar), and log10(BF) panels, page 7/12 - 34/175 profiles; 1,734 included cells; accuracy_unverified

























log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional


Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.


Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.


Constant 1D matched log10(P_mono), log10(cbar), and log10(BF) panels, page 8/12 - 34/175 profiles; 1,734 included cells; accuracy_unverified

























log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional


Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.


Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.


Constant 1D matched log10(P_mono), log10(cbar), and log10(BF) panels, page 9/12 - 34/175 profiles; 1,734 included cells; accuracy_unverified

























log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional


Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.


Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.


Constant 1D matched log10(P_mono), log10(cbar), and log10(BF) panels, page 10/12 - 34/175 profiles; 1,734 included cells; accuracy_unverified

























log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional


Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.


Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.


Constant 1D matched log10(P_mono), log10(cbar), and log10(BF) panels, page 11/12 - 34/175 profiles; 1,734 included cells; accuracy_unverified

























log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional


Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.

Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.

Constant 1D matched log10(P_mono), log10(cbar), and log10(BF) panels, page 12/12 - 34/175 profiles; 1,734 included cells; accuracy_unverified







log10(BF)=1; provisional log10(BF)=1.5; provisional log10(BF)=2; provisional

Each subplot scale spans its finite included cells; no clipping. Display-only log conversions; no P or BF recomputation.

Matched source-cell mask and grid orientation; BF boundaries provisional. Accuracy unverified.