Visual Paradigm Standard(University of Pretoria)




CentralDispatchMediator : mediator
DETECTED", zone)(self-message)
FIRE_DETECTED", zone)
2.1: receiveNotification("FIRE-1", "FIRE_D
:D"]]
3.1: notify(security, "ZONE_CORDON
curity]]
DONED"]]
4.1: notify(medical, "TRIAGE_DEPLOYED", z
4.1.1: receiveNotification("MED-1", "TRIAGE_
!= medical]]
:D-1", "TRIAGE_DEPLOYED", zone)


SecurityUnit : security
Me
)ETECTED", zone)
2.1.1: cordonOffZone(zone)
NED", zone)
3: sendEvent("ZONE_CORDONED", zone)
3.1.1: receiveNotification("SEC-1", "ZONE_CORDONED", zo
zone)
DEPLOYED", zone)
6: re


edicalTeam : medical
FacilitiesUnit : facilitiesUnit
one)
3.1.1.1: deployTriage(zone)
4: sendEvent("TRIAGE_DEPLOYED", zone)
4.1.2: receiveNotification("MED-1", "TRIAGE_DEPLOYED", zone)
eceiveNotification("SEC-1", "ZONE_CORDONED", zone) -- no reaction


opt
[opt [event == "ZONE_C
7: receiveNotification("S
7.1: (log "standing by")
opt
[opt [event == "FIRE_DETECTE
loop
[loop [for each colleague !
12: receiveNotification("


ORDONED"]]
EC-1", "ZONE_CORDONED", zone)
D"]]
10.1: notify(facilities, "HVAC_ISOLATED", zo
10.1.1: receiveNotification("FAC-1", "HVAC_I
= facilities]]
FAC-1", "HVAC_ISOLATED", zone)


8: receiveNotification("FIRE-1", "FIRE_DETECTED", zone) -- no reacti
ne)
SOLATED", zone)
11: receiveNotification("FAC-1", "HVAC_ISOLATED", zone


on
9: receiveNotification("FIRE-1", "FIRE_DETECTED", zone)
9.1: isolateHVAC(zone)
10: sendEvent("HVAC_ISOLATED", zone)