

Search catalog

For Enterprise



Next

◀ Back to Week 4

X Lessons

Prev

Lesson 1 - Components and Component-Based Architecture

Lesson 2 - AngularJS Event System and Modules

Lesson 3 -Introduction to Single Page Routing With uirouter

Lesson 4 - Handling Data with Routing

- Lecture 38, Part 1: Routing
 State with resolve
 3 min
- Lecture 38, Part 2: Routing
 State with resolve
 5 min
- Practice Quiz:

 Quiz 37

 1 question
- Lecture 39, Part 1: Routing
 State with URL Parameters

 2 min
- Lecture 39, Part 2:

 Routing State with URL 11 min
 Parameters
- Practice Quiz: 1 question

PRACTICE QUIZ
Quiz 37

1 question

To Pass

100% or higher

Deadline


June 18, 11:59 PM PDT

Start









Practice Quiz, 1 guestion

1/1 point (100%)



Congratulations! You passed!

Next Item



Given the following snippet of Javascript code:

1/1 points

```
1
2 - .state('home', {
3    url: '/',
4    templateUrl: 'home.html',
5    controller: 'HomeCtrl as home',
6 - resolve: {
7    data1: 'Weeeee',
8 - data2: ['Service', function (Service) {
9        return Service.methodReturnsPromise();
10    }]
11  }
12 });
```

and the following implementation of HomeCtrl:


```
1 HomeCtrl.$inject = ['data2'];
2 + function HomeCtrl(data2) {
3 ...
4 }
```


Which of the following statements are true?

An error will occur because HomeCtrl forgot to inject 'data1'.

Un-selected is correct







1/1 point (100%)

and the following implementation of HomeCtrl:

```
1 HomeCtrl.$inject = ['dataZ'];
2 - function HomeCtrl(dataZ) {
3 ...
4 }
```

Which of the following statements are true?

An error will occur because HomeCtrl forgot to inject 'data1'.

Un-selected is correct

'home' view state will not be transitioned to until the promise returned by 'methodReturnsPromise()' is resolved.

Correct

Correct!

'home' view state will not EVER show if the promise returned by 'methodReturnsPromise()' is rejected or an error occurs during 'data2' resolution.

Correct

Correct!