

[← Back to Week 5](#)[X Lessons](#)[Prev](#)[Next](#)

Lesson 1: Form Validation and Introduction to Testing Javascript

Lesson 2: Testing AngularJS Controllers and Services

Lesson 3: Testing AngularJS Directives and Components



Lecture 46, Part 1: Testing AngularJS Directives 6 min



Lecture 46, Part 2: Testing AngularJS Directives 10 min



Practice Quiz: Quiz 45 3 questions



Lecture 47, Part 1: Testing AngularJS Components 2 min



Lecture 47, Part 2: Testing AngularJS Components 5 min



Practice Quiz: Quiz 46 1 question

Lesson 4: Visit With Client, Old Site Overview, Restaurant Server Setup

PRACTICE QUIZ

Quiz 45

3 questions

To Pass
Deadline

100% or higher
June 25, 11:59 PM PDT

Start





Quiz 45

Practice Quiz, 3 questions

3/3 points (100%)

**Congratulations! You passed!**[Next Item](#)

1. What service can we use to avoid having the directive reach out over the network to retrieve the resource declared with templateUrl?

1 / 1
points

- ☐ \$httpBackend
- ☐ \$templateUrlService
- ☒ \$templateCache

Correct

Correct.



2. What does the \$compile service return? For example, what is contained in the 'x' variable after the following statement:

1 / 1
points

```
1 var x = $compile(html);
```

- ☐ Byte code.

- ☒ A function value that expects some scope as an argument such that it can use that



Quiz 45

Practice Quiz, 3 questions

3/3 points (100%)

1 / 1
points

2. What does the `$compile` service return? For example, what is contained in the 'x' variable after the following statement:

```
1 var x = $compile(html);
```

- ☐ Byte code.
- ☒ A function value that expects some scope as an argument such that it can use that scope to bind the data to the "compiled" HTML.

Correct

- ☐ `$scope`

1 / 1
points

3. What must be called in order to have the bound data update the view (i.e, output of the directive)?

- ☐ `$compile(html)($rootScope)`
- ☒ The `$digest()` as in `$rootScope.$digest()`

Correct

Correct. The Digest Cycle needs to be kicked off manually.