coursera

Search catalog

For Enterprise | Roberto ▾

Prev   Next

Lesson 1 - Components and Component-Based Architecture

Lesson 2 - AngularJS Event System and Modules

**Lesson 3 -Introduction to Single Page Routing With ui-router**

Lesson 4 - Handling Data with Routing

▶ Lecture 38, Part 1: Routing State with resolve   3 min

▶ Lecture 38, Part 2: Routing State with resolve   5 min

⭐ **Practice Quiz:** Quiz 37   1 question

▶ Lecture 39, Part 1: Routing State with URL Parameters   2 min

▶ Lecture 39, Part 2: Routing State with URL Parameters   11 min

⭐ **Practice Quiz:** Quiz 38   1 question

PRACTICE QUIZ

Quiz 38

1 question

| **To Pass** | 100% or higher |
| **Deadline** | June 18, 11:59 PM PDT |

Start

👍 👎 🚩

Quiz 38

Practice Quiz, 1 question

1/1 point (100%)

✓ **Congratulations! You passed!**

<div style="border:1px solid #ccc">Next Item</div>

✓

1/1 points

1. Given the following snippet of Javascript code:

```
 1  ...
 2  .state('home', {
 3    url: '/{param1}',
 4    templateUrl: 'home.html',
 5    controller: 'HomeCtrl as home',
 6    resolve: {
 7      data1: 'Weeeee',
 8      data2: ['Service', function (Service) {
 9        return Service.methodReturnsPromise(???);
10      }]
11    }
12  });
13
```

We need to pass the value of param1 into the 'methodReturnsPromise'. What do we need to do to get that done?

○ Replace line 9 with:

```
1  return Service.methodReturnsPromise(param1);
2
```

○ Replace line 9 with:

```
1  return Service.methodReturnsPromise('param1');
2
```

Coursera | Online Courses From Top Universities. Join for Free | Coursera

← Quiz 38
Practice Quiz, 1 question

1/1 point (100%)

○ Replace line 9 with:

```
1  return Service.methodReturnsPromise(param1);
2
```

○ Replace line 9 with:

```
1  return Service.methodReturnsPromise('param1');
2
```

◉ Replace line 8 and 9 with:

```
1  data2: ['$stateParams', 'Service', function ($stateParams, Service)
       {
2      return Service.methodReturnsPromise($stateParams.param1);
3
```

Correct

○ Replace line 9 with:

```
1  return Service.methodReturnsPromise({'param1'});
2
```